



Appendix E

RF Test Data for 5.8GWIFI(Conducted Measurement)

Product Name: SmartTouch+

Test Model: STP-001

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng





E.1 -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant2	15.645	>=0.5	Pass
NVNT	a	5785	Ant2	16.29	>=0.5	Pass
NVNT	a	5825	Ant2	16.038	>=0.5	Pass
NVNT	n20	5745	Ant2	17.33	>=0.5	Pass
NVNT	n20	5785	Ant2	17.063	>=0.5	Pass
NVNT	n20	5825	Ant2	17.293	>=0.5	Pass
NVNT	n40	5755	Ant2	35.073	>=0.5	Pass
NVNT	n40	5795	Ant2	34.962	>=0.5	Pass
NVNT	ac20	5745	Ant2	16.941	>=0.5	Pass
NVNT	ac20	5785	Ant2	16.707	>=0.5	Pass
NVNT	ac20	5825	Ant2	16.279	>=0.5	Pass
NVNT	ac40	5755	Ant2	35.1	>=0.5	Pass
NVNT	ac40	5795	Ant2	35.106	>=0.5	Pass
NVNT	ac80	5775	Ant2	75.123	>=0.5	Pass
NVNT	ax20	5745	Ant2	18.562	>=0.5	Pass
NVNT	ax20	5785	Ant2	18.515	>=0.5	Pass
NVNT	ax20	5825	Ant2	18.727	>=0.5	Pass
NVNT	ax40	5755	Ant2	35.11	>=0.5	Pass
NVNT	ax40	5795	Ant2	33.388	>=0.5	Pass
NVNT	ax80	5775	Ant2	75.108	>=0.5	Pass






Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant2




-6dB Bandwidth NVNT a 5785MHz Ant2






-6dB Bandwidth NVNT a 5825MHz Ant2




-6dB Bandwidth NVNT n20 5745MHz Ant2






-6dB Bandwidth NVNT n20 5785MHz Ant2




-6dB Bandwidth NVNT n20 5825MHz Ant2






-6dB Bandwidth NVNT n40 5755MHz Ant2




-6dB Bandwidth NVNT n40 5795MHz Ant2






-6dB Bandwidth NVNT ac20 5745MHz Ant2




-6dB Bandwidth NVNT ac20 5785MHz Ant2






-6dB Bandwidth NVNT ac20 5825MHz Ant2




-6dB Bandwidth NVNT ac40 5755MHz Ant2






-6dB Bandwidth NVNT ac40 5795MHz Ant2




-6dB Bandwidth NVNT ac80 5775MHz Ant2






-6dB Bandwidth NVNT ax20 5745MHz Ant2




-6dB Bandwidth NVNT ax20 5785MHz Ant2






-6dB Bandwidth NVNT ax20 5825MHz Ant2




-6dB Bandwidth NVNT ax40 5755MHz Ant2






-6dB Bandwidth NVNT ax40 5795MHz Ant2



-6dB Bandwidth NVNT ax80 5775MHz Ant2





E.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant2	12.25	0.22	12.47	30	Pass
NVNT	a	5785	Ant2	12.49	0.22	12.71	30	Pass
NVNT	a	5825	Ant2	12.07	0.22	12.29	30	Pass
NVNT	n20	5745	Ant2	11.67	0.23	11.9	30	Pass
NVNT	n20	5785	Ant2	11.38	0.23	11.61	30	Pass
NVNT	n20	5825	Ant2	11.02	0.23	11.25	30	Pass
NVNT	n40	5755	Ant2	10.45	0.46	10.91	30	Pass
NVNT	n40	5795	Ant2	10.24	0.45	10.69	30	Pass
NVNT	ac20	5745	Ant2	11.52	0.6	12.12	30	Pass
NVNT	ac20	5785	Ant2	11.23	0.6	11.83	30	Pass
NVNT	ac20	5825	Ant2	11.44	0.6	12.04	30	Pass
NVNT	ac40	5755	Ant2	10.61	0.52	11.13	30	Pass
NVNT	ac40	5795	Ant2	10.46	0.51	10.97	30	Pass
NVNT	ac80	5775	Ant2	9.44	0.68	10.12	30	Pass
NVNT	ax20	5745	Ant2	11.65	0.63	12.28	30	Pass
NVNT	ax20	5785	Ant2	11.39	0.63	12.02	30	Pass
NVNT	ax20	5825	Ant2	11.02	0.63	11.65	30	Pass
NVNT	ax40	5755	Ant2	10.34	0.55	10.89	30	Pass
NVNT	ax40	5795	Ant2	10.16	0.55	10.71	30	Pass
NVNT	ax80	5775	Ant2	9.21	0.68	9.89	30	Pass





E.3 Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/500KHz)	Duty Factor (dB)	Total PSD (dBm/500KHz)	Limit (dBm/500KHz)	Verdict
NVNT	a	5745	Ant2	-0.78	0.22	-0.56	30	Pass
NVNT	a	5785	Ant2	-0.4	0.22	-0.18	30	Pass
NVNT	a	5825	Ant2	-1.09	0.22	-0.87	30	Pass
NVNT	n20	5745	Ant2	-1.73	0.23	-1.5	30	Pass
NVNT	n20	5785	Ant2	-1.87	0.23	-1.64	30	Pass
NVNT	n20	5825	Ant2	-2.89	0.23	-2.66	30	Pass
NVNT	n40	5755	Ant2	-5.37	0.46	-4.91	30	Pass
NVNT	n40	5795	Ant2	-5.82	0.45	-5.37	30	Pass
NVNT	ac20	5745	Ant2	-1.74	0.6	-1.14	30	Pass
NVNT	ac20	5785	Ant2	-1.85	0.6	-1.25	30	Pass
NVNT	ac20	5825	Ant2	-1.94	0.6	-1.34	30	Pass
NVNT	ac40	5755	Ant2	-5.06	0.52	-4.54	30	Pass
NVNT	ac40	5795	Ant2	-5.43	0.51	-4.92	30	Pass
NVNT	ac80	5775	Ant2	-8.94	0.68	-8.26	30	Pass
NVNT	ax20	5745	Ant2	-1.53	0.63	-0.9	30	Pass
NVNT	ax20	5785	Ant2	-1.82	0.63	-1.19	30	Pass
NVNT	ax20	5825	Ant2	-2.16	0.63	-1.53	30	Pass
NVNT	ax40	5755	Ant2	-5.4	0.55	-4.85	30	Pass
NVNT	ax40	5795	Ant2	-5.51	0.55	-4.96	30	Pass
NVNT	ax80	5775	Ant2	-9.44	0.68	-8.76	30	Pass






Test Graphs

PSD NVNT a 5745MHz Ant2




PSD NVNT a 5785MHz Ant2






PSD NVNT a 5825MHz Ant2




PSD NVNT n20 5745MHz Ant2






PSD NVNT n20 5785MHz Ant2




PSD NVNT n20 5825MHz Ant2






PSD NVNT n40 5755MHz Ant2




PSD NVNT n40 5795MHz Ant2






PSD NVNT ac20 5745MHz Ant2




PSD NVNT ac20 5785MHz Ant2






PSD NVNT ac20 5825MHz Ant2




PSD NVNT ac40 5755MHz Ant2






PSD NVNT ac40 5795MHz Ant2




PSD NVNT ac80 5775MHz Ant2






PSD NVNT ax20 5745MHz Ant2




PSD NVNT ax20 5785MHz Ant2






PSD NVNT ax20 5825MHz Ant2




PSD NVNT ax40 5755MHz Ant2






PSD NVNT ax40 5795MHz Ant2



PSD NVNT ax80 5775MHz Ant2





E.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	Ant2	5650	-48.02	2	-	-46.02	Peak	-27	Pass
NVNT	a	5745	Ant2	5650	-56.39	2	0.22	-54.17	Average	-27	Pass
NVNT	a	5745	Ant2	5700	-48.63	2	-	-46.63	Peak	10	Pass
NVNT	a	5745	Ant2	5700	-56.03	2	0.22	-53.81	Average	10	Pass
NVNT	a	5745	Ant2	5720	-46.82	2	-	-44.82	Peak	15.6	Pass
NVNT	a	5745	Ant2	5720	-55.35	2	0.22	-53.13	Average	15.6	Pass
NVNT	a	5745	Ant2	5725	-46.73	2	-	-44.73	Peak	27	Pass
NVNT	a	5745	Ant2	5725	-54.33	2	0.22	-52.11	Average	27	Pass
NVNT	a	5825	Ant2	5850	-47.94	2	-	-45.94	Peak	27	Pass
NVNT	a	5825	Ant2	5850	-55.65	2	0.22	-53.43	Average	27	Pass
NVNT	a	5825	Ant2	5855	-47.43	2	-	-45.43	Peak	15.6	Pass
NVNT	a	5825	Ant2	5855	-55.9	2	0.22	-53.68	Average	15.6	Pass
NVNT	a	5825	Ant2	5875	-48.33	2	-	-46.33	Peak	10	Pass
NVNT	a	5825	Ant2	5875	-56.24	2	0.22	-54.02	Average	10	Pass
NVNT	a	5825	Ant2	5925	-46.31	2	-	-44.31	Peak	-27	Pass
NVNT	a	5825	Ant2	5925	-56.42	2	0.22	-54.2	Average	-27	Pass
NVNT	n20	5745	Ant2	5650	-49.55	2	-	-47.55	Peak	-27	Pass
NVNT	n20	5745	Ant2	5650	-56.84	2	0.23	-54.61	Average	-27	Pass
NVNT	n20	5745	Ant2	5700	-47.87	2	-	-45.87	Peak	10	Pass
NVNT	n20	5745	Ant2	5700	-55.74	2	0.23	-53.51	Average	10	Pass
NVNT	n20	5745	Ant2	5720	-46.33	2	-	-44.33	Peak	15.6	Pass
NVNT	n20	5745	Ant2	5720	-55.64	2	0.23	-53.41	Average	15.6	Pass
NVNT	n20	5745	Ant2	5725	-44.99	2	-	-42.99	Peak	27	Pass
NVNT	n20	5745	Ant2	5725	-54.74	2	0.23	-52.51	Average	27	Pass
NVNT	n20	5825	Ant2	5850	-48.62	2	-	-46.62	Peak	27	Pass
NVNT	n20	5825	Ant2	5850	-56.58	2	0.23	-54.35	Average	27	Pass
NVNT	n20	5825	Ant2	5855	-48.22	2	-	-46.22	Peak	15.6	Pass
NVNT	n20	5825	Ant2	5855	-56.76	2	0.23	-54.53	Average	15.6	Pass
NVNT	n20	5825	Ant2	5875	-49.49	2	-	-47.49	Peak	10	Pass
NVNT	n20	5825	Ant2	5875	-57.38	2	0.23	-55.15	Average	10	Pass
NVNT	n20	5825	Ant2	5925	-48.81	2	-	-46.81	Peak	-27	Pass
NVNT	n20	5825	Ant2	5925	-57.01	2	0.23	-54.78	Average	-27	Pass
NVNT	n40	5755	Ant2	5650	-47.17	2	-	-45.17	Peak	-27	Pass
NVNT	n40	5755	Ant2	5650	-56.85	2	0.46	-54.39	Average	-27	Pass
NVNT	n40	5755	Ant2	5700	-48.43	2	-	-46.43	Peak	10	Pass
NVNT	n40	5755	Ant2	5700	-56.58	2	0.46	-54.12	Average	10	Pass
NVNT	n40	5755	Ant2	5720	-46.98	2	-	-44.98	Peak	15.6	Pass
NVNT	n40	5755	Ant2	5720	-54.61	2	0.46	-52.15	Average	15.6	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	n40	5755	Ant2	5725	-43.77	2	-	-41.77	Peak	27	Pass
NVNT	n40	5755	Ant2	5725	-51.35	2	0.46	-48.89	Average	27	Pass
NVNT	n40	5795	Ant2	5850	-48.39	2	-	-46.39	Peak	27	Pass
NVNT	n40	5795	Ant2	5850	-57.51	2	0.45	-55.06	Average	27	Pass
NVNT	n40	5795	Ant2	5855	-49.73	2	-	-47.73	Peak	15.6	Pass
NVNT	n40	5795	Ant2	5855	-56.96	2	0.45	-54.51	Average	15.6	Pass
NVNT	n40	5795	Ant2	5875	-48.17	2	-	-46.17	Peak	10	Pass
NVNT	n40	5795	Ant2	5875	-56.97	2	0.45	-54.52	Average	10	Pass
NVNT	n40	5795	Ant2	5925	-49.7	2	-	-47.7	Peak	-27	Pass
NVNT	n40	5795	Ant2	5925	-56.6	2	0.45	-54.15	Average	-27	Pass
NVNT	ac20	5745	Ant2	5650	-49.67	2	-	-47.67	Peak	-27	Pass
NVNT	ac20	5745	Ant2	5650	-56.71	2	0.6	-54.11	Average	-27	Pass
NVNT	ac20	5745	Ant2	5700	-48.56	2	-	-46.56	Peak	10	Pass
NVNT	ac20	5745	Ant2	5700	-56.32	2	0.6	-53.72	Average	10	Pass
NVNT	ac20	5745	Ant2	5720	-47.26	2	-	-45.26	Peak	15.6	Pass
NVNT	ac20	5745	Ant2	5720	-55.79	2	0.6	-53.19	Average	15.6	Pass
NVNT	ac20	5745	Ant2	5725	-47.23	2	-	-45.23	Peak	27	Pass
NVNT	ac20	5745	Ant2	5725	-55.36	2	0.6	-52.76	Average	27	Pass
NVNT	ac20	5825	Ant2	5850	-48.94	2	-	-46.94	Peak	27	Pass
NVNT	ac20	5825	Ant2	5850	-56.51	2	0.6	-53.91	Average	27	Pass
NVNT	ac20	5825	Ant2	5855	-49.19	2	-	-47.19	Peak	15.6	Pass
NVNT	ac20	5825	Ant2	5855	-56.49	2	0.6	-53.89	Average	15.6	Pass
NVNT	ac20	5825	Ant2	5875	-49.26	2	-	-47.26	Peak	10	Pass
NVNT	ac20	5825	Ant2	5875	-57.12	2	0.6	-54.52	Average	10	Pass
NVNT	ac20	5825	Ant2	5925	-49.7	2	-	-47.7	Peak	-27	Pass
NVNT	ac20	5825	Ant2	5925	-56.15	2	0.6	-53.55	Average	-27	Pass
NVNT	ac40	5755	Ant2	5650	-48.9	2	-	-46.9	Peak	-27	Pass
NVNT	ac40	5755	Ant2	5650	-56.27	2	0.52	-53.75	Average	-27	Pass
NVNT	ac40	5755	Ant2	5700	-47.87	2	-	-45.87	Peak	10	Pass
NVNT	ac40	5755	Ant2	5700	-56.41	2	0.52	-53.89	Average	10	Pass
NVNT	ac40	5755	Ant2	5720	-45.88	2	-	-43.88	Peak	15.6	Pass
NVNT	ac40	5755	Ant2	5720	-54.4	2	0.52	-51.88	Average	15.6	Pass
NVNT	ac40	5755	Ant2	5725	-41.81	2	-	-39.81	Peak	27	Pass
NVNT	ac40	5755	Ant2	5725	-51.11	2	0.52	-48.59	Average	27	Pass
NVNT	ac40	5795	Ant2	5850	-47.95	2	-	-45.95	Peak	27	Pass
NVNT	ac40	5795	Ant2	5850	-56.08	2	0.51	-53.57	Average	27	Pass
NVNT	ac40	5795	Ant2	5855	-49.76	2	-	-47.76	Peak	15.6	Pass
NVNT	ac40	5795	Ant2	5855	-56.97	2	0.51	-54.46	Average	15.6	Pass
NVNT	ac40	5795	Ant2	5875	-48.99	2	-	-46.99	Peak	10	Pass
NVNT	ac40	5795	Ant2	5875	-56.12	2	0.51	-53.61	Average	10	Pass
NVNT	ac40	5795	Ant2	5925	-49.56	2	-	-47.56	Peak	-27	Pass
NVNT	ac40	5795	Ant2	5925	-57.05	2	0.51	-54.54	Average	-27	Pass
NVNT	ac80	5775	Ant2	5850	-46.58	2	-	-44.58	Peak	27	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac80	5775	Ant2	5850	-54.12	2	0.68	-51.44	Average	27	Pass
NVNT	ac80	5775	Ant2	5855	-43.37	2	-	-41.37	Peak	15.6	Pass
NVNT	ac80	5775	Ant2	5855	-54.28	2	0.68	-51.6	Average	15.6	Pass
NVNT	ac80	5775	Ant2	5875	-46.94	2	-	-44.94	Peak	10	Pass
NVNT	ac80	5775	Ant2	5875	-56.46	2	0.68	-53.78	Average	10	Pass
NVNT	ac80	5775	Ant2	5925	-47.18	2	-	-45.18	Peak	-27	Pass
NVNT	ac80	5775	Ant2	5925	-57.3	2	0.68	-54.62	Average	-27	Pass
NVNT	ac80	5775	Ant2	5650	-49.44	2	-	-47.44	Peak	-27	Pass
NVNT	ac80	5775	Ant2	5650	-57.31	2	0.68	-54.63	Average	-27	Pass
NVNT	ac80	5775	Ant2	5700	-44.71	2	-	-42.71	Peak	10	Pass
NVNT	ac80	5775	Ant2	5700	-54.83	2	0.68	-52.15	Average	10	Pass
NVNT	ac80	5775	Ant2	5720	-43.53	2	-	-41.53	Peak	15.6	Pass
NVNT	ac80	5775	Ant2	5720	-53.02	2	0.68	-50.34	Average	15.6	Pass
NVNT	ac80	5775	Ant2	5725	-44.29	2	-	-42.29	Peak	27	Pass
NVNT	ac80	5775	Ant2	5725	-52.04	2	0.68	-49.36	Average	27	Pass
NVNT	ax20	5745	Ant2	5650	-48.06	2	-	-46.06	Peak	-27	Pass
NVNT	ax20	5745	Ant2	5650	-56.75	2	0.63	-54.12	Average	-27	Pass
NVNT	ax20	5745	Ant2	5700	-48.89	2	-	-46.89	Peak	10	Pass
NVNT	ax20	5745	Ant2	5700	-56.31	2	0.63	-53.68	Average	10	Pass
NVNT	ax20	5745	Ant2	5720	-44.86	2	-	-42.86	Peak	15.6	Pass
NVNT	ax20	5745	Ant2	5720	-55.11	2	0.63	-52.48	Average	15.6	Pass
NVNT	ax20	5745	Ant2	5725	-47.7	2	-	-45.7	Peak	27	Pass
NVNT	ax20	5745	Ant2	5725	-54.69	2	0.63	-52.06	Average	27	Pass
NVNT	ax20	5825	Ant2	5850	-46.68	2	-	-44.68	Peak	27	Pass
NVNT	ax20	5825	Ant2	5850	-56.21	2	0.63	-53.58	Average	27	Pass
NVNT	ax20	5825	Ant2	5855	-49.06	2	-	-47.06	Peak	15.6	Pass
NVNT	ax20	5825	Ant2	5855	-56.52	2	0.63	-53.89	Average	15.6	Pass
NVNT	ax20	5825	Ant2	5875	-48.45	2	-	-46.45	Peak	10	Pass
NVNT	ax20	5825	Ant2	5875	-57.49	2	0.63	-54.86	Average	10	Pass
NVNT	ax20	5825	Ant2	5925	-49.88	2	-	-47.88	Peak	-27	Pass
NVNT	ax20	5825	Ant2	5925	-56.82	2	0.63	-54.19	Average	-27	Pass
NVNT	ax40	5755	Ant2	5650	-48.8	2	-	-46.8	Peak	-27	Pass
NVNT	ax40	5755	Ant2	5650	-56.82	2	0.55	-54.27	Average	-27	Pass
NVNT	ax40	5755	Ant2	5700	-50.31	2	-	-48.31	Peak	10	Pass
NVNT	ax40	5755	Ant2	5700	-56.47	2	0.55	-53.92	Average	10	Pass
NVNT	ax40	5755	Ant2	5720	-45.99	2	-	-43.99	Peak	15.6	Pass
NVNT	ax40	5755	Ant2	5720	-54.84	2	0.55	-52.29	Average	15.6	Pass
NVNT	ax40	5755	Ant2	5725	-44.01	2	-	-42.01	Peak	27	Pass
NVNT	ax40	5755	Ant2	5725	-51.74	2	0.55	-49.19	Average	27	Pass
NVNT	ax40	5795	Ant2	5850	-48.65	2	-	-46.65	Peak	27	Pass
NVNT	ax40	5795	Ant2	5850	-56.86	2	0.55	-54.31	Average	27	Pass
NVNT	ax40	5795	Ant2	5855	-48.6	2	-	-46.6	Peak	15.6	Pass
NVNT	ax40	5795	Ant2	5855	-56.75	2	0.55	-54.2	Average	15.6	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




NVNT	ax40	5795	Ant2	5875	-47.87	2	-	-45.87	Peak	10	Pass
NVNT	ax40	5795	Ant2	5875	-57.1	2	0.55	-54.55	Average	10	Pass
NVNT	ax40	5795	Ant2	5925	-49.79	2	-	-47.79	Peak	-27	Pass
NVNT	ax40	5795	Ant2	5925	-56.77	2	0.55	-54.22	Average	-27	Pass
NVNT	ax80	5775	Ant2	5850	-45.66	2	-	-43.66	Peak	27	Pass
NVNT	ax80	5775	Ant2	5850	-53.1	2	0.68	-50.42	Average	27	Pass
NVNT	ax80	5775	Ant2	5855	-46.34	2	-	-44.34	Peak	15.6	Pass
NVNT	ax80	5775	Ant2	5855	-53.9	2	0.68	-51.22	Average	15.6	Pass
NVNT	ax80	5775	Ant2	5875	-48.66	2	-	-46.66	Peak	10	Pass
NVNT	ax80	5775	Ant2	5875	-56.11	2	0.68	-53.43	Average	10	Pass
NVNT	ax80	5775	Ant2	5925	-48.76	2	-	-46.76	Peak	-27	Pass
NVNT	ax80	5775	Ant2	5925	-56.97	2	0.68	-54.29	Average	-27	Pass
NVNT	ax80	5775	Ant2	5650	-48.63	2	-	-46.63	Peak	-27	Pass
NVNT	ax80	5775	Ant2	5650	-57.61	2	0.68	-54.93	Average	-27	Pass
NVNT	ax80	5775	Ant2	5700	-47.1	2	-	-45.1	Peak	10	Pass
NVNT	ax80	5775	Ant2	5700	-54.66	2	0.68	-51.98	Average	10	Pass
NVNT	ax80	5775	Ant2	5720	-43.96	2	-	-41.96	Peak	15.6	Pass
NVNT	ax80	5775	Ant2	5720	-53.52	2	0.68	-50.84	Average	15.6	Pass
NVNT	ax80	5775	Ant2	5725	-43.75	2	-	-41.75	Peak	27	Pass
NVNT	ax80	5775	Ant2	5725	-52.84	2	0.68	-50.16	Average	27	Pass






Test Graphs

Restrict Band NVNT a 5745MHz Ant2 Peak




Restrict Band NVNT a 5745MHz Ant2 Average






Restrict Band NVNT a 5825MHz Ant2 Peak




Restrict Band NVNT a 5825MHz Ant2 Average






Restrict Band NVNT n20 5745MHz Ant2 Peak




Restrict Band NVNT n20 5745MHz Ant2 Average






Restrict Band NVNT n20 5825MHz Ant2 Peak




Restrict Band NVNT n20 5825MHz Ant2 Average






Restrict Band NVNT n40 5755MHz Ant2 Peak




Restrict Band NVNT n40 5755MHz Ant2 Average






Restrict Band NVNT n40 5795MHz Ant2 Peak




Restrict Band NVNT n40 5795MHz Ant2 Average






Restrict Band NVNT ac20 5745MHz Ant2 Peak




Restrict Band NVNT ac20 5745MHz Ant2 Average






Restrict Band NVNT ac20 5825MHz Ant2 Peak




Restrict Band NVNT ac20 5825MHz Ant2 Average






Restrict Band NVNT ac40 5755MHz Ant2 Peak




Restrict Band NVNT ac40 5755MHz Ant2 Average






Restrict Band NVNT ac40 5795MHz Ant2 Peak




Restrict Band NVNT ac40 5795MHz Ant2 Average






Restrict Band NVNT ac80 5775MHz Ant2 Peak




Restrict Band NVNT ac80 5775MHz Ant2 Average





Restrict Band NVNT ac80 5775MHz Ant2 Peak



Restrict Band NVNT ac80 5775MHz Ant2 Average

