

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 134 of 153

### 3. Maximum Conducted Output Power

### 3.1 Power

#### 3.1.1 Test Result

Mode	TX	Frequency		Verdict	
	Туре	(MHz)	Maximum Average Conducted Output Power (dBm)         ANT1       Limit         19.33       <=23.84		
		5500	19.33	<=23.84	Pass
		5580	19.36	<=23.85	Pass
802.11a	CICO	5700	19.53	<=23.82	Pass
802.11a	SISO	5745	19.22	<=30	Pass
		5785	19.30	<=30	Pass
		5825	19.29	<=30	Pass
802.11n	SISO	5500	18.23	<=23.98	Pass
		5580	18.26	<=23.98	Pass
		5700	18.48	<=23.98	Pass
(HT20)	3130	5745	18.14	<=30	Pass
		5785	18.21	<=30	Pass
		5825	18.24	<=30	Pass
		5510	18.41	<=23.98	Pass
802.11n (HT40)		5550	18.46	<=23.98	Pass
	SISO	5670	18.42	<=23.98	Pass
		5755	18.13	<=30	Pass
		5795	18.23	<=30	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full; without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, Ni-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 135 of 153

## 4. Maximum Power Spectral Density

### 4.1 PSD

#### 4.1.1 Test Result

Mode	TX	Frequency	Maximum PS	Verdict					
Mode	Type	(MHz)	ANT1	Limit	verdict				
		5500	9.55	<=11	Pass				
802.11a	SISO	5580	9.59	<=11	Pass				
		5700	9.66	<=11	Pass				
		5500	8.40	<=11	Pass				
802.11n (HT20)	SISO	5580	8.37	<=11	Pass				
(11120)		5700	8.59	<=11	Pass				
000 44	5510 5.67 <=11 Pass								
802.11n (HT40)	SISO	5550	5.79	<=11	Pass				
5670 5.53 <=11 Pass									
Note1: Antenna	Note1: Antenna Gain: U-NII-2C: 4.9dBi								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full; without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 136 of 153

#### 4.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 137 of 153





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn


中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755)26012053 f (86-755)26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 138 of 153





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 139 of 153





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 140 of 153





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full; without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR240200058405

> Page: 141 of 153

#### 4.2 PSD-Band3

#### 4.2.1 Test Result

Mode	TX	Frequency	Maximum PSD	(dBm/500kHz)	Vordict		
Mode	Type	(MHz)	ANT1	Limit	verdict		
		5745	6.79	<=30	Pass		
802.11a	SISO	5785	6.84	<=30	Pass		
		5825	6.77	<=30	Pass		
000.44		5745	5.55	<=30	Pass		
802.11n (HT20)	SISO	5785	5.49	<=30	Pass		
(11120)		5825	5.69	<=30	Pass		
802.11n	CICO	5755	2.39	<=30	Pass		
(HT40)	SISO	5795	(MHz)         ANT1         Limit         Verdict           5745         6.79         <=30				
Note1: Antenna Gain: U-NII-3: 4.0dBi							



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full; without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 142 of 153

### 4.2.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn


中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755)26012053 f (86-755)26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 143 of 153





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 144 of 153





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn


中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755)26012053 f (86-755)26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 145 of 153





-80 5755.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com"

No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755)26012053 f (86-755)26710594 sgs.china@sgs.com

Frequency (MHz)

Trace



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 146 of 153

## 5. Frequency Stability

#### 5.1 Ant1

#### 5.1.1 Test Result

				Ant1			
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
				18.36	5500.060	5470 to 5725	Pass
			20	21.60	5500.060	5470 to 5725	Pass
				24.84	5500.060	5470 to 5725	Pass
			0	21.60	5500.040	5470 to 5725	Pass
			5	21.60	5500.080	5470 to 5725	Pass
		5500	10	21.60	5500.040	5470 to 5725	Pass
			15	21.60	5500.080	5470 to 5725	Pass
			25	21.60	5500.060	5470 to 5725	Pass
			30	21.60	5500.060	5470 to 5725	Pass
			35	21.60	5500.060	5470 to 5725	Pass
			40	21.60	5500.040	5470 to 5725	Pass
				18.36	5580.060	5470 to 5725	Pass
			20	21.60	5580.040	5470 to 5725	Pass
				24.84	5580.060	5470 to 5725	Pass
			0	21.60	5580.040	5470 to 5725	Pass
802.11a	SISO		5	21.60	5580.060	5470 to 5725	Pass
		5580	10	21.60	5580.060	5470 to 5725	Pass
			15	21.60	5580.060	5470 to 5725	Pass
			25	21.60	5580.040	5470 to 5725	Pass
			30	21.60	5580.040	5470 to 5725	Pass
			35	21.60	5580.040	5470 to 5725	Pass
			40	21.60	5580.040	5470 to 5725	Pass
				18.36	5700.060	5470 to 5725	Pass
			20	21.60	5700.080	5470 to 5725	Pass
				24.84	5700.060	5470 to 5725	Pass
			0	21.60	5700.060	5470 to 5725	Pass
		5700	5	21.60	5700.080	5470 to 5725	Pass
			10	21.60	5700.060	5470 to 5725	Pass
			15	21.60	5700.040	5470 to 5725	Pass
			25	21.60	5700.060	5470 to 5725	Pass
			30	21.60	5700.080	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full; without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 147 of 153

					-		
			35	21.60	5700.060	5470 to 5725	Pass
			40	21.60	5700.060	5470 to 5725	Pass
				18.36	5745.080	5725 to 5850	Pass
			20	21.60	5745.040	5725 to 5850	Pass
				24.84	5745.060	5725 to 5850	Pass
			0	21.60	5745.060	5725 to 5850	Pass
			5	21.60	5745.060	5725 to 5850	Pass
		5745	10	21.60	5745.040	5725 to 5850	Pass
			15	21.60	5745.060	5725 to 5850	Pass
			25	21.60	5745.080	5725 to 5850	Pass
			30	21.60	5745.060	5725 to 5850	Pass
			35	21.60	5745.060	5725 to 5850	Pass
			40	21.60	5745.060	5725 to 5850	Pass
		_		18.36	5785.040	5725 to 5850	Pass
			20	21.60	5785.060	5725 to 5850	Pass
				24.84	5785.060	5725 to 5850	Pass
			0	21.60	5785.060	5725 to 5850	Pass
			5	21.60	5785.060	5725 to 5850	Pass
		5785	10	21.60	5785.080	5725 to 5850	Pass
			15	21.60	5785.040	5725 to 5850	Pass
			25	21.60	5785.060	5725 to 5850	Pass
			30	21.60	5785.060	5725 to 5850	Pass
			35	21.60	5785.040	5725 to 5850	Pass
			40	21.60	5785.060	5725 to 5850	Pass
				18.36	5825.060	5725 to 5850	Pass
			20	21.60	5825.080	5725 to 5850	Pass
				24.84	5825.060	5725 to 5850	Pass
			0	21.60	5825.040	5725 to 5850	Pass
			5	21.60	5825.060	5725 to 5850	Pass
		5825	10	21.60	5825.060	5725 to 5850	Pass
			15	21.60	5825.060	5725 to 5850	Pass
			25	21.60	5825.060	5725 to 5850	Pass
			30	21.60	5825.080	5725 to 5850	Pass
			35	21.60	5825.040	5725 to 5850	Pass
			40	21.60	5825.060	5725 to 5850	Pass
		_		18.36	5500.060	5470 to 5725	Pass
000 11			20	21.60	5500.040	5470 to 5725	Pass
802.11n (HT20)	SISO	5500		24.84	5500.060	5470 to 5725	Pass
(11120)			0	21.60	5500.060	5470 to 5725	Pass
			5	21.60	5500.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, Ni-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 148 of 153

10							
25			10	21.60	5500.060	5470 to 5725	Pass
30			15	21.60	5500.060	5470 to 5725	Pass
35			25	21.60	5500.060	5470 to 5725	Pass
18.36   5580.060   5470 to 5725   Pass			30	21.60	5500.040	5470 to 5725	Pass
18.36			35	21.60	5500.060	5470 to 5725	Pass
20			40	21.60	5500.060	5470 to 5725	Pass
24.84         5580.060         5470 to 5725         Pass           0         21.60         5580.060         5470 to 5725         Pass           5         21.60         5580.040         5470 to 5725         Pass           5         21.60         5580.040         5470 to 5725         Pass           15         21.60         5580.040         5470 to 5725         Pass           25         21.60         5580.040         5470 to 5725         Pass           30         21.60         5580.060         5470 to 5725         Pass           35         21.60         5580.060         5470 to 5725         Pass           40         21.60         5580.060         5470 to 5725         Pass           20         21.60         5580.060         5470 to 5725         Pass           21.60         5700.080         5470 to 5725         Pass           220         21.60         5700.080         5470 to 5725         Pass           24.84         5700.040         5470 to 5725         Pass           5         21.60         5700.060         5470 to 5725         Pass           5         21.60         5700.060         5470 to 5725         Pass <trr< td=""><td></td><td></td><td></td><td>18.36</td><td>5580.040</td><td>5470 to 5725</td><td>Pass</td></trr<>				18.36	5580.040	5470 to 5725	Pass
0         21.60         5580.060         5470 to 5725         Pass           5         21.60         5580.040         5470 to 5725         Pass           5         21.60         5580.040         5470 to 5725         Pass           15         21.60         5580.020         5470 to 5725         Pass           25         21.60         5580.060         5470 to 5725         Pass           30         21.60         5580.060         5470 to 5725         Pass           35         21.60         5580.060         5470 to 5725         Pass           40         21.60         5580.060         5470 to 5725         Pass           40         21.60         5580.060         5470 to 5725         Pass           20         21.60         5580.060         5470 to 5725         Pass           20         21.60         5700.040         5470 to 5725         Pass           20         21.60         5700.080         5470 to 5725         Pass           5         21.60         5700.060         5470 to 5725         Pass           5         21.60         5700.060         5470 to 5725         Pass           5         21.60         5700.040			20	21.60	5580.060	5470 to 5725	Pass
5         21.60         5580.040         5470 to 5725         Pass           10         21.60         5580.040         5470 to 5725         Pass           15         21.60         5580.020         5470 to 5725         Pass           25         21.60         5580.040         5470 to 5725         Pass           30         21.60         5580.060         5470 to 5725         Pass           35         21.60         5580.060         5470 to 5725         Pass           40         21.60         5580.060         5470 to 5725         Pass           20         21.60         5580.060         5470 to 5725         Pass           20         21.60         5580.060         5470 to 5725         Pass           20         21.60         5700.040         5470 to 5725         Pass           0         21.60         5700.080         5470 to 5725         Pass           5         21.60         5700.060         5470 to 5725         Pass           5700         10         21.60         5700.060         5470 to 5725         Pass           15         21.60         5700.040         5470 to 5725         Pass           25         21.60         5				24.84	5580.060	5470 to 5725	Pass
10			0	21.60	5580.060	5470 to 5725	Pass
15			5	21.60	5580.040	5470 to 5725	Pass
25         21.60         5580.040         5470 to 5725         Pass           30         21.60         5580.060         5470 to 5725         Pass           35         21.60         5580.060         5470 to 5725         Pass           40         21.60         5580.060         5470 to 5725         Pass           20         18.36         5700.040         5470 to 5725         Pass           21.60         5700.080         5470 to 5725         Pass           24.84         5700.040         5470 to 5725         Pass           5         21.60         5700.060         5470 to 5725         Pass           5         21.60         5700.040         5470 to 5725         Pass           5         21.60         5700.060         5470 to 5725         Pass           15         21.60         5700.040         5470 to 5725         Pass           25         21.60         5700.040         5470 to 5725         Pass           30         21.60         5700.040         5470 to 5725         Pass           35         21.60         5700.060         5470 to 5725         Pass           40         21.60         5700.060         5470 to 5725         Pass <td></td> <td>5580</td> <td>10</td> <td>21.60</td> <td>5580.040</td> <td>5470 to 5725</td> <td>Pass</td>		5580	10	21.60	5580.040	5470 to 5725	Pass
30			15	21.60	5580.020	5470 to 5725	Pass
35			25	21.60	5580.040	5470 to 5725	Pass
18.36   5700.040   5470 to 5725   Pass			30	21.60	5580.060	5470 to 5725	Pass
18.36			35	21.60	5580.060	5470 to 5725	Pass
20 21.60 5700.080 5470 to 5725 Pass 24.84 5700.040 5470 to 5725 Pass 5 21.60 5700.060 5470 to 5725 Pass 5 21.60 5700.060 5470 to 5725 Pass 15 21.60 5700.040 5470 to 5725 Pass 15 21.60 5700.040 5470 to 5725 Pass 25 21.60 5700.040 5470 to 5725 Pass 26 21.60 5700.040 5470 to 5725 Pass 26 21.60 5700.060 5470 to 5725 Pass 27 21.60 5700.040 5470 to 5725 Pass 27 21.60 5700.040 5470 to 5725 Pass 27 21.60 5700.040 5470 to 5725 Pass 27 21.60 5745.060 5725 to 5850 Pass 24.84 5745.060 5725 to 5850 Pass 24.84 5745.060 5725 to 5850 Pass 24.84 5745.060 5725 to 5850 Pass 25 21.60 5745.060 5725 to 5850 Pass 26 21.60 5745.060 5725 to 5850 Pass 27 21.60 5745.060 5725 to 5850 Pass 21.60 5745.060 57			40	21.60	5580.060	5470 to 5725	Pass
24.84         5700.040         5470 to 5725         Pass           0         21.60         5700.060         5470 to 5725         Pass           5         21.60         5700.060         5470 to 5725         Pass           10         21.60         5700.040         5470 to 5725         Pass           25         21.60         5700.040         5470 to 5725         Pass           30         21.60         5700.060         5470 to 5725         Pass           35         21.60         5700.060         5470 to 5725         Pass           40         21.60         5700.080         5470 to 5725         Pass           40         21.60         5700.080         5470 to 5725         Pass           20         21.60         5700.040         5470 to 5725         Pass           20         21.60         5700.040         5470 to 5725         Pass           20         21.60         5745.060         5725 to 5850         Pass           24.84         5745.060         5725 to 5850         Pass           5         21.60         5745.060         5725 to 5850         Pass           5745         10         21.60         5745.060         5725 to 5850 <td></td> <td></td> <td></td> <td>18.36</td> <td>5700.040</td> <td>5470 to 5725</td> <td>Pass</td>				18.36	5700.040	5470 to 5725	Pass
5         21.60         5700.060         5470 to 5725         Pass           5         21.60         5700.060         5470 to 5725         Pass           10         21.60         5700.040         5470 to 5725         Pass           15         21.60         5700.040         5470 to 5725         Pass           25         21.60         5700.060         5470 to 5725         Pass           30         21.60         5700.060         5470 to 5725         Pass           35         21.60         5700.080         5470 to 5725         Pass           40         21.60         5700.080         5470 to 5725         Pass           40         21.60         5700.080         5470 to 5725         Pass           20         21.60         5700.040         5470 to 5725         Pass           20         21.60         5745.060         5725 to 5850         Pass           20         21.60         5745.060         5725 to 5850         Pass           5         21.60         5745.060         5725 to 5850         Pass           5         21.60         5745.060         5725 to 5850         Pass           5745         21.60         5745.060			20	21.60	5700.080	5470 to 5725	Pass
5         21.60         5700.060         5470 to 5725         Pass           10         21.60         5700.040         5470 to 5725         Pass           15         21.60         5700.040         5470 to 5725         Pass           25         21.60         5700.060         5470 to 5725         Pass           30         21.60         5700.060         5470 to 5725         Pass           35         21.60         5700.080         5470 to 5725         Pass           40         21.60         5700.040         5470 to 5725         Pass           40         21.60         5700.040         5470 to 5725         Pass           20         21.60         5700.040         5470 to 5725         Pass           20         21.60         5745.060         5725 to 5850         Pass           20         21.60         5745.060         5725 to 5850         Pass           0         21.60         5745.040         5725 to 5850         Pass           5         21.60         5745.060         5725 to 5850         Pass           5745         10         21.60         5745.060         5725 to 5850         Pass           5745         21.60 <td< td=""><td></td><td></td><td></td><td>24.84</td><td>5700.040</td><td>5470 to 5725</td><td>Pass</td></td<>				24.84	5700.040	5470 to 5725	Pass
5700         10         21.60         5700.040         5470 to 5725         Pass           15         21.60         5700.040         5470 to 5725         Pass           25         21.60         5700.060         5470 to 5725         Pass           30         21.60         5700.060         5470 to 5725         Pass           35         21.60         5700.080         5470 to 5725         Pass           40         21.60         5700.040         5470 to 5725         Pass           20         21.60         5700.040         5470 to 5725         Pass           20         21.60         5700.040         5470 to 5725         Pass           20         21.60         5745.060         5725 to 5850         Pass           24.84         5745.060         5725 to 5850         Pass           5         21.60         5745.040         5725 to 5850         Pass           5745         10         21.60         5745.060         5725 to 5850         Pass           5745         21.60         5745.060         5725 to 5850         Pass           25         21.60         5745.060         5725 to 5850         Pass           25         21.60			0	21.60	5700.060	5470 to 5725	Pass
15 21.60 5700.040 5470 to 5725 Pass 25 21.60 5700.060 5470 to 5725 Pass 30 21.60 5700.060 5470 to 5725 Pass 35 21.60 5700.080 5470 to 5725 Pass 40 21.60 5700.080 5470 to 5725 Pass 40 21.60 5700.040 5470 to 5725 Pass 40 21.60 5745.060 5725 to 5850 Pass 20 21.60 5745.060 5725 to 5850 Pass 5 21.60 5745.040 5725 to 5850 Pass 5 21.60 5745.060 5725 to 5850 Pass 25 21.60 5745.060 5725 to 5850 Pass 26 21.60 5745.060 5725 to 5850 Pass 27 21.60 5745.060 5725 to 5850 Pass 28 29 21.60 5745.060 5725 to 5850 Pass 29 21.60 5745.060 5725 to 5850 Pass 20 21.60 5745.060 5725 to 5850 Pass 20 21.60 5745.060 5725 to 5850 Pass 20 21.60 5745.060 5725 to 5850 Pass			5	21.60	5700.060	5470 to 5725	Pass
25         21.60         5700.060         5470 to 5725         Pass           30         21.60         5700.060         5470 to 5725         Pass           35         21.60         5700.080         5470 to 5725         Pass           40         21.60         5700.040         5470 to 5725         Pass           40         21.60         5700.040         5470 to 5725         Pass           20         18.36         5745.060         5725 to 5850         Pass           20         21.60         5745.060         5725 to 5850         Pass           0         21.60         5745.040         5725 to 5850         Pass           5         21.60         5745.040         5725 to 5850         Pass           5745         10         21.60         5745.060         5725 to 5850         Pass           15         21.60         5745.060         5725 to 5850         Pass           25         21.60         5745.060         5725 to 5850         Pass           30         21.60         5745.040         5725 to 5850         Pass           35         21.60         5745.060         5725 to 5850         Pass           40         21.60		5700	10	21.60	5700.040	5470 to 5725	Pass
30         21.60         5700.060         5470 to 5725         Pass           35         21.60         5700.080         5470 to 5725         Pass           40         21.60         5700.040         5470 to 5725         Pass           18.36         5745.060         5725 to 5850         Pass           20         21.60         5745.060         5725 to 5850         Pass           24.84         5745.080         5725 to 5850         Pass           5         21.60         5745.040         5725 to 5850         Pass           5         21.60         5745.060         5725 to 5850         Pass           15         21.60         5745.060         5725 to 5850         Pass           25         21.60         5745.060         5725 to 5850         Pass           25         21.60         5745.060         5725 to 5850         Pass           30         21.60         5745.060         5725 to 5850         Pass           35         21.60         5745.060         5725 to 5850         Pass           40         21.60         5745.060         5725 to 5850         Pass			15	21.60	5700.040	5470 to 5725	Pass
35         21.60         5700.080         5470 to 5725         Pass           40         21.60         5700.040         5470 to 5725         Pass           18.36         5745.060         5725 to 5850         Pass           20         21.60         5745.060         5725 to 5850         Pass           24.84         5745.080         5725 to 5850         Pass           5         21.60         5745.040         5725 to 5850         Pass           5         21.60         5745.060         5725 to 5850         Pass           10         21.60         5745.060         5725 to 5850         Pass           15         21.60         5745.060         5725 to 5850         Pass           25         21.60         5745.060         5725 to 5850         Pass           30         21.60         5745.040         5725 to 5850         Pass           35         21.60         5745.060         5725 to 5850         Pass           35         21.60         5745.060         5725 to 5850         Pass           40         21.60         5745.060         5725 to 5850         Pass			25	21.60	5700.060	5470 to 5725	Pass
40         21.60         5700.040         5470 to 5725         Pass           18.36         5745.060         5725 to 5850         Pass           20         21.60         5745.060         5725 to 5850         Pass           24.84         5745.080         5725 to 5850         Pass           0         21.60         5745.040         5725 to 5850         Pass           5         21.60         5745.060         5725 to 5850         Pass           15         21.60         5745.060         5725 to 5850         Pass           25         21.60         5745.060         5725 to 5850         Pass           30         21.60         5745.060         5725 to 5850         Pass           35         21.60         5745.060         5725 to 5850         Pass           35         21.60         5745.060         5725 to 5850         Pass           40         21.60         5745.060         5725 to 5850         Pass			30	21.60	5700.060	5470 to 5725	Pass
18.36   5745.060   5725 to 5850   Pass			35	21.60	5700.080	5470 to 5725	Pass
20         21.60         5745.060         5725 to 5850         Pass           24.84         5745.080         5725 to 5850         Pass           0         21.60         5745.040         5725 to 5850         Pass           5         21.60         5745.060         5725 to 5850         Pass           10         21.60         5745.060         5725 to 5850         Pass           15         21.60         5745.060         5725 to 5850         Pass           25         21.60         5745.060         5725 to 5850         Pass           30         21.60         5745.040         5725 to 5850         Pass           35         21.60         5745.060         5725 to 5850         Pass           40         21.60         5745.060         5725 to 5850         Pass			40	21.60	5700.040	5470 to 5725	Pass
24.84     5745.080     5725 to 5850     Pass       0     21.60     5745.040     5725 to 5850     Pass       5     21.60     5745.060     5725 to 5850     Pass       10     21.60     5745.060     5725 to 5850     Pass       15     21.60     5745.060     5725 to 5850     Pass       25     21.60     5745.060     5725 to 5850     Pass       30     21.60     5745.040     5725 to 5850     Pass       35     21.60     5745.060     5725 to 5850     Pass       40     21.60     5745.060     5725 to 5850     Pass				18.36	5745.060	5725 to 5850	Pass
0         21.60         5745.040         5725 to 5850         Pass           5         21.60         5745.060         5725 to 5850         Pass           10         21.60         5745.060         5725 to 5850         Pass           15         21.60         5745.060         5725 to 5850         Pass           25         21.60         5745.060         5725 to 5850         Pass           30         21.60         5745.040         5725 to 5850         Pass           35         21.60         5745.060         5725 to 5850         Pass           40         21.60         5745.060         5725 to 5850         Pass			20	21.60	5745.060	5725 to 5850	Pass
5         21.60         5745.060         5725 to 5850         Pass           10         21.60         5745.060         5725 to 5850         Pass           15         21.60         5745.060         5725 to 5850         Pass           25         21.60         5745.060         5725 to 5850         Pass           30         21.60         5745.040         5725 to 5850         Pass           35         21.60         5745.060         5725 to 5850         Pass           40         21.60         5745.060         5725 to 5850         Pass				24.84	5745.080	5725 to 5850	Pass
5745         10         21.60         5745.060         5725 to 5850         Pass           15         21.60         5745.060         5725 to 5850         Pass           25         21.60         5745.060         5725 to 5850         Pass           30         21.60         5745.040         5725 to 5850         Pass           35         21.60         5745.060         5725 to 5850         Pass           40         21.60         5745.060         5725 to 5850         Pass			0	21.60	5745.040	5725 to 5850	Pass
15     21.60     5745.060     5725 to 5850     Pass       25     21.60     5745.060     5725 to 5850     Pass       30     21.60     5745.040     5725 to 5850     Pass       35     21.60     5745.060     5725 to 5850     Pass       40     21.60     5745.060     5725 to 5850     Pass			5	21.60	5745.060	5725 to 5850	Pass
25     21.60     5745.060     5725 to 5850     Pass       30     21.60     5745.040     5725 to 5850     Pass       35     21.60     5745.060     5725 to 5850     Pass       40     21.60     5745.060     5725 to 5850     Pass		5745	10	21.60	5745.060	5725 to 5850	Pass
30 21.60 5745.040 5725 to 5850 Pass 35 21.60 5745.060 5725 to 5850 Pass 40 21.60 5745.060 5725 to 5850 Pass			15	21.60	5745.060	5725 to 5850	Pass
35 21.60 5745.060 5725 to 5850 Pass 40 21.60 5745.060 5725 to 5850 Pass			25	21.60	5745.060	5725 to 5850	Pass
40 21.60 5745.060 5725 to 5850 Pass			30	21.60	5745.040	5725 to 5850	Pass
			35	21.60	5745.060	5725 to 5850	Pass
5785 20 18.36 5785.060 5725 to 5850 Pass			40	21.60	5745.060	5725 to 5850	Pass
		5785	20	18.36	5785.060	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 149 of 153

Part								
Name					21.60	5785.080	5725 to 5850	Pass
Second					24.84	5785.060	5725 to 5850	Pass
10				0	21.60	5785.080	5725 to 5850	Pass
15				5	21.60	5785.080	5725 to 5850	Pass
Pass				10	21.60	5785.060	5725 to 5850	Pass
SISO				15	21.60	5785.060	5725 to 5850	Pass
SISO				25	21.60	5785.060	5725 to 5850	Pass
Harmonia				30	21.60	5785.060	5725 to 5850	Pass
18.36   5825.040   5725 to 5850   Pass				35	21.60	5785.060	5725 to 5850	Pass
SISO				40	21.60	5785.060	5725 to 5850	Pass
Second					18.36	5825.040	5725 to 5850	Pass
Second				20	21.60	5825.080	5725 to 5850	Pass
Second   S					24.84	5825.040	5725 to 5850	Pass
S825				0	21.60	5825.040	5725 to 5850	Pass
15				5	21.60	5825.060	5725 to 5850	Pass
Name			5825	10	21.60	5825.060	5725 to 5850	Pass
SISO				15	21.60	5825.060	5725 to 5850	Pass
Name				25	21.60	5825.040	5725 to 5850	Pass
Name				30	21.60	5825.060	5725 to 5850	Pass
Name				35	21.60	5825.060	5725 to 5850	Pass
SISO   21.60   5510.080   5470 to 5725   Pass				40	21.60	5825.060	5725 to 5850	Pass
SISO					18.36	5510.160	5470 to 5725	Pass
SISO				20	21.60	5510.080	5470 to 5725	Pass
SISO					24.84	5510.160	5470 to 5725	Pass
SISO   10   21.60   5510.080   5470 to 5725   Pass   15   21.60   5510.120   5470 to 5725   Pass   25   21.60   5510.080   5470 to 5725   Pass   30   21.60   5510.120   5470 to 5725   Pass   35   21.60   5510.080   5470 to 5725   Pass   40   21.60   5510.120   5470 to 5725   Pass   18.36   5550.080   5470 to 5725   Pass   24.84   5550.040   5470 to 5725   Pass   10   21.60   21.60   21.60   21.60   21.60   21.60   21.6				0	21.60	5510.160	5470 to 5725	Pass
802.11n (HT40) SISO  15				5	21.60	5510.080	5470 to 5725	Pass
802.11n (HT40) SISO  25			5510	10	21.60	5510.080	5470 to 5725	Pass
802.11n (HT40) SISO SISO SISO SISO SISO SISO SISO SIS				15	21.60	5510.120	5470 to 5725	Pass
802.11n (HT40) SISO  35 21.60 5510.080 5470 to 5725 Pass 40 21.60 5510.120 5470 to 5725 Pass  18.36 5550.080 5470 to 5725 Pass 20 21.60 5550.080 5470 to 5725 Pass 24.84 5550.000 5470 to 5725 Pass  0 21.60 5550.080 5470 to 5725 Pass 5550 5 21.60 5550.040 5470 to 5725 Pass 10 21.60 5550.040 5470 to 5725 Pass				25	21.60	5510.080	5470 to 5725	Pass
(HT40) SISO 35 21.60 5510.080 5470 to 5725 Pass 40 21.60 5550.080 5470 to 5725 Pass 20 21.60 5550.080 5470 to 5725 Pass 24.84 5550.000 5470 to 5725 Pass 5550 5 21.60 5550.040 5470 to 5725 Pass 10 21.60	000.44			30	21.60	5510.120	5470 to 5725	Pass
40     21.60     5510.120     5470 to 5725     Pass       18.36     5550.080     5470 to 5725     Pass       20     21.60     5550.080     5470 to 5725     Pass       24.84     5550.000     5470 to 5725     Pass       0     21.60     5550.080     5470 to 5725     Pass       5     21.60     5550.040     5470 to 5725     Pass       10     21.60     5550.040     5470 to 5725     Pass	CICI	SISO		35	21.60	5510.080	5470 to 5725	Pass
20 21.60 5550.080 5470 to 5725 Pass 24.84 5550.000 5470 to 5725 Pass 0 21.60 5550.080 5470 to 5725 Pass 5 21.60 5550.040 5470 to 5725 Pass 10 21.60 5550.040 5470 to 5725 Pass				40	21.60	5510.120	5470 to 5725	Pass
24.84     5550.000     5470 to 5725     Pass       0     21.60     5550.080     5470 to 5725     Pass       5     21.60     5550.040     5470 to 5725     Pass       10     21.60     5550.040     5470 to 5725     Pass					18.36	5550.080	5470 to 5725	Pass
5550 0 21.60 5550.080 5470 to 5725 Pass 5 21.60 5550.040 5470 to 5725 Pass 10 21.60 5550.040 5470 to 5725 Pass				20	21.60	5550.080	5470 to 5725	Pass
5550 5 21.60 5550.040 5470 to 5725 Pass 10 21.60 5550.040 5470 to 5725 Pass			5550		24.84	5550.000	5470 to 5725	Pass
5 21.60 5550.040 5470 to 5725 Pass 10 21.60 5550.040 5470 to 5725 Pass				0	21.60	5550.080	5470 to 5725	Pass
			JJJU	5	21.60	5550.040	5470 to 5725	Pass
15 21.60 5550.120 5470 to 5725 Page				10	21.60	5550.040	5470 to 5725	Pass
10 21.00 3330.120 3470 to 3723 F 833				15	21.60	5550.120	5470 to 5725	Pass
25 21.60 5550.080 5470 to 5725 Pass				25	21.60	5550.080	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full; without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, Ni-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 150 of 153

30							
18.36   5670.120   5470 to 5725   Pass			30	21.60	5550.080	5470 to 5725	Pass
18.36   5670.160   5470 to 5725   Pass			35	21.60	5550.080	5470 to 5725	Pass
20			40	21.60	5550.120	5470 to 5725	Pass
24.84         5670.080         5470 to 5725         Pass           0         21.60         5670.120         5470 to 5725         Pass           5         21.60         5670.120         5470 to 5725         Pass           5         21.60         5670.040         5470 to 5725         Pass           15         21.60         5670.080         5470 to 5725         Pass           25         21.60         5670.040         5470 to 5725         Pass           30         21.60         5670.040         5470 to 5725         Pass           35         21.60         5670.040         5470 to 5725         Pass           40         21.60         5670.040         5470 to 5725         Pass           20         21.60         5670.040         5470 to 5725         Pass           20         21.60         5670.040         5470 to 5725         Pass           20         21.60         56755.120         5725 to 5850         Pass           21.60         5755.120         5725 to 5850         Pass           55         21.60         5755.120         5725 to 5850         Pass           5755         10         21.60         5755.080         5725 to 5850 </td <td></td> <td></td> <td></td> <td>18.36</td> <td>5670.160</td> <td>5470 to 5725</td> <td>Pass</td>				18.36	5670.160	5470 to 5725	Pass
5         21.60         5670.120         5470 to 5725         Pass           5         21.60         5670.040         5470 to 5725         Pass           5         21.60         5670.040         5470 to 5725         Pass           15         21.60         5670.080         5470 to 5725         Pass           25         21.60         5670.040         5470 to 5725         Pass           30         21.60         5670.040         5470 to 5725         Pass           40         21.60         5670.040         5470 to 5725         Pass           40         21.60         5670.040         5470 to 5725         Pass           40         21.60         5670.040         5470 to 5725         Pass           20         21.60         5670.040         5470 to 5725         Pass           20         21.60         5755.120         5725 to 5850         Pass           20         21.60         5755.120         5725 to 5850         Pass           5         21.60         5755.120         5725 to 5850         Pass           5755         10         21.60         5755.080         5725 to 5850         Pass           25         21.60         57			20	21.60	5670.120	5470 to 5725	Pass
5         21.60         5670.040         5470 to 5725         Pass           5670         10         21.60         5670.120         5470 to 5725         Pass           15         21.60         5670.080         5470 to 5725         Pass           25         21.60         5670.040         5470 to 5725         Pass           30         21.60         5670.040         5470 to 5725         Pass           35         21.60         5670.040         5470 to 5725         Pass           40         21.60         5670.040         5470 to 5725         Pass           40         21.60         5670.040         5470 to 5725         Pass           20         21.60         5675.120         5725 to 5850         Pass           24.84         5755.120         5725 to 5850         Pass           5         21.60         5755.120         5725 to 5850         Pass           5         21.60         5755.120         5725 to 5850         Pass           5755         10         21.60         5755.080         5725 to 5850         Pass           5755         21.60         5755.080         5725 to 5850         Pass           25         21.60         <				24.84	5670.080	5470 to 5725	Pass
5670         10         21.60         5670.120         5470 to 5725         Pass           15         21.60         5670.080         5470 to 5725         Pass           25         21.60         5670.120         5470 to 5725         Pass           30         21.60         5670.040         5470 to 5725         Pass           35         21.60         5670.040         5470 to 5725         Pass           40         21.60         5670.040         5470 to 5725         Pass           40         21.60         5670.040         5470 to 5725         Pass           20         21.60         5670.040         5470 to 5725         Pass           20         21.60         5755.120         5725 to 5850         Pass           24.84         5755.120         5725 to 5850         Pass           5         21.60         5755.120         5725 to 5850         Pass           5         21.60         5755.120         5725 to 5850         Pass           25         21.60         5755.080         5725 to 5850         Pass           25         21.60         5755.080         5725 to 5850         Pass           35         21.60         5755.080			0	21.60	5670.120	5470 to 5725	Pass
15         21.60         5670.080         5470 to 5725         Pass           25         21.60         5670.120         5470 to 5725         Pass           30         21.60         5670.040         5470 to 5725         Pass           35         21.60         5670.040         5470 to 5725         Pass           40         21.60         5670.040         5470 to 5725         Pass           40         21.60         5675.120         5725 to 5850         Pass           20         21.60         5755.120         5725 to 5850         Pass           24.84         5755.120         5725 to 5850         Pass           5         21.60         5755.080         5725 to 5850         Pass           15         21.60         5755.080         5725 to 5850         Pass           25         21.60         5755.080         5725 to 5850         Pass           35         21.60         5755.080         5725 to 5850			5	21.60	5670.040	5470 to 5725	Pass
25         21.60         5670.120         5470 to 5725         Pass           30         21.60         5670.040         5470 to 5725         Pass           35         21.60         5670.040         5470 to 5725         Pass           40         21.60         5670.040         5470 to 5725         Pass           40         21.60         5670.040         5470 to 5725         Pass           20         21.60         56755.120         5725 to 5850         Pass           24.84         5755.120         5725 to 5850         Pass           5         21.60         5755.100         5725 to 5850         Pass           25         21.60         5755.120         5725 to 5850         Pass           35         21.60         5755.200         5725 to 5850         Pass           35         21.60         5755.120         5725 to 5850         Pass           40         21.60         5755.120         5725 to 5850		5670	10	21.60	5670.120	5470 to 5725	Pass
30			15	21.60	5670.080	5470 to 5725	Pass
35			25	21.60	5670.120	5470 to 5725	Pass
A0			30	21.60	5670.040	5470 to 5725	Pass
18.36			35	21.60	5670.120	5470 to 5725	Pass
20         21.60         5755.120         5725 to 5850         Pass           24.84         5755.120         5725 to 5850         Pass           0         21.60         5755.120         5725 to 5850         Pass           5         21.60         5755.120         5725 to 5850         Pass           10         21.60         5755.080         5725 to 5850         Pass           25         21.60         5755.120         5725 to 5850         Pass           30         21.60         5755.200         5725 to 5850         Pass           35         21.60         5755.200         5725 to 5850         Pass           40         21.60         5755.120         5725 to 5850         Pass           40         21.60         5755.120         5725 to 5850         Pass           20         18.36         5795.240         5725 to 5850         Pass           20         21.60         5795.120         5725 to 5850         Pass           20         21.60         5795.040         5725 to 5850         Pass           5         21.60         5795.080         5725 to 5850         Pass           5         21.60         5795.120         5725 to 5850			40	21.60	5670.040	5470 to 5725	Pass
24.84       5755.120       5725 to 5850       Pass         0       21.60       5755.120       5725 to 5850       Pass         5       21.60       5755.160       5725 to 5850       Pass         10       21.60       5755.080       5725 to 5850       Pass         25       21.60       5755.120       5725 to 5850       Pass         30       21.60       5755.200       5725 to 5850       Pass         35       21.60       5755.080       5725 to 5850       Pass         40       21.60       5755.120       5725 to 5850       Pass         20       18.36       5795.240       5725 to 5850       Pass         20       21.60       5795.120       5725 to 5850       Pass         20       21.60       5795.120       5725 to 5850       Pass         20       21.60       5795.040       5725 to 5850       Pass         0       21.60       5795.080       5725 to 5850       Pass         5       21.60       5795.080       5725 to 5850       Pass         5       21.60       5795.120       5725 to 5850       Pass         5       21.60       5795.120       5725 to 5850 <t< td=""><td></td><td></td><td></td><td>18.36</td><td>5755.120</td><td>5725 to 5850</td><td>Pass</td></t<>				18.36	5755.120	5725 to 5850	Pass
0         21.60         5755.120         5725 to 5850         Pass           5         21.60         5755.160         5725 to 5850         Pass           10         21.60         5755.080         5725 to 5850         Pass           15         21.60         5755.080         5725 to 5850         Pass           25         21.60         5755.120         5725 to 5850         Pass           30         21.60         5755.200         5725 to 5850         Pass           35         21.60         5755.080         5725 to 5850         Pass           40         21.60         5755.120         5725 to 5850         Pass           20         21.60         5795.120         5725 to 5850         Pass           20         21.60         5795.120         5725 to 5850         Pass           0         21.60         5795.080         5725 to 5850         Pass           5         21.60         5795.080         5725 to 5850         Pass           5         21.60         5795.120         5725 to 5850         Pass           5         21.60         5795.120         5725 to 5850         Pass           15         21.60         5795.120			20	21.60	5755.120	5725 to 5850	Pass
5         21.60         5755.160         5725 to 5850         Pass           10         21.60         5755.080         5725 to 5850         Pass           15         21.60         5755.080         5725 to 5850         Pass           25         21.60         5755.120         5725 to 5850         Pass           30         21.60         5755.200         5725 to 5850         Pass           35         21.60         5755.120         5725 to 5850         Pass           40         21.60         5755.120         5725 to 5850         Pass           20         21.60         5795.240         5725 to 5850         Pass           20         21.60         5795.120         5725 to 5850         Pass           24.84         5795.040         5725 to 5850         Pass           5         21.60         5795.080         5725 to 5850         Pass           5         21.60         5795.120         5725 to 5850         Pass           5         21.60         5795.120         5725 to 5850         Pass           5         21.60         5795.120         5725 to 5850         Pass           25         21.60         5795.120         5725 to 5850				24.84	5755.120	5725 to 5850	Pass
5755         10         21.60         5755.080         5725 to 5850         Pass           15         21.60         5755.080         5725 to 5850         Pass           25         21.60         5755.120         5725 to 5850         Pass           30         21.60         5755.200         5725 to 5850         Pass           35         21.60         5755.080         5725 to 5850         Pass           40         21.60         5755.120         5725 to 5850         Pass           20         21.60         5795.120         5725 to 5850         Pass           24.84         5795.040         5725 to 5850         Pass           0         21.60         5795.080         5725 to 5850         Pass           5         21.60         5795.080         5725 to 5850         Pass           5         21.60         5795.080         5725 to 5850         Pass           5         21.60         5795.120         5725 to 5850         Pass           5         21.60         5795.120         5725 to 5850         Pass           15         21.60         5795.120         5725 to 5850         Pass           25         21.60         5795.120         <			0	21.60	5755.120	5725 to 5850	Pass
15         21.60         5755.080         5725 to 5850         Pass           25         21.60         5755.120         5725 to 5850         Pass           30         21.60         5755.200         5725 to 5850         Pass           35         21.60         5755.080         5725 to 5850         Pass           40         21.60         5755.120         5725 to 5850         Pass           20         21.60         5795.240         5725 to 5850         Pass           20         21.60         5795.120         5725 to 5850         Pass           0         21.60         5795.040         5725 to 5850         Pass           0         21.60         5795.080         5725 to 5850         Pass           5         21.60         5795.160         5725 to 5850         Pass           5795         10         21.60         5795.120         5725 to 5850         Pass           5795         10         21.60         5795.120         5725 to 5850         Pass           5795         10         21.60         5795.120         5725 to 5850         Pass           25         21.60         5795.120         5725 to 5850         Pass			5	21.60	5755.160	5725 to 5850	Pass
25         21.60         5755.120         5725 to 5850         Pass           30         21.60         5755.200         5725 to 5850         Pass           35         21.60         5755.080         5725 to 5850         Pass           40         21.60         5755.120         5725 to 5850         Pass           20         18.36         5795.240         5725 to 5850         Pass           20         21.60         5795.120         5725 to 5850         Pass           24.84         5795.040         5725 to 5850         Pass           5         21.60         5795.080         5725 to 5850         Pass           5         21.60         5795.160         5725 to 5850         Pass           5795         10         21.60         5795.120         5725 to 5850         Pass           15         21.60         5795.120         5725 to 5850         Pass           25         21.60         5795.120         5725 to 5850         Pass           30         21.60         5795.120         5725 to 5850         Pass           35         21.60         5795.120         5725 to 5850         Pass		5755	10	21.60	5755.080	5725 to 5850	Pass
30     21.60     5755.200     5725 to 5850     Pass       35     21.60     5755.080     5725 to 5850     Pass       40     21.60     5755.120     5725 to 5850     Pass       18.36     5795.240     5725 to 5850     Pass       20     21.60     5795.120     5725 to 5850     Pass       0     21.60     5795.040     5725 to 5850     Pass       0     21.60     5795.080     5725 to 5850     Pass       5     21.60     5795.160     5725 to 5850     Pass       15     21.60     5795.120     5725 to 5850     Pass       25     21.60     5795.120     5725 to 5850     Pass       25     21.60     5795.120     5725 to 5850     Pass       30     21.60     5795.120     5725 to 5850     Pass       30     21.60     5795.120     5725 to 5850     Pass       35     21.60     5795.160     5725 to 5850     Pass			15	21.60	5755.080	5725 to 5850	Pass
35         21.60         5755.080         5725 to 5850         Pass           40         21.60         5755.120         5725 to 5850         Pass           18.36         5795.240         5725 to 5850         Pass           20         21.60         5795.120         5725 to 5850         Pass           24.84         5795.040         5725 to 5850         Pass           5         21.60         5795.080         5725 to 5850         Pass           5         21.60         5795.160         5725 to 5850         Pass           15         21.60         5795.120         5725 to 5850         Pass           25         21.60         5795.120         5725 to 5850         Pass           30         21.60         5795.120         5725 to 5850         Pass           30         21.60         5795.120         5725 to 5850         Pass           35         21.60         5795.120         5725 to 5850         Pass			25	21.60	5755.120	5725 to 5850	Pass
40     21.60     5755.120     5725 to 5850     Pass       18.36     5795.240     5725 to 5850     Pass       20     21.60     5795.120     5725 to 5850     Pass       24.84     5795.040     5725 to 5850     Pass       0     21.60     5795.080     5725 to 5850     Pass       5     21.60     5795.160     5725 to 5850     Pass       15     21.60     5795.120     5725 to 5850     Pass       25     21.60     5795.120     5725 to 5850     Pass       30     21.60     5795.120     5725 to 5850     Pass       30     21.60     5795.120     5725 to 5850     Pass       35     21.60     5795.120     5725 to 5850     Pass			30	21.60	5755.200	5725 to 5850	Pass
18.36 5795.240 5725 to 5850 Pass 21.60 5795.120 5725 to 5850 Pass 24.84 5795.040 5725 to 5850 Pass 0 21.60 5795.080 5725 to 5850 Pass 5 21.60 5795.160 5725 to 5850 Pass 5 21.60 5795.120 5725 to 5850 Pass 15 21.60 5795.120 5725 to 5850 Pass 25 21.60 5795.120 5725 to 5850 Pass 25 21.60 5795.120 5725 to 5850 Pass 30 21.60 5795.120 5725 to 5850 Pass 30 21.60 5795.120 5725 to 5850 Pass 30 21.60 5795.120 5725 to 5850 Pass			35	21.60	5755.080	5725 to 5850	Pass
20         21.60         5795.120         5725 to 5850         Pass           24.84         5795.040         5725 to 5850         Pass           0         21.60         5795.080         5725 to 5850         Pass           5         21.60         5795.160         5725 to 5850         Pass           10         21.60         5795.120         5725 to 5850         Pass           25         21.60         5795.120         5725 to 5850         Pass           30         21.60         5795.120         5725 to 5850         Pass           35         21.60         5795.120         5725 to 5850         Pass			40	21.60	5755.120	5725 to 5850	Pass
24.84         5795.040         5725 to 5850         Pass           0         21.60         5795.080         5725 to 5850         Pass           5         21.60         5795.160         5725 to 5850         Pass           5795         10         21.60         5795.120         5725 to 5850         Pass           15         21.60         5795.120         5725 to 5850         Pass           25         21.60         5795.120         5725 to 5850         Pass           30         21.60         5795.120         5725 to 5850         Pass           35         21.60         5795.120         5725 to 5850         Pass				18.36	5795.240	5725 to 5850	Pass
0         21.60         5795.080         5725 to 5850         Pass           5         21.60         5795.160         5725 to 5850         Pass           5795         10         21.60         5795.120         5725 to 5850         Pass           15         21.60         5795.120         5725 to 5850         Pass           25         21.60         5795.120         5725 to 5850         Pass           30         21.60         5795.120         5725 to 5850         Pass           35         21.60         5795.160         5725 to 5850         Pass			20	21.60	5795.120	5725 to 5850	Pass
5         21.60         5795.160         5725 to 5850         Pass           10         21.60         5795.120         5725 to 5850         Pass           15         21.60         5795.120         5725 to 5850         Pass           25         21.60         5795.120         5725 to 5850         Pass           30         21.60         5795.120         5725 to 5850         Pass           35         21.60         5795.160         5725 to 5850         Pass				24.84	5795.040	5725 to 5850	Pass
5795 10 21.60 5795.120 5725 to 5850 Pass 15 21.60 5795.120 5725 to 5850 Pass 25 21.60 5795.120 5725 to 5850 Pass 30 21.60 5795.120 5725 to 5850 Pass 35 21.60 5795.160 5725 to 5850 Pass			0	21.60	5795.080	5725 to 5850	Pass
15     21.60     5795.120     5725 to 5850     Pass       25     21.60     5795.120     5725 to 5850     Pass       30     21.60     5795.120     5725 to 5850     Pass       35     21.60     5795.160     5725 to 5850     Pass			5	21.60	5795.160	5725 to 5850	Pass
25     21.60     5795.120     5725 to 5850     Pass       30     21.60     5795.120     5725 to 5850     Pass       35     21.60     5795.160     5725 to 5850     Pass		5795	10	21.60	5795.120	5725 to 5850	Pass
30 21.60 5795.120 5725 to 5850 Pass 35 21.60 5795.160 5725 to 5850 Pass			15	21.60	5795.120	5725 to 5850	Pass
35 21.60 5795.160 5725 to 5850 Pass			25	21.60	5795.120	5725 to 5850	Pass
			30	21.60	5795.120	5725 to 5850	Pass
40 21.60 5795.120 5725 to 5850 Pass			35	21.60	5795.160	5725 to 5850	Pass
			40	21.60	5795.120	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full; without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"




SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 151 of 153

#### 6. DFS test data

### Rader Signal value





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com"

No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn





SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 152 of 153

Channel closing Transmission Time and channel Move Time 5510MHz:







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240200058405

Page: 153 of 153

### Non-occupancy period 5510MHz:



- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com"