



Appendix F

RF Test Data for 5.5GWIFI(Conducted Measurement)

Product Name: Laptop

Test Model: Zedon X-Pro

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng





F.1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant0	25.48	----	Pass
NVNT	a	5580	Ant0	28.673	----	Pass
NVNT	a	5700	Ant0	26.859	----	Pass
NVNT	n20	5500	Ant0	26.392	----	Pass
NVNT	n20	5580	Ant0	26.98	----	Pass
NVNT	n20	5700	Ant0	28.217	----	Pass
NVNT	n40	5510	Ant0	49.093	----	Pass
NVNT	n40	5550	Ant0	45.658	----	Pass
NVNT	n40	5670	Ant0	45.182	----	Pass
NVNT	ac20	5500	Ant0	28.557	----	Pass
NVNT	ac20	5580	Ant0	24.895	----	Pass
NVNT	ac20	5700	Ant0	26.999	----	Pass
NVNT	ac40	5510	Ant0	44.151	----	Pass
NVNT	ac40	5550	Ant0	53.972	----	Pass
NVNT	ac40	5670	Ant0	53.01	----	Pass
NVNT	ac80	5530	Ant0	80.035	----	Pass
NVNT	ac80	5610	Ant0	82.71	----	Pass






Test Graphs

-26dB Bandwidth NVNT a 5500MHz Ant0




-26dB Bandwidth NVNT a 5580MHz Ant0






-26dB Bandwidth NVNT a 5700MHz Ant0




-26dB Bandwidth NVNT n20 5500MHz Ant0






-26dB Bandwidth NVNT n20 5580MHz Ant0




-26dB Bandwidth NVNT n20 5700MHz Ant0






-26dB Bandwidth NVNT n40 5510MHz Ant0




-26dB Bandwidth NVNT n40 5550MHz Ant0






-26dB Bandwidth NVNT n40 5670MHz Ant0




-26dB Bandwidth NVNT ac20 5500MHz Ant0






-26dB Bandwidth NVNT ac20 5580MHz Ant0




-26dB Bandwidth NVNT ac20 5700MHz Ant0






-26dB Bandwidth NVNT ac40 5510MHz Ant0




-26dB Bandwidth NVNT ac40 5550MHz Ant0







-26dB Bandwidth NVNT ac40 5670MHz Ant0



-26dB Bandwidth NVNT ac80 5530MHz Ant0








Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	28.226	----	Pass
NVNT	a	5580	Ant1	28.92	----	Pass
NVNT	a	5700	Ant1	28.007	----	Pass
NVNT	n20	5500	Ant1	28.454	----	Pass
NVNT	n20	5580	Ant1	28.854	----	Pass
NVNT	n20	5700	Ant1	27.013	----	Pass
NVNT	n40	5510	Ant1	39.244	----	Pass
NVNT	n40	5550	Ant1	39.284	----	Pass
NVNT	n40	5670	Ant1	40.855	----	Pass
NVNT	ac20	5500	Ant1	28.696	----	Pass
NVNT	ac20	5580	Ant1	29.202	----	Pass
NVNT	ac20	5700	Ant1	26.965	----	Pass
NVNT	ac40	5510	Ant1	41.289	----	Pass
NVNT	ac40	5550	Ant1	42.368	----	Pass
NVNT	ac40	5670	Ant1	40.574	----	Pass
NVNT	ac80	5530	Ant1	78.203	----	Pass
NVNT	ac80	5610	Ant1	78.761	----	Pass






Test Graphs

-26dB Bandwidth NVNT a 5500MHz Ant1




-26dB Bandwidth NVNT a 5580MHz Ant1






-26dB Bandwidth NVNT a 5700MHz Ant1




-26dB Bandwidth NVNT n20 5500MHz Ant1






-26dB Bandwidth NVNT n20 5580MHz Ant1




-26dB Bandwidth NVNT n20 5700MHz Ant1






-26dB Bandwidth NVNT n40 5510MHz Ant1




-26dB Bandwidth NVNT n40 5550MHz Ant1






-26dB Bandwidth NVNT n40 5670MHz Ant1



-26dB Bandwidth NVNT ac20 5500MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5580MHz Ant1




-26dB Bandwidth NVNT ac20 5700MHz Ant1






-26dB Bandwidth NVNT ac40 5510MHz Ant1



-26dB Bandwidth NVNT ac40 5550MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




-26dB Bandwidth NVNT ac40 5670MHz Ant1



-26dB Bandwidth NVNT ac80 5530MHz Ant1







F.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant0	12.44	0.24	12.68	24	Pass
NVNT	a	5580	Ant0	12.39	0.24	12.63	24	Pass
NVNT	a	5700	Ant0	12.34	0.24	12.58	24	Pass
NVNT	n20	5500	Ant0	11.84	0.28	12.12	24	Pass
NVNT	n20	5580	Ant0	11.18	0.28	11.46	24	Pass
NVNT	n20	5700	Ant0	11.11	0.28	11.39	24	Pass
NVNT	n40	5510	Ant0	10.27	0.31	10.58	24	Pass
NVNT	n40	5550	Ant0	10.47	0.31	10.78	24	Pass
NVNT	n40	5670	Ant0	10.74	0.31	11.05	24	Pass
NVNT	ac20	5500	Ant0	11.79	0.28	12.07	24	Pass
NVNT	ac20	5580	Ant0	11.08	0.28	11.36	24	Pass
NVNT	ac20	5700	Ant0	11.07	0.28	11.35	24	Pass
NVNT	ac40	5510	Ant0	10.25	0.31	10.56	24	Pass
NVNT	ac40	5550	Ant0	10.51	0.31	10.82	24	Pass
NVNT	ac40	5670	Ant0	10.58	0.31	10.89	24	Pass
NVNT	ac80	5530	Ant0	9.82	0.47	10.29	24	Pass
NVNT	ac80	5610	Ant0	9.55	0.47	10.02	24	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	12.46	0.24	12.7	24	Pass
NVNT	a	5580	Ant1	12.86	0.24	13.1	24	Pass
NVNT	a	5700	Ant1	12.6	0.24	12.84	24	Pass
NVNT	n20	5500	Ant1	11.55	0.28	11.83	24	Pass
NVNT	n20	5580	Ant1	11.46	0.28	11.74	24	Pass
NVNT	n20	5700	Ant1	11.14	0.28	11.42	24	Pass
NVNT	n40	5510	Ant1	10.55	0.31	10.86	24	Pass
NVNT	n40	5550	Ant1	10.74	0.31	11.05	24	Pass
NVNT	n40	5670	Ant1	10.98	0.31	11.29	24	Pass
NVNT	ac20	5500	Ant1	11.7	0.28	11.98	24	Pass
NVNT	ac20	5580	Ant1	11.4	0.28	11.68	24	Pass
NVNT	ac20	5700	Ant1	11.21	0.28	11.49	24	Pass
NVNT	ac40	5510	Ant1	10.55	0.31	10.86	24	Pass
NVNT	ac40	5550	Ant1	10.88	0.31	11.19	24	Pass
NVNT	ac40	5670	Ant1	10.31	0.31	10.62	24	Pass
NVNT	ac80	5530	Ant1	9.86	0.47	10.33	24	Pass
NVNT	ac80	5610	Ant1	9.57	0.47	10.04	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	5500	12.12	11.83	14.99	21.94	Pass
NVNT	n20	5580	11.46	11.74	14.61	21.94	Pass
NVNT	n20	5700	11.39	11.42	14.42	21.94	Pass
NVNT	n40	5510	10.58	10.86	13.73	21.94	Pass
NVNT	n40	5550	10.78	11.05	13.93	21.94	Pass
NVNT	n40	5670	11.05	11.29	14.18	21.94	Pass
NVNT	ac20	5500	12.07	11.98	15.04	21.94	Pass
NVNT	ac20	5580	11.36	11.68	14.53	21.94	Pass
NVNT	ac20	5700	11.35	11.49	14.43	21.94	Pass
NVNT	ac40	5510	10.56	10.86	13.72	21.94	Pass
NVNT	ac40	5550	10.82	11.19	14.02	21.94	Pass
NVNT	ac40	5670	10.89	10.62	13.77	21.94	Pass
NVNT	ac80	5530	10.29	10.33	13.32	21.94	Pass
NVNT	ac80	5610	10.02	10.04	13.04	21.94	Pass





F.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5500	Ant0	2.38	0.24	2.62	11	Pass
NVNT	a	5580	Ant0	1.62	0.24	1.86	11	Pass
NVNT	a	5700	Ant0	1.77	0.24	2.01	11	Pass
NVNT	n20	5500	Ant0	1.14	0.28	1.42	11	Pass
NVNT	n20	5580	Ant0	0.49	0.28	0.77	11	Pass
NVNT	n20	5700	Ant0	0.25	0.28	0.53	11	Pass
NVNT	n40	5510	Ant0	-2.94	0.31	-2.63	11	Pass
NVNT	n40	5550	Ant0	-2.71	0.31	-2.4	11	Pass
NVNT	n40	5670	Ant0	-2.77	0.31	-2.46	11	Pass
NVNT	ac20	5500	Ant0	1.42	0.28	1.7	11	Pass
NVNT	ac20	5580	Ant0	0.45	0.28	0.73	11	Pass
NVNT	ac20	5700	Ant0	0.25	0.28	0.53	11	Pass
NVNT	ac40	5510	Ant0	-2.62	0.31	-2.31	11	Pass
NVNT	ac40	5550	Ant0	-2.81	0.31	-2.5	11	Pass
NVNT	ac40	5670	Ant0	-2.32	0.31	-2.01	11	Pass
NVNT	ac80	5530	Ant0	-6.46	0.47	-5.99	11	Pass
NVNT	ac80	5610	Ant0	-6.79	0.47	-6.32	11	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5500	Ant1	1.72	0.24	1.96	11	Pass
NVNT	a	5580	Ant1	2.26	0.24	2.5	11	Pass
NVNT	a	5700	Ant1	2.09	0.24	2.33	11	Pass
NVNT	n20	5500	Ant1	1.31	0.28	1.59	11	Pass
NVNT	n20	5580	Ant1	0.69	0.28	0.97	11	Pass
NVNT	n20	5700	Ant1	0.42	0.28	0.7	11	Pass
NVNT	n40	5510	Ant1	-2.94	0.31	-2.63	11	Pass
NVNT	n40	5550	Ant1	-2.61	0.31	-2.3	11	Pass
NVNT	n40	5670	Ant1	-2.76	0.31	-2.45	11	Pass
NVNT	ac20	5500	Ant1	1.22	0.28	1.5	11	Pass
NVNT	ac20	5580	Ant1	0.59	0.28	0.87	11	Pass
NVNT	ac20	5700	Ant1	0.55	0.28	0.83	11	Pass
NVNT	ac40	5510	Ant1	-3.15	0.31	-2.84	11	Pass
NVNT	ac40	5550	Ant1	-2.83	0.31	-2.52	11	Pass
NVNT	ac40	5670	Ant1	-3.13	0.31	-2.82	11	Pass
NVNT	ac80	5530	Ant1	-6.35	0.47	-5.88	11	Pass
NVNT	ac80	5610	Ant1	-6.75	0.47	-6.28	11	Pass





MIMO


Condition	Mode	Frequency (MHz)	Total PSD (dBm/MHz)			Limit (dBm/MHz)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	5500	1.42	1.59	4.52	8.94	Pass
NVNT	n20	5580	0.77	0.97	3.88	8.94	Pass
NVNT	n20	5700	0.53	0.7	3.63	8.94	Pass
NVNT	n40	5510	-2.63	-2.63	0.38	8.94	Pass
NVNT	n40	5550	-2.4	-2.3	0.66	8.94	Pass
NVNT	n40	5670	-2.46	-2.45	0.56	8.94	Pass
NVNT	ac20	5500	1.7	1.5	4.61	8.94	Pass
NVNT	ac20	5580	0.73	0.87	3.81	8.94	Pass
NVNT	ac20	5700	0.53	0.83	3.69	8.94	Pass
NVNT	ac40	5510	-2.31	-2.84	0.44	8.94	Pass
NVNT	ac40	5550	-2.5	-2.52	0.50	8.94	Pass
NVNT	ac40	5670	-2.01	-2.82	0.61	8.94	Pass
NVNT	ac80	5530	-5.99	-5.88	-2.92	8.94	Pass
NVNT	ac80	5610	-6.32	-6.28	-3.29	8.94	Pass






Test Graphs

PSD NVNT a 5500MHz Ant0




PSD NVNT a 5580MHz Ant0








PSD NVNT a 5700MHz Ant0




PSD NVNT n20 5500MHz Ant0








PSD NVNT n40 5510MHz Ant0




PSD NVNT n40 5550MHz Ant0






PSD NVNT n40 5670MHz Ant0




PSD NVNT ac20 5500MHz Ant0






PSD NVNT ac20 5580MHz Ant0




PSD NVNT ac20 5700MHz Ant0









PSD NVNT ac40 5510MHz Ant0



PSD NVNT ac40 5550MHz Ant0











Test Graphs

PSD NVNT a 5500MHz Ant1




PSD NVNT a 5580MHz Ant1










PSD NVNT a 5700MHz Ant1



PSD NVNT n20 5500MHz Ant1













PSD NVNT n40 5670MHz Ant1




PSD NVNT ac20 5500MHz Ant1











PSD NVNT ac40 5510MHz Ant1



PSD NVNT ac40 5550MHz Ant1









F.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBUV/m)	Detector	Limit (dBUV/m)	Verdict
NVNT	a	5500	Ant0	5460	-50.12	3.20	-	48.31	Peak	68.2	Pass
NVNT	a	5500	Ant0	5460	-57.65	3.20	0.24	41.02	Average	54	Pass
NVNT	a	5500	Ant0	5470	-45.97	3.20	-	52.46	Peak	68.2	Pass
NVNT	a	5500	Ant0	5470	-57.08	3.20	0.24	41.59	Average	54	Pass
NVNT	a	5500	Ant0	5470	-45.97	3.20	-	52.46	Peak	68.2	Pass
NVNT	a	5500	Ant0	5470	-57.08	3.20	0.24	41.59	Average	54	Pass
NVNT	a	5700	Ant0	5725	-44.93	3.20	-	53.50	Peak	68.2	Pass
NVNT	a	5700	Ant0	5725	-56.4	3.20	0.24	42.27	Average	54	Pass
NVNT	a	5700	Ant0	5725.2	-44.04	3.20	-	54.39	Peak	68.2	Pass
NVNT	a	5700	Ant0	5725.6	-55.41	3.20	0.24	43.26	Average	54	Pass
NVNT	a	5700	Ant0	5735	-50.17	3.20	-	48.26	Peak	68.2	Pass
NVNT	a	5700	Ant0	5735	-58.15	3.20	0.24	40.52	Average	54	Pass
NVNT	n20	5500	Ant0	5460	-49.86	3.20	-	48.57	Peak	68.2	Pass
NVNT	n20	5500	Ant0	5460	-58.93	3.20	0.28	39.78	Average	54	Pass
NVNT	n20	5500	Ant0	5470	-43.24	3.20	-	55.19	Peak	68.2	Pass
NVNT	n20	5500	Ant0	5470	-56.48	3.20	0.28	42.23	Average	54	Pass
NVNT	n20	5500	Ant0	5470	-43.24	3.20	-	55.19	Peak	68.2	Pass
NVNT	n20	5500	Ant0	5470	-56.48	3.20	0.28	42.23	Average	54	Pass
NVNT	n20	5700	Ant0	5725	-40.78	3.20	-	57.65	Peak	68.2	Pass
NVNT	n20	5700	Ant0	5725	-55.13	3.20	0.28	43.58	Average	54	Pass
NVNT	n20	5700	Ant0	5725.4	-39.96	3.20	-	58.47	Peak	68.2	Pass
NVNT	n20	5700	Ant0	5725.2	-54.31	3.20	0.28	44.40	Average	54	Pass
NVNT	n20	5700	Ant0	5735	-50.78	3.20	-	47.65	Peak	68.2	Pass
NVNT	n20	5700	Ant0	5735	-58.43	3.20	0.28	40.28	Average	54	Pass
NVNT	n40	5510	Ant0	5460	-48.87	3.20	-	49.56	Peak	68.2	Pass
NVNT	n40	5510	Ant0	5460	-57.8	3.20	0.31	40.94	Average	54	Pass
NVNT	n40	5510	Ant0	5467.8	-43.31	3.20	-	55.12	Peak	68.2	Pass
NVNT	n40	5510	Ant0	5469.4	-56.1	3.20	0.31	42.64	Average	54	Pass
NVNT	n40	5510	Ant0	5470	-45.48	3.20	-	52.95	Peak	68.2	Pass
NVNT	n40	5510	Ant0	5470	-56.56	3.20	0.31	42.18	Average	54	Pass
NVNT	n40	5670	Ant0	5725	-51.83	3.20	-	46.60	Peak	68.2	Pass
NVNT	n40	5670	Ant0	5725	-58.62	3.20	0.31	40.12	Average	54	Pass
NVNT	n40	5670	Ant0	5726.2	-45.51	3.20	-	52.92	Peak	68.2	Pass
NVNT	n40	5670	Ant0	5729	-57.65	3.20	0.31	41.09	Average	54	Pass
NVNT	n40	5670	Ant0	5735	-50.31	3.20	-	48.12	Peak	68.2	Pass
NVNT	n40	5670	Ant0	5735	-58.88	3.20	0.31	39.86	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5500	Ant0	5460	-50.97	3.20	-	47.46	Peak	68.2	Pass
NVNT	ac20	5500	Ant0	5460	-57.66	3.20	0.28	41.05	Average	54	Pass
NVNT	ac20	5500	Ant0	5469.8	-45.04	3.20	-	53.39	Peak	68.2	Pass
NVNT	ac20	5500	Ant0	5469.8	-56.38	3.20	0.28	42.33	Average	54	Pass
NVNT	ac20	5500	Ant0	5470	-48.91	3.20	-	49.52	Peak	68.2	Pass
NVNT	ac20	5500	Ant0	5470	-56.95	3.20	0.28	41.76	Average	54	Pass
NVNT	ac20	5700	Ant0	5725	-42.09	3.20	-	56.34	Peak	68.2	Pass
NVNT	ac20	5700	Ant0	5725	-55.11	3.20	0.28	43.60	Average	54	Pass
NVNT	ac20	5700	Ant0	5725	-42.09	3.20	-	56.34	Peak	68.2	Pass
NVNT	ac20	5700	Ant0	5725	-55.11	3.20	0.28	43.60	Average	54	Pass
NVNT	ac20	5700	Ant0	5735	-49.86	3.20	-	48.57	Peak	68.2	Pass
NVNT	ac20	5700	Ant0	5735	-57.44	3.20	0.28	41.27	Average	54	Pass
NVNT	ac40	5510	Ant0	5460	-49.91	3.20	-	48.52	Peak	68.2	Pass
NVNT	ac40	5510	Ant0	5460	-58.11	3.20	0.31	40.63	Average	54	Pass
NVNT	ac40	5510	Ant0	5467	-45.89	3.20	-	52.54	Peak	68.2	Pass
NVNT	ac40	5510	Ant0	5469	-56.62	3.20	0.31	42.12	Average	54	Pass
NVNT	ac40	5510	Ant0	5470	-48.2	3.20	-	50.23	Peak	68.2	Pass
NVNT	ac40	5510	Ant0	5470	-56.91	3.20	0.31	41.83	Average	54	Pass
NVNT	ac40	5670	Ant0	5725	-50.84	3.20	-	47.59	Peak	68.2	Pass
NVNT	ac40	5670	Ant0	5725	-58.69	3.20	0.31	40.05	Average	54	Pass
NVNT	ac40	5670	Ant0	5730.6	-48.68	3.20	-	49.75	Peak	68.2	Pass
NVNT	ac40	5670	Ant0	5733.8	-57.78	3.20	0.31	40.96	Average	54	Pass
NVNT	ac40	5670	Ant0	5735	-51.06	3.20	-	47.37	Peak	68.2	Pass
NVNT	ac40	5670	Ant0	5735	-58.51	3.20	0.31	40.23	Average	54	Pass
NVNT	ac80	5530	Ant0	5460	-49.15	3.20	-	49.28	Peak	68.2	Pass
NVNT	ac80	5530	Ant0	5460	-57.24	3.20	0.47	41.66	Average	54	Pass
NVNT	ac80	5530	Ant0	5469.4	-42.73	3.20	-	55.70	Peak	68.2	Pass
NVNT	ac80	5530	Ant0	5468.4	-55.55	3.20	0.47	43.35	Average	54	Pass
NVNT	ac80	5530	Ant0	5470	-48.8	3.20	-	49.63	Peak	68.2	Pass
NVNT	ac80	5530	Ant0	5470	-56.29	3.20	0.47	42.61	Average	54	Pass
NVNT	ac80	5610	Ant0	5725	-50.2	3.20	-	48.23	Peak	68.2	Pass
NVNT	ac80	5610	Ant0	5725	-58.54	3.20	0.47	40.36	Average	54	Pass
NVNT	ac80	5610	Ant0	5729.465	-48.53	3.20	-	49.90	Peak	68.2	Pass
NVNT	ac80	5610	Ant0	5730.9	-57.64	3.20	0.47	41.26	Average	54	Pass
NVNT	ac80	5610	Ant0	5735	-49.75	3.20	-	48.68	Peak	68.2	Pass
NVNT	ac80	5610	Ant0	5735	-58.23	3.20	0.47	40.67	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity