





Test Graphs

Restrict Band NVNT a 5500MHz Ant0 Peak




Restrict Band NVNT a 5500MHz Ant0 Average






Restrict Band NVNT a 5700MHz Ant0 Peak



Restrict Band NVNT a 5700MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5500MHz Ant0 Peak




Restrict Band NVNT n20 5500MHz Ant0 Average






Restrict Band NVNT n20 5700MHz Ant0 Peak




Restrict Band NVNT n20 5700MHz Ant0 Average








Restrict Band NVNT n40 5510MHz Ant0 Peak




Restrict Band NVNT n40 5510MHz Ant0 Average






Restrict Band NVNT n40 5670MHz Ant0 Peak




Restrict Band NVNT n40 5670MHz Ant0 Average






Restrict Band NVNT ac20 5500MHz Ant0 Peak




Restrict Band NVNT ac20 5500MHz Ant0 Average






Restrict Band NVNT ac20 5700MHz Ant0 Peak




Restrict Band NVNT ac20 5700MHz Ant0 Average








Restrict Band NVNT ac40 5510MHz Ant0 Peak




Restrict Band NVNT ac40 5510MHz Ant0 Average






Restrict Band NVNT ac40 5670MHz Ant0 Peak




Restrict Band NVNT ac40 5670MHz Ant0 Average






Restrict Band NVNT ac80 5530MHz Ant0 Peak




Restrict Band NVNT ac80 5530MHz Ant0 Average






Restrict Band NVNT ac80 5610MHz Ant0 Peak



Restrict Band NVNT ac80 5610MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5500	Ant1	5460	-49.79	6.57	-	52.01	Peak	68.2	Pass
NVNT	a	5500	Ant1	5460	-58.26	6.57	0.24	43.78	Average	54	Pass
NVNT	a	5500	Ant1	5469.8	-44.97	6.57	-	56.83	Peak	68.2	Pass
NVNT	a	5500	Ant1	5465.2	-57.28	6.57	0.24	44.76	Average	54	Pass
NVNT	a	5500	Ant1	5470	-47.03	6.57	-	54.77	Peak	68.2	Pass
NVNT	a	5500	Ant1	5470	-57.4	6.57	0.24	44.64	Average	54	Pass
NVNT	a	5700	Ant1	5725	-45.71	6.57	-	56.09	Peak	68.2	Pass
NVNT	a	5700	Ant1	5725	-56.68	6.57	0.24	45.36	Average	54	Pass
NVNT	a	5700	Ant1	5726.8	-43.69	6.57	-	58.11	Peak	68.2	Pass
NVNT	a	5700	Ant1	5727	-56.42	6.57	0.24	45.62	Average	54	Pass
NVNT	a	5700	Ant1	5735	-49.3	6.57	-	52.50	Peak	68.2	Pass
NVNT	a	5700	Ant1	5735	-57.56	6.57	0.24	44.48	Average	54	Pass
NVNT	n20	5500	Ant1	5460	-50.38	6.57	-	51.42	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5460	-57.95	6.57	0.28	44.13	Average	54	Pass
NVNT	n20	5500	Ant1	5466.4	-43.22	6.57	-	58.58	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5469	-56.88	6.57	0.28	45.20	Average	54	Pass
NVNT	n20	5500	Ant1	5470	-46.83	6.57	-	54.97	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5470	-57.03	6.57	0.28	45.05	Average	54	Pass
NVNT	n20	5700	Ant1	5725	-43.62	6.57	-	58.18	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5725	-55.09	6.57	0.28	46.99	Average	54	Pass
NVNT	n20	5700	Ant1	5726.4	-42.3	6.57	-	59.50	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5725.2	-54.25	6.57	0.28	47.83	Average	54	Pass
NVNT	n20	5700	Ant1	5735	-50.07	6.57	-	51.73	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5735	-57.94	6.57	0.28	44.14	Average	54	Pass
NVNT	n40	5510	Ant1	5460	-50.4	6.57	-	51.40	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5460	-58.22	6.57	0.31	43.89	Average	54	Pass
NVNT	n40	5510	Ant1	5469.2	-41.68	6.57	-	60.12	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5469.8	-56.23	6.57	0.31	45.88	Average	54	Pass
NVNT	n40	5510	Ant1	5470	-42.8	6.57	-	59.00	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5470	-56.72	6.57	0.31	45.39	Average	54	Pass
NVNT	n40	5670	Ant1	5725	-50.06	6.57	-	51.74	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5725	-58.51	6.57	0.31	43.60	Average	54	Pass
NVNT	n40	5670	Ant1	5727.4	-47.95	6.57	-	53.85	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5729.6	-57.9	6.57	0.31	44.21	Average	54	Pass
NVNT	n40	5670	Ant1	5735	-51.42	6.57	-	50.38	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5735	-58.73	6.57	0.31	43.38	Average	54	Pass
NVNT	ac20	5500	Ant1	5460	-50.97	6.57	-	50.83	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




NVNT	ac20	5500	Ant1	5460	-57.66	6.57	0.28	44.42	Average	54	Pass
NVNT	ac20	5500	Ant1	5469.8	-45.04	6.57	-	56.76	Peak	68.2	Pass
NVNT	ac20	5500	Ant1	5469.8	-56.38	6.57	0.28	45.70	Average	54	Pass
NVNT	ac20	5500	Ant1	5470	-48.91	6.57	-	52.89	Peak	68.2	Pass
NVNT	ac20	5500	Ant1	5470	-56.95	6.57	0.28	45.13	Average	54	Pass
NVNT	ac20	5700	Ant1	5725	-42.88	6.57	-	58.92	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5725	-54.97	6.57	0.28	47.11	Average	54	Pass
NVNT	ac20	5700	Ant1	5726.8	-40.48	6.57	-	61.32	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5726	-54.36	6.57	0.28	47.72	Average	54	Pass
NVNT	ac20	5700	Ant1	5735	-49.49	6.57	-	52.31	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5735	-57.82	6.57	0.28	44.26	Average	54	Pass
NVNT	ac40	5510	Ant1	5460	-47.87	6.57	-	53.93	Peak	68.2	Pass
NVNT	ac40	5510	Ant1	5460	-58.15	6.57	0.31	43.96	Average	54	Pass
NVNT	ac40	5510	Ant1	5466.6	-45.53	6.57	-	56.27	Peak	68.2	Pass
NVNT	ac40	5510	Ant1	5469.8	-56.26	6.57	0.31	45.85	Average	54	Pass
NVNT	ac40	5510	Ant1	5470	-48.42	6.57	-	53.38	Peak	68.2	Pass
NVNT	ac40	5510	Ant1	5470	-56.52	6.57	0.31	45.59	Average	54	Pass
NVNT	ac40	5670	Ant1	5725	-50.89	6.57	-	50.91	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5725	-58.33	6.57	0.31	43.78	Average	54	Pass
NVNT	ac40	5670	Ant1	5726.2	-48.57	6.57	-	53.23	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5728.6	-57.79	6.57	0.31	44.32	Average	54	Pass
NVNT	ac40	5670	Ant1	5735	-50.19	6.57	-	51.61	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5735	-58.75	6.57	0.31	43.36	Average	54	Pass
NVNT	ac80	5530	Ant1	5460	-49.57	6.57	-	52.23	Peak	68.2	Pass
NVNT	ac80	5530	Ant1	5460	-57.64	6.57	0.47	44.63	Average	54	Pass
NVNT	ac80	5530	Ant1	5463.4	-45.33	6.57	-	56.47	Peak	68.2	Pass
NVNT	ac80	5530	Ant1	5469.4	-56.08	6.57	0.47	46.19	Average	54	Pass
NVNT	ac80	5530	Ant1	5470	-45.74	6.57	-	56.06	Peak	68.2	Pass
NVNT	ac80	5530	Ant1	5470	-56.14	6.57	0.47	46.13	Average	54	Pass
NVNT	ac80	5610	Ant1	5725	-50.83	6.57	-	50.97	Peak	68.2	Pass
NVNT	ac80	5610	Ant1	5725	-58.57	6.57	0.47	43.70	Average	54	Pass
NVNT	ac80	5610	Ant1	5725.775	-48.52	6.57	-	53.28	Peak	68.2	Pass
NVNT	ac80	5610	Ant1	5725.57	-57.78	6.57	0.47	44.49	Average	54	Pass
NVNT	ac80	5610	Ant1	5735	-49.72	6.57	-	52.08	Peak	68.2	Pass
NVNT	ac80	5610	Ant1	5735	-58.03	6.57	0.47	44.24	Average	54	Pass






Test Graphs

Restrict Band NVNT a 5500MHz Ant1 Peak




Restrict Band NVNT a 5500MHz Ant1 Average






Restrict Band NVNT a 5700MHz Ant1 Peak




Restrict Band NVNT a 5700MHz Ant1 Average








Restrict Band NVNT n20 5500MHz Ant1 Peak




Restrict Band NVNT n20 5500MHz Ant1 Average






Restrict Band NVNT n20 5700MHz Ant1 Peak




Restrict Band NVNT n20 5700MHz Ant1 Average






Restrict Band NVNT n40 5510MHz Ant1 Peak




Restrict Band NVNT n40 5510MHz Ant1 Average






Restrict Band NVNT n40 5670MHz Ant1 Peak




Restrict Band NVNT n40 5670MHz Ant1 Average








Restrict Band NVNT ac20 5500MHz Ant1 Peak




Restrict Band NVNT ac20 5500MHz Ant1 Average






Restrict Band NVNT ac20 5700MHz Ant1 Peak



Restrict Band NVNT ac20 5700MHz Ant1 Average






Restrict Band NVNT ac40 5510MHz Ant1 Peak




Restrict Band NVNT ac40 5510MHz Ant1 Average






Restrict Band NVNT ac40 5670MHz Ant1 Peak




Restrict Band NVNT ac40 5670MHz Ant1 Average








Restrict Band NVNT ac80 5530MHz Ant1 Peak




Restrict Band NVNT ac80 5530MHz Ant1 Average






Restrict Band NVNT ac80 5610MHz Ant1 Peak



Restrict Band NVNT ac80 5610MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	ANT0 Power (dBm)	ANT1 Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	5500	5460	-49.86	-50.38	8.06	56.19	Peak	68.2	Pass
NVNT	n20	5500	5460	-58.93	-57.95	8.06	47.89	Average	54	Pass
NVNT	n20	5500	5466.4	-43.24	-43.22	8.06	63.07	Peak	68.2	Pass
NVNT	n20	5500	5469	-56.48	-56.88	8.06	49.62	Average	54	Pass
NVNT	n20	5500	5470	-43.24	-46.83	8.06	61.62	Peak	68.2	Pass
NVNT	n20	5500	5470	-56.48	-57.03	8.06	49.55	Average	54	Pass
NVNT	n20	5700	5725	-40.78	-43.62	8.06	64.33	Peak	68.2	Pass
NVNT	n20	5700	5725	-55.13	-55.09	8.06	51.19	Average	54	Pass
NVNT	n20	5700	5726.4	-39.96	-42.3	8.06	65.32	Peak	68.2	Pass
NVNT	n20	5700	5725.2	-54.31	-54.25	8.06	52.02	Average	54	Pass
NVNT	n20	5700	5735	-50.78	-50.07	8.06	55.89	Peak	68.2	Pass
NVNT	n20	5700	5735	-58.43	-57.94	8.06	48.12	Average	54	Pass
NVNT	n40	5510	5460	-48.87	-50.4	8.06	56.73	Peak	68.2	Pass
NVNT	n40	5510	5460	-57.8	-58.22	8.06	48.29	Average	54	Pass
NVNT	n40	5510	5469.2	-43.31	-41.68	8.06	63.88	Peak	68.2	Pass
NVNT	n40	5510	5469.8	-56.1	-56.23	8.06	50.13	Average	54	Pass
NVNT	n40	5510	5470	-45.48	-42.8	8.06	62.36	Peak	68.2	Pass
NVNT	n40	5510	5470	-56.56	-56.72	8.06	49.66	Average	54	Pass
NVNT	n40	5670	5725	-51.83	-50.06	8.06	55.44	Peak	68.2	Pass
NVNT	n40	5670	5725	-58.62	-58.51	8.06	47.73	Average	54	Pass
NVNT	n40	5670	5727.4	-45.51	-47.95	8.06	59.74	Peak	68.2	Pass
NVNT	n40	5670	5729.6	-57.65	-57.9	8.06	48.52	Average	54	Pass
NVNT	n40	5670	5735	-50.31	-51.42	8.06	55.47	Peak	68.2	Pass
NVNT	n40	5670	5735	-58.88	-58.73	8.06	47.49	Average	54	Pass
NVNT	ac20	5500	5460	-50.97	-50.97	8.06	55.33	Peak	68.2	Pass
NVNT	ac20	5500	5460	-57.66	-57.66	8.06	48.64	Average	54	Pass
NVNT	ac20	5500	5469.8	-45.04	-45.04	8.06	61.26	Peak	68.2	Pass
NVNT	ac20	5500	5469.8	-56.38	-56.38	8.06	49.92	Average	54	Pass
NVNT	ac20	5500	5470	-48.91	-48.91	8.06	57.39	Peak	68.2	Pass
NVNT	ac20	5500	5470	-56.95	-56.95	8.06	49.35	Average	54	Pass
NVNT	ac20	5700	5725	-42.09	-42.88	8.06	63.83	Peak	68.2	Pass
NVNT	ac20	5700	5725	-55.11	-54.97	8.06	51.26	Average	54	Pass
NVNT	ac20	5700	5726.8	-42.09	-40.48	8.06	65.09	Peak	68.2	Pass
NVNT	ac20	5700	5726	-55.11	-54.36	8.06	51.58	Average	54	Pass
NVNT	ac20	5700	5735	-49.86	-49.49	8.06	56.63	Peak	68.2	Pass
NVNT	ac20	5700	5735	-57.44	-57.82	8.06	48.67	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac40	5510	5460	-49.91	-47.87	8.06	57.53	Peak	68.2	Pass
NVNT	ac40	5510	5460	-58.11	-58.15	8.06	48.17	Average	54	Pass
NVNT	ac40	5510	5466.6	-45.89	-45.53	8.06	60.59	Peak	68.2	Pass
NVNT	ac40	5510	5469.8	-56.62	-56.26	8.06	49.86	Average	54	Pass
NVNT	ac40	5510	5470	-48.2	-48.42	8.06	57.99	Peak	68.2	Pass
NVNT	ac40	5510	5470	-56.91	-56.52	8.06	49.59	Average	54	Pass
NVNT	ac40	5670	5725	-50.84	-50.89	8.06	55.43	Peak	68.2	Pass
NVNT	ac40	5670	5725	-58.69	-58.33	8.06	47.79	Average	54	Pass
NVNT	ac40	5670	5726.2	-48.68	-48.57	8.06	57.67	Peak	68.2	Pass
NVNT	ac40	5670	5728.6	-57.78	-57.79	8.06	48.51	Average	54	Pass
NVNT	ac40	5670	5735	-51.06	-50.19	8.06	55.69	Peak	68.2	Pass
NVNT	ac40	5670	5735	-58.51	-58.75	8.06	47.67	Average	54	Pass
NVNT	ac80	5530	5460	-49.15	-49.57	8.06	56.94	Peak	68.2	Pass
NVNT	ac80	5530	5460	-57.24	-57.64	8.06	48.86	Average	54	Pass
NVNT	ac80	5530	5463.4	-42.73	-45.33	8.06	62.46	Peak	68.2	Pass
NVNT	ac80	5530	5469.4	-55.55	-56.08	8.06	50.49	Average	54	Pass
NVNT	ac80	5530	5470	-48.8	-45.74	8.06	59.29	Peak	68.2	Pass
NVNT	ac80	5530	5470	-56.29	-56.14	8.06	50.08	Average	54	Pass
NVNT	ac80	5610	5725	-50.2	-50.83	8.06	55.79	Peak	68.2	Pass
NVNT	ac80	5610	5725	-58.54	-58.57	8.06	47.74	Average	54	Pass
NVNT	ac80	5610	5725.775	-48.53	-48.52	8.06	57.77	Peak	68.2	Pass
NVNT	ac80	5610	5725.57	-57.64	-57.78	8.06	48.59	Average	54	Pass
NVNT	ac80	5610	5735	-49.75	-49.72	8.06	56.56	Peak	68.2	Pass
NVNT	ac80	5610	5735	-58.23	-58.03	8.06	48.17	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity





### F.5 Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5500	Ant0	5500	0	0	25	Pass
NVNT	ac20	5580	Ant0	5579.98	-20000	-3.58	25	Pass
NVNT	ac20	5700	Ant0	5699.96	-40000	-7.02	25	Pass
NVNT	ac40	5510	Ant0	5509.96	-40000	-7.26	25	Pass
NVNT	ac40	5550	Ant0	5549.96	-40000	-7.21	25	Pass
NVNT	ac40	5670	Ant0	5669.96	-40000	-7.05	25	Pass
NVNT	ac80	5530	Ant0	5530	0	0	25	Pass
NVNT	ac80	5610	Ant0	5610	0	0	25	Pass






Test Graphs

Freq. Stability NVNT ac20 5500MHz Ant0




Freq. Stability NVNT ac20 5580MHz Ant0






Freq. Stability NVNT ac20 5700MHz Ant0




Freq. Stability NVNT ac40 5510MHz Ant0






Freq. Stability NVNT ac40 5550MHz Ant0




Freq. Stability NVNT ac40 5670MHz Ant0








Freq. Stability NVNT ac80 5530MHz Ant0



Freq. Stability NVNT ac80 5610MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5500	Ant1	5500	0	0	25	Pass
NVNT	ac20	5580	Ant1	5579.98	-20000	-3.58	25	Pass
NVNT	ac20	5700	Ant1	5699.98	-20000	-3.51	25	Pass
NVNT	ac40	5510	Ant1	5510	0	0	25	Pass
NVNT	ac40	5550	Ant1	5550	0	0	25	Pass
NVNT	ac40	5670	Ant1	5670.04	40000	7.05	25	Pass
NVNT	ac80	5530	Ant1	5530	0	0	25	Pass
NVNT	ac80	5610	Ant1	5610	0	0	25	Pass





Test Graphs

Freq. Stability NVNT ac20 5500MHz Ant1



Freq. Stability NVNT ac20 5580MHz Ant1

