



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: TWS Bluetooth Earphones

Test Model: OpenListen G200

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant	1.009	N/A	Pass
NVNT	1-DH5	2441	Ant	0.981	N/A	Pass
NVNT	1-DH5	2480	Ant	1.032	N/A	Pass
NVNT	2-DH5	2402	Ant	1.282	N/A	Pass
NVNT	2-DH5	2441	Ant	1.28	N/A	Pass
NVNT	2-DH5	2480	Ant	1.281	N/A	Pass
NVNT	3-DH5	2402	Ant	1.293	N/A	Pass
NVNT	3-DH5	2441	Ant	1.297	N/A	Pass
NVNT	3-DH5	2480	Ant	1.283	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant







A.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant	-0.68	21	Pass
NVNT	1-DH5	2441	Ant	-0.13	21	Pass
NVNT	1-DH5	2480	Ant	0.15	21	Pass
NVNT	2-DH5	2402	Ant	-0.90	21	Pass
NVNT	2-DH5	2441	Ant	-0.36	21	Pass
NVNT	2-DH5	2480	Ant	-0.07	21	Pass
NVNT	3-DH5	2402	Ant	-0.82	21	Pass
NVNT	3-DH5	2441	Ant	-0.26	21	Pass
NVNT	3-DH5	2480	Ant	0.04	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant




Power NVNT 1-DH5 2441MHz Ant






Power NVNT 1-DH5 2480MHz Ant




Power NVNT 2-DH5 2402MHz Ant






Power NVNT 2-DH5 2441MHz Ant




Power NVNT 2-DH5 2480MHz Ant







Power NVNT 3-DH5 2402MHz Ant



Power NVNT 3-DH5 2441MHz Ant







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant	2402.048	2402.958	0.91	0.688	Pass
NVNT	2-DH5	Ant	2402.018	2403.152	1.134	0.855	Pass
NVNT	3-DH5	Ant	2402.008	2403.158	1.15	0.865	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant



CFS NVNT 2-DH5 2402MHz Ant







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant	2.882	282.436	98	31600	400	Pass
NVNT	2-DH5	2402	Ant	2.885	305.81	106	31600	400	Pass
NVNT	3-DH5	2402	Ant	2.886	305.916	106	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant One Burst




Dwell NVNT 1-DH5 2402MHz Ant Accumulated








Dwell NVNT 2-DH5 2402MHz Ant One Burst



Dwell NVNT 2-DH5 2402MHz Ant Accumulated







A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant	79	15	Pass
NVNT	2-DH5	Ant	79	15	Pass
NVNT	3-DH5	Ant	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant




Hopping No. NVNT 2-DH5 2402MHz Ant





Hopping No. NVNT 3-DH5 2402MHz Ant





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant	No-Hopping	-55.58	-20	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	-56.78	-20	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	-53.27	-20	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	-54.78	-20	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	-50.36	-20	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	-55.12	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant	Hopping	-54.69	-20	Pass
NVNT	1-DH5	2480	Ant	Hopping	-55.44	-20	Pass
NVNT	2-DH5	2402	Ant	Hopping	-53.92	-20	Pass
NVNT	2-DH5	2480	Ant	Hopping	-54.49	-20	Pass
NVNT	3-DH5	2402	Ant	Hopping	-53.24	-20	Pass
NVNT	3-DH5	2480	Ant	Hopping	-54.23	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant	-54	-20	Pass
NVNT	1-DH5	2441	Ant	-53.56	-20	Pass
NVNT	1-DH5	2480	Ant	-55.21	-20	Pass
NVNT	2-DH5	2402	Ant	-53.05	-20	Pass
NVNT	2-DH5	2441	Ant	-53.23	-20	Pass
NVNT	2-DH5	2480	Ant	-53.57	-20	Pass
NVNT	3-DH5	2402	Ant	-53.48	-20	Pass
NVNT	3-DH5	2441	Ant	-53.81	-20	Pass
NVNT	3-DH5	2480	Ant	-53.08	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant	76.88	1.14	0.35
NVNT	1-DH5	2441	Ant	76.88	1.14	0.35
NVNT	1-DH5	2480	Ant	76.88	1.14	0.35
NVNT	2-DH5	2402	Ant	76.96	1.14	0.35
NVNT	2-DH5	2441	Ant	76.99	1.14	0.35
NVNT	2-DH5	2480	Ant	76.96	1.14	0.35
NVNT	3-DH5	2402	Ant	77.04	1.13	0.35
NVNT	3-DH5	2441	Ant	77.01	1.13	0.35
NVNT	3-DH5	2480	Ant	77.01	1.13	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant




Duty Cycle NVNT 1-DH5 2441MHz Ant






Duty Cycle NVNT 1-DH5 2480MHz Ant




Duty Cycle NVNT 2-DH5 2402MHz Ant






Duty Cycle NVNT 2-DH5 2441MHz Ant




Duty Cycle NVNT 2-DH5 2480MHz Ant







Duty Cycle NVNT 3-DH5 2402MHz Ant



Duty Cycle NVNT 3-DH5 2441MHz Ant







A.9 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant	No-Hopping	2310	-50.38	5.54	-	50.39	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2310	-58.66	5.54	1.14	43.25	Average	54	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2345.904	-47.58	5.54	-	53.19	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2384.112	-57.54	5.54	1.14	44.37	Average	54	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2390	-48.85	5.54	-	51.92	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2390	-58.64	5.54	1.14	43.27	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2483.5	-49.26	5.54	-	51.51	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2483.5	-58.07	5.54	1.14	43.84	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2498.464	-47.22	5.54	-	53.55	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2499.544	-57.17	5.54	1.14	44.74	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2500	-50.91	5.54	-	49.86	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2500	-58.14	5.54	1.14	43.77	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2310	-51.05	5.54	-	49.72	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2310	-58.61	5.54	1.14	43.30	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2341.584	-47.22	5.54	-	53.55	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2388.528	-57.64	5.54	1.14	44.27	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2390	-50.55	5.54	-	50.22	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2390	-58.31	5.54	1.14	43.60	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2483.5	-50.26	5.54	-	50.51	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2483.5	-57.46	5.54	1.14	44.45	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2498.584	-47.12	5.54	-	53.65	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2486.512	-57.14	5.54	1.14	44.77	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2500	-50.3	5.54	-	50.47	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2500	-58.07	5.54	1.14	43.84	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2310	-49.98	5.54	-	50.79	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2310	-58.51	5.54	1.13	43.39	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2354.544	-47.31	5.54	-	53.46	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2388.336	-57.51	5.54	1.13	44.39	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2390	-49.76	5.54	-	51.01	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2390	-57.81	5.54	1.13	44.09	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.5	-47.72	5.54	-	53.05	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.5	-57.97	5.54	1.13	43.93	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2484.808	-47.54	5.54	-	53.23	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2496.976	-57.05	5.54	1.13	44.85	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2500	-50.41	5.54	-	50.36	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2500	-58.4	5.54	1.13	43.50	Average	54	Pass






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant No-Hopping Average

