



1. Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	80.83	0.92	0.49
NVNT	a	5785	Ant1	80.82	0.92	0.49
NVNT	a	5825	Ant1	80.86	0.92	0.49
NVNT	a	5745	Ant2	80.86	0.92	0.49
NVNT	a	5785	Ant2	80.86	0.92	0.49
NVNT	a	5825	Ant2	80.86	0.92	0.49
NVNT	ac20	5745	Sum	80.67	0.93	1.02
NVNT	ac20	5785	Sum	80.68	0.93	1.01
NVNT	ac20	5825	Sum	80.71	0.93	1.01
NVNT	ac40	5755	Sum	80.11	0.96	2.01
NVNT	ac40	5795	Sum	80.24	0.96	2.01
NVNT	ac80	5775	Sum	79.57	0.99	3.89
NVNT	ax20	5745	Sum	78.48	1.05	5.71
NVNT	ax20	5785	Sum	78.48	1.05	5.71
NVNT	ax20	5825	Sum	78.3	1.06	5.71
NVNT	ax40	5755	Sum	77.63	1.1	5.65
NVNT	ax40	5795	Sum	78.93	1.03	5.63
NVNT	ax80	5775	Sum	77.29	1.12	5.65
NVNT	n20	5745	Sum	80.82	0.92	0.52
NVNT	n20	5785	Sum	80.82	0.92	0.52
NVNT	n20	5825	Sum	80.82	0.92	0.52
NVNT	n40	5755	Sum	80.71	0.93	1.06
NVNT	n40	5795	Sum	80.71	0.93	1.06


Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT a 5745MHz Ant2




Duty Cycle NVNT ac20 5745MHz Sum



Duty Cycle NVNT ac20 5785MHz Sum




Duty Cycle NVNT n20 5825MHz Sum



Duty Cycle NVNT n40 5755MHz Sum



Duty Cycle NVNT n40 5795MHz Sum




2. Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	7.55	0.92	8.47	<=30	Pass
NVNT	a	5785	Ant1	8.27	0.92	9.19	<=30	Pass
NVNT	a	5825	Ant1	8.03	0.92	8.95	<=30	Pass
NVNT	a	5745	Ant2	9.51	0.92	10.43	<=30	Pass
NVNT	a	5785	Ant2	9.66	0.92	10.58	<=30	Pass
NVNT	a	5825	Ant2	9.55	0.92	10.47	<=30	Pass
NVNT	ac20	5745	Ant1	7.62	0.93	8.55	<=30	Pass
NVNT	ac20	5745	Ant2	9.37	0.93	10.3	<=30	Pass
NVNT	ac20	5745	Sum	11.59	0.93	12.52	<=27.81	Pass
NVNT	ac20	5785	Ant1	8.08	0.93	9.01	<=30	Pass
NVNT	ac20	5785	Ant2	9.56	0.93	10.49	<=30	Pass
NVNT	ac20	5785	Sum	11.89	0.93	12.82	<=27.81	Pass
NVNT	ac20	5825	Ant1	8.07	0.93	9	<=30	Pass
NVNT	ac20	5825	Ant2	9.64	0.93	10.57	<=30	Pass
NVNT	ac20	5825	Sum	11.94	0.93	12.87	<=27.81	Pass
NVNT	ac40	5755	Ant1	7.76	0.96	8.72	<=30	Pass
NVNT	ac40	5755	Ant2	9.63	0.96	10.59	<=30	Pass
NVNT	ac40	5755	Sum	11.81	0.96	12.77	<=27.81	Pass
NVNT	ac40	5795	Ant1	8.55	0.96	9.51	<=30	Pass
NVNT	ac40	5795	Ant2	9.83	0.96	10.79	<=30	Pass
NVNT	ac40	5795	Sum	12.25	0.96	13.21	<=27.81	Pass
NVNT	ac80	5775	Ant1	7.53	0.99	8.52	<=30	Pass
NVNT	ac80	5775	Ant2	9.1	0.99	10.09	<=30	Pass
NVNT	ac80	5775	Sum	11.4	0.99	12.39	<=27.81	Pass
NVNT	ax20	5745	Ant1	7.63	1.05	8.68	<=30	Pass
NVNT	ax20	5745	Ant2	8.36	1.05	9.41	<=30	Pass
NVNT	ax20	5745	Sum	11.02	1.05	12.07	<=27.81	Pass
NVNT	ax20	5785	Ant1	8.15	1.05	9.2	<=30	Pass
NVNT	ax20	5785	Ant2	8.65	1.05	9.7	<=30	Pass
NVNT	ax20	5785	Sum	11.42	1.05	12.47	<=27.81	Pass
NVNT	ax20	5825	Ant1	8.44	1.06	9.5	<=30	Pass
NVNT	ax20	5825	Ant2	8.85	1.06	9.91	<=30	Pass
NVNT	ax20	5825	Sum	11.66	1.06	12.72	<=27.81	Pass
NVNT	ax40	5755	Ant1	7.74	1.1	8.84	<=30	Pass
NVNT	ax40	5755	Ant2	8.51	1.1	9.61	<=30	Pass
NVNT	ax40	5755	Sum	11.15	1.1	12.25	<=27.81	Pass
NVNT	ax40	5795	Ant1	8.33	1.03	9.36	<=30	Pass
NVNT	ax40	5795	Ant2	8.89	1.03	9.92	<=30	Pass
NVNT	ax40	5795	Sum	11.63	1.03	12.66	<=27.81	Pass

NVNT	ax80	5775	Ant1	7	1.12	8.12	<=30	Pass
NVNT	ax80	5775	Ant2	7.89	1.12	9.01	<=30	Pass
NVNT	ax80	5775	Sum	10.48	1.12	11.6	<=27.81	Pass
NVNT	n20	5745	Ant1	7.73	0.92	8.65	<=30	Pass
NVNT	n20	5745	Ant2	9.02	0.92	9.94	<=30	Pass
NVNT	n20	5745	Sum	11.43	0.92	12.35	<=27.81	Pass
NVNT	n20	5785	Ant1	8.28	0.92	9.2	<=30	Pass
NVNT	n20	5785	Ant2	9.5	0.92	10.42	<=30	Pass
NVNT	n20	5785	Sum	11.94	0.92	12.86	<=27.81	Pass
NVNT	n20	5825	Ant1	8.35	0.92	9.27	<=30	Pass
NVNT	n20	5825	Ant2	9.32	0.92	10.24	<=30	Pass
NVNT	n20	5825	Sum	11.87	0.92	12.79	<=27.81	Pass
NVNT	n40	5755	Ant1	7.71	0.93	8.64	<=30	Pass
NVNT	n40	5755	Ant2	9.75	0.93	10.68	<=30	Pass
NVNT	n40	5755	Sum	11.86	0.93	12.79	<=27.81	Pass
NVNT	n40	5795	Ant1	8.36	0.93	9.29	<=30	Pass
NVNT	n40	5795	Ant2	9.73	0.93	10.66	<=30	Pass
NVNT	n40	5795	Sum	12.11	0.93	13.04	<=27.81	Pass

Test Graphs


Power NVNT a 5745MHz Ant1



Power NVNT a 5785MHz Ant1



Power NVNT a 5825MHz Ant1



Power NVNT a 5745MHz Ant2



Power NVNT a 5785MHz Ant2



Power NVNT a 5825MHz Ant2




Power NVNT ac20 5745MHz Ant1



Power NVNT ac20 5745MHz Ant2



Power NVNT ac20 5785MHz Ant1



Power NVNT ac20 5785MHz Ant2




Power NVNT ac20 5825MHz Ant1



Power NVNT ac20 5825MHz Ant2



Power NVNT ac40 5755MHz Ant1



Power NVNT ac40 5755MHz Ant2



Power NVNT ac40 5795MHz Ant1



Power NVNT ac40 5795MHz Ant2



Power NVNT ac80 5775MHz Ant1



Power NVNT ac80 5775MHz Ant2



Power NVNT ax20 5745MHz Ant1



Power NVNT ax20 5745MHz Ant2



Power NVNT ax20 5785MHz Ant1



Power NVNT ax20 5785MHz Ant2




Power NVNT ax20 5825MHz Ant1



Power NVNT ax20 5825MHz Ant2



Power NVNT ax40 5755MHz Ant1



Power NVNT ax40 5755MHz Ant2




Power NVNT ax40 5795MHz Ant1



Power NVNT ax40 5795MHz Ant2



Power NVNT ax80 5775MHz Ant1



Power NVNT ax80 5775MHz Ant2



Power NVNT n20 5745MHz Ant1



Power NVNT n20 5745MHz Ant2



Power NVNT n20 5785MHz Ant1



Power NVNT n20 5785MHz Ant2



Power NVNT n20 5825MHz Ant1



Power NVNT n20 5825MHz Ant2



Power NVNT n40 5755MHz Ant1



Power NVNT n40 5755MHz Ant2



Power NVNT n40 5795MHz Ant1



Power NVNT n40 5795MHz Ant2



3. -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	15.1221	≥ 0.5	Pass
NVNT	a	5785	Ant1	15.3257	≥ 0.5	Pass
NVNT	a	5825	Ant1	13.5107	≥ 0.5	Pass
NVNT	a	5745	Ant2	12.9862	≥ 0.5	Pass
NVNT	a	5785	Ant2	13.0795	≥ 0.5	Pass
NVNT	a	5825	Ant2	14.1089	≥ 0.5	Pass
NVNT	ac20	5745	Ant1	12.858	≥ 0.5	Pass
NVNT	ac20	5745	Ant2	15.3885	≥ 0.5	Pass
NVNT	ac20	5785	Ant1	12.5073	≥ 0.5	Pass
NVNT	ac20	5785	Ant2	16.6648	≥ 0.5	Pass
NVNT	ac20	5825	Ant1	13.7336	≥ 0.5	Pass
NVNT	ac20	5825	Ant2	15.0478	≥ 0.5	Pass
NVNT	ac40	5755	Ant1	35.0763	≥ 0.5	Pass
NVNT	ac40	5755	Ant2	35.0755	≥ 0.5	Pass
NVNT	ac40	5795	Ant1	35.0651	≥ 0.5	Pass
NVNT	ac40	5795	Ant2	35.1064	≥ 0.5	Pass
NVNT	ac80	5775	Ant1	62.6171	≥ 0.5	Pass
NVNT	ac80	5775	Ant2	75.0824	≥ 0.5	Pass
NVNT	ax20	5745	Ant1	15.1188	≥ 0.5	Pass
NVNT	ax20	5745	Ant2	16.2983	≥ 0.5	Pass
NVNT	ax20	5785	Ant1	15.1237	≥ 0.5	Pass
NVNT	ax20	5785	Ant2	16.2677	≥ 0.5	Pass
NVNT	ax20	5825	Ant1	16.7118	≥ 0.5	Pass
NVNT	ax20	5825	Ant2	16.2646	≥ 0.5	Pass
NVNT	ax40	5755	Ant1	35.0636	≥ 0.5	Pass
NVNT	ax40	5755	Ant2	35.0651	≥ 0.5	Pass
NVNT	ax40	5795	Ant1	35.0768	≥ 0.5	Pass
NVNT	ax40	5795	Ant2	35.0847	≥ 0.5	Pass
NVNT	ax80	5775	Ant1	72.575	≥ 0.5	Pass
NVNT	ax80	5775	Ant2	75.0196	≥ 0.5	Pass
NVNT	n20	5745	Ant1	12.6273	≥ 0.5	Pass
NVNT	n20	5745	Ant2	14.4376	≥ 0.5	Pass
NVNT	n20	5785	Ant1	13.4713	≥ 0.5	Pass
NVNT	n20	5785	Ant2	15.057	≥ 0.5	Pass
NVNT	n20	5825	Ant1	15.0531	≥ 0.5	Pass
NVNT	n20	5825	Ant2	15.0757	≥ 0.5	Pass
NVNT	n40	5755	Ant1	35.0722	≥ 0.5	Pass
NVNT	n40	5755	Ant2	35.057	≥ 0.5	Pass
NVNT	n40	5795	Ant1	33.8293	≥ 0.5	Pass
NVNT	n40	5795	Ant2	33.8498	≥ 0.5	Pass

Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant1



-6dB Bandwidth NVNT a 5785MHz Ant1



-6dB Bandwidth NVNT a 5825MHz Ant1**-6dB Bandwidth NVNT a 5745MHz Ant2**

-6dB Bandwidth NVNT a 5785MHz Ant2**-6dB Bandwidth NVNT a 5825MHz Ant2**

-6dB Bandwidth NVNT ac20 5745MHz Ant1



-6dB Bandwidth NVNT ac20 5745MHz Ant2



-6dB Bandwidth NVNT ac20 5785MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant2



-6dB Bandwidth NVNT ac20 5825MHz Ant1



-6dB Bandwidth NVNT ac20 5825MHz Ant2



-6dB Bandwidth NVNT ac40 5755MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant2




-6dB Bandwidth NVNT ac40 5795MHz Ant1




-6dB Bandwidth NVNT ac40 5795MHz Ant2



-6dB Bandwidth NVNT ac80 5775MHz Ant1



-6dB Bandwidth NVNT ac80 5775MHz Ant2



-6dB Bandwidth NVNT ax20 5745MHz Ant1




-6dB Bandwidth NVNT ax20 5745MHz Ant2



-6dB Bandwidth NVNT ax20 5785MHz Ant1




-6dB Bandwidth NVNT ax20 5785MHz Ant2



-6dB Bandwidth NVNT ax20 5825MHz Ant1




-6dB Bandwidth NVNT ax20 5825MHz Ant2



-6dB Bandwidth NVNT ax40 5755MHz Ant1



-6dB Bandwidth NVNT ax40 5755MHz Ant2




-6dB Bandwidth NVNT ax40 5795MHz Ant1




-6dB Bandwidth NVNT ax40 5795MHz Ant2



-6dB Bandwidth NVNT ax80 5775MHz Ant1



-6dB Bandwidth NVNT ax80 5775MHz Ant2



-6dB Bandwidth NVNT n20 5745MHz Ant1



-6dB Bandwidth NVNT n20 5745MHz Ant2



-6dB Bandwidth NVNT n20 5785MHz Ant1



-6dB Bandwidth NVNT n20 5785MHz Ant2



-6dB Bandwidth NVNT n20 5825MHz Ant1



-6dB Bandwidth NVNT n20 5825MHz Ant2



-6dB Bandwidth NVNT n40 5755MHz Ant1



-6dB Bandwidth NVNT n40 5755MHz Ant2



-6dB Bandwidth NVNT n40 5795MHz Ant1



-6dB Bandwidth NVNT n40 5795MHz Ant2




4. Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.563
NVNT	a	5785	Ant1	16.5171
NVNT	a	5825	Ant1	16.5743
NVNT	a	5745	Ant2	16.5225
NVNT	a	5785	Ant2	16.5272
NVNT	a	5825	Ant2	16.4863
NVNT	ac20	5745	Ant1	17.6391
NVNT	ac20	5745	Ant2	17.6657
NVNT	ac20	5785	Ant1	17.6215
NVNT	ac20	5785	Ant2	17.6418
NVNT	ac20	5825	Ant1	17.6662
NVNT	ac20	5825	Ant2	17.6144
NVNT	ac40	5755	Ant1	36.1281
NVNT	ac40	5755	Ant2	36.002
NVNT	ac40	5795	Ant1	36.0141
NVNT	ac40	5795	Ant2	35.9379
NVNT	ac80	5775	Ant1	73.7099
NVNT	ac80	5775	Ant2	74.9939
NVNT	ax20	5745	Ant1	18.8677
NVNT	ax20	5745	Ant2	18.8603
NVNT	ax20	5785	Ant1	18.8448
NVNT	ax20	5785	Ant2	18.8176
NVNT	ax20	5825	Ant1	18.8471
NVNT	ax20	5825	Ant2	18.7369
NVNT	ax40	5755	Ant1	37.5679
NVNT	ax40	5755	Ant2	37.4831
NVNT	ax40	5795	Ant1	37.5352
NVNT	ax40	5795	Ant2	37.4632
NVNT	ax80	5775	Ant1	76.5223
NVNT	ax80	5775	Ant2	76.526
NVNT	n20	5745	Ant1	17.6817
NVNT	n20	5745	Ant2	17.6464
NVNT	n20	5785	Ant1	17.6398
NVNT	n20	5785	Ant2	17.6885
NVNT	n20	5825	Ant1	17.7019
NVNT	n20	5825	Ant2	17.6057
NVNT	n40	5755	Ant1	36.1706
NVNT	n40	5755	Ant2	36.052
NVNT	n40	5795	Ant1	36.0353
NVNT	n40	5795	Ant2	35.9958

Test Graphs

OBW NVNT a 5745MHz Ant1



OBW NVNT a 5785MHz Ant1



OBW NVNT a 5825MHz Ant1




OBW NVNT a 5745MHz Ant2



OBW NVNT a 5785MHz Ant2




OBW NVNT a 5825MHz Ant2



OBW NVNT ac20 5745MHz Ant1



OBW NVNT ac20 5745MHz Ant2



OBW NVNT ac20 5785MHz Ant1




OBW NVNT ac20 5785MHz Ant2



OBW NVNT ac20 5825MHz Ant1




OBW NVNT ac20 5825MHz Ant2



OBW NVNT ac40 5755MHz Ant1




OBW NVNT ac40 5755MHz Ant2




OBW NVNT ac40 5795MHz Ant1




OBW NVNT ac40 5795MHz Ant2



OBW NVNT ac80 5775MHz Ant1




OBW NVNT ac80 5775MHz Ant2



OBW NVNT ax20 5745MHz Ant1




OBW NVNT ax20 5745MHz Ant2




OBW NVNT ax20 5785MHz Ant1




OBW NVNT ax20 5785MHz Ant2



OBW NVNT ax20 5825MHz Ant1




OBW NVNT ax20 5825MHz Ant2



OBW NVNT ax40 5755MHz Ant1




OBW NVNT ax40 5755MHz Ant2




OBW NVNT ax40 5795MHz Ant1




OBW NVNT ax40 5795MHz Ant2



OBW NVNT ax80 5775MHz Ant1




OBW NVNT ax80 5775MHz Ant2



OBW NVNT n20 5745MHz Ant1



OBW NVNT n20 5745MHz Ant2



OBW NVNT n20 5785MHz Ant1



OBW NVNT n20 5785MHz Ant2



OBW NVNT n20 5825MHz Ant1




OBW NVNT n20 5825MHz Ant2



OBW NVNT n40 5755MHz Ant1




OBW NVNT n40 5755MHz Ant2



OBW NVNT n40 5795MHz Ant1



OBW NVNT n40 5795MHz Ant2



5. Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm/500kHz)	Verdict
NVNT	a	5745	Ant1	-4.866	0.92	-3.946	<=30	Pass
NVNT	a	5785	Ant1	-4.502	0.92	-3.582	<=30	Pass
NVNT	a	5825	Ant1	-4.227	0.92	-3.307	<=30	Pass
NVNT	a	5745	Ant2	-3.347	0.92	-2.427	<=30	Pass
NVNT	a	5785	Ant2	-2.92	0.92	-2	<=30	Pass
NVNT	a	5825	Ant2	-2.768	0.92	-1.848	<=30	Pass
NVNT	ac20	5745	Ant1	-4.989	0.93	-4.059	<=30	Pass
NVNT	ac20	5745	Ant2	-3.545	0.93	-2.615	<=30	Pass
NVNT	ac20	5745	Sum	-1.197	0.93	-0.267	<=27.81	Pass
NVNT	ac20	5785	Ant1	-4.915	0.93	-3.985	<=30	Pass
NVNT	ac20	5785	Ant2	-3.557	0.93	-2.627	<=30	Pass
NVNT	ac20	5785	Sum	-1.173	0.93	-0.243	<=27.81	Pass
NVNT	ac20	5825	Ant1	-4.826	0.93	-3.896	<=30	Pass
NVNT	ac20	5825	Ant2	-3.212	0.93	-2.282	<=30	Pass
NVNT	ac20	5825	Sum	-0.934	0.93	-0.004	<=27.81	Pass
NVNT	ac40	5755	Ant1	-8.083	0.96	-7.123	<=30	Pass
NVNT	ac40	5755	Ant2	-6.677	0.96	-5.717	<=30	Pass
NVNT	ac40	5755	Sum	-4.313	0.96	-3.353	<=27.81	Pass
NVNT	ac40	5795	Ant1	-7.505	0.96	-6.545	<=30	Pass
NVNT	ac40	5795	Ant2	-5.839	0.96	-4.879	<=30	Pass
NVNT	ac40	5795	Sum	-3.582	0.96	-2.622	<=27.81	Pass
NVNT	ac80	5775	Ant1	-10.573	0.99	-9.583	<=30	Pass
NVNT	ac80	5775	Ant2	-9.768	0.99	-8.778	<=30	Pass
NVNT	ac80	5775	Sum	-7.142	0.99	-6.152	<=27.81	Pass
NVNT	ax20	5745	Ant1	-5.283	1.05	-4.233	<=30	Pass
NVNT	ax20	5745	Ant2	-4.33	1.05	-3.28	<=30	Pass
NVNT	ax20	5745	Sum	-1.77	1.05	-0.72	<=27.81	Pass
NVNT	ax20	5785	Ant1	-4.456	1.05	-3.406	<=30	Pass
NVNT	ax20	5785	Ant2	-4.25	1.05	-3.2	<=30	Pass
NVNT	ax20	5785	Sum	-1.341	1.05	-0.291	<=27.81	Pass
NVNT	ax20	5825	Ant1	-3.999	1.06	-2.939	<=30	Pass
NVNT	ax20	5825	Ant2	-3.476	1.06	-2.416	<=30	Pass
NVNT	ax20	5825	Sum	-0.719	1.06	0.341	<=27.81	Pass
NVNT	ax40	5755	Ant1	-8.072	1.1	-6.972	<=30	Pass
NVNT	ax40	5755	Ant2	-7.719	1.1	-6.619	<=30	Pass
NVNT	ax40	5755	Sum	-4.882	1.1	-3.782	<=27.81	Pass
NVNT	ax40	5795	Ant1	-7.498	1.03	-6.468	<=30	Pass
NVNT	ax40	5795	Ant2	-6.522	1.03	-5.492	<=30	Pass
NVNT	ax40	5795	Sum	-3.972	1.03	-2.942	<=27.81	Pass

NVNT	ax80	5775	Ant1	-11.467	1.12	-10.347	<=30	Pass
NVNT	ax80	5775	Ant2	-10.84	1.12	-9.72	<=30	Pass
NVNT	ax80	5775	Sum	-8.132	1.12	-7.012	<=27.81	Pass
NVNT	n20	5745	Ant1	-5.196	0.92	-4.276	<=30	Pass
NVNT	n20	5745	Ant2	-3.583	0.92	-2.663	<=30	Pass
NVNT	n20	5745	Sum	-1.305	0.92	-0.385	<=27.81	Pass
NVNT	n20	5785	Ant1	-4.921	0.92	-4.001	<=30	Pass
NVNT	n20	5785	Ant2	-3.543	0.92	-2.623	<=30	Pass
NVNT	n20	5785	Sum	-1.167	0.92	-0.247	<=27.81	Pass
NVNT	n20	5825	Ant1	-4.527	0.92	-3.607	<=30	Pass
NVNT	n20	5825	Ant2	-3.246	0.92	-2.326	<=30	Pass
NVNT	n20	5825	Sum	-0.829	0.92	0.0910000000000001	<=27.81	Pass
NVNT	n40	5755	Ant1	-8.394	0.93	-7.464	<=30	Pass
NVNT	n40	5755	Ant2	-6.629	0.93	-5.699	<=30	Pass
NVNT	n40	5755	Sum	-4.412	0.93	-3.482	<=27.81	Pass
NVNT	n40	5795	Ant1	-7.735	0.93	-6.805	<=30	Pass
NVNT	n40	5795	Ant2	-6.487	0.93	-5.557	<=30	Pass
NVNT	n40	5795	Sum	-4.056	0.93	-3.126	<=27.81	Pass

Test Graphs

PSD NVNT a 5745MHz Ant1



PSD NVNT a 5785MHz Ant1



PSD NVNT a 5825MHz Ant1



PSD NVNT a 5745MHz Ant2



PSD NVNT a 5785MHz Ant2



PSD NVNT a 5825MHz Ant2



PSD NVNT ac20 5745MHz Ant1



PSD NVNT ac20 5745MHz Ant2



PSD NVNT ac20 5785MHz Ant1



PSD NVNT ac20 5785MHz Ant2



PSD NVNT ac20 5825MHz Ant1



PSD NVNT ac20 5825MHz Ant2



PSD NVNT ac40 5755MHz Ant1



PSD NVNT ac40 5755MHz Ant2



PSD NVNT ac40 5795MHz Ant1



PSD NVNT ac40 5795MHz Ant2



PSD NVNT ac80 5775MHz Ant1



PSD NVNT ac80 5775MHz Ant2



PSD NVNT ax20 5745MHz Ant1



PSD NVNT ax20 5745MHz Ant2



PSD NVNT ax20 5785MHz Ant1



PSD NVNT ax20 5785MHz Ant2



PSD NVNT ax20 5825MHz Ant1



PSD NVNT ax20 5825MHz Ant2



PSD NVNT ax40 5755MHz Ant1



PSD NVNT ax40 5755MHz Ant2



PSD NVNT ax40 5795MHz Ant1



PSD NVNT ax40 5795MHz Ant2



PSD NVNT ax80 5775MHz Ant1



PSD NVNT ax80 5775MHz Ant2



PSD NVNT n20 5745MHz Ant1



PSD NVNT n20 5745MHz Ant2



PSD NVNT n20 5785MHz Ant1



PSD NVNT n20 5785MHz Ant2



PSD NVNT n20 5825MHz Ant1



PSD NVNT n20 5825MHz Ant2



PSD NVNT n40 5755MHz Ant1



PSD NVNT n40 5755MHz Ant2



PSD NVNT n40 5795MHz Ant1



PSD NVNT n40 5795MHz Ant2

