


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.03	-13	Pass	2985
30	1000	0.1	RMS	986.399	-53.38	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.16	-13	Pass	830
1830	1920	1	RMS	1850.25	21.43	60	Pass	601
1920	3000	1	RMS	2666.691	-38.34	-13	Pass	1080
3000	12000	1	RMS	11903.989	-45.64	-13	Pass	9000
12000	20000	1	RMS	19844.981	-27.78	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.86	-13	Pass	2985
30	1000	0.1	RMS	918.192	-53.62	-13	Pass	9700
1000	1830	1	RMS	1814.982	-43.19	-13	Pass	830
1830	1920	1	RMS	1851.15	21.39	60	Pass	601
1920	3000	1	RMS	2668.693	-38.28	-13	Pass	1080
3000	12000	1	RMS	11912.99	-45.69	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.84	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.02	-13	Pass	2985
30	1000	0.1	RMS	997	-54.12	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.17	-13	Pass	830
1830	1920	1	RMS	1850.25	20.57	60	Pass	601
1920	3000	1	RMS	2668.693	-38.31	-13	Pass	1080
3000	12000	1	RMS	11925.992	-45.6	-13	Pass	9000
12000	20000	1	RMS	19854.982	-27.83	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.18	-13	Pass	2985
30	1000	0.1	RMS	968.197	-53.76	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.21	-13	Pass	830
1830	1920	1	RMS	1851.15	20.53	60	Pass	601
1920	3000	1	RMS	2667.692	-38.32	-13	Pass	1080
3000	12000	1	RMS	11923.992	-45.52	-13	Pass	9000
12000	20000	1	RMS	19835.979	-27.77	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.24	-13	Pass	2985
30	1000	0.1	RMS	929.293	-54.16	-13	Pass	9700
1000	1830	1	RMS	1813.981	-43.17	-13	Pass	830
1830	1920	1	RMS	1879.5	20.91	60	Pass	601
1920	3000	1	RMS	2669.694	-38.3	-13	Pass	1080
3000	12000	1	RMS	11901.989	-45.64	-13	Pass	9000
12000	20000	1	RMS	19847.981	-27.65	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.95	-13	Pass	2985
30	1000	0.1	RMS	881.588	-54.13	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.11	-13	Pass	830
1830	1920	1	RMS	1880.4	20.89	60	Pass	601
1920	3000	1	RMS	2666.691	-38.31	-13	Pass	1080
3000	12000	1	RMS	11908.99	-45.65	-13	Pass	9000
12000	20000	1	RMS	19853.982	-27.68	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.15	-13	Pass	2985
30	1000	0.1	RMS	877.387	-53.75	-13	Pass	9700
1000	1830	1	RMS	1818.987	-43.19	-13	Pass	830
1830	1920	1	RMS	1879.5	19.97	60	Pass	601
1920	3000	1	RMS	2667.692	-38.32	-13	Pass	1080
3000	12000	1	RMS	11916.991	-45.46	-13	Pass	9000
12000	20000	1	RMS	19848.981	-27.75	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.77	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39	-13	Pass	2985
30	1000	0.1	RMS	900.09	-54.03	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.15	-13	Pass	830
1830	1920	1	RMS	1880.4	19.97	60	Pass	601
1920	3000	1	RMS	2670.695	-38.31	-13	Pass	1080
3000	12000	1	RMS	11910.99	-45.57	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.71	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.56	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.97	-13	Pass	2985
30	1000	0.1	RMS	932.293	-53.99	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.14	-13	Pass	830
1830	1920	1	RMS	1908.9	20.73	60	Pass	601
1920	3000	1	RMS	2668.693	-38.26	-13	Pass	1080
3000	12000	1	RMS	11916.991	-45.53	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.75	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.68	-13	Pass	2985
30	1000	0.1	RMS	872.187	-53.99	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.18	-13	Pass	830
1830	1920	1	RMS	1909.8	20.77	60	Pass	601
1920	3000	1	RMS	2665.69	-38.32	-13	Pass	1080
3000	12000	1	RMS	11917.991	-45.55	-13	Pass	9000
12000	20000	1	RMS	19852.982	-27.71	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-37.97	-13	Pass	2985
30	1000	0.1	RMS	964.296	-53.59	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.18	-13	Pass	830
1830	1920	1	RMS	1908.9	19.81	60	Pass	601
1920	3000	1	RMS	2672.697	-38.29	-13	Pass	1080
3000	12000	1	RMS	11909.99	-45.63	-13	Pass	9000
12000	20000	1	RMS	19846.981	-27.69	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.54	-13	Pass	601
0.15	30	0.01	RMS	0.17	-40.61	-13	Pass	2985
30	1000	0.1	RMS	890.689	-53.91	-13	Pass	9700
1000	1830	1	RMS	1804.97	-43.18	-13	Pass	830
1830	1920	1	RMS	1909.8	19.88	60	Pass	601
1920	3000	1	RMS	2669.694	-38.31	-13	Pass	1080
3000	12000	1	RMS	11930.992	-45.6	-13	Pass	9000
12000	20000	1	RMS	19850.981	-27.58	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.65	-13	Pass	2985
30	1000	0.1	RMS	875.687	-54.03	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.15	-13	Pass	830
1830	1920	1	RMS	1850.25	21.62	60	Pass	601
1920	3000	1	RMS	2666.691	-38.34	-13	Pass	1080
3000	12000	1	RMS	11904.989	-45.68	-13	Pass	9000
12000	20000	1	RMS	19847.981	-27.69	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.35	-13	Pass	2985
30	1000	0.1	RMS	950.095	-53.79	-13	Pass	9700
1000	1830	1	RMS	1804.97	-43.16	-13	Pass	830
1830	1920	1	RMS	1852.8	21.5	60	Pass	601
1920	3000	1	RMS	2664.69	-38.33	-13	Pass	1080
3000	12000	1	RMS	11909.99	-45.73	-13	Pass	9000
12000	20000	1	RMS	19851.981	-27.77	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.17	-13	Pass	2985
30	1000	0.1	RMS	850.885	-53.86	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.18	-13	Pass	830
1830	1920	1	RMS	1850.25	20.8	60	Pass	601
1920	3000	1	RMS	2676.701	-38.32	-13	Pass	1080
3000	12000	1	RMS	11911.99	-45.63	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.66	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.17	-13	Pass	2985
30	1000	0.1	RMS	983.298	-53.88	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.19	-13	Pass	830
1830	1920	1	RMS	1852.8	20.75	60	Pass	601
1920	3000	1	RMS	2669.694	-38.33	-13	Pass	1080
3000	12000	1	RMS	11917.991	-45.75	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.79	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.11	-13	Pass	2985
30	1000	0.1	RMS	934.293	-54	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.19	-13	Pass	830
1830	1920	1	RMS	1878.75	21.11	60	Pass	601
1920	3000	1	RMS	2667.692	-38.28	-13	Pass	1080
3000	12000	1	RMS	11921.991	-45.59	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.86	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.51	-13	Pass	2985
30	1000	0.1	RMS	977.898	-53.84	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.18	-13	Pass	830
1830	1920	1	RMS	1881.3	21	60	Pass	601
1920	3000	1	RMS	2668.693	-38.32	-13	Pass	1080
3000	12000	1	RMS	11911.99	-45.54	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.81	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.35	-13	Pass	2985
30	1000	0.1	RMS	876.687	-53.98	-13	Pass	9700
1000	1830	1	RMS	1815.983	-43.2	-13	Pass	830
1830	1920	1	RMS	1878.75	20.12	60	Pass	601
1920	3000	1	RMS	2669.694	-38.3	-13	Pass	1080
3000	12000	1	RMS	11916.991	-45.62	-13	Pass	9000
12000	20000	1	RMS	19852.982	-27.81	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.32	-13	Pass	2985
30	1000	0.1	RMS	981.798	-53.81	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.11	-13	Pass	830
1830	1920	1	RMS	1881.3	20.11	60	Pass	601
1920	3000	1	RMS	2669.694	-38.27	-13	Pass	1080
3000	12000	1	RMS	11917.991	-45.51	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.84	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.21	-13	Pass	2985
30	1000	0.1	RMS	899.29	-53.92	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.16	-13	Pass	830
1830	1920	1	RMS	1907.25	20.84	60	Pass	601
1920	3000	1	RMS	2664.69	-38.31	-13	Pass	1080
3000	12000	1	RMS	11897.989	-45.64	-13	Pass	9000
12000	20000	1	RMS	19848.981	-27.79	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.47	-13	Pass	601
0.15	30	0.01	RMS	0.16	-38.98	-13	Pass	2985
30	1000	0.1	RMS	908.691	-54.01	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.16	-13	Pass	830
1830	1920	1	RMS	1909.8	20.88	60	Pass	601
1920	3000	1	RMS	2670.695	-38.32	-13	Pass	1080
3000	12000	1	RMS	11894.988	-45.43	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.81	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.85	-13	Pass	2985
30	1000	0.1	RMS	991.399	-53.99	-13	Pass	9700
1000	1830	1	RMS	1803.969	-43.19	-13	Pass	830
1830	1920	1	RMS	1907.25	20.01	60	Pass	601
1920	3000	1	RMS	2670.695	-38.3	-13	Pass	1080
3000	12000	1	RMS	11915.991	-45.64	-13	Pass	9000
12000	20000	1	RMS	19866.983	-27.86	-13	Pass	8000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.53	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.43	-13	Pass	2985
30	1000	0.1	RMS	955.795	-54.01	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.16	-13	Pass	830
1830	1920	1	RMS	1909.8	20.01	60	Pass	601
1920	3000	1	RMS	2668.693	-38.29	-13	Pass	1080
3000	12000	1	RMS	11904.989	-45.63	-13	Pass	9000
12000	20000	1	RMS	19839.98	-27.83	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.65	-13	Pass	2985
30	1000	0.1	RMS	897.089	-53.98	-13	Pass	9700
1000	1830	1	RMS	1814.982	-43.19	-13	Pass	830
1830	1920	1	RMS	1850.4	21.38	60	Pass	601
1920	3000	1	RMS	2667.692	-38.32	-13	Pass	1080
3000	12000	1	RMS	11917.991	-45.54	-13	Pass	9000
12000	20000	1	RMS	19847.981	-27.74	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.33	-13	Pass	2985
30	1000	0.1	RMS	919.792	-54.12	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.17	-13	Pass	830
1830	1920	1	RMS	1854.6	21.24	60	Pass	601
1920	3000	1	RMS	2670.695	-38.3	-13	Pass	1080
3000	12000	1	RMS	11912.99	-45.62	-13	Pass	9000
12000	20000	1	RMS	19850.981	-27.81	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.02	-13	Pass	601
0.15	30	0.01	RMS	0.16	-38.48	-13	Pass	2985
30	1000	0.1	RMS	974.497	-53.77	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.18	-13	Pass	830
1830	1920	1	RMS	1850.4	20.46	60	Pass	601
1920	3000	1	RMS	2671.696	-38.31	-13	Pass	1080
3000	12000	1	RMS	11919.991	-45.63	-13	Pass	9000
12000	20000	1	RMS	19844.981	-27.82	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.77	-13	Pass	2985
30	1000	0.1	RMS	976.798	-54.05	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.19	-13	Pass	830
1830	1920	1	RMS	1854.6	20.38	60	Pass	601
1920	3000	1	RMS	2668.693	-38.29	-13	Pass	1080
3000	12000	1	RMS	11892.988	-45.64	-13	Pass	9000
12000	20000	1	RMS	19843.98	-27.84	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.79	-13	Pass	2985
30	1000	0.1	RMS	997.8	-54.13	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.18	-13	Pass	830
1830	1920	1	RMS	1877.85	20.9	60	Pass	601
1920	3000	1	RMS	2667.692	-38.31	-13	Pass	1080
3000	12000	1	RMS	11900.989	-45.67	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.93	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.54	-13	Pass	2985
30	1000	0.1	RMS	936.493	-53.69	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.2	-13	Pass	830
1830	1920	1	RMS	1882.2	20.78	60	Pass	601
1920	3000	1	RMS	2669.694	-38.24	-13	Pass	1080
3000	12000	1	RMS	11921.991	-45.58	-13	Pass	9000
12000	20000	1	RMS	19853.982	-27.86	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.86	-13	Pass	2985
30	1000	0.1	RMS	936.693	-53.97	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.18	-13	Pass	830
1830	1920	1	RMS	1877.85	20.12	60	Pass	601
1920	3000	1	RMS	2669.694	-38.25	-13	Pass	1080
3000	12000	1	RMS	11904.989	-45.6	-13	Pass	9000
12000	20000	1	RMS	19845.981	-27.82	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.81	-13	Pass	601
0.15	30	0.01	RMS	0.16	-38.81	-13	Pass	2985
30	1000	0.1	RMS	984.698	-54.03	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.17	-13	Pass	830
1830	1920	1	RMS	1882.2	19.97	60	Pass	601
1920	3000	1	RMS	2669.694	-38.32	-13	Pass	1080
3000	12000	1	RMS	11905.99	-45.64	-13	Pass	9000
12000	20000	1	RMS	19850.981	-27.73	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.7	-13	Pass	2985
30	1000	0.1	RMS	890.689	-54.13	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.18	-13	Pass	830
1830	1920	1	RMS	1905.3	20.61	60	Pass	601
1920	3000	1	RMS	2670.695	-38.38	-13	Pass	1080
3000	12000	1	RMS	11913.99	-45.56	-13	Pass	9000
12000	20000	1	RMS	19844.981	-27.58	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.35	-13	Pass	2985
30	1000	0.1	RMS	939.694	-53.65	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.19	-13	Pass	830
1830	1920	1	RMS	1909.65	20.7	60	Pass	601
1920	3000	1	RMS	2670.695	-38.33	-13	Pass	1080
3000	12000	1	RMS	11902.989	-45.62	-13	Pass	9000
12000	20000	1	RMS	19854.982	-27.78	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.9	-13	Pass	2985
30	1000	0.1	RMS	985.799	-54.11	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.16	-13	Pass	830
1830	1920	1	RMS	1905.3	19.94	60	Pass	601
1920	3000	1	RMS	2668.693	-38.33	-13	Pass	1080
3000	12000	1	RMS	11912.99	-45.58	-13	Pass	9000
12000	20000	1	RMS	19846.981	-27.76	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.15	-13	Pass	2985
30	1000	0.1	RMS	958.096	-53.93	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.19	-13	Pass	830
1830	1920	1	RMS	1909.65	20	60	Pass	601
1920	3000	1	RMS	2667.692	-38.24	-13	Pass	1080
3000	12000	1	RMS	11913.99	-45.65	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.76	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.63	-13	Pass	2985
30	1000	0.1	RMS	895.089	-53.9	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.11	-13	Pass	830
1830	1920	1	RMS	1850.55	21.43	60	Pass	601
1920	3000	1	RMS	2666.691	-38.33	-13	Pass	1080
3000	12000	1	RMS	11917.991	-45.71	-13	Pass	9000
12000	20000	1	RMS	19856.982	-27.82	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.76	-13	Pass	2985
30	1000	0.1	RMS	879.688	-53.97	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.18	-13	Pass	830
1830	1920	1	RMS	1859.4	21.2	60	Pass	601
1920	3000	1	RMS	2673.698	-38.34	-13	Pass	1080
3000	12000	1	RMS	11910.99	-45.65	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.71	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.43	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.39	-13	Pass	2985
30	1000	0.1	RMS	899.29	-54.02	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.18	-13	Pass	830
1830	1920	1	RMS	1850.55	20.63	60	Pass	601
1920	3000	1	RMS	2668.693	-38.29	-13	Pass	1080
3000	12000	1	RMS	11919.991	-45.56	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.83	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-37.86	-13	Pass	2985
30	1000	0.1	RMS	985.599	-53.93	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.16	-13	Pass	830
1830	1920	1	RMS	1859.4	20.44	60	Pass	601
1920	3000	1	RMS	2664.69	-38.32	-13	Pass	1080
3000	12000	1	RMS	11925.992	-45.62	-13	Pass	9000
12000	20000	1	RMS	19848.981	-27.78	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.53	-13	Pass	2985
30	1000	0.1	RMS	923.092	-53.98	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.16	-13	Pass	830
1830	1920	1	RMS	1875.6	21.01	60	Pass	601
1920	3000	1	RMS	2672.697	-38.31	-13	Pass	1080
3000	12000	1	RMS	11915.991	-45.63	-13	Pass	9000
12000	20000	1	RMS	19840.98	-27.84	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.95	-13	Pass	2985
30	1000	0.1	RMS	932.793	-53.8	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.14	-13	Pass	830
1830	1920	1	RMS	1884.45	20.83	60	Pass	601
1920	3000	1	RMS	2669.694	-38.33	-13	Pass	1080
3000	12000	1	RMS	11909.99	-45.66	-13	Pass	9000
12000	20000	1	RMS	19839.98	-27.79	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.16	-13	Pass	2985
30	1000	0.1	RMS	992.699	-54.04	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.17	-13	Pass	830
1830	1920	1	RMS	1875.6	20.11	60	Pass	601
1920	3000	1	RMS	2669.694	-38.31	-13	Pass	1080
3000	12000	1	RMS	11903.989	-45.61	-13	Pass	9000
12000	20000	1	RMS	19852.982	-27.79	-13	Pass	8000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-37.75	-13	Pass	2985
30	1000	0.1	RMS	970.897	-53.95	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.17	-13	Pass	830
1830	1920	1	RMS	1884.45	19.9	60	Pass	601
1920	3000	1	RMS	2669.694	-38.28	-13	Pass	1080
3000	12000	1	RMS	11922.991	-45.6	-13	Pass	9000
12000	20000	1	RMS	19836.98	-27.85	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.51	-13	Pass	2985
30	1000	0.1	RMS	890.689	-53.82	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.16	-13	Pass	830
1830	1920	1	RMS	1900.65	20.74	60	Pass	601
1920	3000	1	RMS	2672.697	-38.31	-13	Pass	1080
3000	12000	1	RMS	11908.99	-45.53	-13	Pass	9000
12000	20000	1	RMS	19847.981	-27.76	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.74	-13	Pass	2985
30	1000	0.1	RMS	714.071	-50.38	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.17	-13	Pass	830
1830	1920	1	RMS	1909.35	20.71	60	Pass	601
1920	3000	1	RMS	2671.696	-38.29	-13	Pass	1080
3000	12000	1	RMS	11915.991	-45.68	-13	Pass	9000
12000	20000	1	RMS	19853.982	-27.77	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.51	-13	Pass	2985
30	1000	0.1	RMS	978.898	-53.77	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.2	-13	Pass	830
1830	1920	1	RMS	1900.65	19.88	60	Pass	601
1920	3000	1	RMS	2670.695	-38.33	-13	Pass	1080
3000	12000	1	RMS	11907.99	-45.46	-13	Pass	9000
12000	20000	1	RMS	19840.98	-27.76	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.01	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.09	-13	Pass	2985
30	1000	0.1	RMS	922.892	-54.07	-13	Pass	9700
1000	1830	1	RMS	1814.982	-43.19	-13	Pass	830
1830	1920	1	RMS	1909.35	19.88	60	Pass	601
1920	3000	1	RMS	2665.69	-38.27	-13	Pass	1080
3000	12000	1	RMS	11900.989	-45.67	-13	Pass	9000
12000	20000	1	RMS	19847.981	-27.77	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.9	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.89	-13	Pass	2985
30	1000	0.1	RMS	910.891	-53.56	-13	Pass	9700
1000	1830	1	RMS	1830	-43.18	-13	Pass	830
1830	1920	1	RMS	1850.85	21.33	60	Pass	601
1920	3000	1	RMS	2665.69	-38.32	-13	Pass	1080
3000	12000	1	RMS	11911.99	-45.61	-13	Pass	9000
12000	20000	1	RMS	19844.981	-27.76	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.75	-13	Pass	2985
30	1000	0.1	RMS	909.291	-53.91	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.14	-13	Pass	830
1830	1920	1	RMS	1864.2	21.06	60	Pass	601
1920	3000	1	RMS	2669.694	-38.33	-13	Pass	1080
3000	12000	1	RMS	11930.992	-45.62	-13	Pass	9000
12000	20000	1	RMS	19848.981	-27.62	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.44	-13	Pass	2985
30	1000	0.1	RMS	900.69	-54	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.12	-13	Pass	830
1830	1920	1	RMS	1850.85	20.53	60	Pass	601
1920	3000	1	RMS	2668.693	-38.32	-13	Pass	1080
3000	12000	1	RMS	11921.991	-45.66	-13	Pass	9000
12000	20000	1	RMS	19847.981	-27.85	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.21	-13	Pass	2985
30	1000	0.1	RMS	955.795	-53.54	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.18	-13	Pass	830
1830	1920	1	RMS	1864.2	20.3	60	Pass	601
1920	3000	1	RMS	2670.695	-38.33	-13	Pass	1080
3000	12000	1	RMS	11906.99	-45.66	-13	Pass	9000
12000	20000	1	RMS	19853.982	-27.67	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.09	-13	Pass	2985
30	1000	0.1	RMS	942.694	-53.82	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.13	-13	Pass	830
1830	1920	1	RMS	1873.35	20.89	60	Pass	601
1920	3000	1	RMS	2668.693	-38.31	-13	Pass	1080
3000	12000	1	RMS	11927.992	-45.7	-13	Pass	9000
12000	20000	1	RMS	19843.98	-27.74	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.52	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.7	-13	Pass	2985
30	1000	0.1	RMS	904.79	-53.91	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.21	-13	Pass	830
1830	1920	1	RMS	1886.7	20.64	60	Pass	601
1920	3000	1	RMS	2668.693	-38.34	-13	Pass	1080
3000	12000	1	RMS	11911.99	-45.72	-13	Pass	9000
12000	20000	1	RMS	19835.979	-27.91	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.08	-13	Pass	2985
30	1000	0.1	RMS	979.398	-53.85	-13	Pass	9700
1000	1830	1	RMS	1816.984	-43.15	-13	Pass	830
1830	1920	1	RMS	1873.35	19.96	60	Pass	601
1920	3000	1	RMS	2663.689	-38.3	-13	Pass	1080
3000	12000	1	RMS	11907.99	-45.6	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.81	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.82	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.84	-13	Pass	2985
30	1000	0.1	RMS	903.89	-53.97	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.16	-13	Pass	830
1830	1920	1	RMS	1886.7	19.73	60	Pass	601
1920	3000	1	RMS	2670.695	-38.28	-13	Pass	1080
3000	12000	1	RMS	11920.991	-45.67	-13	Pass	9000
12000	20000	1	RMS	19854.982	-27.87	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.4	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.63	-13	Pass	2985
30	1000	0.1	RMS	980.998	-53.91	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.19	-13	Pass	830
1830	1920	1	RMS	1895.85	20.53	60	Pass	601
1920	3000	1	RMS	2668.693	-38.28	-13	Pass	1080
3000	12000	1	RMS	11903.989	-45.62	-13	Pass	9000
12000	20000	1	RMS	19844.981	-27.79	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.8	-13	Pass	2985
30	1000	0.1	RMS	880.888	-53.93	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.14	-13	Pass	830
1830	1920	1	RMS	1909.2	20.59	60	Pass	601
1920	3000	1	RMS	2664.69	-38.35	-13	Pass	1080
3000	12000	1	RMS	11902.989	-45.62	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.69	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.84	-13	Pass	2985
30	1000	0.1	RMS	903.49	-53.79	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.21	-13	Pass	830
1830	1920	1	RMS	1895.85	19.75	60	Pass	601
1920	3000	1	RMS	2670.695	-38.3	-13	Pass	1080
3000	12000	1	RMS	11907.99	-45.61	-13	Pass	9000
12000	20000	1	RMS	19850.981	-27.88	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38	-13	Pass	2985
30	1000	0.1	RMS	905.59	-53.97	-13	Pass	9700
1000	1830	1	RMS	1803.969	-43.2	-13	Pass	830
1830	1920	1	RMS	1909.2	19.87	60	Pass	601
1920	3000	1	RMS	2671.696	-38.25	-13	Pass	1080
3000	12000	1	RMS	11895.988	-45.52	-13	Pass	9000
12000	20000	1	RMS	19848.981	-27.72	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.55	-13	Pass	2985
30	1000	0.1	RMS	993.399	-53.88	-13	Pass	9700
1000	1830	1	RMS	1827.998	-43.13	-13	Pass	830
1830	1920	1	RMS	1851.15	21.16	60	Pass	601
1920	3000	1	RMS	2667.692	-38.32	-13	Pass	1080
3000	12000	1	RMS	11908.99	-45.64	-13	Pass	9000
12000	20000	1	RMS	19848.981	-27.64	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.27	-13	Pass	2985
30	1000	0.1	RMS	895.489	-53.61	-13	Pass	9700
1000	1830	1	RMS	1830	-43.12	-13	Pass	830
1830	1920	1	RMS	1868.85	20.75	60	Pass	601
1920	3000	1	RMS	2670.695	-38.24	-13	Pass	1080
3000	12000	1	RMS	11899.989	-45.66	-13	Pass	9000
12000	20000	1	RMS	19848.981	-27.76	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.26	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.39	-13	Pass	2985
30	1000	0.1	RMS	891.289	-53.67	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.16	-13	Pass	830
1830	1920	1	RMS	1851.15	20.41	60	Pass	601
1920	3000	1	RMS	2667.692	-38.36	-13	Pass	1080
3000	12000	1	RMS	11941.994	-45.64	-13	Pass	9000
12000	20000	1	RMS	19858.982	-27.76	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.88	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.93	-13	Pass	2985
30	1000	0.1	RMS	941.794	-53.91	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.14	-13	Pass	830
1830	1920	1	RMS	1869	19.96	60	Pass	601
1920	3000	1	RMS	2669.694	-38.28	-13	Pass	1080
3000	12000	1	RMS	11903.989	-45.6	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.77	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.44	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.56	-13	Pass	2985
30	1000	0.1	RMS	883.788	-53.9	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.16	-13	Pass	830
1830	1920	1	RMS	1871.1	20.76	60	Pass	601
1920	3000	1	RMS	2668.693	-38.31	-13	Pass	1080
3000	12000	1	RMS	11908.99	-45.64	-13	Pass	9000
12000	20000	1	RMS	19852.982	-27.67	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.86	-13	Pass	2985
30	1000	0.1	RMS	967.997	-53.91	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.16	-13	Pass	830
1830	1920	1	RMS	1888.95	20.38	60	Pass	601
1920	3000	1	RMS	2671.696	-38.28	-13	Pass	1080
3000	12000	1	RMS	11908.99	-45.66	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.77	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.01	-13	Pass	2985
30	1000	0.1	RMS	989.799	-53.73	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.19	-13	Pass	830
1830	1920	1	RMS	1871.1	19.86	60	Pass	601
1920	3000	1	RMS	2668.693	-38.27	-13	Pass	1080
3000	12000	1	RMS	11899.989	-45.58	-13	Pass	9000
12000	20000	1	RMS	19844.981	-27.85	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.23	-13	Pass	2985
30	1000	0.1	RMS	880.088	-53.97	-13	Pass	9700
1000	1830	1	RMS	1819.988	-43.21	-13	Pass	830
1830	1920	1	RMS	1888.95	19.48	60	Pass	601
1920	3000	1	RMS	2667.692	-38.27	-13	Pass	1080
3000	12000	1	RMS	11926.992	-45.62	-13	Pass	9000
12000	20000	1	RMS	19837.98	-27.83	-13	Pass	8000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.56	-13	Pass	2985
30	1000	0.1	RMS	899.69	-53.92	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.17	-13	Pass	830
1830	1920	1	RMS	1891.05	20.24	60	Pass	601
1920	3000	1	RMS	2668.693	-38.34	-13	Pass	1080
3000	12000	1	RMS	11911.99	-45.57	-13	Pass	9000
12000	20000	1	RMS	19845.981	-27.74	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.68	-13	Pass	2985
30	1000	0.1	RMS	897.889	-53.76	-13	Pass	9700
1000	1830	1	RMS	1819.988	-43.21	-13	Pass	830
1830	1920	1	RMS	1908.9	20.47	60	Pass	601
1920	3000	1	RMS	2669.694	-38.26	-13	Pass	1080
3000	12000	1	RMS	11901.989	-45.6	-13	Pass	9000
12000	20000	1	RMS	19855.982	-27.77	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.99	-13	Pass	2985
30	1000	0.1	RMS	923.092	-54.04	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.19	-13	Pass	830
1830	1920	1	RMS	1891.05	19.32	60	Pass	601
1920	3000	1	RMS	2669.694	-38.28	-13	Pass	1080
3000	12000	1	RMS	11913.99	-45.64	-13	Pass	9000
12000	20000	1	RMS	19856.982	-27.85	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.35	-13	Pass	2985
30	1000	0.1	RMS	888.188	-54.07	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.12	-13	Pass	830
1830	1920	1	RMS	1908.9	19.54	60	Pass	601
1920	3000	1	RMS	2671.696	-38.3	-13	Pass	1080
3000	12000	1	RMS	11916.991	-45.57	-13	Pass	9000
12000	20000	1	RMS	19849.981	-27.78	-13	Pass	8000



END