


## Appendix A: DTS Bandwidth

### Test Result


TestMode	Antenna	Channel	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.73	2401.71	2402.44	0.5	PASS
		2440	0.65	2439.79	2440.44	0.5	PASS
		2480	0.69	2479.74	2480.43	0.5	PASS

# Test Graphs


## BLE\_1M\_Ant1\_2402



## BLE\_1M\_Ant1\_2440



## BLE\_1M\_Ant1\_2480




## Appendix B: Occupied Channel Bandwidth

### Test Result


TestMode	Antenna	Channel	OCB [MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.115	---	---
		2440	1.191	---	---
		2480	1.147	---	---

# Test Graphs


## BLE\_1M\_Ant1\_2402



## BLE\_1M\_Ant1\_2440



## BLE\_1M\_Ant1\_2480



## Appendix C: Maximum conducted output power

### Test Result Peak

TestMode	Antenna	Channel	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	Ant1	2402	5.55	≤30	PASS
		2440	5.07	≤30	PASS
		2480	5.38	≤30	PASS


## Appendix D: Maximum power spectral density

### Test Result


TestMode	Antenna	Channel	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-8.31	≤8.00	PASS
		2440	-8.80	≤8.00	PASS
		2480	-8.41	≤8.00	PASS

# Test Graphs


## BLE\_1M\_Ant1\_2402



## BLE\_1M\_Ant1\_2440



## BLE\_1M\_Ant1\_2480



## Appendix E: Band edge measurements


### Test Result

TestMode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	3.80	-38.35	$\leq -16.2$	PASS
		High	2480	4.55	-37.76	$\leq -15.45$	PASS




# Test Graphs

## BLE\_1M\_Ant1\_Low\_2402



## BLE\_1M\_Ant1\_High\_2480



## Appendix F: Conducted Spurious Emission

### Test Result


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	Reference	3.82	3.82	---	PASS
			30~1000	3.82	-59.87	≤-16.18	PASS
			1000~26500	3.82	-28.27	≤-16.18	PASS
		2440	Reference	3.29	3.29	---	PASS
			30~1000	3.29	-60.28	≤-16.71	PASS
			1000~26500	3.29	-27.45	≤-16.71	PASS
		2480	Reference	3.55	3.55	---	PASS
			30~1000	3.55	-59.69	≤-16.45	PASS
			1000~26500	3.55	-29.99	≤-16.45	PASS

# Test Graphs


## BLE\_1M\_Ant1\_2402\_0~Reference




## BLE\_1M\_Ant1\_2402\_30~1000




## BLE\_1M\_Ant1\_2402\_1000~26500




### BLE\_1M\_Ant1\_2440\_0~Reference




### BLE\_1M\_Ant1\_2440\_30~1000




### BLE\_1M\_Ant1\_2440\_1000~26500




### BLE\_1M\_Ant1\_2480\_0~Reference



BLE\_1M\_Ant1\_2480\_30~1000



BLE\_1M\_Ant1\_2480\_1000~26500




## Appendix G: Duty Cycle

### Test Result


TestMode	Antenna	Channel	ON Time [ms]	Period [ms]	DC [%]	Limit	Verdict
BLE_1M	Ant1	2402	20.00	20.00	100	---	---
		2440	20.00	20.00	100	---	---
		2480	20.00	20.00	100	---	---

# Test Graphs

## BLE\_1M\_Ant1\_2402



## BLE\_1M\_Ant1\_2440



## BLE\_1M\_Ant1\_2480

