

EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

30M-1G

BT-Horizontal-DH5-TX

Test result

Project Number: Test

Test Time: 2024-01-16_10.01.10

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	31.455	18.03	-28.26	40.0	21.97	Peak	218.50	100	Horizontal	Pass
2	62.002	20.24	-25.92	40.0	19.76	Peak	145.20	100	Horizontal	Pass
3	124.794	16.93	-28.09	43.5	26.57	Peak	140.30	100	Horizontal	Pass
4	275.834	32.26	-23.18	46.0	13.74	Peak	24.30	100	Horizontal	Pass
5	599.975	23.40	-13.85	46.0	22.60	Peak	300.00	100	Horizontal	Pass
6	959.513	29.31	-7.59	46.0	16.69	Peak	46.90	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2024-01-16_09.47.15

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

Remission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	31.212	23.46	-28.34	40.0	16.54	Peak	356.70	100	Vertical	Pass
2	62.002	31.79	-25.92	40.0	8.21	Peak	339.40	100	Vertical	Pass
3	148.310	33.34	-29.23	43.5	10.16	Peak	356.70	100	Vertical	Pass
4	275.834	36.02	-23.18	46.0	9.98	Peak	343.50	100	Vertical	Pass
5	445.541	34.80	-18.85	46.0	11.20	Peak	234.90	100	Vertical	Pass
6	890.902	37.16	-9.35	46.0	8.84	Peak	359.40	100	Vertical	Pass

1-18G

BT-Low channel-Horizontal-DH5-TX

Test result

Project Number: Test

Test Time: 2024-01-19_10.10.55

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.500	45.08	-13.63	74.0	28.92	Peak	177.70	100	Horizontal	Pass
1**	1198.500	31.41	-13.63	54.0	22.59	AV	177.70	100	Horizontal	Pass
2	1656.000	47.98	-12.88	74.0	26.02	Peak	65.90	100	Horizontal	Pass
2**	1656.000	40.50	-12.88	54.0	13.50	AV	65.90	100	Horizontal	Pass
3	2433.500	48.47	-5.34	74.0	25.53	Peak	258.10	100	Horizontal	Pass
3**	2433.500	39.10	-5.34	54.0	14.90	AV	258.10	100	Horizontal	Pass
4	3724.500	48.35	-2.67	74.0	25.65	Peak	360.00	100	Horizontal	Pass
4**	3724.500	38.83	-2.67	54.0	15.17	AV	360.00	100	Horizontal	Pass
5	4975.500	50.65	-0.74	74.0	23.35	Peak	319.50	100	Horizontal	Pass
5**	4975.500	40.54	-0.74	54.0	13.46	AV	319.50	100	Horizontal	Pass
6	6331.500	55.86	2.47	74.0	18.14	Peak	271.10	100	Horizontal	Pass
6**	6331.500	44.67	2.47	54.0	9.33	AV	271.10	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.18.54

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7929.500	33.73	2.48	74.0	40.27	Peak	360.00	100	Horizontal	Pass
1**	7929.500	23.55	2.48	54.0	30.45	AV	360.00	100	Horizontal	Pass
2	9436.500	37.38	6.71	74.0	36.62	Peak	3.70	100	Horizontal	Pass
2**	9436.500	27.34	6.71	54.0	26.66	AV	3.70	100	Horizontal	Pass
3	11100.250	43.10	9.57	74.0	30.90	Peak	213.50	100	Horizontal	Pass
3**	11100.250	32.06	9.57	54.0	21.94	AV	213.50	100	Horizontal	Pass
4	13226.000	46.40	13.28	74.0	27.60	Peak	69.50	100	Horizontal	Pass
4**	13226.000	35.54	13.28	54.0	18.46	AV	69.50	100	Horizontal	Pass
5	14785.250	50.79	17.68	74.0	23.21	Peak	213.50	100	Horizontal	Pass
5**	14785.250	39.86	17.68	54.0	14.14	AV	213.50	100	Horizontal	Pass
6	17848.750	58.23	23.49	74.0	15.77	Peak	133.50	100	Horizontal	Pass
6**	17848.750	48.32	23.49	54.0	5.68	AV	133.50	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_15.41.20

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

Remission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1039.500	42.75	-14.33	74.0	31.25	Peak	360.00	100	Vertical	Pass
1**	1039.500	38.14	-14.33	54.0	15.86	AV	360.00	100	Vertical	Pass
2	1262.250	48.30	-13.27	74.0	25.70	Peak	29.50	100	Vertical	Pass
2**	1262.250	38.11	-13.27	54.0	15.89	AV	29.50	100	Vertical	Pass
3	1825.250	50.44	-12.23	74.0	23.56	Peak	0.00	100	Vertical	Pass
3**	1825.250	34.95	-12.23	54.0	19.05	AV	0.00	100	Vertical	Pass
4	2000.750	53.93	-10.89	74.0	20.07	Peak	0.00	100	Vertical	Pass
4**	2000.750	39.04	-10.89	54.0	14.96	AV	0.00	100	Vertical	Pass
5	2658.500	49.01	-6.48	74.0	24.99	Peak	360.00	100	Vertical	Pass
5**	2658.500	37.03	-6.48	54.0	16.97	AV	360.00	100	Vertical	Pass
6	3134.000	48.56	-5.34	74.0	25.44	Peak	91.30	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.25.37

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7935.000	33.90	2.54	74.0	40.10	Peak	126.30	100	Vertical	Pass
1**	7935.000	23.61	2.54	54.0	30.39	AV	126.30	100	Vertical	Pass
2	10539.250	41.31	9.47	74.0	32.69	Peak	253.20	100	Vertical	Pass
2**	10539.250	30.95	9.47	54.0	23.05	AV	253.20	100	Vertical	Pass
3	11430.250	43.12	10.80	74.0	30.88	Peak	0.00	100	Vertical	Pass
3**	11430.250	32.06	10.80	54.0	21.94	AV	0.00	100	Vertical	Pass
4	13204.000	46.73	13.22	74.0	27.27	Peak	18.30	100	Vertical	Pass
4**	13204.000	35.80	13.22	54.0	18.20	AV	18.30	100	Vertical	Pass
5	14194.000	50.31	18.53	74.0	23.69	Peak	0.00	100	Vertical	Pass
5**	14194.000	40.72	18.53	54.0	13.28	AV	0.00	100	Vertical	Pass
6	17837.750	57.79	23.42	74.0	16.21	Peak	360.00	100	Vertical	Pass

Test result


Project Number: Test

Test Time: 2024-01-19_10.07.52

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.5
 Hum.: 45

Test Engineer: ZY
 Test Standard: FCC
 Work Addition: TX
 Load: full load
 Remark: DR-RSE01-E23100101-01#01

Remission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.500	44.67	-14.10	74.0	29.33	Peak	360.00	100	Horizontal	Pass
1**	1113.500	38.31	-14.10	54.0	15.69	AV	360.00	100	Horizontal	Pass
2	1754.750	46.29	-12.41	74.0	27.71	Peak	359.40	100	Horizontal	Pass
2**	1754.750	32.59	-12.41	54.0	21.41	AV	359.40	100	Horizontal	Pass
3	2160.000	48.19	-8.71	74.0	25.81	Peak	80.90	100	Horizontal	Pass
3**	2160.000	35.08	-8.71	54.0	18.92	AV	80.90	100	Horizontal	Pass
4	2962.750	48.85	-3.78	74.0	25.15	Peak	316.10	100	Horizontal	Pass
4**	2962.750	38.17	-3.78	54.0	15.83	AV	316.10	100	Horizontal	Pass
5	4030.500	50.11	-1.61	74.0	23.89	Peak	89.50	100	Horizontal	Pass
5**	4030.500	38.61	-1.61	54.0	15.39	AV	89.50	100	Horizontal	Pass
6	5835.500	53.85	1.37	74.0	20.15	Peak	0.00	100	Horizontal	Pass
6**	5835.500	43.16	1.37	54.0	10.84	AV	0.00	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.20.22

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7822.250	33.16	1.98	74.0	40.84	Peak	0.00	100	Horizontal	Pass
1**	7822.250	22.54	1.98	54.0	31.46	AV	0.00	100	Horizontal	Pass
2	10217.500	41.29	8.27	74.0	32.71	Peak	0.00	100	Horizontal	Pass
2**	10217.500	29.33	8.27	54.0	24.67	AV	0.00	100	Horizontal	Pass
3	11257.000	42.21	11.14	74.0	31.79	Peak	0.00	100	Horizontal	Pass
3**	11257.000	33.50	11.14	54.0	20.50	AV	0.00	100	Horizontal	Pass
4	13118.750	44.56	13.01	74.0	29.44	Peak	0.00	100	Horizontal	Pass
4**	13118.750	35.12	13.01	54.0	18.88	AV	0.00	100	Horizontal	Pass
5	14678.000	49.75	16.99	74.0	24.25	Peak	0.00	100	Horizontal	Pass
5**	14678.000	39.20	16.99	54.0	14.80	AV	0.00	100	Horizontal	Pass
6	17447.250	54.56	20.86	74.0	19.44	Peak	209.70	100	Horizontal	Pass
6**	17447.250	43.65	20.86	54.0	10.35	AV	209.70	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_15.44.29

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

Remission Test case_FCC_Part15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1262.000	46.86	-13.28	74.0	27.14	Peak	0.00	100	Vertical	Pass
1**	1262.000	33.75	-13.28	54.0	20.25	AV	0.00	100	Vertical	Pass
2	1954.750	53.76	-11.21	74.0	20.24	Peak	360.00	100	Vertical	Pass
2**	1954.750	39.33	-11.21	54.0	14.67	AV	360.00	100	Vertical	Pass
3	2158.750	51.85	-8.74	74.0	22.15	Peak	360.00	100	Vertical	Pass
3**	2158.750	37.58	-8.74	54.0	16.42	AV	360.00	100	Vertical	Pass
4	3728.500	48.77	-2.66	74.0	25.23	Peak	93.90	100	Vertical	Pass
4**	3728.500	37.87	-2.66	54.0	16.13	AV	93.90	100	Vertical	Pass
5	5106.500	52.45	0.39	74.0	21.55	Peak	140.00	100	Vertical	Pass
5**	5106.500	42.98	0.39	54.0	11.02	AV	140.00	100	Vertical	Pass
6	6561.000	55.46	3.22	74.0	18.54	Peak	140.00	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.27.09

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7819.500	33.76	2.00	74.0	40.24	Peak	222.70	100	Vertical	Pass
1**	7819.500	23.22	2.00	54.0	30.78	AV	222.70	100	Vertical	Pass
2	9934.250	39.50	8.87	74.0	34.50	Peak	360.00	100	Vertical	Pass
2**	9934.250	30.17	8.87	54.0	23.83	AV	360.00	100	Vertical	Pass
3	11628.250	43.73	10.35	74.0	30.27	Peak	127.80	100	Vertical	Pass
3**	11628.250	32.08	10.35	54.0	21.92	AV	127.80	100	Vertical	Pass
4	14215.999	49.45	18.08	74.0	24.55	Peak	63.00	100	Vertical	Pass
4**	14215.999	39.51	18.08	54.0	14.49	AV	63.00	100	Vertical	Pass
5	14724.750	50.33	17.53	74.0	23.67	Peak	63.00	100	Vertical	Pass
5**	14724.750	40.17	17.53	54.0	13.83	AV	63.00	100	Vertical	Pass
6	17876.251	58.44	23.86	74.0	15.56	Peak	284.80	100	Vertical	Pass

BT-High channel-Horizontal-DH5-TX

Test result


Project Number: Test

Test Time: 2024-01-19_10.05.03

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.5
 Hum.: 45

Test Engineer: ZY
 Test Standard: FCC
 Work Addition: TX
 Load: full load
 Remark: DR-RSE01-E23100101-01#01

Remission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.500	47.18	-14.10	74.0	26.82	Peak	65.90	100	Horizontal	Pass
1**	1113.500	40.24	-14.10	54.0	13.76	AV	65.90	100	Horizontal	Pass
2	1656.250	47.44	-12.88	74.0	26.56	Peak	65.90	100	Horizontal	Pass
2**	1656.250	39.18	-12.88	54.0	14.82	AV	65.90	100	Horizontal	Pass
3	2211.750	49.01	-8.18	74.0	24.99	Peak	65.90	100	Horizontal	Pass
3**	2211.750	36.46	-8.18	54.0	17.54	AV	65.90	100	Horizontal	Pass
4	2803.000	48.45	-4.72	74.0	25.55	Peak	175.00	100	Horizontal	Pass
4**	2803.000	37.13	-4.72	54.0	16.87	AV	175.00	100	Horizontal	Pass
5	5004.000	52.11	-0.96	74.0	21.89	Peak	260.30	100	Horizontal	Pass
5**	5004.000	40.96	-0.96	54.0	13.04	AV	260.30	100	Horizontal	Pass
6	6682.500	55.60	3.55	74.0	18.40	Peak	70.50	100	Horizontal	Pass
6**	6682.500	45.95	3.55	54.0	8.05	AV	70.50	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.21.19

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8344.750	33.71	2.79	74.0	40.29	Peak	82.60	100	Horizontal	Pass
1**	8344.750	22.42	2.79	54.0	31.58	AV	82.60	100	Horizontal	Pass
2	10157.000	40.66	8.35	74.0	33.34	Peak	360.00	100	Horizontal	Pass
2**	10157.000	30.33	8.35	54.0	23.67	AV	360.00	100	Horizontal	Pass
3	11851.000	42.73	11.21	74.0	31.27	Peak	82.60	100	Horizontal	Pass
3**	11851.000	33.12	11.21	54.0	20.88	AV	82.60	100	Horizontal	Pass
4	13159.999	45.47	13.12	74.0	28.53	Peak	252.80	100	Horizontal	Pass
4**	13159.999	35.71	13.12	54.0	18.29	AV	252.80	100	Horizontal	Pass
5	14502.000	50.61	16.79	74.0	23.39	Peak	139.60	100	Horizontal	Pass
5**	14502.000	39.96	16.79	54.0	14.04	AV	139.60	100	Horizontal	Pass
6	17848.750	57.89	23.49	74.0	16.11	Peak	82.60	100	Horizontal	Pass
6**	17848.750	47.67	23.49	54.0	6.33	AV	82.60	100	Horizontal	Pass

BT-High channel-Vertical-DH5-TX

Test result

Project Number: Test

Test Time: 2024-01-19_15.51.49

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

Remission Test case_FCC_Part15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1039.500	43.40	-14.33	74.0	30.60	Peak	360.00	100	Vertical	Pass
1**	1039.500	37.65	-14.33	54.0	16.35	AV	360.00	100	Vertical	Pass
2	1331.000	47.96	-12.94	74.0	26.04	Peak	2.20	100	Vertical	Pass
2**	1331.000	37.52	-12.94	54.0	16.48	AV	2.20	100	Vertical	Pass
3	1947.750	51.20	-11.20	74.0	22.80	Peak	360.00	100	Vertical	Pass
3**	1947.750	36.71	-11.20	54.0	17.29	AV	360.00	100	Vertical	Pass
4	2663.500	48.60	-6.48	74.0	25.40	Peak	346.70	100	Vertical	Pass
4**	2663.500	37.46	-6.48	54.0	16.54	AV	346.70	100	Vertical	Pass
5	4102.000	49.18	-1.57	74.0	24.82	Peak	38.10	100	Vertical	Pass
5**	4102.000	38.97	-1.57	54.0	15.03	AV	38.10	100	Vertical	Pass
6	6516.500	55.33	3.03	74.0	18.67	Peak	174.30	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.28.42

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7935.000	33.87	2.54	74.0	40.13	Peak	39.00	100	Vertical	Pass
1**	7935.000	23.75	2.54	54.0	30.25	AV	39.00	100	Vertical	Pass
2	10143.250	40.61	8.43	74.0	33.39	Peak	360.00	100	Vertical	Pass
2**	10143.250	30.81	8.43	54.0	23.19	AV	360.00	100	Vertical	Pass
3	11254.250	43.50	11.10	74.0	30.50	Peak	0.00	100	Vertical	Pass
3**	11254.250	33.39	11.10	54.0	20.61	AV	0.00	100	Vertical	Pass
4	13206.750	45.70	13.22	74.0	28.30	Peak	87.40	100	Vertical	Pass
4**	13206.750	35.52	13.22	54.0	18.48	AV	87.40	100	Vertical	Pass
5	14543.250	50.81	16.47	74.0	23.19	Peak	248.10	100	Vertical	Pass
5**	14543.250	39.85	16.47	54.0	14.15	AV	248.10	100	Vertical	Pass
6	17439.001	54.71	20.70	74.0	19.29	Peak	360.00	100	Vertical	Pass

BT-Bandedge -Low channel- Horizontal-DH5 –TX

Test result

Project Number: Test

Test Time: 2024-01-19_09.49.30

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.00	-10.27	74.0	24.00	Peak	46.20	100	H	Pass
1**	2390.000	41.85	-10.27	54.0	12.15	AV	46.20	100	H	Pass

BT-Bandedge -Low channel- Vertical-DH5 -TX

Test result

Project Number: Test

Test Time: 2024-01-18_15.50.41

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.91	-10.27	74.0	24.09	Peak	191.31	100	V	Pass
1**	2390.000	41.78	-10.27	54.0	12.22	AV	191.31	100	V	Pass

BT-Bandedge -High channel- Horizontal-DH5-TX

Test result

Project Number: Test

Test Time: 2024-01-19_09.51.13

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

R Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.54	-9.82	74.0	22.46	Peak	266.50	100	H	Pass
1**	2483.500	42.35	-9.82	54.0	11.65	AV	266.50	100	H	Pass

BT-Bandedge -High channel- Vertical-DH5-TX

Test result

Project Number: Test

Test Time: 2024-01-18_15.55.53

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	49.86	-9.82	74.0	24.14	Peak	285.94	100	V	Pass
1**	2483.500	42.05	-9.82	54.0	11.95	AV	285.94	100	V	Pass

30M-1G

BT-Hopping-Horizontal-TX

Test result

Project Number: Test

Test Time: 2024-01-16_09.59.45

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: CE

Model: N.A


Work Addition: TX

Temp.(oC): 25.1

Load: Full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	31.455	19.26	-28.26	40.0	20.74	Peak	176.50	100	Horizontal	Pass
2	61.760	21.20	-25.85	40.0	18.80	Peak	206.30	100	Horizontal	Pass
3	124.794	16.60	-28.09	43.5	26.90	Peak	146.40	100	Horizontal	Pass
4	215.709	21.56	-25.44	43.5	21.94	Peak	218.20	100	Horizontal	Pass
5	276.076	31.73	-23.16	46.0	14.27	Peak	268.10	100	Horizontal	Pass
6	959.513	28.79	-7.59	46.0	17.21	Peak	254.70	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2024-01-16_09.45.54

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

Remission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequen cy (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.485	24.24	-25.94	40.0	15.76	Peak	4.00	100	Vertical	Pass
2	61.760	32.22	-25.85	40.0	7.78	Peak	4.00	100	Vertical	Pass
3	148.310	31.95	-29.23	43.5	11.55	Peak	27.60	100	Vertical	Pass
4	296.926	40.49	-22.55	46.0	5.51	Peak	1.50	100	Vertical	Pass
5	445.299	33.42	-18.85	46.0	12.58	Peak	35.00	100	Vertical	Pass
6	742.529	36.90	-11.97	46.0	9.10	Peak	15.70	100	Vertical	Pass

1-18G

BT-Hopping -Horizontal-DH5-TX

Test result

Project Number: Test

Test Time: 2024-01-19_10.20.29

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.000	44.82	-14.09	74.0	29.18	Peak	61.50	100	Horizontal	Pass
1**	1114.000	39.88	-14.09	54.0	14.12	AV	61.50	100	Horizontal	Pass
2	1203.000	46.22	-13.68	74.0	27.78	Peak	172.10	100	Horizontal	Pass
2**	1203.000	30.77	-13.68	54.0	23.23	AV	172.10	100	Horizontal	Pass
3	1657.500	46.62	-12.88	74.0	27.38	Peak	61.50	100	Horizontal	Pass
3**	1657.500	39.12	-12.88	54.0	14.88	AV	61.50	100	Horizontal	Pass
4	2400.500	49.50	-4.68	74.0	24.50	Peak	77.50	100	Horizontal	Pass
4**	2400.500	39.34	-4.68	54.0	14.66	AV	77.50	100	Horizontal	Pass
5	3658.500	48.43	-2.25	74.0	25.57	Peak	360.00	100	Horizontal	Pass
5**	3658.500	38.12	-2.25	54.0	15.88	AV	360.00	100	Horizontal	Pass
6	6359.000	56.19	2.56	74.0	17.81	Peak	360.00	100	Horizontal	Pass
6**	6359.000	45.52	2.56	54.0	8.48	AV	360.00	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.22.47

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7811.250	32.98	2.06	74.0	41.02	Peak	0.00	100	Horizontal	Pass
1**	7811.250	22.70	2.06	54.0	31.30	AV	0.00	100	Horizontal	Pass
2	9865.500	39.94	8.20	74.0	34.06	Peak	176.00	100	Horizontal	Pass
2**	9865.500	28.97	8.20	54.0	25.03	AV	176.00	100	Horizontal	Pass
3	11226.750	43.53	10.74	74.0	30.47	Peak	192.40	100	Horizontal	Pass
3**	11226.750	32.62	10.74	54.0	21.38	AV	192.40	100	Horizontal	Pass
4	13149.000	46.23	13.10	74.0	27.77	Peak	192.40	100	Horizontal	Pass
4**	13149.000	35.45	13.10	54.0	18.55	AV	192.40	100	Horizontal	Pass
5	14174.750	51.18	18.23	74.0	22.82	Peak	192.40	100	Horizontal	Pass
5**	14174.750	40.35	18.23	54.0	13.65	AV	192.40	100	Horizontal	Pass
6	17843.249	59.39	23.45	74.0	14.61	Peak	176.00	100	Horizontal	Pass
6**	17843.249	48.12	23.45	54.0	5.88	AV	176.00	100	Horizontal	Pass

BT-Hopping -Vertical-DH5-TX

Test result


Project Number: Test

Test Time: 2024-01-19_15.54.09

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.5
 Hum.: 45

Test Engineer: ZY
 Test Standard: FCC
 Work Addition: TX
 Load: full load
 Remark: DR-RSE01-E23100101-01#01

R emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1039.500	43.22	-14.33	74.0	30.78	Peak	0.00	100	Vertical	Pass
1**	1039.500	37.41	-14.33	54.0	16.59	AV	0.00	100	Vertical	Pass
2	1262.250	46.99	-13.27	74.0	27.01	Peak	41.10	100	Vertical	Pass
2**	1262.250	40.66	-13.27	54.0	13.34	AV	41.10	100	Vertical	Pass
3	1963.000	51.75	-11.23	74.0	22.25	Peak	360.00	100	Vertical	Pass
3**	1963.000	37.19	-11.23	54.0	16.81	AV	360.00	100	Vertical	Pass
4	2861.250	48.74	-4.19	74.0	25.26	Peak	148.00	100	Vertical	Pass
4**	2861.250	38.42	-4.19	54.0	15.58	AV	148.00	100	Vertical	Pass
5	4094.500	48.70	-1.41	74.0	25.30	Peak	39.00	100	Vertical	Pass
5**	4094.500	38.32	-1.41	54.0	15.68	AV	39.00	100	Vertical	Pass
6	5553.500	52.57	0.34	74.0	21.43	Peak	0.00	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.24.00

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7940.500	34.10	2.59	74.0	39.90	Peak	329.00	100	Vertical	Pass
1**	7940.500	23.43	2.59	54.0	30.57	AV	329.00	100	Vertical	Pass
2	9255.000	37.57	5.22	74.0	36.43	Peak	360.00	100	Vertical	Pass
2**	9255.000	26.35	5.22	54.0	27.65	AV	360.00	100	Vertical	Pass
3	11257.000	43.36	11.14	74.0	30.64	Peak	313.70	100	Vertical	Pass
3**	11257.000	32.62	11.14	54.0	21.38	AV	313.70	100	Vertical	Pass
4	13140.750	45.79	13.07	74.0	28.21	Peak	313.70	100	Vertical	Pass
4**	13140.750	35.63	13.07	54.0	18.37	AV	313.70	100	Vertical	Pass
5	14188.500	51.10	18.65	74.0	22.90	Peak	313.70	100	Vertical	Pass
5**	14188.500	40.48	18.65	54.0	13.52	AV	313.70	100	Vertical	Pass
6	17840.501	58.46	23.44	74.0	15.54	Peak	313.70	100	Vertical	Pass

BT-Bandedge-Hopping- Horizontal-DH5 –TX

Test result

Project Number: Test

Test Time: 2024-01-19_09.17.26

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.95	-10.27	74.0	22.05	Peak	245.75	100	H	Pass
1**	2390.000	42.49	-10.27	54.0	11.51	AV	245.75	100	H	Pass
2	2483.500	52.76	-9.82	74.0	21.24	Peak	138.43	100	H	Pass
2**	2483.500	43.06	-9.82	54.0	10.94	AV	138.43	100	H	Pass


BT-Bandedge-Hopping-Vertical-DH5 -TX

Test result

Project Number: Test

Test Time: 2024-01-18_16.00.02

EUT Name:	N.A	Test Engineer:	ZY
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	TX
Temp.(oC):	20.5	Load:	full load
Hum.:	45	Remark:	DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.47	-10.27	74.0	22.53	Peak	94.64	100	V	Pass
1**	2390.000	42.17	-10.27	54.0	11.83	AV	94.64	100	V	Pass
2	2483.500	52.68	-9.82	74.0	21.32	Peak	203.89	100	V	Pass
2**	2483.500	43.14	-9.82	54.0	10.86	AV	203.89	100	V	Pass

30M-1G

BT 3M-Horizontal-DH5-TX

Test result

Project Number: Test

Test Time: 2024-01-16_10.03.48

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.970	14.81	-28.43	40.0	25.19	Peak	242.40	100	Horizontal	Pass
2	62.002	20.13	-25.92	40.0	19.87	Peak	76.00	100	Horizontal	Pass
3	124.794	16.67	-28.09	43.5	26.83	Peak	46.60	100	Horizontal	Pass
4	231.225	26.56	-24.26	46.0	19.44	Peak	1.20	100	Horizontal	Pass
5	276.076	32.27	-23.16	46.0	13.73	Peak	19.00	100	Horizontal	Pass
6	959.513	30.06	-7.59	46.0	15.94	Peak	65.20	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2024-01-16_09.50.02

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequen cy (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.001	23.89	-26.11	40.0	16.11	Peak	328.30	100	Vertical	Pass
2	61.760	31.95	-25.85	40.0	8.05	Peak	360.00	100	Vertical	Pass
3	148.310	34.16	-29.23	43.5	9.34	Peak	359.00	100	Vertical	Pass
4	276.076	37.02	-23.16	46.0	8.98	Peak	359.40	100	Vertical	Pass
5	445.299	38.37	-18.85	46.0	7.63	Peak	188.00	100	Vertical	Pass
6	890.902	38.09	-9.35	46.0	7.91	Peak	360.00	100	Vertical	Pass

1-18G

BT 3M -Low channel-Horizontal-DH5-TX

Test result

Project Number: Test

Test Time: 2024-01-19_09.56.44

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1203.750	44.93	-13.69	74.0	29.07	Peak	173.50	100	Horizontal	Pass
1**	1203.750	30.32	-13.69	54.0	23.68	AV	173.50	100	Horizontal	Pass
2	1654.750	46.75	-12.88	74.0	27.25	Peak	47.30	100	Horizontal	Pass
2**	1654.750	36.67	-12.88	54.0	17.33	AV	47.30	100	Horizontal	Pass
3	2159.000	47.21	-8.73	74.0	26.79	Peak	81.90	100	Horizontal	Pass
3**	2159.000	35.70	-8.73	54.0	18.30	AV	81.90	100	Horizontal	Pass
4	2480.000	53.03	-6.20	74.0	20.97	Peak	173.50	100	Horizontal	Pass
4**	2480.000	35.83	-6.20	54.0	18.17	AV	173.50	100	Horizontal	Pass
5	2978.750	48.83	-3.65	74.0	25.17	Peak	0.00	100	Horizontal	Pass
5**	2978.750	38.12	-3.65	54.0	15.88	AV	0.00	100	Horizontal	Pass
6	5764.500	53.59	1.30	74.0	20.41	Peak	6.20	100	Horizontal	Pass
6**	5764.500	44.18	1.30	54.0	9.82	AV	6.20	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.14.04

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8072.500	33.98	3.32	74.0	40.02	Peak	192.10	100	Horizontal	Pass
1**	8072.500	23.77	3.32	54.0	30.23	AV	192.10	100	Horizontal	Pass
2	10126.750	40.32	8.55	74.0	33.68	Peak	3.50	100	Horizontal	Pass
2**	10126.750	30.28	8.55	54.0	23.72	AV	3.50	100	Horizontal	Pass
3	11848.250	42.97	11.16	74.0	31.03	Peak	178.30	100	Horizontal	Pass
3**	11848.250	32.51	11.16	54.0	21.49	AV	178.30	100	Horizontal	Pass
4	14183.000	50.41	18.50	74.0	23.59	Peak	192.10	100	Horizontal	Pass
4**	14183.000	40.74	18.50	54.0	13.26	AV	192.10	100	Horizontal	Pass
5	14774.250	50.45	17.84	74.0	23.55	Peak	192.10	100	Horizontal	Pass
5**	14774.250	40.44	17.84	54.0	13.56	AV	192.10	100	Horizontal	Pass
6	17843.249	59.06	23.45	74.0	14.94	Peak	192.10	100	Horizontal	Pass
6**	17843.249	47.83	23.45	54.0	6.17	AV	192.10	100	Horizontal	Pass

BT 3M -Low channel-Vertical-DH5-TX

Test result

Project Number: Test

Test Time: 2024-01-19_16.04.59

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

Remission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1262.500	48.12	-13.27	74.0	25.88	Peak	42.10	100	Vertical	Pass
1**	1262.500	40.45	-13.27	54.0	13.55	AV	42.10	100	Vertical	Pass
2	1655.000	46.85	-12.88	74.0	27.15	Peak	282.50	100	Vertical	Pass
2**	1655.000	34.83	-12.88	54.0	19.17	AV	282.50	100	Vertical	Pass
3	1951.750	53.77	-11.21	74.0	20.23	Peak	10.10	100	Vertical	Pass
3**	1951.750	33.41	-11.21	54.0	20.59	AV	10.10	100	Vertical	Pass
4	2164.750	50.00	-8.63	74.0	24.00	Peak	10.10	100	Vertical	Pass
4**	2164.750	35.41	-8.63	54.0	18.59	AV	10.10	100	Vertical	Pass
5	2823.750	48.42	-4.68	74.0	25.58	Peak	42.10	100	Vertical	Pass
5**	2823.750	38.35	-4.68	54.0	15.65	AV	42.10	100	Vertical	Pass
6	4035.500	49.90	-1.59	74.0	24.10	Peak	0.00	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.10.10

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8047.750	34.09	3.85	74.0	39.91	Peak	200.20	100	Vertical	Pass
1**	8047.750	23.79	3.85	54.0	30.21	AV	200.20	100	Vertical	Pass
2	10115.750	40.66	8.62	74.0	33.34	Peak	200.20	100	Vertical	Pass
2**	10115.750	30.12	8.62	54.0	23.88	AV	200.20	100	Vertical	Pass
3	11578.750	42.50	10.65	74.0	31.50	Peak	200.20	100	Vertical	Pass
3**	11578.750	32.39	10.65	54.0	21.61	AV	200.20	100	Vertical	Pass
4	13237.000	45.36	13.25	74.0	28.64	Peak	138.40	100	Vertical	Pass
4**	13237.000	35.44	13.25	54.0	18.56	AV	138.40	100	Vertical	Pass
5	14202.250	49.67	18.36	74.0	24.33	Peak	200.20	100	Vertical	Pass
5**	14202.250	40.08	18.36	54.0	13.92	AV	200.20	100	Vertical	Pass
6	17826.750	56.93	23.17	74.0	17.07	Peak	106.80	100	Vertical	Pass

Test result


Project Number: Test

Test Time: 2024-01-19_10.00.18

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.5
 Hum.: 45

Test Engineer: ZY
 Test Standard: FCC
 Work Addition: TX
 Load: full load
 Remark: DR-RSE01-E23100101-01#01

Remission Test case_FCC_Part15C_FCC_15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.000	45.57	-14.09	74.0	28.43	Peak	72.30	100	Horizontal	Pass
1**	1114.000	40.22	-14.09	54.0	13.78	AV	72.30	100	Horizontal	Pass
2	1197.000	48.20	-13.61	74.0	25.80	Peak	227.90	100	Horizontal	Pass
2**	1197.000	31.06	-13.61	54.0	22.94	AV	227.90	100	Horizontal	Pass
3	1658.250	47.75	-12.88	74.0	26.25	Peak	72.30	100	Horizontal	Pass
3**	1658.250	37.38	-12.88	54.0	16.62	AV	72.30	100	Horizontal	Pass
4	2425.500	48.31	-5.17	74.0	25.69	Peak	360.00	100	Horizontal	Pass
4**	2425.500	38.90	-5.17	54.0	15.10	AV	360.00	100	Horizontal	Pass
5	3774.500	49.23	-2.54	74.0	24.77	Peak	171.40	100	Horizontal	Pass
5**	3774.500	38.27	-2.54	54.0	15.73	AV	171.40	100	Horizontal	Pass
6	6513.000	55.85	3.01	74.0	18.15	Peak	44.50	100	Horizontal	Pass
6**	6513.000	45.49	3.01	54.0	8.51	AV	44.50	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.16.57

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8009.250	34.13	3.26	74.0	39.87	Peak	0.00	100	Horizontal	Pass
1**	8009.250	23.18	3.26	54.0	30.82	AV	0.00	100	Horizontal	Pass
2	9893.000	40.21	8.64	74.0	33.79	Peak	159.90	100	Horizontal	Pass
2**	9893.000	29.68	8.64	54.0	24.32	AV	159.90	100	Horizontal	Pass
3	11900.500	42.62	11.39	74.0	31.38	Peak	0.00	100	Horizontal	Pass
3**	11900.500	33.01	11.39	54.0	20.99	AV	0.00	100	Horizontal	Pass
4	13836.500	48.15	14.06	74.0	25.85	Peak	0.00	100	Horizontal	Pass
4**	13836.500	37.36	14.06	54.0	16.64	AV	0.00	100	Horizontal	Pass
5	14738.500	50.35	17.68	74.0	23.65	Peak	79.50	100	Horizontal	Pass
5**	14738.500	40.09	17.68	54.0	13.91	AV	79.50	100	Horizontal	Pass
6	17840.501	57.55	23.44	74.0	16.45	Peak	79.50	100	Horizontal	Pass
6**	17840.501	47.97	23.44	54.0	6.03	AV	79.50	100	Horizontal	Pass

BT 3M -Middle channel-Vertical-DH5-TX

Test result

Project Number: Test

Test Time: 2024-01-19_16.01.58

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1262.500	46.35	-13.27	74.0	27.65	Peak	49.50	100	Vertical	Pass
1**	1262.500	41.80	-13.27	54.0	12.20	AV	49.50	100	Vertical	Pass
2	1807.500	49.75	-12.35	74.0	24.25	Peak	360.00	100	Vertical	Pass
2**	1807.500	35.31	-12.35	54.0	18.69	AV	360.00	100	Vertical	Pass
3	1976.000	52.40	-11.19	74.0	21.60	Peak	360.00	100	Vertical	Pass
3**	1976.000	37.40	-11.19	54.0	16.60	AV	360.00	100	Vertical	Pass
4	2457.000	49.33	-5.79	74.0	24.67	Peak	142.50	100	Vertical	Pass
4**	2457.000	38.81	-5.79	54.0	15.19	AV	142.50	100	Vertical	Pass
5	2963.000	47.88	-3.77	74.0	26.12	Peak	276.90	100	Vertical	Pass
5**	2963.000	38.03	-3.77	54.0	15.97	AV	276.90	100	Vertical	Pass
6	5479.000	52.58	0.25	74.0	21.42	Peak	105.40	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.08.46

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7935.000	33.50	2.54	74.0	40.50	Peak	255.70	100	Vertical	Pass
1**	7935.000	23.80	2.54	54.0	30.20	AV	255.70	100	Vertical	Pass
2	8958.000	37.48	6.49	74.0	36.52	Peak	32.40	100	Vertical	Pass
2**	8958.000	26.59	6.49	54.0	27.41	AV	32.40	100	Vertical	Pass
3	10918.750	41.52	10.21	74.0	32.48	Peak	189.10	100	Vertical	Pass
3**	10918.750	31.83	10.21	54.0	22.17	AV	189.10	100	Vertical	Pass
4	13157.250	45.77	13.12	74.0	28.23	Peak	358.70	100	Vertical	Pass
4**	13157.250	36.01	13.12	54.0	17.99	AV	358.70	100	Vertical	Pass
5	14766.000	50.15	17.95	74.0	23.85	Peak	255.70	100	Vertical	Pass
5**	14766.000	40.83	17.95	54.0	13.17	AV	255.70	100	Vertical	Pass
6	17504.999	54.89	21.37	74.0	19.11	Peak	255.70	100	Vertical	Pass

BT 3M -High channel-Horizontal-DH5-TX

Test result


Project Number: Test

Test Time: 2024-01-19_10.02.48

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.5
 Hum.: 45

Test Engineer: ZY
 Test Standard: FCC
 Work Addition: TX
 Load: full load
 Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.250	44.17	-14.10	74.0	29.83	Peak	350.60	100	Horizontal	Pass
1**	1113.250	38.91	-14.10	54.0	15.09	AV	350.60	100	Horizontal	Pass
2	1336.250	45.35	-12.90	74.0	28.65	Peak	127.70	100	Horizontal	Pass
2**	1336.250	38.70	-12.90	54.0	15.30	AV	127.70	100	Horizontal	Pass
3	1655.250	45.55	-12.88	74.0	28.45	Peak	17.20	100	Horizontal	Pass
3**	1655.250	38.68	-12.88	54.0	15.32	AV	17.20	100	Horizontal	Pass
4	2392.000	49.08	-4.45	74.0	24.92	Peak	95.70	100	Horizontal	Pass
4**	2392.000	38.96	-4.45	54.0	15.04	AV	95.70	100	Horizontal	Pass
5	4312.000	49.44	-2.17	74.0	24.56	Peak	123.00	100	Horizontal	Pass
5**	4312.000	38.82	-2.17	54.0	15.18	AV	123.00	100	Horizontal	Pass
6	6296.000	54.65	2.30	74.0	19.35	Peak	137.10	100	Horizontal	Pass
6**	6296.000	44.46	2.30	54.0	9.54	AV	137.10	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.15.21

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7596.750	33.33	0.91	74.0	40.67	Peak	101.20	100	Horizontal	Pass
1**	7596.750	21.97	0.91	54.0	32.03	AV	101.20	100	Horizontal	Pass
2	9156.000	36.88	6.41	74.0	37.12	Peak	38.30	100	Horizontal	Pass
2**	9156.000	26.82	6.41	54.0	27.18	AV	38.30	100	Horizontal	Pass
3	11301.000	42.70	11.43	74.0	31.30	Peak	38.30	100	Horizontal	Pass
3**	11301.000	32.26	11.43	54.0	21.74	AV	38.30	100	Horizontal	Pass
4	12458.750	45.92	11.90	74.0	28.08	Peak	315.60	100	Horizontal	Pass
4**	12458.750	34.65	11.90	54.0	19.35	AV	315.60	100	Horizontal	Pass
5	14180.250	50.41	18.41	74.0	23.59	Peak	0.00	100	Horizontal	Pass
5**	14180.250	40.11	18.41	54.0	13.89	AV	0.00	100	Horizontal	Pass
6	17837.750	57.51	23.42	74.0	16.49	Peak	158.50	100	Horizontal	Pass
6**	17837.750	47.57	23.42	54.0	6.43	AV	158.50	100	Horizontal	Pass

BT 3M -High channel-Vertical-DH5-TX

Test result

Project Number: Test

Test Time: 2024-01-19_15.58.52

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1262.500	47.76	-13.27	74.0	26.24	Peak	32.00	100	Vertical	Pass
1**	1262.500	40.28	-13.27	54.0	13.72	AV	32.00	100	Vertical	Pass
2	1949.750	53.14	-11.20	74.0	20.86	Peak	2.50	100	Vertical	Pass
2**	1949.750	38.25	-11.20	54.0	15.75	AV	2.50	100	Vertical	Pass
3	2183.500	49.68	-8.21	74.0	24.32	Peak	2.50	100	Vertical	Pass
3**	2183.500	37.88	-8.21	54.0	16.12	AV	2.50	100	Vertical	Pass
4	2425.500	49.10	-5.17	74.0	24.90	Peak	15.30	100	Vertical	Pass
4**	2425.500	38.59	-5.17	54.0	15.41	AV	15.30	100	Vertical	Pass
5	3650.500	47.50	-2.20	74.0	26.50	Peak	93.00	100	Vertical	Pass
5**	3650.500	38.34	-2.20	54.0	15.66	AV	93.00	100	Vertical	Pass
6	4691.000	51.44	-0.76	74.0	22.56	Peak	93.00	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.07.12

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8056.000	33.37	3.68	74.0	40.63	Peak	149.20	100	Vertical	Pass
1**	8056.000	24.16	3.68	54.0	29.84	AV	149.20	100	Vertical	Pass
2	9400.750	38.96	6.72	74.0	35.04	Peak	279.10	100	Vertical	Pass
2**	9400.750	28.28	6.72	54.0	25.72	AV	279.10	100	Vertical	Pass
3	11259.750	42.86	11.18	74.0	31.14	Peak	310.70	100	Vertical	Pass
3**	11259.750	32.82	11.18	54.0	21.18	AV	310.70	100	Vertical	Pass
4	12442.250	45.68	11.86	74.0	28.32	Peak	360.00	100	Vertical	Pass
4**	12442.250	35.23	11.86	54.0	18.77	AV	360.00	100	Vertical	Pass
5	14183.000	50.34	18.50	74.0	23.66	Peak	310.70	100	Vertical	Pass
5**	14183.000	39.85	18.50	54.0	14.15	AV	310.70	100	Vertical	Pass
6	17870.750	57.98	23.78	74.0	16.02	Peak	310.70	100	Vertical	Pass

BT 3M -Bandedge -Low channel- Horizontal-DH5 –TX

Test result

Project Number: Test

Test Time: 2024-01-19_09.54.42

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.35	-10.27	74.0	23.65	Peak	256.65	100	H	Pass
1**	2390.000	41.72	-10.27	54.0	12.28	AV	256.65	100	H	Pass

BT 3M -Bandedge -Low channel- Vertical-DH5 -TX

Test result

Project Number: Test

Test Time: 2024-01-18_16.31.17

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.51	-10.27	74.0	24.49	Peak	292.00	100	V	Pass
1**	2390.000	41.57	-10.27	54.0	12.43	AV	292.00	100	V	Pass

BT 3M -Bandedge -High channel- Horizontal-DH5-TX

Test result

Project Number: Test

Test Time: 2024-01-19_09.52.51

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.54	-9.82	74.0	22.46	Peak	313.23	100	H	Pass
1**	2483.500	42.29	-9.82	54.0	11.71	AV	313.23	100	H	Pass

BT 3M -Bandedge -High channel- Vertical-DH5-TX

Test result

Project Number: Test

Test Time: 2024-01-18_16.29.31

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

R Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	50.90	-9.82	74.0	23.10	Peak	32.82	100	V	Pass
1**	2483.500	42.66	-9.82	54.0	11.34	AV	32.82	100	V	Pass

30M-1G

BT 3M-Hopping-Horizontal-TX

Test result

Project Number: Test

Test Time: 2024-01-16_10.02.27

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	31.697	14.20	-28.17	40.0	25.80	Peak	69.60	100	Horizontal	Pass
2	62.002	20.02	-25.92	40.0	19.98	Peak	236.70	100	Horizontal	Pass
3	124.794	16.95	-28.09	43.5	26.55	Peak	314.50	100	Horizontal	Pass
4	276.076	32.20	-23.16	46.0	13.80	Peak	273.20	100	Horizontal	Pass
5	479.968	19.24	-18.01	46.0	26.76	Peak	331.20	100	Horizontal	Pass
6	959.513	31.47	-7.59	46.0	14.53	Peak	319.30	100	Horizontal	Pass

BT 3M-Hopping -Vertical-TX


Test result

Project Number: Test

Test Time: 2024-01-16_09.48.18

EUT Name:	N.A	Test Engineer:	ZY
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	TX
Temp.(oC):	N.A	Load:	Full load
Hum.:	N.A	Remark:	DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequen cy (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.243	23.58	-26.02	40.0	16.42	Peak	281.50	100	Vertical	Pass
2	61.760	32.63	-25.85	40.0	7.37	Peak	354.90	100	Vertical	Pass
3	148.310	34.05	-29.23	43.5	9.45	Peak	7.90	100	Vertical	Pass
4	275.834	36.67	-23.18	46.0	9.33	Peak	2.90	100	Vertical	Pass
5	445.299	37.94	-18.85	46.0	8.06	Peak	206.60	100	Vertical	Pass
6	890.902	38.80	-9.35	46.0	7.20	Peak	339.90	100	Vertical	Pass

1-18G

BT 3M-Hopping -Horizontal-DH5-TX

Test result

Project Number: Test

Test Time: 2024-01-19_10.16.44

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	44.25	-14.09	74.0	29.75	Peak	15.00	100	Horizontal	Pass
1**	1113.750	38.56	-14.09	54.0	15.44	AV	15.00	100	Horizontal	Pass
2	1199.500	47.11	-13.64	74.0	26.89	Peak	169.80	100	Horizontal	Pass
2**	1199.500	29.70	-13.64	54.0	24.30	AV	169.80	100	Horizontal	Pass
3	1657.500	46.44	-12.88	74.0	27.56	Peak	0.00	100	Horizontal	Pass
3**	1657.500	39.53	-12.88	54.0	14.47	AV	0.00	100	Horizontal	Pass
4	2399.500	48.05	-4.65	74.0	25.95	Peak	169.80	100	Horizontal	Pass
4**	2399.500	39.10	-4.65	54.0	14.90	AV	169.80	100	Horizontal	Pass
5	3615.500	49.54	-2.47	74.0	24.46	Peak	79.90	100	Horizontal	Pass
5**	3615.500	37.68	-2.47	54.0	16.32	AV	79.90	100	Horizontal	Pass
6	4487.000	51.52	-1.26	74.0	22.48	Peak	278.20	100	Horizontal	Pass
6**	4487.000	39.83	-1.26	54.0	14.17	AV	278.20	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.12.47

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8042.250	33.60	3.82	74.0	40.40	Peak	297.70	100	Horizontal	Pass
1**	8042.250	24.15	3.82	54.0	29.85	AV	297.70	100	Horizontal	Pass
2	9392.500	38.57	6.71	74.0	35.43	Peak	174.50	100	Horizontal	Pass
2**	9392.500	27.48	6.71	54.0	26.52	AV	174.50	100	Horizontal	Pass
3	11210.250	42.67	10.55	74.0	31.33	Peak	174.50	100	Horizontal	Pass
3**	11210.250	32.91	10.55	54.0	21.09	AV	174.50	100	Horizontal	Pass
4	13839.250	47.47	14.08	74.0	26.53	Peak	297.70	100	Horizontal	Pass
4**	13839.250	36.79	14.08	54.0	17.21	AV	297.70	100	Horizontal	Pass
5	14196.750	50.30	18.48	74.0	23.70	Peak	0.00	100	Horizontal	Pass
5**	14196.750	40.41	18.48	54.0	13.59	AV	0.00	100	Horizontal	Pass
6	17472.000	54.62	21.44	74.0	19.38	Peak	0.00	100	Horizontal	Pass
6**	17472.000	44.95	21.44	54.0	9.05	AV	0.00	100	Horizontal	Pass

BT 3M-Hopping -Vertical-DH5-TX

Test result


Project Number: Test

Test Time: 2024-01-19_15.56.34

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): 20.5
 Hum.: 45

Test Engineer: ZY
 Test Standard: FCC
 Work Addition: TX
 Load: full load
 Remark: DR-RSE01-E23100101-01#01

R emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1262.500	47.14	-13.27	74.0	26.86	Peak	51.30	100	Vertical	Pass
1**	1262.500	37.61	-13.27	54.0	16.39	AV	51.30	100	Vertical	Pass
2	1956.500	55.89	-11.22	74.0	18.11	Peak	310.70	100	Vertical	Pass
2**	1956.500	33.66	-11.22	54.0	20.34	AV	310.70	100	Vertical	Pass
3	2655.750	48.85	-6.47	74.0	25.15	Peak	360.00	100	Vertical	Pass
3**	2655.750	39.56	-6.47	54.0	14.44	AV	360.00	100	Vertical	Pass
4	2947.000	47.75	-4.14	74.0	26.25	Peak	310.70	100	Vertical	Pass
4**	2947.000	37.87	-4.14	54.0	16.13	AV	310.70	100	Vertical	Pass
5	4529.000	50.80	-1.05	74.0	23.20	Peak	195.60	100	Vertical	Pass
5**	4529.000	40.23	-1.05	54.0	13.77	AV	195.60	100	Vertical	Pass
6	6485.500	55.08	2.87	74.0	18.92	Peak	56.10	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.11.17

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8047.750	34.02	3.85	74.0	39.98	Peak	253.60	100	Vertical	Pass
1**	8047.750	23.68	3.85	54.0	30.32	AV	253.60	100	Vertical	Pass
2	10118.500	40.63	8.61	74.0	33.37	Peak	196.60	100	Vertical	Pass
2**	10118.500	29.89	8.61	54.0	24.11	AV	196.60	100	Vertical	Pass
3	11878.500	43.23	11.40	74.0	30.77	Peak	196.60	100	Vertical	Pass
3**	11878.500	33.65	11.40	54.0	20.35	AV	196.60	100	Vertical	Pass
4	14185.750	50.64	18.59	74.0	23.36	Peak	286.70	100	Vertical	Pass
4**	14185.750	39.90	18.59	54.0	14.10	AV	286.70	100	Vertical	Pass
5	14694.500	50.59	17.18	74.0	23.41	Peak	253.60	100	Vertical	Pass
5**	14694.500	39.67	17.18	54.0	14.33	AV	253.60	100	Vertical	Pass
6	17848.750	58.22	23.49	74.0	15.78	Peak	133.70	100	Vertical	Pass

BT 3M-Bandedge-Hopping- Horizontal-DH5 –TX

Test result

Project Number: Test

Test Time: 2024-01-18_17.31.57

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.42	-10.27	74.0	22.58	Peak	141.53	167	H	Pass
1**	2390.000	42.07	-10.27	54.0	11.93	AV	141.53	167	H	Pass
2	2483.500	52.17	-9.82	74.0	21.83	Peak	185.15	245	H	Pass
2**	2483.500	42.95	-9.82	54.0	11.05	AV	185.15	245	H	Pass

BT 3M-Bandedge-Hopping-Vertical-DH5 -TX

Test result

Project Number: Test

Test Time: 2024-01-18_16.59.47

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.36	-10.27	74.0	22.64	Peak	165.98	167	V	Pass
1**	2390.000	42.35	-10.27	54.0	11.65	AV	165.98	167	V	Pass
2	2483.500	52.85	-9.82	74.0	21.15	Peak	147.24	200	V	Pass
2**	2483.500	43.15	-9.82	54.0	10.85	AV	147.24	200	V	Pass