

EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →
 30M-1G
 WIFI2.4G- Horizontal-TX

Test result

Project Number: Test

Test Time: 2024-01-16_10.06.44

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	31.697	14.41	-28.17	40.0	25.59	Peak	30.20	100	Horizontal	Pass
2	62.002	20.89	-25.92	40.0	19.11	Peak	185.40	100	Horizontal	Pass
3	124.794	16.50	-28.09	43.5	27.00	Peak	58.90	100	Horizontal	Pass
4	276.076	32.08	-23.16	46.0	13.92	Peak	275.40	100	Horizontal	Pass
5	479.968	19.00	-18.01	46.0	27.00	Peak	51.40	100	Horizontal	Pass
6	959.513	31.32	-7.59	46.0	14.68	Peak	44.00	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2024-01-16_10.10.56

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: CE

Model: N.A

Work Addition: TX


Temp.(oC): 25.1

Load: Full load

Hum.: N.A

Remark: DR-RE-SHMD23100021

Remission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.485	23.14	-25.94	40.0	16.86	Peak	177.60	100	Vertical	Pass
2	62.002	32.13	-25.92	40.0	7.87	Peak	290.00	100	Vertical	Pass
3	169.403	22.58	-28.24	43.5	20.92	Peak	298.50	100	Vertical	Pass
4	276.076	35.91	-23.16	46.0	10.09	Peak	350.60	100	Vertical	Pass
5	499.605	22.14	-17.40	46.0	23.86	Peak	311.60	100	Vertical	Pass
6	959.755	31.88	-7.58	46.0	14.12	Peak	360.00	100	Vertical	Pass

1-18G

WIFI2.4G-B- Low channel-Horizontal-TX

Test result

Project Number: Test

Test Time: 2023-12-13_14.32.53

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1187.750	47.75	-13.73	74.0	26.25	Peak	177.10	100	Horizontal	Pass
1**	1187.750	42.01	-13.73	54.0	11.99	AV	177.10	100	Horizontal	Pass
2	1410.750	51.10	-12.71	74.0	22.90	Peak	193.50	100	Horizontal	Pass
2**	1410.750	46.51	-12.71	54.0	7.49	AV	193.50	100	Horizontal	Pass
3	1741.000	52.42	-12.55	74.0	21.58	Peak	161.50	100	Horizontal	Pass
3**	1741.000	37.50	-12.55	54.0	16.50	AV	161.50	100	Horizontal	Pass
4	2391.500	48.46	-5.22	74.0	25.54	Peak	259.80	100	Horizontal	Pass
4**	2391.500	40.75	-5.22	54.0	13.25	AV	259.80	100	Horizontal	Pass
5	4048.000	49.50	-1.52	74.0	24.50	Peak	0.00	100	Horizontal	Pass
5**	4048.000	38.09	-1.52	54.0	15.91	AV	0.00	100	Horizontal	Pass
6	6908.000	55.90	4.14	74.0	18.10	Peak	0.00	100	Horizontal	Pass
6**	6908.000	46.03	4.14	54.0	7.97	AV	0.00	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_15.00.24

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8804.000	35.76	4.17	74.0	38.24	Peak	285.30	100	Horizontal	Pass
1**	8804.000	25.82	4.17	54.0	28.18	AV	285.30	100	Horizontal	Pass
2	9917.750	39.65	8.98	74.0	34.35	Peak	222.00	100	Horizontal	Pass
2**	9917.750	30.09	8.98	54.0	23.91	AV	222.00	100	Horizontal	Pass
3	11276.250	42.61	11.40	74.0	31.39	Peak	157.20	100	Horizontal	Pass
3**	11276.250	32.96	11.40	54.0	21.04	AV	157.20	100	Horizontal	Pass
4	13217.750	46.21	13.26	74.0	27.79	Peak	351.10	100	Horizontal	Pass
4**	13217.750	35.81	13.26	54.0	18.19	AV	351.10	100	Horizontal	Pass
5	14185.750	49.93	18.59	74.0	24.07	Peak	110.30	100	Horizontal	Pass
5**	14185.750	39.92	18.59	54.0	14.08	AV	110.30	100	Horizontal	Pass
6	17826.750	57.81	23.17	74.0	16.19	Peak	351.10	100	Horizontal	Pass
6**	17826.750	47.63	23.17	54.0	6.37	AV	351.10	100	Horizontal	Pass

WIFI2.4G-B-Low channel-Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-13_13.46.25

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1188.500	47.26	-13.72	74.0	26.74	Peak	191.00	100	Vertical	Pass
1**	1188.500	41.29	-13.72	54.0	12.71	AV	191.00	100	Vertical	Pass
2	1329.250	50.70	-12.95	74.0	23.30	Peak	19.00	100	Vertical	Pass
2**	1329.250	36.07	-12.95	54.0	17.93	AV	19.00	100	Vertical	Pass
3	1648.500	52.14	-12.90	74.0	21.86	Peak	204.00	100	Vertical	Pass
3**	1648.500	32.90	-12.90	54.0	21.10	AV	204.00	100	Vertical	Pass
4	2391.500	48.56	-5.22	74.0	25.44	Peak	159.30	100	Vertical	Pass
4**	2391.500	41.14	-5.22	54.0	12.86	AV	159.30	100	Vertical	Pass
5	3619.000	47.71	-2.38	74.0	26.29	Peak	75.90	100	Vertical	Pass
5**	3619.000	37.82	-2.38	54.0	16.18	AV	75.90	100	Vertical	Pass
6	5183.000	51.69	0.25	74.0	22.31	Peak	75.90	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.19.10

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9406.250	37.54	6.71	74.0	36.46	Peak	115.10	100	Vertical	Pass
1**	9406.250	27.85	6.71	54.0	26.15	AV	115.10	100	Vertical	Pass
2	10052.500	39.64	8.36	74.0	34.36	Peak	246.80	100	Vertical	Pass
2**	10052.500	28.60	8.36	54.0	25.40	AV	246.80	100	Vertical	Pass
3	11246.000	42.83	10.99	74.0	31.17	Peak	246.80	100	Vertical	Pass
3**	11246.000	33.18	10.99	54.0	20.82	AV	246.80	100	Vertical	Pass
4	12483.500	43.71	11.50	74.0	30.29	Peak	194.40	100	Vertical	Pass
4**	12483.500	33.87	11.50	54.0	20.13	AV	194.40	100	Vertical	Pass
5	14177.500	50.42	18.32	74.0	23.58	Peak	178.00	100	Vertical	Pass
5**	14177.500	40.26	18.32	54.0	13.74	AV	178.00	100	Vertical	Pass
6	17843.249	58.45	23.45	74.0	15.55	Peak	194.40	100	Vertical	Pass

WIFI2.4G-B-Middle channel-Horizontal-TX

Test result

Project Number: Test

Test Time: 2023-12-13_14.35.31

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1188.000	47.54	-13.73	74.0	26.46	Peak	167.10	100	Horizontal	Pass
1**	1188.000	43.04	-13.73	54.0	10.96	AV	167.10	100	Horizontal	Pass
2	1410.250	51.50	-12.71	74.0	22.50	Peak	184.20	100	Horizontal	Pass
2**	1410.250	40.95	-12.71	54.0	13.05	AV	184.20	100	Horizontal	Pass
3	1631.750	51.30	-12.93	74.0	22.70	Peak	201.30	100	Horizontal	Pass
3**	1631.750	33.02	-12.93	54.0	20.98	AV	201.30	100	Horizontal	Pass
4	2438.250	50.90	-5.44	74.0	23.10	Peak	201.30	100	Horizontal	Pass
4**	2438.250	45.25	-5.44	54.0	8.75	AV	201.30	100	Horizontal	Pass
5	3996.500	49.40	-1.83	74.0	24.60	Peak	204.60	100	Horizontal	Pass
5**	3996.500	39.17	-1.83	54.0	14.83	AV	204.60	100	Horizontal	Pass
6	4874.000	52.02	-0.84	74.0	21.98	Peak	187.50	100	Horizontal	Pass
6**	4874.000	46.47	-0.84	54.0	7.53	AV	187.50	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.35.11

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8443.750	34.06	2.80	74.0	39.94	Peak	356.90	100	Horizontal	Pass
1**	8443.750	22.83	2.80	54.0	31.17	AV	356.90	100	Horizontal	Pass
2	10542.000	41.65	9.47	74.0	32.35	Peak	360.00	100	Horizontal	Pass
2**	10542.000	30.99	9.47	54.0	23.01	AV	360.00	100	Horizontal	Pass
3	12414.750	45.17	11.82	74.0	28.83	Peak	92.30	100	Horizontal	Pass
3**	12414.750	34.59	11.82	54.0	19.41	AV	92.30	100	Horizontal	Pass
4	14196.750	50.30	18.48	74.0	23.70	Peak	294.40	100	Horizontal	Pass
4**	14196.750	40.15	18.48	54.0	13.85	AV	294.40	100	Horizontal	Pass
5	17463.751	54.29	21.24	74.0	19.71	Peak	153.00	100	Horizontal	Pass
5**	17463.751	44.12	21.24	54.0	9.88	AV	153.00	100	Horizontal	Pass
6	17994.500	61.03	29.67	74.0	12.97	Peak	277.30	100	Horizontal	Pass
6**	17994.500	52.34	29.67	54.0	1.66	AV	277.30	100	Horizontal	Pass

WiFi2.4G-B-Middle channel-Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-13_13.51.49

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1030.250	45.24	-14.30	74.0	28.76	Peak	249.80	100	Vertical	Pass
1**	1030.250	36.88	-14.30	54.0	17.12	AV	249.80	100	Vertical	Pass
2	1333.000	51.44	-12.93	74.0	22.56	Peak	311.20	100	Vertical	Pass
2**	1333.000	35.51	-12.93	54.0	18.49	AV	311.20	100	Vertical	Pass
3	1665.750	52.63	-12.93	74.0	21.37	Peak	295.90	100	Vertical	Pass
3**	1665.750	33.55	-12.93	54.0	20.45	AV	295.90	100	Vertical	Pass
4	2438.250	51.13	-5.44	74.0	22.87	Peak	172.40	100	Vertical	Pass
4**	2438.250	43.82	-5.44	54.0	10.18	AV	172.40	100	Vertical	Pass
5	3618.000	48.66	-2.40	74.0	25.34	Peak	0.90	100	Vertical	Pass
5**	3618.000	37.99	-2.40	54.0	16.01	AV	0.90	100	Vertical	Pass
6	6753.000	55.36	3.83	74.0	18.64	Peak	0.90	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.11.59

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8042.250	34.25	3.82	74.0	39.75	Peak	189.80	100	Vertical	Pass
1**	8042.250	23.59	3.82	54.0	30.41	AV	189.80	100	Vertical	Pass
2	9887.500	39.63	8.55	74.0	34.37	Peak	251.20	100	Vertical	Pass
2**	9887.500	29.23	8.55	54.0	24.77	AV	251.20	100	Vertical	Pass
3	11218.500	43.20	10.64	74.0	30.80	Peak	360.00	100	Vertical	Pass
3**	11218.500	32.58	10.64	54.0	21.42	AV	360.00	100	Vertical	Pass
4	14169.250	49.86	18.05	74.0	24.14	Peak	17.50	100	Vertical	Pass
4**	14169.250	39.86	18.05	54.0	14.14	AV	17.50	100	Vertical	Pass
5	14460.750	50.78	16.95	74.0	23.22	Peak	17.50	100	Vertical	Pass
5**	14460.750	39.72	16.95	54.0	14.28	AV	17.50	100	Vertical	Pass
6	17991.750	62.07	29.49	74.0	11.93	Peak	17.50	100	Vertical	Pass

WiFi2.4G-B-High channel-Horizontal-TX


Test result

Project Number: Test

Test Time: 2023-12-13_14.38.49

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): N.A
 Hum.: N.A

Test Engineer: ZY
 Test Standard: FCC
 Work Addition: TX
 Load: Full load
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1188.250	49.16	-13.72	74.0	24.84	Peak	171.30	100	Horizontal	Pass
1**	1188.250	41.63	-13.72	54.0	12.37	AV	171.30	100	Horizontal	Pass
2	1410.750	52.57	-12.71	74.0	21.43	Peak	185.50	100	Horizontal	Pass
2**	1410.750	45.74	-12.71	54.0	8.26	AV	185.50	100	Horizontal	Pass
3	1744.750	51.28	-12.60	74.0	22.72	Peak	156.80	100	Horizontal	Pass
3**	1744.750	36.97	-12.60	54.0	17.03	AV	156.80	100	Horizontal	Pass
4	2460.000	50.39	-5.84	74.0	23.61	Peak	185.50	100	Horizontal	Pass
4**	2460.000	44.47	-5.84	54.0	9.53	AV	185.50	100	Horizontal	Pass
5	4310.500	48.67	-2.17	74.0	25.33	Peak	111.20	100	Horizontal	Pass
5**	4310.500	38.48	-2.17	54.0	15.52	AV	111.20	100	Horizontal	Pass
6	6625.000	55.59	3.46	74.0	18.41	Peak	157.40	100	Horizontal	Pass
6**	6625.000	44.91	3.46	54.0	9.09	AV	157.40	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.46.06

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7957.000	34.36	2.75	74.0	39.64	Peak	110.70	100	Horizontal	Pass
1**	7957.000	23.37	2.75	54.0	30.63	AV	110.70	100	Horizontal	Pass
2	9972.750	40.31	8.58	74.0	33.69	Peak	110.70	100	Horizontal	Pass
2**	9972.750	29.35	8.58	54.0	24.65	AV	110.70	100	Horizontal	Pass
3	11248.750	43.50	11.03	74.0	30.50	Peak	49.30	100	Horizontal	Pass
3**	11248.750	33.35	11.03	54.0	20.65	AV	49.30	100	Horizontal	Pass
4	13190.250	45.41	13.18	74.0	28.59	Peak	110.70	100	Horizontal	Pass
4**	13190.250	36.23	13.18	54.0	17.77	AV	110.70	100	Horizontal	Pass
5	14749.500	49.92	17.81	74.0	24.08	Peak	238.00	100	Horizontal	Pass
5**	14749.500	40.26	17.81	54.0	13.74	AV	238.00	100	Horizontal	Pass
6	17455.499	54.56	21.04	74.0	19.44	Peak	268.90	100	Horizontal	Pass
6**	17455.499	43.84	21.04	54.0	10.16	AV	268.90	100	Horizontal	Pass

WiFi2.4G-B-High channel-Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-13_13.54.40

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1039.250	47.80	-14.32	74.0	26.20	Peak	172.20	100	Vertical	Pass
1**	1039.250	42.80	-14.32	54.0	11.20	AV	172.20	100	Vertical	Pass
2	1329.250	51.47	-12.95	74.0	22.53	Peak	0.00	100	Vertical	Pass
2**	1329.250	36.67	-12.95	54.0	17.33	AV	0.00	100	Vertical	Pass
3	1626.250	51.94	-12.95	74.0	22.06	Peak	172.20	100	Vertical	Pass
3**	1626.250	31.94	-12.95	54.0	22.06	AV	172.20	100	Vertical	Pass
4	1856.500	51.70	-12.13	74.0	22.30	Peak	188.60	100	Vertical	Pass
4**	1856.500	42.46	-12.13	54.0	11.54	AV	188.60	100	Vertical	Pass
5	2457.000	49.02	-5.79	74.0	24.98	Peak	140.20	100	Vertical	Pass
5**	2457.000	38.81	-5.79	54.0	15.19	AV	140.20	100	Vertical	Pass
6	4043.000	50.73	-1.57	74.0	23.27	Peak	190.10	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.01.37

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8025.750	33.99	3.54	74.0	40.01	Peak	314.10	100	Vertical	Pass
1**	8025.750	23.74	3.54	54.0	30.26	AV	314.10	100	Vertical	Pass
2	10517.250	41.77	9.38	74.0	32.23	Peak	314.10	100	Vertical	Pass
2**	10517.250	30.49	9.38	54.0	23.51	AV	314.10	100	Vertical	Pass
3	11870.250	43.10	11.40	74.0	30.90	Peak	62.20	100	Vertical	Pass
3**	11870.250	33.05	11.40	54.0	20.95	AV	62.20	100	Vertical	Pass
4	14185.750	49.25	18.59	74.0	24.75	Peak	125.10	100	Vertical	Pass
4**	14185.750	40.83	18.59	54.0	13.17	AV	125.10	100	Vertical	Pass
5	17444.499	54.05	20.81	74.0	19.95	Peak	187.60	100	Vertical	Pass
5**	17444.499	44.35	20.81	54.0	9.65	AV	187.60	100	Vertical	Pass
6	17988.999	60.71	29.31	74.0	13.29	Peak	249.70	100	Vertical	Pass

WIFI2.4G-G-Low channel-Horizontal-TX

Test result

Project Number: Test

Test Time: 2023-12-13_14.42.07

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1188.500	50.01	-13.72	74.0	23.99	Peak	133.90	100	Horizontal	Pass
1**	1188.500	40.63	-13.72	54.0	13.37	AV	133.90	100	Horizontal	Pass
2	1410.750	53.60	-12.71	74.0	20.40	Peak	133.90	100	Horizontal	Pass
2**	1410.750	47.37	-12.71	54.0	6.63	AV	133.90	100	Horizontal	Pass
3	1697.250	52.22	-12.95	74.0	21.78	Peak	133.90	100	Horizontal	Pass
3**	1697.250	33.00	-12.95	54.0	21.00	AV	133.90	100	Horizontal	Pass
4	2327.000	51.29	-8.13	74.0	22.71	Peak	149.90	100	Horizontal	Pass
4**	2327.000	36.35	-8.13	54.0	17.65	AV	149.90	100	Horizontal	Pass
5	4047.000	48.85	-1.53	74.0	25.15	Peak	73.60	100	Horizontal	Pass
5**	4047.000	38.74	-1.53	54.0	15.26	AV	73.60	100	Horizontal	Pass
6	5595.000	52.66	0.65	74.0	21.34	Peak	40.90	100	Horizontal	Pass
6**	5595.000	41.84	0.65	54.0	12.16	AV	40.90	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.22.34

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8515.250	34.22	2.92	74.0	39.78	Peak	46.20	100	Horizontal	Pass
1**	8515.250	23.79	2.92	54.0	30.21	AV	46.20	100	Horizontal	Pass
2	10181.750	40.27	8.31	74.0	33.73	Peak	249.00	100	Horizontal	Pass
2**	10181.750	29.63	8.31	54.0	24.37	AV	249.00	100	Horizontal	Pass
3	11864.750	43.40	11.40	74.0	30.60	Peak	249.00	100	Horizontal	Pass
3**	11864.750	32.82	11.40	54.0	21.18	AV	249.00	100	Horizontal	Pass
4	13209.500	45.55	13.23	74.0	28.45	Peak	360.00	100	Horizontal	Pass
4**	13209.500	35.72	13.23	54.0	18.28	AV	360.00	100	Horizontal	Pass
5	14807.250	51.32	17.37	74.0	22.68	Peak	0.00	100	Horizontal	Pass
5**	14807.250	39.47	17.37	54.0	14.53	AV	0.00	100	Horizontal	Pass
6	17994.500	61.74	29.67	74.0	12.26	Peak	188.40	100	Horizontal	Pass
6**	17994.500	51.98	29.67	54.0	2.02	AV	188.40	100	Horizontal	Pass

WiFi2.4G-G-Low channel-Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-13_13.57.44

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1188.000	46.64	-13.73	74.0	27.36	Peak	184.70	100	Vertical	Pass
1**	1188.000	42.37	-13.73	54.0	11.63	AV	184.70	100	Vertical	Pass
2	1329.500	50.94	-12.95	74.0	23.06	Peak	10.90	100	Vertical	Pass
2**	1329.500	34.36	-12.95	54.0	19.64	AV	10.90	100	Vertical	Pass
3	1657.000	52.35	-12.88	74.0	21.65	Peak	150.40	100	Vertical	Pass
3**	1657.000	40.99	-12.88	54.0	13.01	AV	150.40	100	Vertical	Pass
4	1991.250	53.00	-11.05	74.0	21.00	Peak	10.90	100	Vertical	Pass
4**	1991.250	36.61	-11.05	54.0	17.39	AV	10.90	100	Vertical	Pass
5	3401.000	47.58	-5.22	74.0	26.42	Peak	162.20	100	Vertical	Pass
5**	3401.000	37.84	-5.22	54.0	16.16	AV	162.20	100	Vertical	Pass
6	5562.500	52.52	0.33	74.0	21.48	Peak	54.30	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.17.35

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8050.500	34.27	3.79	74.0	39.73	Peak	44.70	100	Vertical	Pass
1**	8050.500	23.63	3.79	54.0	30.37	AV	44.70	100	Vertical	Pass
2	9898.500	39.97	8.73	74.0	34.03	Peak	358.30	100	Vertical	Pass
2**	9898.500	29.63	8.73	54.0	24.37	AV	358.30	100	Vertical	Pass
3	11633.750	43.15	10.36	74.0	30.85	Peak	297.00	100	Vertical	Pass
3**	11633.750	32.77	10.36	54.0	21.23	AV	297.00	100	Vertical	Pass
4	12469.750	44.26	11.84	74.0	29.74	Peak	0.00	100	Vertical	Pass
4**	12469.750	34.18	11.84	54.0	19.82	AV	0.00	100	Vertical	Pass
5	14166.500	49.66	17.96	74.0	24.34	Peak	122.80	100	Vertical	Pass
5**	14166.500	39.65	17.96	54.0	14.35	AV	122.80	100	Vertical	Pass
6	17991.750	61.37	29.49	74.0	12.63	Peak	44.70	100	Vertical	Pass

WIFI2.4G-G-Middle channel-Horizontal-TX

Test result


Project Number: Test

Test Time: 2023-12-13_14.46.08

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): N.A
 Hum.: N.A

Test Engineer: ZY
 Test Standard: FCC
 Work Addition: TX
 Load: Full load
 Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1187.750	48.76	-13.73	74.0	25.24	Peak	176.50	100	Horizontal	Pass
1**	1187.750	40.96	-13.73	54.0	13.04	AV	176.50	100	Horizontal	Pass
2	1410.500	51.59	-12.71	74.0	22.41	Peak	191.40	100	Horizontal	Pass
2**	1410.500	45.37	-12.71	54.0	8.63	AV	191.40	100	Horizontal	Pass
3	1732.250	54.74	-12.44	74.0	19.26	Peak	143.30	100	Horizontal	Pass
3**	1732.250	38.43	-12.44	54.0	15.57	AV	143.30	100	Horizontal	Pass
4	2666.750	54.68	-6.49	74.0	19.32	Peak	191.40	100	Horizontal	Pass
4**	2666.750	35.58	-6.49	54.0	18.42	AV	191.40	100	Horizontal	Pass
5	5770.000	52.02	1.38	74.0	21.98	Peak	0.00	100	Horizontal	Pass
5**	5770.000	41.87	1.38	54.0	12.13	AV	0.00	100	Horizontal	Pass
6	6487.500	55.50	2.87	74.0	18.50	Peak	40.50	100	Horizontal	Pass
6**	6487.500	43.94	2.87	54.0	10.06	AV	40.50	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.38.27

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8047.750	34.85	3.85	74.0	39.15	Peak	12.00	100	Horizontal	Pass
1**	8047.750	23.97	3.85	54.0	30.03	AV	12.00	100	Horizontal	Pass
2	9981.000	39.80	8.51	74.0	34.20	Peak	312.70	100	Horizontal	Pass
2**	9981.000	29.58	8.51	54.0	24.42	AV	312.70	100	Horizontal	Pass
3	11226.750	42.63	10.74	74.0	31.37	Peak	12.00	100	Horizontal	Pass
3**	11226.750	33.00	10.74	54.0	21.00	AV	12.00	100	Horizontal	Pass
4	13157.250	45.74	13.12	74.0	28.26	Peak	63.30	100	Horizontal	Pass
4**	13157.250	35.40	13.12	54.0	18.60	AV	63.30	100	Horizontal	Pass
5	14672.500	50.14	16.91	74.0	23.86	Peak	360.00	100	Horizontal	Pass
5**	14672.500	39.67	16.91	54.0	14.33	AV	360.00	100	Horizontal	Pass
6	17851.501	58.22	23.52	74.0	15.78	Peak	251.60	100	Horizontal	Pass
6**	17851.501	47.17	23.52	54.0	6.83	AV	251.60	100	Horizontal	Pass

WiFi2.4G-G-Middle channel-Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-13_14.00.35

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1031.750	47.29	-14.30	74.0	26.71	Peak	248.30	100	Vertical	Pass
1**	1031.750	37.45	-14.30	54.0	16.55	AV	248.30	100	Vertical	Pass
2	1328.750	54.66	-12.95	74.0	19.34	Peak	233.40	100	Vertical	Pass
2**	1328.750	42.30	-12.95	54.0	11.70	AV	233.40	100	Vertical	Pass
3	1673.750	50.02	-13.02	74.0	23.98	Peak	360.00	100	Vertical	Pass
3**	1673.750	35.13	-13.02	54.0	18.87	AV	360.00	100	Vertical	Pass
4	2438.500	48.54	-5.44	74.0	25.46	Peak	153.80	100	Vertical	Pass
4**	2438.500	38.29	-5.44	54.0	15.71	AV	153.80	100	Vertical	Pass
5	4628.000	50.19	-1.16	74.0	23.81	Peak	360.00	100	Vertical	Pass
5**	4628.000	39.27	-1.16	54.0	14.73	AV	360.00	100	Vertical	Pass
6	6809.500	55.71	4.11	74.0	18.29	Peak	0.00	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.09.07

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7954.250	35.27	2.72	74.0	38.73	Peak	62.60	100	Vertical	Pass
1**	7954.250	23.95	2.72	54.0	30.05	AV	62.60	100	Vertical	Pass
2	10099.250	40.36	8.54	74.0	33.64	Peak	154.90	100	Vertical	Pass
2**	10099.250	29.76	8.54	54.0	24.24	AV	154.90	100	Vertical	Pass
3	12412.000	44.52	11.81	74.0	29.48	Peak	62.60	100	Vertical	Pass
3**	12412.000	34.16	11.81	54.0	19.84	AV	62.60	100	Vertical	Pass
4	14730.250	50.16	17.59	74.0	23.84	Peak	237.20	100	Vertical	Pass
4**	14730.250	39.85	17.59	54.0	14.15	AV	237.20	100	Vertical	Pass
5	17491.249	53.79	21.63	74.0	20.21	Peak	360.00	100	Vertical	Pass
5**	17491.249	44.57	21.63	54.0	9.43	AV	360.00	100	Vertical	Pass
6	17991.750	60.48	29.49	74.0	13.52	Peak	360.00	100	Vertical	Pass

WIFI2.4G-G-High channel-Horizontal-TX

Test result

Project Number: Test

Test Time: 2023-12-13_14.48.32

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1188.000	47.26	-13.73	74.0	26.74	Peak	185.00	100	Horizontal	Pass
1**	1188.000	41.20	-13.73	54.0	12.80	AV	185.00	100	Horizontal	Pass
2	1411.000	50.54	-12.71	74.0	23.46	Peak	185.00	100	Horizontal	Pass
2**	1411.000	43.62	-12.71	54.0	10.38	AV	185.00	100	Horizontal	Pass
3	1734.250	52.67	-12.46	74.0	21.33	Peak	185.00	100	Horizontal	Pass
3**	1734.250	35.01	-12.46	54.0	18.99	AV	185.00	100	Horizontal	Pass
4	2324.750	49.98	-8.03	74.0	24.02	Peak	201.70	100	Horizontal	Pass
4**	2324.750	36.46	-8.03	54.0	17.54	AV	201.70	100	Horizontal	Pass
5	4584.000	49.54	-1.45	74.0	24.46	Peak	119.80	100	Horizontal	Pass
5**	4584.000	39.48	-1.45	54.0	14.52	AV	119.80	100	Horizontal	Pass
6	6681.500	55.75	3.55	74.0	18.25	Peak	282.00	100	Horizontal	Pass
6**	6681.500	44.86	3.55	54.0	9.14	AV	282.00	100	Horizontal	Pass


Test result

Project Number: Test

Test Time: 2023-12-10_14.47.27

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): N.A
 Hum.: N.A

Test Engineer: CJY
 Test Standard: FCC
 Work Addition: TX
 Load: Full load
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8034.000	35.21	3.68	74.0	38.79	Peak	360.00	100	Horizontal	Pass
1**	8034.000	24.31	3.68	54.0	29.69	AV	360.00	100	Horizontal	Pass
2	9920.500	40.03	8.96	74.0	33.97	Peak	139.30	100	Horizontal	Pass
2**	9920.500	29.87	8.96	54.0	24.13	AV	139.30	100	Horizontal	Pass
3	11237.750	42.98	10.89	74.0	31.02	Peak	200.70	100	Horizontal	Pass
3**	11237.750	32.95	10.89	54.0	21.05	AV	200.70	100	Horizontal	Pass
4	13223.250	45.18	13.27	74.0	28.82	Peak	74.50	100	Horizontal	Pass
4**	13223.250	35.64	13.27	54.0	18.36	AV	74.50	100	Horizontal	Pass
5	14480.000	50.05	17.01	74.0	23.95	Peak	326.80	100	Horizontal	Pass
5**	14480.000	40.10	17.01	54.0	13.90	AV	326.80	100	Horizontal	Pass
6	17846.000	58.41	23.47	74.0	15.59	Peak	267.60	100	Horizontal	Pass
6**	17846.000	47.95	23.47	54.0	6.05	AV	267.60	100	Horizontal	Pass

WIFI2.4G-G-High channel-Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-13_14.03.35

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1188.500	47.32	-13.72	74.0	26.68	Peak	215.90	100	Vertical	Pass
1**	1188.500	42.26	-13.72	54.0	11.74	AV	215.90	100	Vertical	Pass
2	1331.750	50.80	-12.93	74.0	23.20	Peak	327.20	100	Vertical	Pass
2**	1331.750	35.10	-12.93	54.0	18.90	AV	327.20	100	Vertical	Pass
3	1632.000	49.54	-12.93	74.0	24.46	Peak	250.90	100	Vertical	Pass
3**	1632.000	35.13	-12.93	54.0	18.87	AV	250.90	100	Vertical	Pass
4	2400.500	47.86	-4.68	74.0	26.14	Peak	327.20	100	Vertical	Pass
4**	2400.500	39.27	-4.68	54.0	14.73	AV	327.20	100	Vertical	Pass
5	4040.000	49.96	-1.58	74.0	24.04	Peak	67.70	100	Vertical	Pass
5**	4040.000	38.78	-1.58	54.0	15.22	AV	67.70	100	Vertical	Pass
6	6934.500	56.53	4.20	74.0	17.47	Peak	0.00	100	Vertical	Pass


Test result

Project Number: Test

Test Time: 2023-12-10_13.48.51

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): N.A
 Hum.: N.A

Test Engineer: CJY
 Test Standard: FCC
 Work Addition: TX
 Load: Full load
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9923.250	40.20	8.94	74.0	33.80	Peak	311.10	100	Vertical	Pass
1**	9923.250	30.33	8.94	54.0	23.67	AV	311.10	100	Vertical	Pass
2	11100.250	42.30	9.57	74.0	31.70	Peak	152.80	100	Vertical	Pass
2**	11100.250	31.72	9.57	54.0	22.28	AV	152.80	100	Vertical	Pass
3	12442.250	44.76	11.86	74.0	29.24	Peak	169.60	100	Vertical	Pass
3**	12442.250	34.75	11.86	54.0	19.25	AV	169.60	100	Vertical	Pass
4	13184.750	45.18	13.17	74.0	28.82	Peak	152.80	100	Vertical	Pass
4**	13184.750	36.40	13.17	54.0	17.60	AV	152.80	100	Vertical	Pass
5	14763.250	50.63	17.97	74.0	23.37	Peak	1.50	100	Vertical	Pass
5**	14763.250	39.73	17.97	54.0	14.27	AV	1.50	100	Vertical	Pass
6	17999.999	62.17	30.03	74.0	11.83	Peak	1.50	100	Vertical	Pass

WiFi2.4G-N-Low channel-Horizontal-TX

Test result

Project Number: Test

Test Time: 2023-12-13_14.56.57

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1187.750	49.11	-13.73	74.0	24.89	Peak	94.80	100	Horizontal	Pass
1**	1187.750	41.23	-13.73	54.0	12.77	AV	94.80	100	Horizontal	Pass
2	1411.000	50.45	-12.71	74.0	23.55	Peak	186.40	100	Horizontal	Pass
2**	1411.000	43.46	-12.71	54.0	10.54	AV	186.40	100	Horizontal	Pass
3	1750.750	53.33	-12.51	74.0	20.67	Peak	153.60	100	Horizontal	Pass
3**	1750.750	37.64	-12.51	54.0	16.36	AV	153.60	100	Horizontal	Pass
4	2390.500	49.75	-6.16	74.0	24.25	Peak	202.40	100	Horizontal	Pass
4**	2390.500	38.55	-6.16	54.0	15.45	AV	202.40	100	Horizontal	Pass
5	3733.500	47.80	-2.66	74.0	26.20	Peak	90.00	100	Horizontal	Pass
5**	3733.500	37.35	-2.66	54.0	16.65	AV	90.00	100	Horizontal	Pass
6	6858.500	55.66	4.07	74.0	18.34	Peak	41.60	100	Horizontal	Pass
6**	6858.500	44.91	4.07	54.0	9.09	AV	41.60	100	Horizontal	Pass


Test result

Project Number: Test

Test Time: 2023-12-10_14.54.10

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): N.A
 Hum.: N.A

Test Engineer: CJY
 Test Standard: FCC
 Work Addition: TX
 Load: Full load
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9189.000	38.00	6.02	74.0	36.00	Peak	175.00	100	Horizontal	Pass
1**	9189.000	26.70	6.02	54.0	27.30	AV	175.00	100	Horizontal	Pass
2	10146.000	40.05	8.42	74.0	33.95	Peak	223.40	100	Horizontal	Pass
2**	10146.000	30.48	8.42	54.0	23.52	AV	223.40	100	Horizontal	Pass
3	11488.000	42.37	11.05	74.0	31.63	Peak	95.80	100	Horizontal	Pass
3**	11488.000	32.46	11.05	54.0	21.54	AV	95.80	100	Horizontal	Pass
4	13209.500	45.01	13.23	74.0	28.99	Peak	49.60	100	Horizontal	Pass
4**	13209.500	35.10	13.23	54.0	18.90	AV	49.60	100	Horizontal	Pass
5	14188.500	50.65	18.65	74.0	23.35	Peak	223.40	100	Horizontal	Pass
5**	14188.500	40.63	18.65	54.0	13.37	AV	223.40	100	Horizontal	Pass
6	17975.251	61.10	28.42	74.0	12.90	Peak	175.00	100	Horizontal	Pass
6**	17975.251	50.32	28.42	54.0	3.68	AV	175.00	100	Horizontal	Pass

WiFi2.4G-N-Low channel-Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-13_14.13.25

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1187.500	47.07	-13.74	74.0	26.93	Peak	154.20	100	Vertical	Pass
1**	1187.500	39.35	-13.74	54.0	14.65	AV	154.20	100	Vertical	Pass
2	1332.500	50.91	-12.93	74.0	23.09	Peak	314.50	100	Vertical	Pass
2**	1332.500	30.38	-12.93	54.0	23.62	AV	314.50	100	Vertical	Pass
3	1582.250	48.80	-13.07	74.0	25.20	Peak	154.20	100	Vertical	Pass
3**	1582.250	32.49	-13.07	54.0	21.51	AV	154.20	100	Vertical	Pass
4	2398.500	48.18	-4.63	74.0	25.82	Peak	360.00	100	Vertical	Pass
4**	2398.500	39.51	-4.63	54.0	14.49	AV	360.00	100	Vertical	Pass
5	4114.500	48.53	-1.82	74.0	25.47	Peak	0.00	100	Vertical	Pass
5**	4114.500	37.94	-1.82	54.0	16.06	AV	0.00	100	Vertical	Pass
6	6821.000	55.85	4.09	74.0	18.15	Peak	84.40	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.15.42

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8837.000	36.34	4.38	74.0	37.66	Peak	360.00	100	Vertical	Pass
1**	8837.000	25.36	4.38	54.0	28.64	AV	360.00	100	Vertical	Pass
2	10192.750	39.87	8.30	74.0	34.13	Peak	328.70	100	Vertical	Pass
2**	10192.750	29.75	8.30	54.0	24.25	AV	328.70	100	Vertical	Pass
3	11246.000	44.10	10.99	74.0	29.90	Peak	264.70	100	Vertical	Pass
3**	11246.000	33.07	10.99	54.0	20.93	AV	264.70	100	Vertical	Pass
4	13129.750	45.89	13.04	74.0	28.11	Peak	122.50	100	Vertical	Pass
4**	13129.750	35.50	13.04	54.0	18.50	AV	122.50	100	Vertical	Pass
5	14513.000	50.20	16.70	74.0	23.80	Peak	139.60	100	Vertical	Pass
5**	14513.000	40.12	16.70	54.0	13.88	AV	139.60	100	Vertical	Pass
6	17999.999	62.02	30.03	74.0	11.98	Peak	139.60	100	Vertical	Pass

WiFi2.4G-N-Middle channel-Horizontal-TX

Test result

Project Number: Test

Test Time: 2023-12-13_14.53.55

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1187.750	48.31	-13.73	74.0	25.69	Peak	200.90	100	Horizontal	Pass
1**	1187.750	40.96	-13.73	54.0	13.04	AV	200.90	100	Horizontal	Pass
2	1410.500	51.02	-12.71	74.0	22.98	Peak	184.20	100	Horizontal	Pass
2**	1410.500	43.29	-12.71	54.0	10.71	AV	184.20	100	Horizontal	Pass
3	1754.500	52.20	-12.42	74.0	21.80	Peak	154.10	100	Horizontal	Pass
3**	1754.500	37.35	-12.42	54.0	16.65	AV	154.10	100	Horizontal	Pass
4	2322.500	48.42	-7.92	74.0	25.58	Peak	154.10	100	Horizontal	Pass
4**	2322.500	37.85	-7.92	54.0	16.15	AV	154.10	100	Horizontal	Pass
5	3611.500	47.91	-2.59	74.0	26.09	Peak	0.00	100	Horizontal	Pass
5**	3611.500	37.32	-2.59	54.0	16.68	AV	0.00	100	Horizontal	Pass
6	6659.000	55.23	3.59	74.0	18.77	Peak	0.00	100	Horizontal	Pass
6**	6659.000	45.05	3.59	54.0	8.95	AV	0.00	100	Horizontal	Pass


Test result

Project Number: Test

Test Time: 2023-12-10_14.52.15

EUT Name: N.A
 Manufacturer: N.A
 Model: N.A
 Temp.(oC): N.A
 Hum.: N.A

Test Engineer: CJY
 Test Standard: FCC
 Work Addition: TX
 Load: Full load
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9153.250	37.54	6.37	74.0	36.46	Peak	45.40	100	Horizontal	Pass
1**	9153.250	27.05	6.37	54.0	26.95	AV	45.40	100	Horizontal	Pass
2	11158.000	42.98	10.04	74.0	31.02	Peak	108.30	100	Horizontal	Pass
2**	11158.000	32.30	10.04	54.0	21.70	AV	108.30	100	Horizontal	Pass
3	13165.500	46.16	13.13	74.0	27.84	Peak	356.70	100	Horizontal	Pass
3**	13165.500	35.70	13.13	54.0	18.30	AV	356.70	100	Horizontal	Pass
4	14383.750	49.88	15.93	74.0	24.12	Peak	108.30	100	Horizontal	Pass
4**	14383.750	38.31	15.93	54.0	15.69	AV	108.30	100	Horizontal	Pass
5	14799.000	49.94	17.48	74.0	24.06	Peak	0.00	100	Horizontal	Pass
5**	14799.000	39.42	17.48	54.0	14.58	AV	0.00	100	Horizontal	Pass
6	17843.249	56.80	23.45	74.0	17.20	Peak	233.70	100	Horizontal	Pass
6**	17843.249	48.12	23.45	54.0	5.88	AV	233.70	100	Horizontal	Pass

WiFi2.4G-N-Middle channel-Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-13_14.10.41

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1039.500	45.96	-14.33	74.0	28.04	Peak	144.80	100	Vertical	Pass
1**	1039.500	40.22	-14.33	54.0	13.78	AV	144.80	100	Vertical	Pass
2	1327.750	51.21	-12.96	74.0	22.79	Peak	0.00	100	Vertical	Pass
2**	1327.750	35.08	-12.96	54.0	18.92	AV	0.00	100	Vertical	Pass
3	1626.750	50.89	-12.94	74.0	23.11	Peak	301.90	100	Vertical	Pass
3**	1626.750	32.51	-12.94	54.0	21.49	AV	301.90	100	Vertical	Pass
4	1991.750	49.71	-11.04	74.0	24.29	Peak	23.90	100	Vertical	Pass
4**	1991.750	36.34	-11.04	54.0	17.66	AV	23.90	100	Vertical	Pass
5	3654.000	47.90	-2.22	74.0	26.10	Peak	26.70	100	Vertical	Pass
5**	3654.000	37.95	-2.22	54.0	16.05	AV	26.70	100	Vertical	Pass
6	6374.500	54.58	2.61	74.0	19.42	Peak	26.70	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.07.18

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

R Emission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8498.750	34.01	2.91	74.0	39.99	Peak	160.80	100	Vertical	Pass
1**	8498.750	24.43	2.91	54.0	29.57	AV	160.80	100	Vertical	Pass
2	9920.500	39.65	8.96	74.0	34.35	Peak	360.00	100	Vertical	Pass
2**	9920.500	29.97	8.96	54.0	24.03	AV	360.00	100	Vertical	Pass
3	10833.500	42.16	10.04	74.0	31.84	Peak	189.90	100	Vertical	Pass
3**	10833.500	31.95	10.04	54.0	22.05	AV	189.90	100	Vertical	Pass
4	13193.000	46.26	13.19	74.0	27.74	Peak	0.20	100	Vertical	Pass
4**	13193.000	35.45	13.19	54.0	18.55	AV	0.20	100	Vertical	Pass
5	14768.750	50.12	17.92	74.0	23.88	Peak	189.90	100	Vertical	Pass
5**	14768.750	40.19	17.92	54.0	13.81	AV	189.90	100	Vertical	Pass
6	17986.251	61.07	29.13	74.0	12.93	Peak	360.00	100	Vertical	Pass

WiFi2.4G-N-High channel-Horizontal-TX

Test result

Project Number: Test

Test Time: 2023-12-13_14.50.45

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.250	47.56	-14.10	74.0	26.44	Peak	170.30	100	Horizontal	Pass
1**	1113.250	39.09	-14.10	54.0	14.91	AV	170.30	100	Horizontal	Pass
2	1411.250	51.80	-12.71	74.0	22.20	Peak	186.30	100	Horizontal	Pass
2**	1411.250	42.53	-12.71	54.0	11.47	AV	186.30	100	Horizontal	Pass
3	1745.000	50.01	-12.60	74.0	23.99	Peak	142.40	100	Horizontal	Pass
3**	1745.000	35.20	-12.60	54.0	18.80	AV	142.40	100	Horizontal	Pass
4	2495.250	49.53	-6.50	74.0	24.47	Peak	170.30	100	Horizontal	Pass
4**	2495.250	37.99	-6.50	54.0	16.01	AV	170.30	100	Horizontal	Pass
5	4054.500	48.80	-1.44	74.0	25.20	Peak	0.00	100	Horizontal	Pass
5**	4054.500	38.91	-1.44	54.0	15.09	AV	0.00	100	Horizontal	Pass
6	6843.500	56.68	4.06	74.0	17.32	Peak	92.60	100	Horizontal	Pass
6**	6843.500	45.68	4.06	54.0	8.32	AV	92.60	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.26.41

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8787.500	35.39	4.06	74.0	38.61	Peak	313.70	100	Horizontal	Pass
1**	8787.500	24.89	4.06	54.0	29.11	AV	313.70	100	Horizontal	Pass
2	10583.250	40.65	9.46	74.0	33.35	Peak	44.70	100	Horizontal	Pass
2**	10583.250	30.02	9.46	54.0	23.98	AV	44.70	100	Horizontal	Pass
3	11270.750	43.58	11.33	74.0	30.42	Peak	313.70	100	Horizontal	Pass
3**	11270.750	33.08	11.33	54.0	20.92	AV	313.70	100	Horizontal	Pass
4	14510.250	50.50	16.73	74.0	23.50	Peak	0.00	100	Horizontal	Pass
4**	14510.250	40.16	16.73	54.0	13.84	AV	0.00	100	Horizontal	Pass
5	17474.750	53.97	21.50	74.0	20.03	Peak	44.70	100	Horizontal	Pass
5**	17474.750	44.77	21.50	54.0	9.23	AV	44.70	100	Horizontal	Pass
6	17991.750	60.45	29.49	74.0	13.55	Peak	201.70	100	Horizontal	Pass
6**	17991.750	51.97	29.49	54.0	2.03	AV	201.70	100	Horizontal	Pass

WiFi2.4G-N-High channel-Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-13_14.07.36

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1039.750	48.44	-14.33	74.0	25.56	Peak	168.30	100	Vertical	Pass
1**	1039.750	41.89	-14.33	54.0	12.11	AV	168.30	100	Vertical	Pass
2	1329.500	51.74	-12.95	74.0	22.26	Peak	0.00	100	Vertical	Pass
2**	1329.500	35.90	-12.95	54.0	18.10	AV	0.00	100	Vertical	Pass
3	1686.500	51.50	-13.02	74.0	22.50	Peak	168.30	100	Vertical	Pass
3**	1686.500	32.51	-13.02	54.0	21.49	AV	168.30	100	Vertical	Pass
4	2456.500	49.25	-5.79	74.0	24.75	Peak	184.30	100	Vertical	Pass
4**	2456.500	38.00	-5.79	54.0	16.00	AV	184.30	100	Vertical	Pass
5	4054.500	48.22	-1.44	74.0	25.78	Peak	40.90	100	Vertical	Pass
5**	4054.500	37.73	-1.44	54.0	16.27	AV	40.90	100	Vertical	Pass
6	6387.000	54.45	2.65	74.0	19.55	Peak	71.80	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_13.41.03

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

R Emission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7954.250	33.14	2.72	74.0	40.86	Peak	50.80	100	Vertical	Pass
1**	7954.250	23.95	2.72	54.0	30.05	AV	50.80	100	Vertical	Pass
2	10151.500	40.82	8.38	74.0	33.18	Peak	360.00	100	Vertical	Pass
2**	10151.500	31.31	8.38	54.0	22.69	AV	360.00	100	Vertical	Pass
3	11259.750	42.58	11.18	74.0	31.42	Peak	297.60	100	Vertical	Pass
3**	11259.750	32.96	11.18	54.0	21.04	AV	297.60	100	Vertical	Pass
4	13223.250	45.92	13.27	74.0	28.08	Peak	332.60	100	Vertical	Pass
4**	13223.250	35.80	13.27	54.0	18.20	AV	332.60	100	Vertical	Pass
5	14711.000	50.16	17.37	74.0	23.84	Peak	115.40	100	Vertical	Pass
5**	14711.000	40.08	17.37	54.0	13.92	AV	115.40	100	Vertical	Pass
6	17988.999	61.32	29.31	74.0	12.68	Peak	50.80	100	Vertical	Pass

WIFI2.4G-N40-Low channel-Horizontal-TX

Test result

Project Number: Test

Test Time: 2023-12-13_14.26.42

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1187.750	50.70	-13.73	74.0	23.30	Peak	122.60	100	Horizontal	Pass
1**	1187.750	41.01	-13.73	54.0	12.99	AV	122.60	100	Horizontal	Pass
2	1332.000	51.66	-12.93	74.0	22.34	Peak	219.00	100	Horizontal	Pass
2**	1332.000	35.00	-12.93	54.0	19.00	AV	219.00	100	Horizontal	Pass
3	1411.000	51.95	-12.71	74.0	22.05	Peak	187.80	100	Horizontal	Pass
3**	1411.000	44.19	-12.71	54.0	9.81	AV	187.80	100	Horizontal	Pass
4	1857.000	51.14	-12.12	74.0	22.86	Peak	233.60	100	Horizontal	Pass
4**	1857.000	40.55	-12.12	54.0	13.45	AV	233.60	100	Horizontal	Pass
5	2388.500	50.26	-6.79	74.0	23.74	Peak	187.80	100	Horizontal	Pass
5**	2388.500	39.48	-6.79	54.0	14.52	AV	187.80	100	Horizontal	Pass
6	3627.000	47.94	-2.23	74.0	26.06	Peak	346.40	100	Horizontal	Pass
6**	3627.000	38.59	-2.23	54.0	15.41	AV	346.40	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.49.58

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8509.750	33.99	2.92	74.0	40.01	Peak	163.10	100	Horizontal	Pass
1**	8509.750	24.12	2.92	54.0	29.88	AV	163.10	100	Horizontal	Pass
2	10129.500	39.84	8.53	74.0	34.16	Peak	114.30	100	Horizontal	Pass
2**	10129.500	30.10	8.53	54.0	23.90	AV	114.30	100	Horizontal	Pass
3	11870.250	43.14	11.40	74.0	30.86	Peak	228.60	100	Horizontal	Pass
3**	11870.250	33.21	11.40	54.0	20.79	AV	228.60	100	Horizontal	Pass
4	13204.000	45.66	13.22	74.0	28.34	Peak	275.50	100	Horizontal	Pass
4**	13204.000	35.84	13.22	54.0	18.16	AV	275.50	100	Horizontal	Pass
5	14766.000	49.90	17.95	74.0	24.10	Peak	114.30	100	Horizontal	Pass
5**	14766.000	40.72	17.95	54.0	13.28	AV	114.30	100	Horizontal	Pass
6	17876.251	57.70	23.86	74.0	16.30	Peak	228.60	100	Horizontal	Pass
6**	17876.251	47.23	23.86	54.0	6.77	AV	228.60	100	Horizontal	Pass

WIFI2.4G-N40-Low channel-Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-13_14.15.55

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.500	44.28	-14.10	74.0	29.72	Peak	360.00	100	Vertical	Pass
1**	1113.500	39.21	-14.10	54.0	14.79	AV	360.00	100	Vertical	Pass
2	1328.250	49.67	-12.95	74.0	24.33	Peak	360.00	100	Vertical	Pass
2**	1328.250	34.42	-12.95	54.0	19.58	AV	360.00	100	Vertical	Pass
3	1594.750	49.95	-13.07	74.0	24.05	Peak	282.10	100	Vertical	Pass
3**	1594.750	32.31	-13.07	54.0	21.69	AV	282.10	100	Vertical	Pass
4	2401.000	48.23	-4.69	74.0	25.77	Peak	248.60	100	Vertical	Pass
4**	2401.000	38.89	-4.69	54.0	15.11	AV	248.60	100	Vertical	Pass
5	3591.500	46.89	-2.99	74.0	27.11	Peak	0.00	100	Vertical	Pass
5**	3591.500	38.21	-2.99	54.0	15.79	AV	0.00	100	Vertical	Pass
6	6738.500	54.94	3.70	74.0	19.06	Peak	0.00	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.13.50

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8834.250	35.48	4.36	74.0	38.52	Peak	122.50	100	Vertical	Pass
1**	8834.250	25.63	4.36	54.0	28.37	AV	122.50	100	Vertical	Pass
2	9909.500	40.07	8.89	74.0	33.93	Peak	242.80	100	Vertical	Pass
2**	9909.500	30.32	8.89	54.0	23.68	AV	242.80	100	Vertical	Pass
3	11273.500	42.94	11.37	74.0	31.06	Peak	122.50	100	Vertical	Pass
3**	11273.500	32.74	11.37	54.0	21.26	AV	122.50	100	Vertical	Pass
4	12469.750	44.01	11.84	74.0	29.99	Peak	122.50	100	Vertical	Pass
4**	12469.750	34.18	11.84	54.0	19.82	AV	122.50	100	Vertical	Pass
5	14183.000	49.91	18.50	74.0	24.09	Peak	0.00	100	Vertical	Pass
5**	14183.000	40.10	18.50	54.0	13.90	AV	0.00	100	Vertical	Pass
6	17496.750	55.19	21.54	74.0	18.81	Peak	63.00	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-13_14.24.14

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.750	46.12	-13.89	74.0	27.88	Peak	124.40	100	Horizontal	Pass
1**	1161.750	35.84	-13.89	54.0	18.16	AV	124.40	100	Horizontal	Pass
2	1411.250	52.02	-12.71	74.0	21.98	Peak	190.60	100	Horizontal	Pass
2**	1411.250	44.89	-12.71	54.0	9.11	AV	190.60	100	Horizontal	Pass
3	1741.250	53.51	-12.55	74.0	20.49	Peak	124.40	100	Horizontal	Pass
3**	1741.250	40.00	-12.55	54.0	14.00	AV	124.40	100	Horizontal	Pass
4	2078.750	49.90	-9.62	74.0	24.10	Peak	205.50	100	Horizontal	Pass
4**	2078.750	42.26	-9.62	54.0	11.74	AV	205.50	100	Horizontal	Pass
5	4046.500	49.93	-1.54	74.0	24.07	Peak	0.00	100	Horizontal	Pass
5**	4046.500	39.07	-1.54	54.0	14.93	AV	0.00	100	Horizontal	Pass
6	6268.500	54.97	2.09	74.0	19.03	Peak	44.20	100	Horizontal	Pass
6**	6268.500	43.65	2.09	54.0	10.35	AV	44.20	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.36.39

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8507.000	33.28	2.92	74.0	40.72	Peak	0.00	100	Horizontal	Pass
1**	8507.000	23.73	2.92	54.0	30.27	AV	0.00	100	Horizontal	Pass
2	9882.000	39.76	8.46	74.0	34.24	Peak	223.80	100	Horizontal	Pass
2**	9882.000	30.46	8.46	54.0	23.54	AV	223.80	100	Horizontal	Pass
3	11859.250	43.80	11.37	74.0	30.20	Peak	0.00	100	Horizontal	Pass
3**	11859.250	32.88	11.37	54.0	21.12	AV	0.00	100	Horizontal	Pass
4	13146.250	45.74	13.09	74.0	28.26	Peak	113.30	100	Horizontal	Pass
4**	13146.250	35.57	13.09	54.0	18.43	AV	113.30	100	Horizontal	Pass
5	14188.500	50.76	18.65	74.0	23.24	Peak	173.90	100	Horizontal	Pass
5**	14188.500	40.58	18.65	54.0	13.42	AV	173.90	100	Horizontal	Pass
6	17994.500	61.17	29.67	74.0	12.83	Peak	286.30	100	Horizontal	Pass
6**	17994.500	52.19	29.67	54.0	1.81	AV	286.30	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2023-12-13_14.18.33

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1187.750	48.08	-13.73	74.0	25.92	Peak	190.90	100	Vertical	Pass
1**	1187.750	42.06	-13.73	54.0	11.94	AV	190.90	100	Vertical	Pass
2	1329.250	50.45	-12.95	74.0	23.55	Peak	21.60	100	Vertical	Pass
2**	1329.250	36.89	-12.95	54.0	17.11	AV	21.60	100	Vertical	Pass
3	1643.750	51.74	-12.90	74.0	22.26	Peak	296.30	100	Vertical	Pass
3**	1643.750	36.05	-12.90	54.0	17.95	AV	296.30	100	Vertical	Pass
4	1992.250	50.78	-11.04	74.0	23.22	Peak	190.90	100	Vertical	Pass
4**	1992.250	35.88	-11.04	54.0	18.12	AV	190.90	100	Vertical	Pass
5	5019.000	51.49	-0.99	74.0	22.51	Peak	42.40	100	Vertical	Pass
5**	5019.000	39.11	-0.99	54.0	14.89	AV	42.40	100	Vertical	Pass
6	6913.500	56.93	4.14	74.0	17.07	Peak	89.60	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_13.58.35

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8064.250	34.02	3.50	74.0	39.98	Peak	360.00	100	Vertical	Pass
1**	8064.250	23.96	3.50	54.0	30.04	AV	360.00	100	Vertical	Pass
2	10113.000	40.77	8.61	74.0	33.23	Peak	128.90	100	Vertical	Pass
2**	10113.000	30.05	8.61	54.0	23.95	AV	128.90	100	Vertical	Pass
3	13143.500	46.19	13.08	74.0	27.81	Peak	112.50	100	Vertical	Pass
3**	13143.500	35.32	13.08	54.0	18.68	AV	112.50	100	Vertical	Pass
4	14183.000	50.19	18.50	74.0	23.81	Peak	0.00	100	Vertical	Pass
4**	14183.000	40.66	18.50	54.0	13.34	AV	0.00	100	Vertical	Pass
5	14741.250	50.43	17.72	74.0	23.57	Peak	360.00	100	Vertical	Pass
5**	14741.250	39.78	17.72	54.0	14.22	AV	360.00	100	Vertical	Pass
6	17994.500	61.46	29.67	74.0	12.54	Peak	193.00	100	Vertical	Pass

WIFI2.4G-N40-High channel-Horizontal-TX

Test result

Project Number: Test

Test Time: 2023-12-13_14.30.01

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.000	48.30	-13.80	74.0	25.70	Peak	155.60	100	Horizontal	Pass
1**	1164.000	35.14	-13.80	54.0	18.86	AV	155.60	100	Horizontal	Pass
2	1411.250	51.68	-12.71	74.0	22.32	Peak	186.90	100	Horizontal	Pass
2**	1411.250	45.20	-12.71	54.0	8.80	AV	186.90	100	Horizontal	Pass
3	1751.250	52.03	-12.50	74.0	21.97	Peak	155.60	100	Horizontal	Pass
3**	1751.250	36.55	-12.50	54.0	17.45	AV	155.60	100	Horizontal	Pass
4	2496.000	55.79	-6.52	74.0	18.21	Peak	186.90	100	Horizontal	Pass
4**	2496.000	44.28	-6.52	54.0	9.72	AV	186.90	100	Horizontal	Pass
5	3656.500	47.90	-2.24	74.0	26.10	Peak	0.00	100	Horizontal	Pass
5**	3656.500	38.38	-2.24	54.0	15.62	AV	0.00	100	Horizontal	Pass
6	6792.000	55.74	4.14	74.0	18.26	Peak	141.70	100	Horizontal	Pass
6**	6792.000	46.25	4.14	54.0	7.75	AV	141.70	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.41.11

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8485.000	34.17	2.89	74.0	39.83	Peak	175.10	100	Horizontal	Pass
1**	8485.000	23.52	2.89	54.0	30.48	AV	175.10	100	Horizontal	Pass
2	9915.000	40.70	8.98	74.0	33.30	Peak	299.80	100	Horizontal	Pass
2**	9915.000	30.09	8.98	54.0	23.91	AV	299.80	100	Horizontal	Pass
3	12335.000	44.08	11.42	74.0	29.92	Peak	78.00	100	Horizontal	Pass
3**	12335.000	33.56	11.42	54.0	20.44	AV	78.00	100	Horizontal	Pass
4	13182.000	46.04	13.17	74.0	27.96	Peak	0.00	100	Horizontal	Pass
4**	13182.000	35.74	13.17	54.0	18.26	AV	0.00	100	Horizontal	Pass
5	14196.750	50.44	18.48	74.0	23.56	Peak	237.30	100	Horizontal	Pass
5**	14196.750	40.55	18.48	54.0	13.45	AV	237.30	100	Horizontal	Pass
6	17964.249	60.61	27.70	74.0	13.39	Peak	359.00	100	Horizontal	Pass
6**	17964.249	50.32	27.70	54.0	3.68	AV	359.00	100	Horizontal	Pass

WIFI2.4G-N40-High channel-Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-13_13.40.40

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1188.250	47.66	-13.72	74.0	26.34	Peak	201.40	100	Vertical	Pass
1**	1188.250	41.56	-13.72	54.0	12.44	AV	201.40	100	Vertical	Pass
2	1328.000	50.76	-12.96	74.0	23.24	Peak	360.00	100	Vertical	Pass
2**	1328.000	35.07	-12.96	54.0	18.93	AV	360.00	100	Vertical	Pass
3	1855.750	51.82	-12.14	74.0	22.18	Peak	201.40	100	Vertical	Pass
3**	1855.750	38.60	-12.14	54.0	15.40	AV	201.40	100	Vertical	Pass
4	2490.250	48.46	-6.41	74.0	25.54	Peak	167.10	100	Vertical	Pass
4**	2490.250	38.27	-6.41	54.0	15.73	AV	167.10	100	Vertical	Pass
5	3665.500	47.79	-2.35	74.0	26.21	Peak	87.00	100	Vertical	Pass
5**	3665.500	37.97	-2.35	54.0	16.03	AV	87.00	100	Vertical	Pass
6	6840.000	56.06	4.06	74.0	17.94	Peak	59.10	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_14.03.49

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8025.750	34.37	3.54	74.0	39.63	Peak	50.40	100	Vertical	Pass
1**	8025.750	23.74	3.54	54.0	30.26	AV	50.40	100	Vertical	Pass
2	9461.250	37.93	6.81	74.0	36.07	Peak	360.00	100	Vertical	Pass
2**	9461.250	27.48	6.81	54.0	26.52	AV	360.00	100	Vertical	Pass
3	10891.250	41.47	10.20	74.0	32.53	Peak	98.80	100	Vertical	Pass
3**	10891.250	32.18	10.20	54.0	21.82	AV	98.80	100	Vertical	Pass
4	14196.750	49.89	18.48	74.0	24.11	Peak	305.30	100	Vertical	Pass
4**	14196.750	39.92	18.48	54.0	14.08	AV	305.30	100	Vertical	Pass
5	17417.001	54.79	20.27	74.0	19.21	Peak	360.00	100	Vertical	Pass
5**	17417.001	44.49	20.27	54.0	9.51	AV	360.00	100	Vertical	Pass
6	17991.750	61.50	29.49	74.0	12.50	Peak	163.20	100	Vertical	Pass

WIFI2.4G-Bandedge -B-Low channel- Horizontal –TX

Test result

Project Number: Test

Test Time: 2023-12-13_13.33.23

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.08	-10.27	74.0	23.92	Peak	332.10	100	H	Pass
1**	2390.000	42.34	-10.27	54.0	11.66	AV	332.10	100	H	Pass

WIFI2.4G-Bandedge -B-Low channel- Vertical -TX

Test result

Project Number: Test

Test Time: 2023-12-13_11.21.34

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.74	-10.27	74.0	19.26	Peak	120.10	100	V	Pass
1**	2390.000	47.61	-10.27	54.0	6.39	AV	120.10	100	V	Pass

WIFI2.4G-Bandedge -B-High channel- Horizontal -TX

Test result

Project Number: Test

Test Time: 2023-12-13_13.34.56

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.19	-9.82	74.0	21.81	Peak	174.00	100	H	Pass
1**	2483.500	45.06	-9.82	54.0	8.94	AV	174.00	100	H	Pass

WIFI2.4G-Bandedge -B-High channel- Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-13_11.24.10

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.99	-9.82	74.0	15.01	Peak	231.90	100	V	Pass
1**	2483.500	52.95	-9.82	54.0	1.05	AV	231.90	100	V	Pass

WiFi2.4G-Bandedge -G-Low channel- Horizontal -TX

Test result

Project Number: Test

Test Time: 2023-12-13_13.31.42

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.62	-10.27	74.0	19.38	Peak	156.70	100	H	Pass
1**	2390.000	45.12	-10.27	54.0	8.88	AV	156.70	100	H	Pass

WiFi2.4G-Bandedge -G-Low channel- Vertical -TX

Test result

Project Number: Test

Test Time: 2023-12-13_11.32.22

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.80	-10.27	74.0	24.20	Peak	240.00	100	V	Pass
1**	2390.000	41.77	-10.27	54.0	12.23	AV	240.00	100	V	Pass

WiFi2.4G-Bandedge -G-High channel- Horizontal -TX

Test result

Project Number: Test

Test Time: 2023-12-13_13.29.16

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

R Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.69	-9.82	74.0	19.31	Peak	144.50	100	H	Pass
1**	2483.500	45.69	-9.82	54.0	8.31	AV	144.50	100	H	Pass

WiFi2.4G-Bandedge -G-High channel- Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-13_11.30.21

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.84	-9.82	74.0	17.16	Peak	242.10	100	V	Pass
1**	2483.500	47.50	-9.82	54.0	6.50	AV	242.10	100	V	Pass

WIFI2.4G-Bandedge -N-Low channel- Horizontal –TX

Test result

Project Number: Test

Test Time: 2023-12-13_13.20.40

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.78	-10.27	74.0	22.22	Peak	125.79	100	H	Pass
1**	2390.000	43.69	-10.27	54.0	10.31	AV	125.79	100	H	Pass

WiFi2.4G-Bandedge -N-Low channel- Vertical -TX

Test result

Project Number: Test

Test Time: 2023-12-13_11.40.08

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.54	-10.27	74.0	19.46	Peak	122.80	100	V	Pass
1**	2390.000	44.71	-10.27	54.0	9.29	AV	122.80	100	V	Pass

WiFi2.4G-Bandedge -N-High channel- Horizontal -TX

Test result

Project Number: Test

Test Time: 2023-12-13_13.22.33

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	67.55	-9.82	74.0	6.45	Peak	265.20	100	H	Pass
1**	2483.500	47.17	-9.82	54.0	6.83	AV	265.20	100	H	Pass

WiFi2.4G-Bandedge -N-High channel- Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-13_11.43.38

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.19	-9.82	74.0	20.81	Peak	132.80	100	V	Pass
1**	2483.500	43.79	-9.82	54.0	10.21	AV	132.80	100	V	Pass


WiFi2.4G-Bandedge -N40-Low channel- Horizontal -TX

Test result

Project Number: Test

Full load

EUT Name:	N.A	Test Engineer:	ZY
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	TX
Temp.(oC):	N.A	Load:	
Hum.:	N.A	Remark:	DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.05	-10.27	74.0	21.95	Peak	161.96	100	H	Pass
1**	2390.000	42.70	-10.27	54.0	11.30	AV	161.96	100	H	Pass

WiFi2.4G-Bandedge -N40-Low channel- Vertical -TX

Test result

Project Number: Test

Test Time: 2023-12-13_11.50.37

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.57	-10.27	74.0	19.43	Peak	122.00	100	V	Pass
1**	2390.000	45.71	-10.27	54.0	8.29	AV	122.00	100	V	Pass

WiFi2.4G-Bandedge –N40-High channel- Horizontal -TX

Test result

Project Number: Test

Test Time: 2023-12-13_13.37.40

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

RÉmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.50	-9.82	74.0	17.50	Peak	221.60	100	V	Pass
1**	2483.500	46.85	-9.82	54.0	7.15	AV	221.60	100	V	Pass

WiFi2.4G-Bandedge –N40-High channel- Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-13_13.10.41

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.35	-9.82	74.0	14.65	Peak	287.50	100	H	Pass
1**	2483.500	49.64	-9.82	54.0	4.36	AV	287.50	100	H	Pass