

## EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

30M-1G

WIFI5GB1 -Horizontal-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_10.08.00

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	31.212	16.57	-28.34	40.0	23.43	Peak	226.10	100	Horizontal	Pass
2	62.002	20.38	-25.92	40.0	19.62	Peak	289.80	100	Horizontal	Pass
3	124.794	16.64	-28.09	43.5	26.86	Peak	356.30	100	Horizontal	Pass
4	275.834	33.30	-23.18	46.0	12.70	Peak	23.30	100	Horizontal	Pass
5	431.965	17.57	-18.91	46.0	28.43	Peak	262.20	100	Horizontal	Pass
6	959.513	30.10	-7.59	46.0	15.90	Peak	143.20	100	Horizontal	Pass

WiFi5GB1 - Vertical -TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_10.09.28

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.485	23.22	-25.94	40.0	16.78	Peak	153.80	100	Vertical	Pass
2	61.760	31.26	-25.85	40.0	8.74	Peak	315.60	100	Vertical	Pass
3	81.397	28.23	-30.58	40.0	11.77	Peak	281.40	100	Vertical	Pass
4	124.794	22.66	-28.09	43.5	20.84	Peak	311.50	100	Vertical	Pass
5	275.834	36.32	-23.18	46.0	9.68	Peak	358.20	100	Vertical	Pass
6	479.968	21.71	-18.01	46.0	24.29	Peak	309.30	100	Vertical	Pass

1G-18G

WIFI5GB1-A-Low channel-Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_14.25.09

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.000	41.73	-14.57	74.0	32.27	Peak	360.00	100	Horizontal	Pass
1**	1329.000	27.88	-14.57	54.0	26.12	AV	360.00	100	Horizontal	Pass
2	1656.500	40.98	-14.86	68.2	27.22	Peak	360.00	100	Horizontal	Pass
2**	1656.500	32.60	-14.86	--	-32.60	AV	360.00	100	Horizontal	N/A
3	2132.000	45.36	-11.45	68.2	22.84	Peak	100.20	100	Horizontal	Pass
3**	2132.000	30.96	-11.45	--	-30.96	AV	100.20	100	Horizontal	N/A
4	3926.500	51.77	0.53	74.0	22.23	Peak	0.00	100	Horizontal	Pass
4**	3926.500	40.13	0.53	54.0	13.87	AV	0.00	100	Horizontal	Pass
5	5273.500	58.92	8.35	--	-58.92	Peak	0.00	100	Horizontal	N/A
5**	5273.500	48.91	8.35	--	-48.91	AV	0.00	100	Horizontal	N/A
6	6903.000	60.74	8.85	68.2	7.46	Peak	135.40	100	Horizontal	Pass
6**	6903.000	49.89	8.85	--	-49.89	AV	135.40	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.31.15

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7954.250	30.20	7.72	68.2	38.00	Peak	0.00	100	Horizontal	Pass
1**	7954.250	21.24	7.72	--	-21.24	AV	0.00	100	Horizontal	N/A
2	10212.000	34.87	13.28	68.2	33.33	Peak	49.90	100	Horizontal	Pass
2**	10212.000	26.10	13.28	--	-26.10	AV	49.90	100	Horizontal	N/A
3	12497.250	38.63	16.17	74.0	35.37	Peak	173.50	100	Horizontal	Pass
3**	12497.250	30.21	16.17	54.0	23.79	AV	173.50	100	Horizontal	Pass
4	14667.000	45.01	21.82	68.2	23.19	Peak	173.50	100	Horizontal	Pass
4**	14667.000	37.07	21.82	--	-37.07	AV	173.50	100	Horizontal	N/A
5	15885.250	40.57	16.81	74.0	33.43	Peak	143.00	100	Horizontal	Pass
5**	15885.250	31.78	16.81	54.0	22.22	AV	143.00	100	Horizontal	Pass
6	17945.000	54.89	31.42	74.0	19.11	Peak	206.20	100	Horizontal	Pass
6**	17945.000	45.78	31.42	54.0	8.22	AV	206.20	100	Horizontal	Pass

WIFI5GB1-A-Low channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_13.32.09

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

R:Emission Test case\_FCC\_Part 15E\_FCC 15.407(5G)\_1GHz-7GHz 5G\_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	40.15	-15.71	74.0	33.85	Peak	360.00	100	Vertical	Pass
1**	1113.750	33.60	-15.71	54.0	20.40	AV	360.00	100	Vertical	Pass
2	1328.250	42.65	-14.59	74.0	31.35	Peak	249.00	100	Vertical	Pass
2**	1328.250	28.41	-14.59	54.0	25.59	AV	249.00	100	Vertical	Pass
3	2162.500	44.46	-11.03	68.2	23.74	Peak	61.50	100	Vertical	Pass
3**	2162.500	32.36	-11.03	--	-32.36	AV	61.50	100	Vertical	N/A
4	2666.750	47.45	-9.09	68.2	20.75	Peak	185.40	100	Vertical	Pass
4**	2666.750	34.10	-9.09	--	-34.10	AV	185.40	100	Vertical	N/A
5	4539.500	51.62	2.33	74.0	22.38	Peak	60.20	100	Vertical	Pass
5**	4539.500	41.76	2.33	54.0	12.24	AV	60.20	100	Vertical	Pass
6	5192.000	59.03	8.06	--	1.17	Peak	60.20	100	Vertical	Pass

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.26.28

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7998.250	29.43	8.10	68.2	38.77	Peak	360.00	100	Vertical	Pass
1**	7998.250	20.30	8.10	--	-20.30	AV	360.00	100	Vertical	N/A
2	9942.500	34.81	13.81	68.2	33.39	Peak	173.50	100	Vertical	Pass
2**	9942.500	25.58	13.81	--	-25.58	AV	173.50	100	Vertical	N/A
3	11290.000	37.44	16.51	74.0	36.56	Peak	296.30	100	Vertical	Pass
3**	11290.000	28.66	16.51	54.0	25.34	AV	296.30	100	Vertical	Pass
4	13897.000	42.69	19.50	68.2	25.51	Peak	360.00	100	Vertical	Pass
4**	13897.000	33.18	19.50	--	-33.18	AV	360.00	100	Vertical	N/A
5	14779.750	44.91	22.76	68.2	23.29	Peak	265.10	100	Vertical	Pass
5**	14779.750	35.63	22.76	--	-35.63	AV	265.10	100	Vertical	N/A
6	17441.749	48.89	25.75	68.2	19.31	Peak	173.50	100	Vertical	Pass

WIFI5GB1-A-Middle channel- Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_14.27.13

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)\_1GHz-7GHz 5G\_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.000	44.27	-14.51	74.0	29.73	Peak	1.20	100	Horizontal	Pass
1**	1333.000	29.04	-14.51	54.0	24.96	AV	1.20	100	Horizontal	Pass
2	1657.500	42.85	-14.87	68.2	25.35	Peak	342.40	100	Horizontal	Pass
2**	1657.500	34.86	-14.87	--	-34.86	AV	342.40	100	Horizontal	N/A
3	2159.000	45.74	-11.05	68.2	22.46	Peak	293.70	100	Horizontal	Pass
3**	2159.000	32.72	-11.05	--	-32.72	AV	293.70	100	Horizontal	N/A
4	3050.000	46.96	-3.24	68.2	21.24	Peak	9.60	100	Horizontal	Pass
4**	3050.000	37.61	-3.24	--	-37.61	AV	9.60	100	Horizontal	N/A
5	3909.500	51.67	0.09	74.0	22.33	Peak	236.20	100	Horizontal	Pass
5**	3909.500	39.85	0.09	54.0	14.15	AV	236.20	100	Horizontal	Pass
6	5254.500	59.44	8.27	--	-49.84	Peak	9.60	100	Horizontal	N/A
6**	5254.500	48.86	8.27	--	-48.86	AV	9.60	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.32.45

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7987.250	28.28	8.01	68.2	39.92	Peak	168.60	100	Horizontal	Pass
1**	7987.250	19.10	8.01	--	-19.10	AV	168.60	100	Horizontal	N/A
2	8999.250	32.06	11.73	68.2	36.14	Peak	219.20	100	Horizontal	Pass
2**	8999.250	21.59	11.73	--	-21.59	AV	219.20	100	Horizontal	N/A
3	10038.750	35.30	13.31	68.2	32.90	Peak	266.10	100	Horizontal	Pass
3**	10038.750	24.47	13.31	--	-24.47	AV	266.10	100	Horizontal	N/A
4	12326.750	38.83	16.39	74.0	35.17	Peak	360.00	100	Horizontal	Pass
4**	12326.750	28.85	16.39	54.0	25.15	AV	360.00	100	Horizontal	Pass
5	14174.750	45.93	23.23	68.2	22.27	Peak	74.40	100	Horizontal	Pass
5**	14174.750	37.31	23.23	--	-37.31	AV	74.40	100	Horizontal	N/A
6	17474.750	49.04	26.50	68.2	19.16	Peak	168.60	100	Horizontal	Pass
6**	17474.750	40.01	26.50	--	-40.01	AV	168.60	100	Horizontal	N/A



## WiFi5GB1-A-Middle channel-Vertical-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_13.35.20

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	39.66	-15.71	74.0	34.34	Peak	360.00	100	Vertical	Pass
1**	1113.750	33.27	-15.71	54.0	20.73	AV	360.00	100	Vertical	Pass
2	1327.250	45.81	-14.60	74.0	28.19	Peak	248.30	100	Vertical	Pass
2**	1327.250	30.14	-14.60	54.0	23.86	AV	248.30	100	Vertical	Pass
3	2157.000	43.86	-11.06	68.2	24.34	Peak	310.10	100	Vertical	Pass
3**	2157.000	32.05	-11.06	--	-32.05	AV	310.10	100	Vertical	N/A
4	3157.000	47.33	-2.29	68.2	20.87	Peak	104.90	100	Vertical	Pass
4**	3157.000	36.75	-2.29	--	-36.75	AV	104.90	100	Vertical	N/A
5	4125.500	51.40	1.19	74.0	22.60	Peak	122.40	100	Vertical	Pass
5**	4125.500	40.06	1.19	54.0	13.94	AV	122.40	100	Vertical	Pass
6	5277.000	58.31	8.36	--	64.09	Peak	122.40	100	Vertical	Pass

## Test result

Project Number: Test

Test Time: 2024-01-16\_16.28.20

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8061.500	28.36	8.56	74.0	45.64	Peak	292.60	100	Vertical	Pass
1**	8061.500	19.29	8.56	54.0	34.71	AV	292.60	100	Vertical	Pass
2	10550.250	35.49	14.48	68.2	32.71	Peak	44.40	100	Vertical	Pass
2**	10550.250	25.90	14.48	--	-25.90	AV	44.40	100	Vertical	N/A
3	12401.000	39.05	16.79	74.0	34.95	Peak	260.60	100	Vertical	Pass
3**	12401.000	30.46	16.79	54.0	23.54	AV	260.60	100	Vertical	Pass
4	13578.000	39.80	18.74	68.2	28.40	Peak	105.40	100	Vertical	Pass
4**	13578.000	31.05	18.74	--	-31.05	AV	105.40	100	Vertical	N/A
5	14727.500	44.71	22.56	68.2	23.49	Peak	292.60	100	Vertical	Pass
5**	14727.500	35.65	22.56	--	-35.65	AV	292.60	100	Vertical	N/A
6	17488.501	49.07	26.68	68.2	19.13	Peak	0.00	100	Vertical	Pass

WIFI5GB1-A-High channel-Horizontal-TX


# Test result

Project Number: Test

Test Time: 2024-01-16\_14.29.45

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.250	41.05	-14.57	74.0	32.95	Peak	360.00	100	Horizontal	Pass
1**	1329.250	28.17	-14.57	54.0	25.83	AV	360.00	100	Horizontal	Pass
2	1656.000	42.81	-14.85	68.2	25.39	Peak	282.50	100	Horizontal	Pass
2**	1656.000	36.54	-14.85	--	-36.54	AV	282.50	100	Horizontal	N/A
3	2168.500	45.08	-11.00	68.2	23.12	Peak	282.50	100	Horizontal	Pass
3**	2168.500	31.55	-11.00	--	-31.55	AV	282.50	100	Horizontal	N/A
4	3382.500	48.11	-2.11	68.2	20.09	Peak	101.20	100	Horizontal	Pass
4**	3382.500	37.37	-2.11	--	-37.37	AV	101.20	100	Horizontal	N/A
5	5218.000	58.49	8.12	--	139.81	Peak	198.30	100	Horizontal	Pass
5**	5218.000	48.52	8.12	--	-48.52	AV	198.30	100	Horizontal	N/A
6	6380.000	57.90	6.88	68.2	10.30	Peak	164.10	100	Horizontal	Pass
6**	6380.000	47.84	6.88	--	-47.84	AV	164.10	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.34.01

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8045.000	28.10	8.87	74.0	45.90	Peak	46.20	100	Horizontal	Pass
1**	8045.000	20.39	8.87	54.0	33.61	AV	46.20	100	Horizontal	Pass
2	9876.500	33.74	13.38	68.2	34.46	Peak	76.00	100	Horizontal	Pass
2**	9876.500	26.26	13.38	--	-26.26	AV	76.00	100	Horizontal	N/A
3	11185.500	37.99	15.30	74.0	36.01	Peak	174.60	100	Horizontal	Pass
3**	11185.500	27.85	15.30	54.0	26.15	AV	174.60	100	Horizontal	Pass
4	13756.750	41.05	18.92	68.2	27.15	Peak	46.20	100	Horizontal	Pass
4**	13756.750	33.26	18.92	--	-33.26	AV	46.20	100	Horizontal	N/A
5	14521.250	45.40	21.64	68.2	22.80	Peak	0.00	100	Horizontal	Pass
5**	14521.250	36.92	21.64	--	-36.92	AV	0.00	100	Horizontal	N/A
6	17483.000	49.23	26.70	68.2	18.97	Peak	209.60	100	Horizontal	Pass
6**	17483.000	41.46	26.70	--	-41.46	AV	209.60	100	Horizontal	N/A

WiFi5GB1-A-High channel-Vertical-TX


# Test result

Project Number: Test

Test Time: 2024-01-16\_13.37.33

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1031.750	39.01	-15.63	74.0	34.99	Peak	360.00	100	Vertical	Pass
1**	1031.750	27.23	-15.63	54.0	26.77	AV	360.00	100	Vertical	Pass
2	1644.500	39.72	-14.72	68.2	28.48	Peak	172.30	100	Vertical	Pass
2**	1644.500	28.54	-14.72	--	-28.54	AV	172.30	100	Vertical	N/A
3	2206.750	43.77	-10.42	74.0	30.23	Peak	360.00	100	Vertical	Pass
3**	2206.750	31.47	-10.42	54.0	22.53	AV	360.00	100	Vertical	Pass
4	2661.250	47.67	-9.04	68.2	20.53	Peak	172.30	100	Vertical	Pass
4**	2661.250	32.45	-9.04	--	-32.45	AV	172.30	100	Vertical	N/A
5	4472.500	54.33	1.80	68.2	13.87	Peak	90.70	100	Vertical	Pass
5**	4472.500	42.46	1.80	--	-42.46	AV	90.70	100	Vertical	N/A
6	5251.500	59.45	8.25	--	193.95	Peak	253.40	100	Vertical	Pass

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.29.47

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8009.250	28.68	8.26	68.2	39.52	Peak	251.60	100	Vertical	Pass
1**	8009.250	19.63	8.26	--	-19.63	AV	251.60	100	Vertical	N/A
2	9887.500	34.38	13.55	68.2	33.82	Peak	0.00	100	Vertical	Pass
2**	9887.500	26.15	13.55	--	-26.15	AV	0.00	100	Vertical	N/A
3	11958.250	38.07	16.13	74.0	35.93	Peak	0.00	100	Vertical	Pass
3**	11958.250	27.74	16.13	54.0	26.26	AV	0.00	100	Vertical	Pass
4	14235.250	43.94	22.68	68.2	24.26	Peak	251.60	100	Vertical	Pass
4**	14235.250	34.81	22.68	--	-34.81	AV	251.60	100	Vertical	N/A
5	14757.750	44.23	22.91	68.2	23.97	Peak	92.70	100	Vertical	Pass
5**	14757.750	36.52	22.91	--	-36.52	AV	92.70	100	Vertical	N/A
6	17504.999	50.78	26.37	68.2	17.42	Peak	92.70	100	Vertical	Pass

WIFI5GB1-N20-Low channel-Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_14.37.24

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.250	40.98	-14.54	74.0	33.02	Peak	70.40	100	Horizontal	Pass
1**	1331.250	28.85	-14.54	54.0	25.15	AV	70.40	100	Horizontal	Pass
2	1654.000	42.86	-14.83	68.2	25.34	Peak	360.00	100	Horizontal	Pass
2**	1654.000	34.03	-14.83	--	-34.03	AV	360.00	100	Horizontal	N/A
3	2159.500	43.93	-11.05	68.2	24.27	Peak	292.90	100	Horizontal	Pass
3**	2159.500	31.24	-11.05	--	-31.24	AV	292.90	100	Horizontal	N/A
4	3818.500	50.81	-0.44	74.0	23.19	Peak	220.30	100	Horizontal	Pass
4**	3818.500	39.96	-0.44	54.0	14.04	AV	220.30	100	Horizontal	Pass
5	5225.000	59.80	8.15	--	-59.80	Peak	0.00	100	Horizontal	N/A
5**	5225.000	48.38	8.15	--	-48.38	AV	0.00	100	Horizontal	N/A
6	6518.500	59.57	7.12	68.2	8.63	Peak	359.60	100	Horizontal	Pass
6**	6518.500	48.23	7.12	--	-48.23	AV	359.60	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.48.51

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8020.250	28.76	8.45	68.2	39.44	Peak	152.40	100	Horizontal	Pass
1**	8020.250	19.84	8.45	--	-19.84	AV	152.40	100	Horizontal	N/A
2	9898.500	35.66	13.73	68.2	32.54	Peak	152.40	100	Horizontal	Pass
2**	9898.500	25.76	13.73	--	-25.76	AV	152.40	100	Horizontal	N/A
3	12453.250	38.72	16.89	74.0	35.28	Peak	217.60	100	Horizontal	Pass
3**	12453.250	30.50	16.89	54.0	23.50	AV	217.60	100	Horizontal	Pass
4	14188.500	44.65	23.65	68.2	23.55	Peak	217.60	100	Horizontal	Pass
4**	14188.500	36.83	23.65	--	-36.83	AV	217.60	100	Horizontal	N/A
5	14741.250	45.01	22.72	68.2	23.19	Peak	329.20	100	Horizontal	Pass
5**	14741.250	37.01	22.72	--	-37.01	AV	329.20	100	Horizontal	N/A
6	17469.250	49.01	26.37	68.2	19.19	Peak	329.20	100	Horizontal	Pass
6**	17469.250	40.11	26.37	--	-40.11	AV	329.20	100	Horizontal	N/A



## WiFi5GB1-N20-Low channel-Vertical-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_13.45.41

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)\_1GHz-7GHz 5G\_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.000	40.27	-15.71	74.0	33.73	Peak	0.00	100	Vertical	Pass
1**	1114.000	33.01	-15.71	54.0	20.99	AV	0.00	100	Vertical	Pass
2	1331.500	42.27	-14.54	74.0	31.73	Peak	138.20	100	Vertical	Pass
2**	1331.500	30.49	-14.54	54.0	23.51	AV	138.20	100	Vertical	Pass
3	1997.250	44.44	-13.00	68.2	23.76	Peak	314.90	100	Vertical	Pass
3**	1997.250	31.25	-13.00	--	-31.25	AV	314.90	100	Vertical	N/A
4	3214.000	47.53	-2.34	68.2	20.67	Peak	71.80	100	Vertical	Pass
4**	3214.000	36.76	-2.34	--	-36.76	AV	71.80	100	Vertical	N/A
5	4769.500	52.94	2.71	74.0	21.06	Peak	0.00	100	Vertical	Pass
5**	4769.500	42.38	2.71	54.0	11.62	AV	0.00	100	Vertical	Pass
6	5249.500	58.56	8.24	--	13.24	Peak	71.80	100	Vertical	Pass

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.44.35

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8050.500	27.36	8.79	74.0	46.64	Peak	189.30	100	Vertical	Pass
1**	8050.500	19.63	8.79	54.0	34.37	AV	189.30	100	Vertical	Pass
2	10525.500	34.59	14.45	68.2	33.61	Peak	299.20	100	Vertical	Pass
2**	10525.500	26.38	14.45	--	-26.38	AV	299.20	100	Vertical	N/A
3	12502.750	38.94	16.04	74.0	35.06	Peak	158.70	100	Vertical	Pass
3**	12502.750	29.80	16.04	54.0	24.20	AV	158.70	100	Vertical	Pass
4	14188.500	43.72	23.65	68.2	24.48	Peak	299.20	100	Vertical	Pass
4**	14188.500	36.12	23.65	--	-36.12	AV	299.20	100	Vertical	N/A
5	14763.250	44.42	22.97	68.2	23.78	Peak	127.40	100	Vertical	Pass
5**	14763.250	36.21	22.97	--	-36.21	AV	127.40	100	Vertical	N/A
6	17499.501	48.77	26.49	68.2	19.43	Peak	252.90	100	Vertical	Pass

WIFI5GB1-N20-Middle channel- Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_14.35.24

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.250	42.58	-14.59	74.0	31.42	Peak	7.50	100	Horizontal	Pass
1**	1328.250	28.58	-14.59	54.0	25.42	AV	7.50	100	Horizontal	Pass
2	1659.000	42.68	-14.89	68.2	25.52	Peak	360.00	100	Horizontal	Pass
2**	1659.000	32.84	-14.89	--	-32.84	AV	360.00	100	Horizontal	N/A
3	2195.000	43.95	-10.39	68.2	24.25	Peak	278.80	100	Horizontal	Pass
3**	2195.000	32.27	-10.39	--	-32.27	AV	278.80	100	Horizontal	N/A
4	3286.500	47.69	-2.66	68.2	20.51	Peak	1.30	100	Horizontal	Pass
4**	3286.500	36.87	-2.66	--	-36.87	AV	1.30	100	Horizontal	N/A
5	4563.500	53.56	2.11	74.0	20.44	Peak	0.00	100	Horizontal	Pass
5**	4563.500	42.22	2.11	54.0	11.78	AV	0.00	100	Horizontal	Pass
6	5277.500	59.37	8.36	--	80.83	Peak	140.20	100	Horizontal	Pass
6**	5277.500	49.09	8.36	--	-49.09	AV	140.20	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.50.14

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7860.750	27.24	6.80	68.2	40.96	Peak	218.90	100	Horizontal	Pass
1**	7860.750	18.45	6.80	--	-18.45	AV	218.90	100	Horizontal	N/A
2	9395.250	32.42	11.72	74.0	41.58	Peak	360.00	100	Horizontal	Pass
2**	9395.250	23.96	11.72	54.0	30.04	AV	360.00	100	Horizontal	Pass
3	11232.250	38.12	15.82	74.0	35.88	Peak	0.00	100	Horizontal	Pass
3**	11232.250	29.63	15.82	54.0	24.37	AV	0.00	100	Horizontal	Pass
4	13204.000	39.78	18.22	68.2	28.42	Peak	311.80	100	Horizontal	Pass
4**	13204.000	31.58	18.22	--	-31.58	AV	311.80	100	Horizontal	N/A
5	14471.750	44.64	22.07	74.0	29.36	Peak	218.90	100	Horizontal	Pass
5**	14471.750	36.59	22.07	54.0	17.41	AV	218.90	100	Horizontal	Pass
6	17502.251	49.96	26.43	68.2	18.24	Peak	218.90	100	Horizontal	Pass
6**	17502.251	40.52	26.43	--	-40.52	AV	218.90	100	Horizontal	N/A

## WIFI5GB1-N20-Middle channel-Vertical-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_13.43.32

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)\_1GHz-7GHz 5G\_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	41.23	-15.71	74.0	32.77	Peak	360.00	100	Vertical	Pass
1**	1113.750	36.61	-15.71	54.0	17.39	AV	360.00	100	Vertical	Pass
2	1327.500	44.44	-14.60	74.0	29.56	Peak	250.50	100	Vertical	Pass
2**	1327.500	29.82	-14.60	54.0	24.18	AV	250.50	100	Vertical	Pass
3	2058.000	44.59	-12.18	68.2	23.61	Peak	360.00	100	Vertical	Pass
3**	2058.000	31.33	-12.18	--	-31.33	AV	360.00	100	Vertical	N/A
4	2665.250	46.38	-9.08	68.2	21.82	Peak	185.40	100	Vertical	Pass
4**	2665.250	32.91	-9.08	--	-32.91	AV	185.40	100	Vertical	N/A
5	4493.500	52.63	1.97	68.2	15.57	Peak	44.60	100	Vertical	Pass
5**	4493.500	41.65	1.97	--	-41.65	AV	44.60	100	Vertical	N/A
6	5275.500	58.97	8.35	--	97.63	Peak	156.60	100	Vertical	Pass

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.45.55

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7962.500	28.82	7.79	68.2	39.38	Peak	253.40	100	Vertical	Pass
1**	7962.500	20.55	7.79	--	-20.55	AV	253.40	100	Vertical	N/A
2	9329.250	32.70	11.31	74.0	41.30	Peak	222.40	100	Vertical	Pass
2**	9329.250	23.80	11.31	54.0	30.20	AV	222.40	100	Vertical	Pass
3	11204.750	38.72	15.49	74.0	35.28	Peak	222.40	100	Vertical	Pass
3**	11204.750	28.90	15.49	54.0	25.10	AV	222.40	100	Vertical	Pass
4	13179.250	40.82	18.16	68.2	27.38	Peak	253.40	100	Vertical	Pass
4**	13179.250	31.57	18.16	--	-31.57	AV	253.40	100	Vertical	N/A
5	14183.000	44.57	23.50	68.2	23.63	Peak	125.60	100	Vertical	Pass
5**	14183.000	36.67	23.50	--	-36.67	AV	125.60	100	Vertical	N/A
6	17422.500	48.24	25.38	68.2	19.96	Peak	360.00	100	Vertical	Pass

WIFI5GB1-N20-High channel-Horizontal-TX


# Test result

Project Number: Test

Test Time: 2024-01-16\_14.32.52

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	38.67	-15.71	74.0	35.33	Peak	186.10	100	Horizontal	Pass
1**	1113.750	31.43	-15.71	54.0	22.57	AV	186.10	100	Horizontal	Pass
2	1328.500	42.41	-14.58	74.0	31.59	Peak	10.90	100	Horizontal	Pass
2**	1328.500	28.57	-14.58	54.0	25.43	AV	10.90	100	Horizontal	Pass
3	1656.250	41.80	-14.85	68.2	26.40	Peak	10.90	100	Horizontal	Pass
3**	1656.250	33.15	-14.85	--	-33.15	AV	10.90	100	Horizontal	N/A
4	2465.750	45.80	-9.89	68.2	22.40	Peak	137.40	100	Horizontal	Pass
4**	2465.750	39.07	-9.89	--	-39.07	AV	137.40	100	Horizontal	N/A
5	4046.500	52.30	1.65	74.0	21.70	Peak	266.80	100	Horizontal	Pass
5**	4046.500	41.81	1.65	54.0	12.19	AV	266.80	100	Horizontal	Pass
6	5225.500	59.19	8.15	--	82.51	Peak	141.70	100	Horizontal	Pass
6**	5225.500	49.22	8.15	--	-49.22	AV	141.70	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.51.44

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8034.000	28.50	8.68	74.0	45.50	Peak	304.60	100	Horizontal	Pass
1**	8034.000	19.79	8.68	54.0	34.21	AV	304.60	100	Horizontal	Pass
2	10476.000	35.08	13.98	68.2	33.12	Peak	210.00	100	Horizontal	Pass
2**	10476.000	26.76	13.98	--	-26.76	AV	210.00	100	Horizontal	N/A
3	12469.750	38.63	16.84	74.0	35.37	Peak	69.70	100	Horizontal	Pass
3**	12469.750	30.20	16.84	54.0	23.80	AV	69.70	100	Horizontal	Pass
4	14205.000	45.64	23.30	68.2	22.56	Peak	272.20	100	Horizontal	Pass
4**	14205.000	36.18	23.30	--	-36.18	AV	272.20	100	Horizontal	N/A
5	14768.750	45.72	22.92	68.2	22.48	Peak	241.70	100	Horizontal	Pass
5**	14768.750	36.94	22.92	--	-36.94	AV	241.70	100	Horizontal	N/A
6	17472.000	48.88	26.44	68.2	19.32	Peak	0.00	100	Horizontal	Pass
6**	17472.000	40.69	26.44	--	-40.69	AV	0.00	100	Horizontal	N/A



WiFi5GB1-N20-High channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_13.40.58

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)\_1GHz-7GHz 5G\_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.250	44.37	-14.53	74.0	29.63	Peak	295.10	100	Vertical	Pass
1**	1332.250	30.51	-14.53	54.0	23.49	AV	295.10	100	Vertical	Pass
2	2161.000	44.56	-11.04	68.2	23.64	Peak	106.80	100	Vertical	Pass
2**	2161.000	31.87	-11.04	--	-31.87	AV	106.80	100	Vertical	N/A
3	2657.500	47.74	-9.01	68.2	20.46	Peak	168.60	100	Vertical	Pass
3**	2657.500	33.45	-9.01	--	-33.45	AV	168.60	100	Vertical	N/A
4	4051.000	52.46	1.70	74.0	21.54	Peak	137.60	100	Vertical	Pass
4**	4051.000	41.96	1.70	54.0	12.04	AV	137.60	100	Vertical	Pass
5	5275.000	59.62	8.35	--	275.68	Peak	335.30	100	Vertical	Pass
5**	5275.000	49.13	8.35	--	-49.13	AV	335.30	100	Vertical	N/A
6	6575.500	59.37	7.66	68.2	8.83	Peak	137.60	100	Vertical	Pass

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.47.25

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7913.000	27.69	7.23	68.2	40.51	Peak	233.00	100	Vertical	Pass
1**	7913.000	19.36	7.23	--	-19.36	AV	233.00	100	Vertical	N/A
2	9491.500	32.97	11.97	74.0	41.03	Peak	314.50	100	Vertical	Pass
2**	9491.500	24.07	11.97	54.0	29.93	AV	314.50	100	Vertical	Pass
3	11188.250	37.45	15.32	74.0	36.55	Peak	360.00	100	Vertical	Pass
3**	11188.250	29.21	15.32	54.0	24.79	AV	360.00	100	Vertical	Pass
4	13151.750	39.96	18.10	68.2	28.24	Peak	360.00	100	Vertical	Pass
4**	13151.750	31.89	18.10	--	-31.89	AV	360.00	100	Vertical	N/A
5	14502.000	44.34	21.79	68.2	23.86	Peak	360.00	100	Vertical	Pass
5**	14502.000	36.86	21.79	--	-36.86	AV	360.00	100	Vertical	N/A
6	17447.250	49.37	25.86	68.2	18.83	Peak	314.50	100	Vertical	Pass

WIFI5GB1-N40-Low channel-Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_14.22.16

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)\_1GHz-7GHz 5G\_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.000	41.80	-14.59	74.0	32.20	Peak	0.00	100	Horizontal	Pass
1**	1328.000	27.84	-14.59	54.0	26.16	AV	0.00	100	Horizontal	Pass
2	1661.000	42.20	-14.91	74.0	31.80	Peak	277.00	100	Horizontal	Pass
2**	1661.000	33.39	-14.91	54.0	20.61	AV	277.00	100	Horizontal	Pass
3	2166.750	44.57	-11.01	68.2	23.63	Peak	277.00	100	Horizontal	Pass
3**	2166.750	31.85	-11.01	--	-31.85	AV	277.00	100	Horizontal	N/A
4	3054.000	47.62	-3.28	68.2	20.58	Peak	253.00	100	Horizontal	Pass
4**	3054.000	36.91	-3.28	--	-36.91	AV	253.00	100	Horizontal	N/A
5	4051.500	51.78	1.70	74.0	22.22	Peak	0.00	100	Horizontal	Pass
5**	4051.500	41.25	1.70	54.0	12.75	AV	0.00	100	Horizontal	Pass
6	5189.500	60.24	8.05	--	177.86	Peak	238.10	100	Horizontal	Pass
6**	5189.500	48.83	8.05	--	-48.83	AV	238.10	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.05.25

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7310.750	26.18	5.92	74.0	47.82	Peak	196.80	100	Horizontal	Pass
1**	7310.750	18.13	5.92	54.0	35.87	AV	196.80	100	Horizontal	Pass
2	9447.500	32.50	11.76	74.0	41.50	Peak	228.60	100	Horizontal	Pass
2**	9447.500	23.24	11.76	54.0	30.76	AV	228.60	100	Horizontal	Pass
3	11251.500	36.90	16.07	74.0	37.10	Peak	295.90	100	Horizontal	Pass
3**	11251.500	28.42	16.07	54.0	25.58	AV	295.90	100	Horizontal	Pass
4	13193.000	40.32	18.19	68.2	27.88	Peak	295.90	100	Horizontal	Pass
4**	13193.000	32.32	18.19	--	-32.32	AV	295.90	100	Horizontal	N/A
5	14504.750	45.00	21.77	68.2	23.20	Peak	360.00	100	Horizontal	Pass
5**	14504.750	36.52	21.77	--	-36.52	AV	360.00	100	Horizontal	N/A
6	17436.250	48.17	25.65	68.2	20.03	Peak	133.60	100	Horizontal	Pass
6**	17436.250	39.60	25.65	--	-39.60	AV	133.60	100	Horizontal	N/A

WIFI5GB1-N40-Low channel-Vertical-TX

# Test result


Project Number: Test

Test Time: 2024-01-16\_13.55.35

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)\_1GHz-7GHz 5G\_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.000	42.72	-15.71	74.0	31.28	Peak	360.00	100	Vertical	Pass
1**	1114.000	36.30	-15.71	54.0	17.70	AV	360.00	100	Vertical	Pass
2	1333.250	47.37	-14.51	74.0	26.63	Peak	263.60	100	Vertical	Pass
2**	1333.250	30.85	-14.51	54.0	23.15	AV	263.60	100	Vertical	Pass
3	2153.500	45.12	-11.08	68.2	23.08	Peak	263.60	100	Vertical	Pass
3**	2153.500	32.48	-11.08	--	-32.48	AV	263.60	100	Vertical	N/A
4	3631.000	50.77	0.36	74.0	23.23	Peak	0.00	100	Vertical	Pass
4**	3631.000	39.81	0.36	54.0	14.19	AV	0.00	100	Vertical	Pass
5	5187.500	59.05	8.05	--	-59.05	Peak	0.00	100	Vertical	N/A
5**	5187.500	48.03	8.05	--	-48.03	AV	0.00	100	Vertical	N/A
6	6417.500	58.09	7.09	68.2	10.11	Peak	56.50	100	Vertical	Pass

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.00.30

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8190.750	27.91	7.73	74.0	46.09	Peak	314.50	100	Vertical	Pass
1**	8190.750	18.56	7.73	54.0	35.44	AV	314.50	100	Vertical	Pass
2	9829.750	32.79	12.66	68.2	35.41	Peak	139.50	100	Vertical	Pass
2**	9829.750	24.55	12.66	--	-24.55	AV	139.50	100	Vertical	N/A
3	11202.000	38.01	15.46	74.0	35.99	Peak	139.50	100	Vertical	Pass
3**	11202.000	29.39	15.46	54.0	24.61	AV	139.50	100	Vertical	Pass
4	14161.000	44.94	22.78	68.2	23.26	Peak	139.50	100	Vertical	Pass
4**	14161.000	36.76	22.78	--	-36.76	AV	139.50	100	Vertical	N/A
5	14488.250	45.57	21.93	74.0	28.43	Peak	251.20	100	Vertical	Pass
5**	14488.250	37.71	21.93	54.0	16.29	AV	251.20	100	Vertical	Pass
6	17469.250	49.11	26.37	68.2	19.09	Peak	251.20	100	Vertical	Pass

WIFI5GB1-N40-High channel-Horizontal-TX


# Test result

Project Number: Test

Test Time: 2024-01-16\_14.19.57

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.000	41.53	-14.61	74.0	32.47	Peak	360.00	100	Horizontal	Pass
1**	1327.000	28.62	-14.61	54.0	25.38	AV	360.00	100	Horizontal	Pass
2	1658.500	41.51	-14.88	68.2	26.69	Peak	247.20	100	Horizontal	Pass
2**	1658.500	32.73	-14.88	--	-32.73	AV	247.20	100	Horizontal	N/A
3	2142.250	43.61	-11.27	68.2	24.59	Peak	184.60	100	Horizontal	Pass
3**	2142.250	31.46	-11.27	--	-31.46	AV	184.60	100	Horizontal	N/A
4	3566.000	49.38	0.07	68.2	18.82	Peak	0.00	100	Horizontal	Pass
4**	3566.000	39.71	0.07	--	-39.71	AV	0.00	100	Horizontal	N/A
5	5160.000	59.24	7.99	--	-59.24	Peak	0.00	100	Horizontal	N/A
5**	5160.000	47.65	7.99	--	-47.65	AV	0.00	100	Horizontal	N/A
6	6361.500	58.08	6.74	68.2	10.12	Peak	91.50	100	Horizontal	Pass
6**	6361.500	47.12	6.74	--	-47.12	AV	91.50	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.06.37

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8050.500	29.72	8.79	74.0	44.28	Peak	239.10	100	Horizontal	Pass
1**	8050.500	20.18	8.79	54.0	33.82	AV	239.10	100	Horizontal	Pass
2	10113.000	34.67	13.61	68.2	33.53	Peak	145.30	100	Horizontal	Pass
2**	10113.000	25.82	13.61	--	-25.82	AV	145.30	100	Horizontal	N/A
3	11232.250	37.34	15.82	74.0	36.66	Peak	99.20	100	Horizontal	Pass
3**	11232.250	28.71	15.82	54.0	25.29	AV	99.20	100	Horizontal	Pass
4	12458.750	40.47	16.90	74.0	33.53	Peak	239.10	100	Horizontal	Pass
4**	12458.750	30.46	16.90	54.0	23.54	AV	239.10	100	Horizontal	Pass
5	13201.250	41.02	18.21	68.2	27.18	Peak	271.50	100	Horizontal	Pass
5**	13201.250	32.74	18.21	--	-32.74	AV	271.50	100	Horizontal	N/A
6	14535.000	45.05	21.53	68.2	23.15	Peak	239.10	100	Horizontal	Pass
6**	14535.000	36.78	21.53	--	-36.78	AV	239.10	100	Horizontal	N/A



WIFI5GB1-N40-High channel-Vertical-TX


# Test result

Project Number: Test

Test Time: 2024-01-16\_13.57.52

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.000	40.02	-15.71	74.0	33.98	Peak	360.00	100	Vertical	Pass
1**	1114.000	34.90	-15.71	54.0	19.10	AV	360.00	100	Vertical	Pass
2	1336.500	39.97	-14.47	74.0	34.03	Peak	0.30	100	Vertical	Pass
2**	1336.500	30.28	-14.47	54.0	23.72	AV	0.30	100	Vertical	Pass
3	2172.750	44.88	-10.97	68.2	23.32	Peak	109.90	100	Vertical	Pass
3**	2172.750	32.09	-10.97	--	-32.09	AV	109.90	100	Vertical	N/A
4	2661.500	46.70	-9.05	68.2	21.50	Peak	169.00	100	Vertical	Pass
4**	2661.500	33.31	-9.05	--	-33.31	AV	169.00	100	Vertical	N/A
5	4045.000	51.44	1.64	74.0	22.56	Peak	75.50	100	Vertical	Pass
5**	4045.000	41.39	1.64	54.0	12.61	AV	75.50	100	Vertical	Pass
6	5276.000	59.89	8.35	--	1.11	Peak	61.00	100	Vertical	Pass

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.03.50

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7852.500	28.78	6.82	68.2	39.42	Peak	285.10	100	Vertical	Pass
1**	7852.500	18.78	6.82	--	-18.78	AV	285.10	100	Vertical	N/A
2	10146.000	35.35	13.42	68.2	32.85	Peak	0.00	100	Vertical	Pass
2**	10146.000	27.08	13.42	--	-27.08	AV	0.00	100	Vertical	N/A
3	11639.250	37.19	15.38	74.0	36.81	Peak	0.00	100	Vertical	Pass
3**	11639.250	28.17	15.38	54.0	25.83	AV	0.00	100	Vertical	Pass
4	13798.000	41.03	18.98	68.2	27.17	Peak	255.40	100	Vertical	Pass
4**	13798.000	32.58	18.98	--	-32.58	AV	255.40	100	Vertical	N/A
5	14741.250	45.33	22.72	68.2	22.87	Peak	0.00	100	Vertical	Pass
5**	14741.250	35.84	22.72	--	-35.84	AV	0.00	100	Vertical	N/A
6	17881.750	52.35	28.94	74.0	21.65	Peak	191.00	100	Vertical	Pass

WIFI5GB1-AC20-Low channel-Horizontal-TX


# Test result

Project Number: Test

Test Time: 2024-01-16\_14.40.46

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.750	40.69	-14.60	74.0	33.31	Peak	0.50	100	Horizontal	Pass
1**	1327.750	28.45	-14.60	54.0	25.55	AV	0.50	100	Horizontal	Pass
2	1658.500	43.45	-14.88	68.2	24.75	Peak	0.50	100	Horizontal	Pass
2**	1658.500	37.16	-14.88	--	-37.16	AV	0.50	100	Horizontal	N/A
3	2123.000	44.20	-11.52	68.2	24.00	Peak	118.10	100	Horizontal	Pass
3**	2123.000	31.49	-11.52	--	-31.49	AV	118.10	100	Horizontal	N/A
4	3560.000	49.96	0.10	68.2	18.24	Peak	152.90	100	Horizontal	Pass
4**	3560.000	39.40	0.10	--	-39.40	AV	152.90	100	Horizontal	N/A
5	5249.000	58.88	8.24	--	94.02	Peak	152.90	100	Horizontal	Pass
5**	5249.000	48.27	8.24	--	-48.27	AV	152.90	100	Horizontal	N/A
6	6580.000	59.03	7.68	68.2	9.17	Peak	1.20	100	Horizontal	Pass
6**	6580.000	48.01	7.68	--	-48.01	AV	1.20	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.35.08

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7959.750	27.18	7.77	68.2	41.02	Peak	281.00	100	Horizontal	Pass
1**	7959.750	19.71	7.77	--	-19.71	AV	281.00	100	Horizontal	N/A
2	9175.250	31.32	11.20	74.0	42.68	Peak	122.10	100	Horizontal	Pass
2**	9175.250	23.82	11.20	54.0	30.18	AV	122.10	100	Horizontal	Pass
3	11356.000	36.94	16.02	74.0	37.06	Peak	360.00	100	Horizontal	Pass
3**	11356.000	28.45	16.02	54.0	25.55	AV	360.00	100	Horizontal	Pass
4	14524.000	44.71	21.62	68.2	23.49	Peak	184.20	100	Horizontal	Pass
4**	14524.000	36.81	21.62	--	-36.81	AV	184.20	100	Horizontal	N/A
5	15142.750	42.70	19.16	68.2	25.50	Peak	247.50	100	Horizontal	Pass
5**	15142.750	34.01	19.16	--	-34.01	AV	247.50	100	Horizontal	N/A
6	17815.751	53.07	27.88	74.0	20.93	Peak	281.00	100	Horizontal	Pass
6**	17815.751	44.61	27.88	54.0	9.39	AV	281.00	100	Horizontal	Pass

WIFI5GB1-AC20-Low channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_13.47.53

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.500	40.43	-15.71	74.0	33.57	Peak	360.00	100	Vertical	Pass
1**	1113.500	32.91	-15.71	54.0	21.09	AV	360.00	100	Vertical	Pass
2	1333.000	46.47	-14.51	74.0	27.53	Peak	247.90	100	Vertical	Pass
2**	1333.000	30.48	-14.51	54.0	23.52	AV	247.90	100	Vertical	Pass
3	2118.750	42.21	-11.54	68.2	25.99	Peak	247.90	100	Vertical	Pass
3**	2118.750	31.09	-11.54	--	-31.09	AV	247.90	100	Vertical	N/A
4	4061.000	51.22	1.80	74.0	22.78	Peak	249.30	100	Vertical	Pass
4**	4061.000	41.39	1.80	54.0	12.61	AV	249.30	100	Vertical	Pass
5	5178.000	58.68	8.02	--	126.92	Peak	185.60	100	Vertical	Pass
5**	5178.000	47.90	8.02	--	-47.90	AV	185.60	100	Vertical	N/A
6	6656.500	59.99	7.73	68.2	8.21	Peak	185.60	100	Vertical	Pass

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.39.58

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7910.250	27.42	7.18	68.2	40.78	Peak	279.30	100	Vertical	Pass
1**	7910.250	18.73	7.18	--	-18.73	AV	279.30	100	Vertical	N/A
2	9145.000	31.62	11.23	74.0	42.38	Peak	144.50	100	Vertical	Pass
2**	9145.000	23.37	11.23	54.0	30.63	AV	144.50	100	Vertical	Pass
3	11202.000	37.37	15.46	74.0	36.63	Peak	279.30	100	Vertical	Pass
3**	11202.000	29.10	15.46	54.0	24.90	AV	279.30	100	Vertical	Pass
4	13154.500	40.18	18.11	68.2	28.02	Peak	180.90	100	Vertical	Pass
4**	13154.500	32.48	18.11	--	-32.48	AV	180.90	100	Vertical	N/A
5	14570.750	45.08	21.29	68.2	23.12	Peak	79.70	100	Vertical	Pass
5**	14570.750	36.22	21.29	--	-36.22	AV	79.70	100	Vertical	N/A
6	17417.001	48.13	25.27	68.2	20.07	Peak	111.00	100	Vertical	Pass

WIFI5GB1-AC20-Middle channel- Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_14.43.23

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.750	40.06	-14.47	74.0	33.94	Peak	2.50	100	Horizontal	Pass
1**	1336.750	32.10	-14.47	54.0	21.90	AV	2.50	100	Horizontal	Pass
2	1655.250	42.22	-14.84	68.2	25.98	Peak	360.00	100	Horizontal	Pass
2**	1655.250	33.89	-14.84	--	-33.89	AV	360.00	100	Horizontal	N/A
3	2161.250	43.95	-11.04	68.2	24.25	Peak	299.60	100	Horizontal	Pass
3**	2161.250	31.91	-11.04	--	-31.91	AV	299.60	100	Horizontal	N/A
4	3118.000	47.17	-2.85	68.2	21.03	Peak	41.20	100	Horizontal	Pass
4**	3118.000	37.46	-2.85	--	-37.46	AV	41.20	100	Horizontal	N/A
5	5254.000	58.86	8.27	--	-17.66	Peak	41.20	100	Horizontal	N/A
5**	5254.000	49.13	8.27	--	-49.13	AV	41.20	100	Horizontal	N/A
6	6153.000	58.27	6.45	68.2	9.93	Peak	0.00	100	Horizontal	Pass
6**	6153.000	47.00	6.45	--	-47.00	AV	0.00	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.36.22

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7800.250	28.26	6.82	68.2	39.94	Peak	298.60	100	Horizontal	Pass
1**	7800.250	18.86	6.82	--	-18.86	AV	298.60	100	Horizontal	N/A
2	9843.500	33.30	12.87	68.2	34.90	Peak	357.40	100	Horizontal	Pass
2**	9843.500	24.77	12.87	--	-24.77	AV	357.40	100	Horizontal	N/A
3	11204.750	37.08	15.49	74.0	36.92	Peak	234.20	100	Horizontal	Pass
3**	11204.750	28.71	15.49	54.0	25.29	AV	234.20	100	Horizontal	Pass
4	13745.750	41.38	18.90	68.2	26.82	Peak	143.40	100	Horizontal	Pass
4**	13745.750	32.52	18.90	--	-32.52	AV	143.40	100	Horizontal	N/A
5	14540.500	44.76	21.49	68.2	23.44	Peak	0.00	100	Horizontal	Pass
5**	14540.500	35.47	21.49	--	-35.47	AV	0.00	100	Horizontal	N/A
6	17466.499	49.67	26.30	68.2	18.53	Peak	0.00	100	Horizontal	Pass
6**	17466.499	40.83	26.30	--	-40.83	AV	0.00	100	Horizontal	N/A



WIFI5GB1-AC20- Middle channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_13.50.39

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)\_1GHz-7GHz 5G\_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.000	40.36	-15.71	74.0	33.64	Peak	360.00	100	Vertical	Pass
1**	1114.000	33.48	-15.71	54.0	20.52	AV	360.00	100	Vertical	Pass
2	1331.000	45.72	-14.54	74.0	28.28	Peak	245.80	100	Vertical	Pass
2**	1331.000	33.52	-14.54	54.0	20.48	AV	245.80	100	Vertical	Pass
3	2063.250	43.86	-12.06	68.2	24.34	Peak	360.00	100	Vertical	Pass
3**	2063.250	31.18	-12.06	--	-31.18	AV	360.00	100	Vertical	N/A
4	2657.750	47.09	-9.01	68.2	21.11	Peak	230.20	100	Vertical	Pass
4**	2657.750	32.88	-9.01	--	-32.88	AV	230.20	100	Vertical	N/A
5	4228.000	51.95	1.37	74.0	22.05	Peak	263.80	100	Vertical	Pass
5**	4228.000	41.60	1.37	54.0	12.40	AV	263.80	100	Vertical	Pass
6	5222.500	58.99	8.14	--	29.11	Peak	88.10	100	Vertical	Pass

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.41.41

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7814.000	28.33	7.04	68.2	39.87	Peak	147.40	100	Vertical	Pass
1**	7814.000	20.36	7.04	--	-20.36	AV	147.40	100	Vertical	N/A
2	9926.000	34.21	13.92	68.2	33.99	Peak	201.10	100	Vertical	Pass
2**	9926.000	24.87	13.92	--	-24.87	AV	201.10	100	Vertical	N/A
3	11306.500	37.23	16.40	74.0	36.77	Peak	86.00	100	Vertical	Pass
3**	11306.500	28.14	16.40	54.0	25.86	AV	86.00	100	Vertical	Pass
4	13091.250	40.73	17.79	68.2	27.47	Peak	360.00	100	Vertical	Pass
4**	13091.250	31.53	17.79	--	-31.53	AV	360.00	100	Vertical	N/A
5	14161.000	44.35	22.78	68.2	23.85	Peak	147.40	100	Vertical	Pass
5**	14161.000	35.94	22.78	--	-35.94	AV	147.40	100	Vertical	N/A
6	17414.250	49.13	25.22	68.2	19.07	Peak	201.10	100	Vertical	Pass

WIFI5GB1-AC20-High channel-Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_14.45.56

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1033.000	37.93	-15.65	74.0	36.07	Peak	360.00	100	Horizontal	Pass
1**	1033.000	26.17	-15.65	54.0	27.83	AV	360.00	100	Horizontal	Pass
2	1659.750	41.86	-14.89	68.2	26.34	Peak	278.10	100	Horizontal	Pass
2**	1659.750	31.04	-14.89	--	-31.04	AV	278.10	100	Horizontal	N/A
3	2122.500	43.17	-11.52	68.2	25.03	Peak	113.20	100	Horizontal	Pass
3**	2122.500	31.23	-11.52	--	-31.23	AV	113.20	100	Horizontal	N/A
4	3969.500	51.33	0.85	74.0	22.67	Peak	146.20	100	Horizontal	Pass
4**	3969.500	40.21	0.85	54.0	13.79	AV	146.20	100	Horizontal	Pass
5	5181.000	58.97	8.03	--	27.33	Peak	86.30	100	Horizontal	Pass
5**	5181.000	47.88	8.03	--	-47.88	AV	86.30	100	Horizontal	N/A
6	6910.500	61.08	8.85	68.2	7.12	Peak	351.60	100	Horizontal	Pass
6**	6910.500	50.37	8.85	--	-50.37	AV	351.60	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.38.01

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7929.500	28.95	7.48	68.2	39.25	Peak	248.20	100	Horizontal	Pass
1**	7929.500	19.65	7.48	--	-19.65	AV	248.20	100	Horizontal	N/A
2	9950.750	34.02	13.76	68.2	34.18	Peak	153.30	100	Horizontal	Pass
2**	9950.750	26.39	13.76	--	-26.39	AV	153.30	100	Horizontal	N/A
3	11686.000	38.52	15.42	74.0	35.48	Peak	218.00	100	Horizontal	Pass
3**	11686.000	29.46	15.42	54.0	24.54	AV	218.00	100	Horizontal	Pass
4	14199.500	44.86	23.42	68.2	23.34	Peak	218.00	100	Horizontal	Pass
4**	14199.500	35.49	23.42	--	-35.49	AV	218.00	100	Horizontal	N/A
5	14713.750	45.92	22.40	68.2	22.28	Peak	121.30	100	Horizontal	Pass
5**	14713.750	37.44	22.40	--	-37.44	AV	121.30	100	Horizontal	N/A
6	17483.000	50.51	26.70	68.2	17.69	Peak	0.60	100	Horizontal	Pass
6**	17483.000	41.44	26.70	--	-41.44	AV	0.60	100	Horizontal	N/A

WIFI5GB1-AC20-High channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_13.53.00

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.000	41.46	-15.71	74.0	32.54	Peak	360.00	100	Vertical	Pass
1**	1114.000	35.27	-15.71	54.0	18.73	AV	360.00	100	Vertical	Pass
2	1332.750	44.78	-14.52	74.0	29.22	Peak	292.60	100	Vertical	Pass
2**	1332.750	29.96	-14.52	54.0	24.04	AV	292.60	100	Vertical	Pass
3	2069.000	44.95	-11.95	68.2	23.25	Peak	310.10	100	Vertical	Pass
3**	2069.000	31.51	-11.95	--	-31.51	AV	310.10	100	Vertical	N/A
4	2662.250	47.69	-9.05	68.2	20.51	Peak	102.40	100	Vertical	Pass
4**	2662.250	33.50	-9.05	--	-33.50	AV	102.40	100	Vertical	N/A
5	4050.500	51.33	1.69	74.0	22.67	Peak	0.00	100	Vertical	Pass
5**	4050.500	41.27	1.69	54.0	12.73	AV	0.00	100	Vertical	Pass
6	5275.000	58.95	8.35	--	99.85	Peak	158.80	100	Vertical	Pass

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.43.15

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7297.000	27.73	5.95	74.0	46.27	Peak	221.20	100	Vertical	Pass
1**	7297.000	17.44	5.95	54.0	36.56	AV	221.20	100	Vertical	Pass
2	8980.000	30.54	12.10	68.2	37.66	Peak	0.00	100	Vertical	Pass
2**	8980.000	21.31	12.10	--	-21.31	AV	0.00	100	Vertical	N/A
3	10880.250	37.07	15.20	74.0	36.93	Peak	221.20	100	Vertical	Pass
3**	10880.250	27.08	15.20	54.0	26.92	AV	221.20	100	Vertical	Pass
4	12450.500	39.31	16.88	74.0	34.69	Peak	96.20	100	Vertical	Pass
4**	12450.500	30.75	16.88	54.0	23.25	AV	96.20	100	Vertical	Pass
5	14185.750	44.58	23.59	68.2	23.62	Peak	0.00	100	Vertical	Pass
5**	14185.750	37.22	23.59	--	-37.22	AV	0.00	100	Vertical	N/A
6	17403.251	47.61	25.01	68.2	20.59	Peak	221.20	100	Vertical	Pass

## WIFI5GB1-AC40-Low channel-Horizontal-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_14.13.40

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.000	41.27	-14.57	74.0	32.73	Peak	0.00	100	Horizontal	Pass
1**	1329.000	27.93	-14.57	54.0	26.07	AV	0.00	100	Horizontal	Pass
2	1656.500	42.98	-14.86	68.2	25.22	Peak	360.00	100	Horizontal	Pass
2**	1656.500	36.53	-14.86	--	-36.53	AV	360.00	100	Horizontal	N/A
3	2158.000	43.78	-11.06	68.2	24.42	Peak	237.10	100	Horizontal	Pass
3**	2158.000	32.23	-11.06	--	-32.23	AV	237.10	100	Horizontal	N/A
4	3050.000	47.21	-3.24	68.2	20.99	Peak	45.00	100	Horizontal	Pass
4**	3050.000	36.65	-3.24	--	-36.65	AV	45.00	100	Horizontal	N/A
5	5247.000	58.59	8.23	--	51.51	Peak	110.10	100	Horizontal	Pass
5**	5247.000	48.17	8.23	--	-48.17	AV	110.10	100	Horizontal	N/A
6	6909.000	60.52	8.85	68.2	7.68	Peak	0.00	100	Horizontal	Pass
6**	6909.000	49.80	8.85	--	-49.80	AV	0.00	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.53.51

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8091.750	28.34	7.84	74.0	45.66	Peak	274.20	100	Horizontal	Pass
1**	8091.750	19.18	7.84	54.0	34.82	AV	274.20	100	Horizontal	Pass
2	9967.250	35.02	13.63	68.2	33.18	Peak	274.20	100	Horizontal	Pass
2**	9967.250	26.09	13.63	--	-26.09	AV	274.20	100	Horizontal	N/A
3	11490.750	37.24	16.07	74.0	36.76	Peak	210.20	100	Horizontal	Pass
3**	11490.750	28.86	16.07	54.0	25.14	AV	210.20	100	Horizontal	Pass
4	13198.500	39.98	18.20	68.2	28.22	Peak	274.20	100	Horizontal	Pass
4**	13198.500	31.47	18.20	--	-31.47	AV	274.20	100	Horizontal	N/A
5	14790.750	44.39	22.60	68.2	23.81	Peak	274.20	100	Horizontal	Pass
5**	14790.750	36.21	22.60	--	-36.21	AV	274.20	100	Horizontal	N/A
6	17521.500	49.79	26.04	68.2	18.41	Peak	360.00	100	Horizontal	Pass
6**	17521.500	41.56	26.04	--	-41.56	AV	360.00	100	Horizontal	N/A



WIFI5GB1-AC40-Low channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_14.02.28

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.500	41.13	-15.71	74.0	32.87	Peak	360.00	100	Vertical	Pass
1**	1113.500	33.12	-15.71	54.0	20.88	AV	360.00	100	Vertical	Pass
2	1331.500	43.64	-14.54	74.0	30.36	Peak	237.10	100	Vertical	Pass
2**	1331.500	28.90	-14.54	54.0	25.10	AV	237.10	100	Vertical	Pass
3	1665.000	43.85	-14.92	74.0	30.15	Peak	10.30	100	Vertical	Pass
3**	1665.000	29.62	-14.92	54.0	24.38	AV	10.30	100	Vertical	Pass
4	2657.000	45.70	-9.00	68.2	22.50	Peak	139.60	100	Vertical	Pass
4**	2657.000	32.84	-9.00	--	-32.84	AV	139.60	100	Vertical	N/A
5	3986.000	51.14	0.67	74.0	22.86	Peak	119.00	100	Vertical	Pass
5**	3986.000	40.30	0.67	54.0	13.70	AV	119.00	100	Vertical	Pass
6	5275.000	59.44	8.35	--	59.56	Peak	119.00	100	Vertical	Pass

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.57.17

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7929.500	28.98	7.48	68.2	39.22	Peak	250.50	100	Vertical	Pass
1**	7929.500	19.24	7.48	--	-19.24	AV	250.50	100	Vertical	N/A
2	8842.500	30.12	9.40	68.2	38.08	Peak	250.50	100	Vertical	Pass
2**	8842.500	21.10	9.40	--	-21.10	AV	250.50	100	Vertical	N/A
3	10929.750	36.16	15.22	74.0	37.84	Peak	218.10	100	Vertical	Pass
3**	10929.750	27.01	15.22	54.0	26.99	AV	218.10	100	Vertical	Pass
4	12425.750	38.48	16.84	74.0	35.52	Peak	218.10	100	Vertical	Pass
4**	12425.750	30.18	16.84	54.0	23.82	AV	218.10	100	Vertical	Pass
5	14210.500	45.09	23.19	68.2	23.11	Peak	250.50	100	Vertical	Pass
5**	14210.500	36.53	23.19	--	-36.53	AV	250.50	100	Vertical	N/A
6	17480.249	50.46	26.63	68.2	17.74	Peak	125.10	100	Vertical	Pass

WIFI5GB1-AC40-High channel-Horizontal-TX

# Test result


Project Number: Test

Test Time: 2024-01-16\_14.16.46

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)\_1GHz-7GHz 5G\_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.500	40.23	-15.71	74.0	33.77	Peak	37.20	100	Horizontal	Pass
1**	1113.500	30.02	-15.71	54.0	23.98	AV	37.20	100	Horizontal	Pass
2	1331.250	42.18	-14.54	74.0	31.82	Peak	0.00	100	Horizontal	Pass
2**	1331.250	28.16	-14.54	54.0	25.84	AV	0.00	100	Horizontal	Pass
3	1654.250	42.98	-14.83	68.2	25.22	Peak	360.00	100	Horizontal	Pass
3**	1654.250	34.69	-14.83	--	-34.69	AV	360.00	100	Horizontal	N/A
4	2165.500	45.15	-11.02	68.2	23.05	Peak	327.90	100	Horizontal	Pass
4**	2165.500	32.37	-11.02	--	-32.37	AV	327.90	100	Horizontal	N/A
5	3642.500	50.12	0.53	74.0	23.88	Peak	211.30	100	Horizontal	Pass
5**	3642.500	39.75	0.53	54.0	14.25	AV	211.30	100	Horizontal	Pass
6	5188.500	59.20	8.05	--	152.10	Peak	211.30	100	Horizontal	Pass
6**	5188.500	48.26	8.05	--	-48.26	AV	211.30	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.55.11

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8025.750	30.00	8.54	74.0	44.00	Peak	114.30	100	Horizontal	Pass
1**	8025.750	20.57	8.54	54.0	33.43	AV	114.30	100	Horizontal	Pass
2	9376.000	32.05	11.68	74.0	41.95	Peak	177.90	100	Horizontal	Pass
2**	9376.000	23.75	11.68	54.0	30.25	AV	177.90	100	Horizontal	Pass
3	11292.750	37.11	16.49	74.0	36.89	Peak	360.00	100	Horizontal	Pass
3**	11292.750	29.20	16.49	54.0	24.80	AV	360.00	100	Horizontal	Pass
4	13212.250	41.31	18.24	68.2	26.89	Peak	360.00	100	Horizontal	Pass
4**	13212.250	32.96	18.24	--	-32.96	AV	360.00	100	Horizontal	N/A
5	14777.000	45.44	22.80	68.2	22.76	Peak	237.10	100	Horizontal	Pass
5**	14777.000	36.40	22.80	--	-36.40	AV	237.10	100	Horizontal	N/A
6	17472.000	49.57	26.44	68.2	18.63	Peak	360.00	100	Horizontal	Pass
6**	17472.000	41.23	26.44	--	-41.23	AV	360.00	100	Horizontal	N/A

WIFI5GB1-AC40-High channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_14.00.07

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	40.31	-15.71	74.0	33.69	Peak	360.00	100	Vertical	Pass
1**	1113.750	35.23	-15.71	54.0	18.77	AV	360.00	100	Vertical	Pass
2	1329.750	44.78	-14.56	74.0	29.22	Peak	295.20	100	Vertical	Pass
2**	1329.750	30.47	-14.56	54.0	23.53	AV	295.20	100	Vertical	Pass
3	2164.250	44.02	-11.02	68.2	24.18	Peak	116.20	100	Vertical	Pass
3**	2164.250	32.17	-11.02	--	-32.17	AV	116.20	100	Vertical	N/A
4	3158.500	47.40	-2.27	68.2	20.80	Peak	135.00	100	Vertical	Pass
4**	3158.500	36.11	-2.27	--	-36.11	AV	135.00	100	Vertical	N/A
5	4476.000	53.31	1.83	68.2	14.89	Peak	0.00	100	Vertical	Pass
5**	4476.000	41.96	1.83	--	-41.96	AV	0.00	100	Vertical	N/A
6	5189.000	59.06	8.05	--	75.94	Peak	135.00	100	Vertical	Pass

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.59.23

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8012.000	28.55	8.31	68.2	39.65	Peak	0.00	100	Vertical	Pass
1**	8012.000	19.32	8.31	--	-19.32	AV	0.00	100	Vertical	N/A
2	9365.000	31.96	11.63	74.0	42.04	Peak	0.00	100	Vertical	Pass
2**	9365.000	24.63	11.63	54.0	29.37	AV	0.00	100	Vertical	Pass
3	11488.000	38.73	16.05	74.0	35.27	Peak	17.20	100	Vertical	Pass
3**	11488.000	28.30	16.05	54.0	25.70	AV	17.20	100	Vertical	Pass
4	13899.750	42.93	19.51	68.2	25.27	Peak	192.80	100	Vertical	Pass
4**	13899.750	31.93	19.51	--	-31.93	AV	192.80	100	Vertical	N/A
5	14722.000	44.80	22.50	68.2	23.40	Peak	223.40	100	Vertical	Pass
5**	14722.000	36.41	22.50	--	-36.41	AV	223.40	100	Vertical	N/A
6	17452.751	49.05	25.98	68.2	19.15	Peak	192.80	100	Vertical	Pass

WIFI5GB1-AC80-Low channel-Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_14.08.55

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case FCC\_Part 15E\_FCC\_15.407(5G)\_1GHz-7GHz\_5G\_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.000	40.74	-14.59	74.0	33.26	Peak	91.30	100	Horizontal	Pass
1**	1328.000	27.93	-14.59	54.0	26.07	AV	91.30	100	Horizontal	Pass
2	1656.750	43.29	-14.86	68.2	24.91	Peak	312.30	100	Horizontal	Pass
2**	1656.750	35.71	-14.86	--	-35.71	AV	312.30	100	Horizontal	N/A
3	2160.250	44.70	-11.05	68.2	23.50	Peak	360.00	100	Horizontal	Pass
3**	2160.250	31.78	-11.05	--	-31.78	AV	360.00	100	Horizontal	N/A
4	3399.500	47.37	-2.05	68.2	20.83	Peak	108.60	100	Horizontal	Pass
4**	3399.500	37.37	-2.05	--	-37.37	AV	108.60	100	Horizontal	N/A
5	4532.500	52.40	2.30	74.0	21.60	Peak	108.60	100	Horizontal	Pass
5**	4532.500	42.09	2.30	54.0	11.91	AV	108.60	100	Horizontal	Pass
6	5274.000	58.98	8.35	--	0.92	Peak	59.90	100	Horizontal	Pass
6**	5274.000	48.79	8.35	--	-48.79	AV	59.90	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.09.26

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7990.000	28.37	8.03	68.2	39.83	Peak	188.10	100	Horizontal	Pass
1**	7990.000	19.07	8.03	--	-19.07	AV	188.10	100	Horizontal	N/A
2	9970.000	35.89	13.60	68.2	32.31	Peak	282.80	100	Horizontal	Pass
2**	9970.000	25.77	13.60	--	-25.77	AV	282.80	100	Horizontal	N/A
3	11202.000	38.00	15.46	74.0	36.00	Peak	282.80	100	Horizontal	Pass
3**	11202.000	29.21	15.46	54.0	24.79	AV	282.80	100	Horizontal	Pass
4	12453.250	38.82	16.89	74.0	35.18	Peak	97.20	100	Horizontal	Pass
4**	12453.250	30.24	16.89	54.0	23.76	AV	97.20	100	Horizontal	Pass
5	14199.500	44.92	23.42	68.2	23.28	Peak	65.60	100	Horizontal	Pass
5**	14199.500	36.20	23.42	--	-36.20	AV	65.60	100	Horizontal	N/A
6	17450.000	48.41	25.91	68.2	19.79	Peak	65.60	100	Horizontal	Pass
6**	17450.000	40.52	25.91	--	-40.52	AV	65.60	100	Horizontal	N/A



WIFI5GB1-AC80-Low channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_14.05.26

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	41.08	-15.71	74.0	32.92	Peak	282.80	100	Vertical	Pass
1**	1113.750	35.74	-15.71	54.0	18.26	AV	282.80	100	Vertical	Pass
2	1332.500	42.35	-14.52	74.0	31.65	Peak	266.10	100	Vertical	Pass
2**	1332.500	28.57	-14.52	54.0	25.43	AV	266.10	100	Vertical	Pass
3	2193.750	43.60	-10.42	68.2	24.60	Peak	344.30	100	Vertical	Pass
3**	2193.750	32.22	-10.42	--	-32.22	AV	344.30	100	Vertical	N/A
4	3158.500	47.88	-2.27	68.2	20.32	Peak	241.50	100	Vertical	Pass
4**	3158.500	37.14	-2.27	--	-37.14	AV	241.50	100	Vertical	N/A
5	5276.000	59.21	8.35	--	182.29	Peak	241.50	100	Vertical	Pass
5**	5276.000	50.16	8.35	--	-50.16	AV	241.50	100	Vertical	N/A
6	6887.000	59.45	8.77	68.2	8.75	Peak	337.50	100	Vertical	Pass

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.11.12

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7781.000	26.87	6.33	68.2	41.33	Peak	249.40	100	Vertical	Pass
1**	7781.000	17.40	6.33	--	-17.40	AV	249.40	100	Vertical	N/A
2	10209.250	34.91	13.28	68.2	33.29	Peak	77.80	100	Vertical	Pass
2**	10209.250	26.17	13.28	--	-26.17	AV	77.80	100	Vertical	N/A
3	12203.000	38.19	15.83	74.0	35.81	Peak	171.20	100	Vertical	Pass
3**	12203.000	29.24	15.83	54.0	24.76	AV	171.20	100	Vertical	Pass
4	13894.250	42.53	19.48	68.2	25.67	Peak	234.10	100	Vertical	Pass
4**	13894.250	34.28	19.48	--	-34.28	AV	234.10	100	Vertical	N/A
5	14749.500	45.29	22.81	68.2	22.91	Peak	77.80	100	Vertical	Pass
5**	14749.500	35.77	22.81	--	-35.77	AV	77.80	100	Vertical	N/A
6	17521.500	49.24	26.04	68.2	18.96	Peak	0.00	100	Vertical	Pass

WIFI5GB4-A-Low channel-Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.22.43

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)\_1GHz-7GHz 5G\_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.500	41.40	-15.71	74.0	32.60	Peak	360.00	100	Horizontal	Pass
1**	1113.500	33.07	-15.71	54.0	20.93	AV	360.00	100	Horizontal	Pass
2	1332.250	43.93	-14.53	74.0	30.07	Peak	281.70	100	Horizontal	Pass
2**	1332.250	29.00	-14.53	54.0	25.00	AV	281.70	100	Horizontal	Pass
3	2210.750	43.91	-10.44	74.0	30.09	Peak	110.80	100	Horizontal	Pass
3**	2210.750	31.59	-10.44	54.0	22.41	AV	110.80	100	Horizontal	Pass
4	3558.000	48.07	-2.67	68.2	20.13	Peak	57.60	100	Horizontal	Pass
4**	3558.000	37.03	-2.67	--	-37.03	AV	57.60	100	Horizontal	N/A
5	5166.000	51.74	0.25	68.2	16.46	Peak	57.60	100	Horizontal	Pass
5**	5166.000	41.22	0.25	--	-41.22	AV	57.60	100	Horizontal	N/A
6	5740.000	92.03	0.91	--	-34.43	Peak	57.60	100	Horizontal	N/A
6**	5740.000	83.04	0.91	--	-83.04	AV	57.60	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.18.29

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8036.750	28.58	8.73	74.0	45.42	Peak	33.20	100	Horizontal	Pass
1**	8036.750	19.31	8.73	54.0	34.69	AV	33.20	100	Horizontal	Pass
2	9898.500	35.16	13.73	68.2	33.04	Peak	33.20	100	Horizontal	Pass
2**	9898.500	25.50	13.73	--	-25.50	AV	33.20	100	Horizontal	N/A
3	11213.000	36.72	15.58	74.0	37.28	Peak	115.10	100	Horizontal	Pass
3**	11213.000	27.81	15.58	54.0	26.19	AV	115.10	100	Horizontal	Pass
4	12403.750	39.07	16.80	74.0	34.93	Peak	278.90	100	Horizontal	Pass
4**	12403.750	31.55	16.80	54.0	22.45	AV	278.90	100	Horizontal	Pass
5	14188.500	45.35	23.65	68.2	22.85	Peak	0.00	100	Horizontal	Pass
5**	14188.500	36.05	23.65	--	-36.05	AV	0.00	100	Horizontal	N/A
6	17466.499	47.84	26.30	68.2	20.36	Peak	159.80	100	Horizontal	Pass
6**	17466.499	40.22	26.30	--	-40.22	AV	159.80	100	Horizontal	N/A

WIFI5GB4-A-Low channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.11.36

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.000	44.08	-14.51	74.0	29.92	Peak	295.60	100	Vertical	Pass
1**	1333.000	29.53	-14.51	54.0	24.47	AV	295.60	100	Vertical	Pass
2	2159.750	45.22	-11.05	68.2	22.98	Peak	91.60	100	Vertical	Pass
2**	2159.750	31.53	-11.05	--	-31.53	AV	91.60	100	Vertical	N/A
3	2425.750	49.07	-9.72	68.2	19.13	Peak	108.70	100	Vertical	Pass
3**	2425.750	31.80	-9.72	--	-31.80	AV	108.70	100	Vertical	N/A
4	2656.750	48.49	-9.00	68.2	19.71	Peak	233.40	100	Vertical	Pass
4**	2656.750	34.39	-9.00	--	-34.39	AV	233.40	100	Vertical	N/A
5	4975.000	50.39	-0.73	74.0	23.61	Peak	153.60	100	Vertical	Pass
5**	4975.000	40.08	-0.73	54.0	13.92	AV	153.60	100	Vertical	Pass
6	5749.000	91.18	1.05	--	-91.18	Peak	0.00	100	Vertical	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.13.33

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7539.000	26.19	6.32	74.0	47.81	Peak	213.60	100	Vertical	Pass
1**	7539.000	17.09	6.32	54.0	36.91	AV	213.60	100	Vertical	Pass
2	9271.500	31.68	10.44	68.2	36.52	Peak	246.40	100	Vertical	Pass
2**	9271.500	23.38	10.44	--	-23.38	AV	246.40	100	Vertical	N/A
3	11292.750	37.69	16.49	74.0	36.31	Peak	246.40	100	Vertical	Pass
3**	11292.750	28.86	16.49	54.0	25.14	AV	246.40	100	Vertical	Pass
4	13217.750	40.66	18.26	68.2	27.54	Peak	246.40	100	Vertical	Pass
4**	13217.750	31.71	18.26	--	-31.71	AV	246.40	100	Vertical	N/A
5	14466.250	44.55	22.01	68.2	23.65	Peak	150.40	100	Vertical	Pass
5**	14466.250	36.47	22.01	--	-36.47	AV	150.40	100	Vertical	N/A
6	17441.749	49.28	25.75	68.2	18.92	Peak	0.20	100	Vertical	Pass

WIFI5GB4-A-Middle channel-Horizontal-TX


# Test result

Project Number: Test

Test Time: 2024-01-16\_14.54.15

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.000	42.55	-14.53	74.0	31.45	Peak	38.00	100	Horizontal	Pass
1**	1332.000	29.55	-14.53	54.0	24.45	AV	38.00	100	Horizontal	Pass
2	1659.250	43.58	-14.89	68.2	24.62	Peak	38.00	100	Horizontal	Pass
2**	1659.250	32.53	-14.89	--	-32.53	AV	38.00	100	Horizontal	N/A
3	2164.500	46.03	-11.02	68.2	22.17	Peak	313.40	100	Horizontal	Pass
3**	2164.500	31.98	-11.02	--	-31.98	AV	313.40	100	Horizontal	N/A
4	4069.500	48.82	-1.27	74.0	25.18	Peak	359.90	100	Horizontal	Pass
4**	4069.500	38.28	-1.27	54.0	15.72	AV	359.90	100	Horizontal	Pass
5	4929.500	49.83	-0.66	74.0	24.17	Peak	308.40	100	Horizontal	Pass
5**	4929.500	40.07	-0.66	54.0	13.93	AV	308.40	100	Horizontal	Pass
6	5790.000	85.98	1.56	--	-85.98	Peak	0.00	100	Horizontal	N/A
6**	5790.000	77.86	1.56	--	-77.86	AV	0.00	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.19.50

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8036.750	28.18	8.73	74.0	45.82	Peak	226.20	100	Horizontal	Pass
1**	8036.750	19.26	8.73	54.0	34.74	AV	226.20	100	Horizontal	Pass
2	10256.000	34.36	13.42	68.2	33.84	Peak	159.60	100	Horizontal	Pass
2**	10256.000	24.80	13.42	--	-24.80	AV	159.60	100	Horizontal	N/A
3	11284.500	37.78	16.52	74.0	36.22	Peak	1.30	100	Horizontal	Pass
3**	11284.500	29.08	16.52	54.0	24.92	AV	1.30	100	Horizontal	Pass
4	13259.000	39.81	18.00	74.0	34.19	Peak	159.60	100	Horizontal	Pass
4**	13259.000	31.42	18.00	54.0	22.58	AV	159.60	100	Horizontal	Pass
5	14546.000	44.73	21.45	68.2	23.47	Peak	61.70	100	Horizontal	Pass
5**	14546.000	35.38	21.45	--	-35.38	AV	61.70	100	Horizontal	N/A
6	17433.500	48.64	25.59	68.2	19.56	Peak	61.70	100	Horizontal	Pass
6**	17433.500	40.72	25.59	--	-40.72	AV	61.70	100	Horizontal	N/A



WIFI5GB4-A-Middle channel- Vertical-TX


# Test result

Project Number: Test

Test Time: 2024-01-16\_16.14.51

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	42.37	-15.71	74.0	31.63	Peak	1.90	100	Vertical	Pass
1**	1113.750	35.06	-15.71	54.0	18.94	AV	1.90	100	Vertical	Pass
2	1328.000	43.26	-14.59	74.0	30.74	Peak	253.50	100	Vertical	Pass
2**	1328.000	29.24	-14.59	54.0	24.76	AV	253.50	100	Vertical	Pass
3	2162.500	46.06	-11.03	68.2	22.14	Peak	76.70	100	Vertical	Pass
3**	2162.500	33.09	-11.03	--	-33.09	AV	76.70	100	Vertical	N/A
4	2666.000	46.24	-9.08	68.2	21.96	Peak	205.10	100	Vertical	Pass
4**	2666.000	33.58	-9.08	--	-33.58	AV	205.10	100	Vertical	N/A
5	4040.000	49.57	-1.58	74.0	24.43	Peak	105.60	100	Vertical	Pass
5**	4040.000	38.36	-1.58	54.0	15.64	AV	105.60	100	Vertical	Pass
6	5783.000	90.83	1.55	--	-90.83	Peak	0.00	100	Vertical	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.15.37

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7913.000	28.51	7.23	68.2	39.69	Peak	0.00	100	Vertical	Pass
1**	7913.000	19.70	7.23	--	-19.70	AV	0.00	100	Vertical	N/A
2	9458.500	32.25	11.80	74.0	41.75	Peak	0.00	100	Vertical	Pass
2**	9458.500	23.19	11.80	54.0	30.81	AV	0.00	100	Vertical	Pass
3	11342.250	37.43	16.14	74.0	36.57	Peak	316.60	100	Vertical	Pass
3**	11342.250	28.74	16.14	54.0	25.26	AV	316.60	100	Vertical	Pass
4	13803.500	41.38	18.98	68.2	26.82	Peak	16.10	100	Vertical	Pass
4**	13803.500	32.83	18.98	--	-32.83	AV	16.10	100	Vertical	N/A
5	14188.500	44.84	23.65	68.2	23.36	Peak	268.20	100	Vertical	Pass
5**	14188.500	35.77	23.65	--	-35.77	AV	268.20	100	Vertical	N/A
6	17472.000	48.24	26.44	68.2	19.96	Peak	208.50	100	Vertical	Pass

WIFI5GB4-A-High channel-Horizontal-TX


# Test result

Project Number: Test

Test Time: 2024-01-16\_14.57.40

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.750	39.00	-15.27	74.0	35.00	Peak	266.10	100	Horizontal	Pass
1**	1199.750	27.51	-15.27	54.0	26.49	AV	266.10	100	Horizontal	Pass
2	1658.750	42.68	-14.88	68.2	25.52	Peak	360.00	100	Horizontal	Pass
2**	1658.750	31.82	-14.88	--	-31.82	AV	360.00	100	Horizontal	N/A
3	2331.000	43.81	-10.38	74.0	30.19	Peak	203.30	100	Horizontal	Pass
3**	2331.000	32.35	-10.38	54.0	21.65	AV	203.30	100	Horizontal	Pass
4	3025.000	45.52	-4.98	68.2	22.68	Peak	232.90	100	Horizontal	Pass
4**	3025.000	36.61	-4.98	--	-36.61	AV	232.90	100	Horizontal	N/A
5	3931.500	48.96	-2.75	74.0	25.04	Peak	232.90	100	Horizontal	Pass
5**	3931.500	37.57	-2.75	54.0	16.43	AV	232.90	100	Horizontal	Pass
6	5832.000	89.27	1.38	--	77.73	Peak	167.00	100	Horizontal	Pass
6**	5832.000	81.33	1.38	--	-81.33	AV	167.00	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.21.32

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8047.750	28.85	8.85	74.0	45.15	Peak	176.50	100	Horizontal	Pass
1**	8047.750	20.60	8.85	54.0	33.40	AV	176.50	100	Horizontal	Pass
2	9475.000	32.36	11.87	74.0	41.64	Peak	268.80	100	Horizontal	Pass
2**	9475.000	23.80	11.87	54.0	30.20	AV	268.80	100	Horizontal	Pass
3	11496.250	37.82	16.09	74.0	36.18	Peak	300.50	100	Horizontal	Pass
3**	11496.250	28.20	16.09	54.0	25.80	AV	300.50	100	Horizontal	Pass
4	13811.750	41.87	19.00	68.2	26.33	Peak	360.00	100	Horizontal	Pass
4**	13811.750	33.39	19.00	--	-33.39	AV	360.00	100	Horizontal	N/A
5	14188.500	45.19	23.65	68.2	23.01	Peak	333.60	100	Horizontal	Pass
5**	14188.500	37.00	23.65	--	-37.00	AV	333.60	100	Horizontal	N/A
6	17485.750	48.41	26.73	68.2	19.79	Peak	300.50	100	Horizontal	Pass
6**	17485.750	41.29	26.73	--	-41.29	AV	300.50	100	Horizontal	N/A

WiFi5GB4-A-High channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.20.32

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	40.40	-15.71	74.0	33.60	Peak	360.00	100	Vertical	Pass
1**	1113.750	33.87	-15.71	54.0	20.13	AV	360.00	100	Vertical	Pass
2	1330.000	45.93	-14.56	74.0	28.07	Peak	246.10	100	Vertical	Pass
2**	1330.000	30.92	-14.56	54.0	23.08	AV	246.10	100	Vertical	Pass
3	2201.250	43.17	-10.40	74.0	30.83	Peak	38.00	100	Vertical	Pass
3**	2201.250	31.83	-10.40	54.0	22.17	AV	38.00	100	Vertical	Pass
4	3709.000	47.86	-2.74	74.0	26.14	Peak	0.00	100	Vertical	Pass
4**	3709.000	36.28	-2.74	54.0	17.72	AV	0.00	100	Vertical	Pass
5	5828.500	93.60	1.38	--	-93.60	Peak	0.00	100	Vertical	N/A
5**	5828.500	85.54	1.38	--	-85.54	AV	0.00	100	Vertical	N/A
6	6842.500	55.64	4.06	68.2	12.56	Peak	0.00	100	Vertical	Pass

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.17.15

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8080.750	27.79	8.15	74.0	46.21	Peak	360.00	100	Vertical	Pass
1**	8080.750	20.75	8.15	54.0	33.25	AV	360.00	100	Vertical	Pass
2	9367.750	32.25	11.64	74.0	41.75	Peak	360.00	100	Vertical	Pass
2**	9367.750	23.18	11.64	54.0	30.82	AV	360.00	100	Vertical	Pass
3	10910.500	34.38	15.21	74.0	39.62	Peak	360.00	100	Vertical	Pass
3**	10910.500	27.11	15.21	54.0	26.89	AV	360.00	100	Vertical	Pass
4	12390.000	38.75	16.74	74.0	35.25	Peak	360.00	100	Vertical	Pass
4**	12390.000	30.09	16.74	54.0	23.91	AV	360.00	100	Vertical	Pass
5	14183.000	43.50	23.50	68.2	24.70	Peak	360.00	100	Vertical	Pass
5**	14183.000	36.08	23.50	--	-36.08	AV	360.00	100	Vertical	N/A
6	17496.750	48.19	26.54	68.2	20.01	Peak	360.00	100	Vertical	Pass

WIFI5GB4-N20-Low channel-Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_15.06.05

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.500	38.34	-15.71	74.0	35.66	Peak	194.70	100	Horizontal	Pass
1**	1113.500	30.78	-15.71	54.0	23.22	AV	194.70	100	Horizontal	Pass
2	1328.500	43.63	-14.58	74.0	30.37	Peak	6.80	100	Horizontal	Pass
2**	1328.500	29.50	-14.58	54.0	24.50	AV	6.80	100	Horizontal	Pass
3	1658.250	43.56	-14.88	68.2	24.64	Peak	360.00	100	Horizontal	Pass
3**	1658.250	33.92	-14.88	--	-33.92	AV	360.00	100	Horizontal	N/A
4	2153.750	45.33	-11.08	68.2	22.87	Peak	6.80	100	Horizontal	Pass
4**	2153.750	32.13	-11.08	--	-32.13	AV	6.80	100	Horizontal	N/A
5	3594.000	48.35	-2.94	68.2	19.85	Peak	359.70	100	Horizontal	Pass
5**	3594.000	37.55	-2.94	--	-37.55	AV	359.70	100	Horizontal	N/A
6	5739.500	85.93	0.90	--	-76.33	Peak	9.60	100	Horizontal	N/A
6**	5739.500	77.71	0.90	--	-77.71	AV	9.60	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.38.28

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8003.750	28.89	8.17	68.2	39.31	Peak	140.20	100	Horizontal	Pass
1**	8003.750	19.44	8.17	--	-19.44	AV	140.20	100	Horizontal	N/A
2	9301.750	32.87	10.89	74.0	41.13	Peak	360.00	100	Horizontal	Pass
2**	9301.750	23.55	10.89	54.0	30.45	AV	360.00	100	Horizontal	Pass
3	11232.250	38.07	15.82	74.0	35.93	Peak	174.80	100	Horizontal	Pass
3**	11232.250	28.89	15.82	54.0	25.11	AV	174.80	100	Horizontal	Pass
4	12475.250	39.84	16.70	74.0	34.16	Peak	140.20	100	Horizontal	Pass
4**	12475.250	31.10	16.70	54.0	22.90	AV	140.20	100	Horizontal	Pass
5	14548.750	45.91	21.44	68.2	22.29	Peak	192.00	100	Horizontal	Pass
5**	14548.750	36.15	21.44	--	-36.15	AV	192.00	100	Horizontal	N/A
6	17494.000	49.00	26.58	68.2	19.20	Peak	360.00	100	Horizontal	Pass
6**	17494.000	41.11	26.58	--	-41.11	AV	360.00	100	Horizontal	N/A



WIFI5GB4-N20-Low channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_15.50.34

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.250	40.14	-15.71	74.0	33.86	Peak	360.00	100	Vertical	Pass
1**	1113.250	32.06	-15.71	54.0	21.94	AV	360.00	100	Vertical	Pass
2	1330.750	42.69	-14.55	74.0	31.31	Peak	252.00	100	Vertical	Pass
2**	1330.750	28.73	-14.55	54.0	25.27	AV	252.00	100	Vertical	Pass
3	2172.750	44.34	-10.97	68.2	23.86	Peak	130.30	100	Vertical	Pass
3**	2172.750	32.44	-10.97	--	-32.44	AV	130.30	100	Vertical	N/A
4	2665.000	46.57	-9.07	68.2	21.63	Peak	190.20	100	Vertical	Pass
4**	2665.000	33.72	-9.07	--	-33.72	AV	190.20	100	Vertical	N/A
5	4755.000	50.06	-1.20	74.0	23.94	Peak	188.20	100	Vertical	Pass
5**	4755.000	39.08	-1.20	54.0	14.92	AV	188.20	100	Vertical	Pass
6	5737.500	91.30	0.87	--	-91.30	Peak	0.00	100	Vertical	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.33.11

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8168.750	28.85	7.37	74.0	45.15	Peak	191.70	100	Vertical	Pass
1**	8168.750	19.14	7.37	54.0	34.86	AV	191.70	100	Vertical	Pass
2	9420.000	32.67	11.71	74.0	41.33	Peak	62.00	100	Vertical	Pass
2**	9420.000	23.65	11.71	54.0	30.35	AV	62.00	100	Vertical	Pass
3	11199.250	37.36	15.43	74.0	36.64	Peak	258.30	100	Vertical	Pass
3**	11199.250	29.36	15.43	54.0	24.64	AV	258.30	100	Vertical	Pass
4	13215.000	40.20	18.25	68.2	28.00	Peak	191.70	100	Vertical	Pass
4**	13215.000	31.51	18.25	--	-31.51	AV	191.70	100	Vertical	N/A
5	14774.250	44.64	22.84	68.2	23.56	Peak	0.00	100	Vertical	Pass
5**	14774.250	36.88	22.84	--	-36.88	AV	0.00	100	Vertical	N/A
6	17447.250	48.63	25.86	68.2	19.57	Peak	160.00	100	Vertical	Pass

WIFI5GB4-N20-Middle channel-Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_15.03.33

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.750	39.07	-15.29	74.0	34.93	Peak	257.60	100	Horizontal	Pass
1**	1195.750	26.44	-15.29	54.0	27.56	AV	257.60	100	Horizontal	Pass
2	1653.500	42.50	-14.82	68.2	25.70	Peak	360.00	100	Horizontal	Pass
2**	1653.500	35.08	-14.82	--	-35.08	AV	360.00	100	Horizontal	N/A
3	2191.000	44.25	-10.49	68.2	23.95	Peak	48.80	100	Horizontal	Pass
3**	2191.000	32.93	-10.49	--	-32.93	AV	48.80	100	Horizontal	N/A
4	3543.500	46.67	-2.88	68.2	21.53	Peak	360.00	100	Horizontal	Pass
4**	3543.500	36.13	-2.88	--	-36.13	AV	360.00	100	Horizontal	N/A
5	5162.000	51.77	0.26	68.2	16.43	Peak	189.70	100	Horizontal	Pass
5**	5162.000	41.05	0.26	--	-41.05	AV	189.70	100	Horizontal	N/A
6	5788.000	86.15	1.57	--	-86.15	Peak	0.00	100	Horizontal	N/A
6**	5788.000	77.17	1.57	--	-77.17	AV	0.00	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.39.56

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7957.000	26.72	7.75	68.2	41.48	Peak	360.00	100	Horizontal	Pass
1**	7957.000	20.11	7.75	--	-20.11	AV	360.00	100	Horizontal	N/A
2	8903.000	30.61	9.83	68.2	37.59	Peak	313.20	100	Horizontal	Pass
2**	8903.000	20.53	9.83	--	-20.53	AV	313.20	100	Horizontal	N/A
3	10467.750	35.79	13.90	68.2	32.41	Peak	265.10	100	Horizontal	Pass
3**	10467.750	27.22	13.90	--	-27.22	AV	265.10	100	Horizontal	N/A
4	12398.250	39.11	16.79	74.0	34.89	Peak	360.00	100	Horizontal	Pass
4**	12398.250	29.15	16.79	54.0	24.85	AV	360.00	100	Horizontal	Pass
5	14183.000	44.02	23.50	68.2	24.18	Peak	265.10	100	Horizontal	Pass
5**	14183.000	36.36	23.50	--	-36.36	AV	265.10	100	Horizontal	N/A
6	17463.751	48.31	26.24	68.2	19.89	Peak	313.20	100	Horizontal	Pass
6**	17463.751	39.37	26.24	--	-39.37	AV	313.20	100	Horizontal	N/A

WIFI5GB4-N20-Middle channel- Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_15.53.34

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	39.26	-15.71	74.0	34.74	Peak	360.00	100	Vertical	Pass
1**	1113.750	33.09	-15.71	54.0	20.91	AV	360.00	100	Vertical	Pass
2	1329.500	43.18	-14.57	74.0	30.82	Peak	255.70	100	Vertical	Pass
2**	1329.500	29.18	-14.57	54.0	24.82	AV	255.70	100	Vertical	Pass
3	2000.000	43.98	-12.97	68.2	24.22	Peak	360.00	100	Vertical	Pass
3**	2000.000	31.29	-12.97	--	-31.29	AV	360.00	100	Vertical	N/A
4	3029.000	46.22	-4.88	68.2	21.98	Peak	0.00	100	Vertical	Pass
4**	3029.000	35.05	-4.88	--	-35.05	AV	0.00	100	Vertical	N/A
5	4521.500	49.98	-0.93	74.0	24.02	Peak	1.10	100	Vertical	Pass
5**	4521.500	38.68	-0.93	54.0	15.32	AV	1.10	100	Vertical	Pass
6	5789.000	91.27	1.56	--	-91.27	Peak	0.00	100	Vertical	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.35.22

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8091.750	28.48	7.84	74.0	45.52	Peak	0.00	100	Vertical	Pass
1**	8091.750	20.59	7.84	54.0	33.41	AV	0.00	100	Vertical	Pass
2	9439.250	33.04	11.72	74.0	40.96	Peak	222.80	100	Vertical	Pass
2**	9439.250	24.23	11.72	54.0	29.77	AV	222.80	100	Vertical	Pass
3	11196.500	37.65	15.40	74.0	36.35	Peak	127.80	100	Vertical	Pass
3**	11196.500	29.42	15.40	54.0	24.58	AV	127.80	100	Vertical	Pass
4	12478.000	38.29	16.64	74.0	35.71	Peak	288.60	100	Vertical	Pass
4**	12478.000	30.69	16.64	54.0	23.31	AV	288.60	100	Vertical	Pass
5	14158.250	43.91	22.69	68.2	24.29	Peak	257.40	100	Vertical	Pass
5**	14158.250	35.95	22.69	--	-35.95	AV	257.40	100	Vertical	N/A
6	17428.001	48.14	25.49	68.2	20.06	Peak	222.80	100	Vertical	Pass

WIFI5GB4-N20-High channel-Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_15.00.19

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.250	37.98	-15.71	74.0	36.02	Peak	157.50	100	Horizontal	Pass
1**	1113.250	29.36	-15.71	54.0	24.64	AV	157.50	100	Horizontal	Pass
2	1332.000	44.29	-14.53	74.0	29.71	Peak	0.00	100	Horizontal	Pass
2**	1332.000	29.24	-14.53	54.0	24.76	AV	0.00	100	Horizontal	Pass
3	1654.250	43.47	-14.83	68.2	24.73	Peak	360.00	100	Horizontal	Pass
3**	1654.250	34.03	-14.83	--	-34.03	AV	360.00	100	Horizontal	N/A
4	2162.750	45.36	-11.03	68.2	22.84	Peak	281.40	100	Horizontal	Pass
4**	2162.750	32.99	-11.03	--	-32.99	AV	281.40	100	Horizontal	N/A
5	3463.000	50.65	-4.54	68.2	17.55	Peak	231.80	100	Horizontal	Pass
5**	3463.000	41.06	-4.54	--	-41.06	AV	231.80	100	Horizontal	N/A
6	5829.500	89.61	1.38	--	-65.11	Peak	24.50	100	Horizontal	N/A
6**	5829.500	80.43	1.38	--	-80.43	AV	24.50	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.40.58

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7786.500	27.60	6.47	68.2	40.60	Peak	0.00	100	Horizontal	Pass
1**	7786.500	19.43	6.47	--	-19.43	AV	0.00	100	Horizontal	N/A
2	9301.750	32.71	10.89	74.0	41.29	Peak	218.70	100	Horizontal	Pass
2**	9301.750	24.96	10.89	54.0	29.04	AV	218.70	100	Horizontal	Pass
3	11567.750	37.46	15.71	74.0	36.54	Peak	155.50	100	Horizontal	Pass
3**	11567.750	26.85	15.71	54.0	27.15	AV	155.50	100	Horizontal	Pass
4	13129.750	40.11	18.04	68.2	28.09	Peak	218.70	100	Horizontal	Pass
4**	13129.750	31.53	18.04	--	-31.53	AV	218.70	100	Horizontal	N/A
5	14194.000	43.89	23.53	68.2	24.31	Peak	155.50	100	Horizontal	Pass
5**	14194.000	37.07	23.53	--	-37.07	AV	155.50	100	Horizontal	N/A
6	17488.501	48.77	26.68	68.2	19.43	Peak	250.30	100	Horizontal	Pass
6**	17488.501	40.30	26.68	--	-40.30	AV	250.30	100	Horizontal	N/A



WIFI5GB4-N20-High channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_15.56.09

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.500	44.59	-14.51	74.0	29.41	Peak	250.10	100	Vertical	Pass
1**	1333.500	29.37	-14.51	54.0	24.63	AV	250.10	100	Vertical	Pass
2	1665.000	41.62	-14.92	74.0	32.38	Peak	0.00	100	Vertical	Pass
2**	1665.000	30.17	-14.92	54.0	23.83	AV	0.00	100	Vertical	Pass
3	2160.250	44.66	-11.05	68.2	23.54	Peak	100.80	100	Vertical	Pass
3**	2160.250	32.22	-11.05	--	-32.22	AV	100.80	100	Vertical	N/A
4	2661.750	49.58	-9.05	68.2	18.62	Peak	200.30	100	Vertical	Pass
4**	2661.750	34.74	-9.05	--	-34.74	AV	200.30	100	Vertical	N/A
5	4354.000	48.92	-2.14	74.0	25.08	Peak	0.00	100	Vertical	Pass
5**	4354.000	37.02	-2.14	54.0	16.98	AV	0.00	100	Vertical	Pass
6	5831.000	94.01	1.38	--	-94.01	Peak	0.00	100	Vertical	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.36.41

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8039.500	29.06	8.77	74.0	44.94	Peak	153.30	100	Vertical	Pass
1**	8039.500	20.00	8.77	54.0	34.00	AV	153.30	100	Vertical	Pass
2	9816.001	32.90	12.46	68.2	35.30	Peak	216.90	100	Vertical	Pass
2**	9816.001	23.91	12.46	--	-23.91	AV	216.90	100	Vertical	N/A
3	11199.250	37.78	15.43	74.0	36.22	Peak	280.60	100	Vertical	Pass
3**	11199.250	29.15	15.43	54.0	24.85	AV	280.60	100	Vertical	Pass
4	13278.250	40.47	17.80	74.0	33.53	Peak	249.30	100	Vertical	Pass
4**	13278.250	30.67	17.80	54.0	23.33	AV	249.30	100	Vertical	Pass
5	14752.250	45.14	22.84	68.2	23.06	Peak	280.60	100	Vertical	Pass
5**	14752.250	36.27	22.84	--	-36.27	AV	280.60	100	Vertical	N/A
6	17472.000	50.39	26.44	68.2	17.81	Peak	121.30	100	Vertical	Pass

WIFI5GB4-N40-Low channel-Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_15.17.14

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.750	40.17	-14.55	74.0	33.83	Peak	360.00	100	Horizontal	Pass
1**	1330.750	28.72	-14.55	54.0	25.28	AV	360.00	100	Horizontal	Pass
2	1656.750	42.43	-14.86	68.2	25.77	Peak	360.00	100	Horizontal	Pass
2**	1656.750	35.93	-14.86	--	-35.93	AV	360.00	100	Horizontal	N/A
3	2253.500	42.96	-10.02	74.0	31.04	Peak	360.00	100	Horizontal	Pass
3**	2253.500	32.00	-10.02	54.0	22.00	AV	360.00	100	Horizontal	Pass
4	3026.000	46.60	-4.96	68.2	21.60	Peak	358.40	100	Horizontal	Pass
4**	3026.000	35.58	-4.96	--	-35.58	AV	358.40	100	Horizontal	N/A
5	4593.000	49.97	-1.42	74.0	24.03	Peak	0.00	100	Horizontal	Pass
5**	4593.000	39.19	-1.42	54.0	14.81	AV	0.00	100	Horizontal	Pass
6	5757.500	81.92	1.19	--	-81.92	Peak	0.00	100	Horizontal	N/A
6**	5757.500	74.30	1.19	--	-74.30	AV	0.00	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-18\_15.04.43

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7563.750	27.51	6.16	74.0	46.49	Peak	266.60	100	Horizontal	Pass
1**	7563.750	17.69	6.16	54.0	36.31	AV	266.60	100	Horizontal	Pass
2	9318.250	32.52	11.14	74.0	41.48	Peak	357.60	100	Horizontal	Pass
2**	9318.250	24.76	11.14	54.0	29.24	AV	357.60	100	Horizontal	Pass
3	11259.750	37.14	16.18	74.0	36.86	Peak	360.00	100	Horizontal	Pass
3**	11259.750	29.14	16.18	54.0	24.86	AV	360.00	100	Horizontal	Pass
4	13795.250	42.56	18.98	68.2	25.64	Peak	266.60	100	Horizontal	Pass
4**	13795.250	33.10	18.98	--	-33.10	AV	266.60	100	Horizontal	N/A
5	14232.500	45.41	22.74	68.2	22.79	Peak	3.00	100	Horizontal	Pass
5**	14232.500	37.71	22.74	--	-37.71	AV	3.00	100	Horizontal	N/A
6	17477.501	49.44	26.57	68.2	18.76	Peak	106.20	100	Horizontal	Pass
6**	17477.501	40.72	26.57	--	-40.72	AV	106.20	100	Horizontal	N/A

WIFI5GB4-N40-Low channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_15.46.46

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	40.60	-15.71	74.0	33.40	Peak	360.00	100	Vertical	Pass
1**	1113.750	33.45	-15.71	54.0	20.55	AV	360.00	100	Vertical	Pass
2	1327.500	44.42	-14.60	74.0	29.58	Peak	248.50	100	Vertical	Pass
2**	1327.500	29.71	-14.60	54.0	24.29	AV	248.50	100	Vertical	Pass
3	2156.000	45.43	-11.07	68.2	22.77	Peak	106.50	100	Vertical	Pass
3**	2156.000	32.73	-11.07	--	-32.73	AV	106.50	100	Vertical	N/A
4	2659.750	46.17	-9.03	68.2	22.03	Peak	186.40	100	Vertical	Pass
4**	2659.750	33.48	-9.03	--	-33.48	AV	186.40	100	Vertical	N/A
5	3656.500	48.21	-2.24	74.0	25.79	Peak	109.30	100	Vertical	Pass
5**	3656.500	37.48	-2.24	54.0	16.52	AV	109.30	100	Vertical	Pass
6	5770.500	90.87	1.39	--	-64.47	Peak	26.40	100	Vertical	N/A

# Test result

Project Number: Test

Test Time: 2024-01-18\_15.00.22

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7464.750	25.20	6.09	74.0	48.80	Peak	195.10	100	Vertical	Pass
1**	7464.750	16.22	6.09	54.0	37.78	AV	195.10	100	Vertical	Pass
2	8949.750	30.99	11.21	68.2	37.21	Peak	163.50	100	Vertical	Pass
2**	8949.750	24.09	11.21	--	-24.09	AV	163.50	100	Vertical	N/A
3	10462.250	36.11	13.84	68.2	32.09	Peak	97.60	100	Vertical	Pass
3**	10462.250	26.16	13.84	--	-26.16	AV	97.60	100	Vertical	N/A
4	11482.500	38.18	16.03	74.0	35.82	Peak	214.50	100	Vertical	Pass
4**	11482.500	29.14	16.03	54.0	24.86	AV	214.50	100	Vertical	Pass
5	14199.500	43.79	23.42	68.2	24.41	Peak	0.00	100	Vertical	Pass
5**	14199.500	36.65	23.42	--	-36.65	AV	0.00	100	Vertical	N/A
6	17488.501	49.10	26.68	68.2	19.10	Peak	195.10	100	Vertical	Pass

WIFI5GB4-N40-High channel-Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_15.20.03

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	39.79	-15.71	74.0	34.21	Peak	360.00	100	Horizontal	Pass
1**	1113.750	31.48	-15.71	54.0	22.52	AV	360.00	100	Horizontal	Pass
2	1331.500	41.05	-14.54	74.0	32.95	Peak	360.00	100	Horizontal	Pass
2**	1331.500	28.30	-14.54	54.0	25.70	AV	360.00	100	Horizontal	Pass
3	1656.500	42.93	-14.86	68.2	25.27	Peak	360.00	100	Horizontal	Pass
3**	1656.500	36.47	-14.86	--	-36.47	AV	360.00	100	Horizontal	N/A
4	2114.500	43.77	-11.56	68.2	24.43	Peak	108.50	100	Horizontal	Pass
4**	2114.500	31.43	-11.56	--	-31.43	AV	108.50	100	Horizontal	N/A
5	3745.000	50.38	-2.60	74.0	23.62	Peak	0.00	100	Horizontal	Pass
5**	3745.000	37.89	-2.60	54.0	16.11	AV	0.00	100	Horizontal	Pass
6	5781.000	82.73	1.53	--	-80.93	Peak	1.80	100	Horizontal	N/A
6**	5781.000	75.03	1.53	--	-75.03	AV	1.80	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-18\_15.06.11

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7789.250	28.31	6.54	68.2	39.89	Peak	28.30	100	Horizontal	Pass
1**	7789.250	19.13	6.54	--	-19.13	AV	28.30	100	Horizontal	N/A
2	9422.750	32.22	11.71	74.0	41.78	Peak	0.00	100	Horizontal	Pass
2**	9422.750	25.45	11.71	54.0	28.55	AV	0.00	100	Horizontal	Pass
3	10957.250	36.50	15.20	74.0	37.50	Peak	269.90	100	Horizontal	Pass
3**	10957.250	27.49	15.20	54.0	26.51	AV	269.90	100	Horizontal	Pass
4	13248.000	40.37	18.11	68.2	27.83	Peak	92.30	100	Horizontal	Pass
4**	13248.000	31.97	18.11	--	-31.97	AV	92.30	100	Horizontal	N/A
5	14713.750	45.37	22.40	68.2	22.83	Peak	141.10	100	Horizontal	Pass
5**	14713.750	36.30	22.40	--	-36.30	AV	141.10	100	Horizontal	N/A
6	17485.750	49.22	26.73	68.2	18.98	Peak	1.30	100	Horizontal	Pass
6**	17485.750	40.78	26.73	--	-40.78	AV	1.30	100	Horizontal	N/A



WIFI5GB4-N40-High channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_15.44.22

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	40.65	-15.71	74.0	33.35	Peak	360.00	100	Vertical	Pass
1**	1113.750	34.71	-15.71	54.0	19.29	AV	360.00	100	Vertical	Pass
2	1330.000	43.12	-14.56	74.0	30.88	Peak	296.20	100	Vertical	Pass
2**	1330.000	28.72	-14.56	54.0	25.28	AV	296.20	100	Vertical	Pass
3	1992.500	43.83	-13.05	68.2	24.37	Peak	4.20	100	Vertical	Pass
3**	1992.500	30.88	-13.05	--	-30.88	AV	4.20	100	Vertical	N/A
4	2663.750	45.93	-9.06	68.2	22.27	Peak	213.20	100	Vertical	Pass
4**	2663.750	33.33	-9.06	--	-33.33	AV	213.20	100	Vertical	N/A
5	4690.000	50.18	-0.77	74.0	23.82	Peak	28.20	100	Vertical	Pass
5**	4690.000	40.31	-0.77	54.0	13.69	AV	28.20	100	Vertical	Pass
6	5780.000	88.74	1.51	--	-60.54	Peak	28.20	100	Vertical	N/A

# Test result

Project Number: Test

Test Time: 2024-01-18\_15.02.36

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7943.250	28.07	7.62	68.2	40.13	Peak	266.00	100	Vertical	Pass
1**	7943.250	19.42	7.62	--	-19.42	AV	266.00	100	Vertical	N/A
2	9414.500	32.66	11.71	74.0	41.34	Peak	139.90	100	Vertical	Pass
2**	9414.500	23.56	11.71	54.0	30.44	AV	139.90	100	Vertical	Pass
3	10885.750	37.35	15.20	74.0	36.65	Peak	74.70	100	Vertical	Pass
3**	10885.750	27.80	15.20	54.0	26.20	AV	74.70	100	Vertical	Pass
4	12423.000	38.68	16.83	74.0	35.32	Peak	297.30	100	Vertical	Pass
4**	12423.000	30.70	16.83	54.0	23.30	AV	297.30	100	Vertical	Pass
5	14810.000	44.54	22.34	68.2	23.66	Peak	202.40	100	Vertical	Pass
5**	14810.000	37.15	22.34	--	-37.15	AV	202.40	100	Vertical	N/A
6	17436.250	47.90	25.65	68.2	20.30	Peak	266.00	100	Vertical	Pass

WIFI5GB4-AC20-Low channel-Horizontal-TX

# Test result


Project Number: Test

Test Time: 2024-01-16\_15.08.38

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)\_1GHz-7GHz 5G\_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.000	40.84	-15.71	74.0	33.16	Peak	360.00	100	Horizontal	Pass
1**	1114.000	31.90	-15.71	54.0	22.10	AV	360.00	100	Horizontal	Pass
2	1332.000	42.02	-14.53	74.0	31.98	Peak	0.00	100	Horizontal	Pass
2**	1332.000	28.10	-14.53	54.0	25.90	AV	0.00	100	Horizontal	Pass
3	2158.750	46.39	-11.05	68.2	21.81	Peak	0.00	100	Horizontal	Pass
3**	2158.750	32.85	-11.05	--	-32.85	AV	0.00	100	Horizontal	N/A
4	3644.500	48.15	-2.17	74.0	25.85	Peak	263.10	100	Horizontal	Pass
4**	3644.500	38.00	-2.17	54.0	16.00	AV	263.10	100	Horizontal	Pass
5	5751.500	86.07	1.09	--	-29.17	Peak	56.90	100	Horizontal	N/A
5**	5751.500	77.37	1.09	--	-77.37	AV	56.90	100	Horizontal	N/A
6	6666.500	55.96	3.58	68.2	12.24	Peak	117.90	100	Horizontal	Pass
6**	6666.500	44.92	3.58	--	-44.92	AV	117.90	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.24.03

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8039.500	29.23	8.77	74.0	44.77	Peak	230.70	100	Horizontal	Pass
1**	8039.500	20.21	8.77	54.0	33.79	AV	230.70	100	Horizontal	Pass
2	9488.750	32.35	11.95	74.0	41.65	Peak	104.00	100	Horizontal	Pass
2**	9488.750	24.42	11.95	54.0	29.58	AV	104.00	100	Horizontal	Pass
3	11232.250	37.40	15.82	74.0	36.60	Peak	137.20	100	Horizontal	Pass
3**	11232.250	28.28	15.82	54.0	25.72	AV	137.20	100	Horizontal	Pass
4	12428.500	38.82	16.84	74.0	35.18	Peak	200.20	100	Horizontal	Pass
4**	12428.500	30.12	16.84	54.0	23.88	AV	200.20	100	Horizontal	Pass
5	14207.750	44.74	23.25	68.2	23.46	Peak	104.00	100	Horizontal	Pass
5**	14207.750	37.28	23.25	--	-37.28	AV	104.00	100	Horizontal	N/A
6	17483.000	48.71	26.70	68.2	19.49	Peak	137.20	100	Horizontal	Pass
6**	17483.000	40.03	26.70	--	-40.03	AV	137.20	100	Horizontal	N/A

## WIFI5GB4-AC20-Low channel-Vertical-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_16.07.36

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

Remission Test case\_FCC\_Part 15E\_FCC 15.407(5G)\_1GHz-7GHz 5G\_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	40.82	-15.71	74.0	33.18	Peak	282.20	100	Vertical	Pass
1**	1113.750	34.13	-15.71	54.0	19.87	AV	282.20	100	Vertical	Pass
2	1655.500	40.17	-14.85	68.2	28.03	Peak	0.00	100	Vertical	Pass
2**	1655.500	30.67	-14.85	--	-30.67	AV	0.00	100	Vertical	N/A
3	2158.500	46.40	-11.06	68.2	21.80	Peak	120.30	100	Vertical	Pass
3**	2158.500	31.89	-11.06	--	-31.89	AV	120.30	100	Vertical	N/A
4	3655.500	48.06	-2.23	74.0	25.94	Peak	119.80	100	Vertical	Pass
4**	3655.500	37.93	-2.23	54.0	16.07	AV	119.80	100	Vertical	Pass
5	4728.000	50.75	-0.96	74.0	23.25	Peak	58.40	100	Vertical	Pass
5**	4728.000	39.89	-0.96	54.0	14.11	AV	58.40	100	Vertical	Pass
6	5743.500	91.30	0.96	--	-91.30	Peak	0.00	100	Vertical	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.28.34

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8058.750	28.59	8.62	74.0	45.41	Peak	0.00	100	Vertical	Pass
1**	8058.750	19.89	8.62	54.0	34.11	AV	0.00	100	Vertical	Pass
2	10173.500	34.96	13.32	68.2	33.24	Peak	360.00	100	Vertical	Pass
2**	10173.500	25.99	13.32	--	-25.99	AV	360.00	100	Vertical	N/A
3	11287.250	37.45	16.53	74.0	36.55	Peak	190.40	100	Vertical	Pass
3**	11287.250	28.30	16.53	54.0	25.70	AV	190.40	100	Vertical	Pass
4	13127.000	40.34	18.03	68.2	27.86	Peak	360.00	100	Vertical	Pass
4**	13127.000	30.84	18.03	--	-30.84	AV	360.00	100	Vertical	N/A
5	14540.500	44.71	21.49	68.2	23.49	Peak	360.00	100	Vertical	Pass
5**	14540.500	34.76	21.49	--	-34.76	AV	360.00	100	Vertical	N/A
6	17458.250	49.86	26.11	68.2	18.34	Peak	0.00	100	Vertical	Pass

WIFI5GB4-AC20-Middle channel- Horizontal-TX


# Test result

Project Number: Test

Test Time: 2024-01-16\_15.11.14

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	43.37	-14.55	74.0	30.63	Peak	48.40	100	Horizontal	Pass
1**	1330.500	31.67	-14.55	54.0	22.33	AV	48.40	100	Horizontal	Pass
2	1657.250	42.50	-14.87	68.2	25.70	Peak	360.00	100	Horizontal	Pass
2**	1657.250	34.91	-14.87	--	-34.91	AV	360.00	100	Horizontal	N/A
3	2149.500	44.69	-11.14	68.2	23.51	Peak	0.00	100	Horizontal	Pass
3**	2149.500	34.27	-11.14	--	-34.27	AV	0.00	100	Horizontal	N/A
4	3754.500	48.48	-2.54	74.0	25.52	Peak	0.00	100	Horizontal	Pass
4**	3754.500	37.81	-2.54	54.0	16.19	AV	0.00	100	Horizontal	Pass
5	5538.500	51.02	0.41	68.2	17.18	Peak	0.00	100	Horizontal	Pass
5**	5538.500	40.90	0.41	--	-40.90	AV	0.00	100	Horizontal	N/A
6	5779.500	86.86	1.51	--	-64.26	Peak	22.60	100	Horizontal	N/A
6**	5779.500	78.40	1.51	--	-78.40	AV	22.60	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.25.35

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8023.000	27.93	8.50	68.2	40.27	Peak	360.00	100	Horizontal	Pass
1**	8023.000	19.65	8.50	--	-19.65	AV	360.00	100	Horizontal	N/A
2	9475.000	32.22	11.87	74.0	41.78	Peak	192.30	100	Horizontal	Pass
2**	9475.000	23.57	11.87	54.0	30.43	AV	192.30	100	Horizontal	Pass
3	11218.500	37.33	15.64	74.0	36.67	Peak	255.90	100	Horizontal	Pass
3**	11218.500	28.56	15.64	54.0	25.44	AV	255.90	100	Horizontal	Pass
4	12370.750	39.01	16.62	74.0	34.99	Peak	255.90	100	Horizontal	Pass
4**	12370.750	29.67	16.62	54.0	24.33	AV	255.90	100	Horizontal	Pass
5	14430.500	44.77	21.56	68.2	23.43	Peak	65.70	100	Horizontal	Pass
5**	14430.500	34.32	21.56	--	-34.32	AV	65.70	100	Horizontal	N/A
6	17524.251	48.68	25.98	68.2	19.52	Peak	164.00	100	Horizontal	Pass
6**	17524.251	40.24	25.98	--	-40.24	AV	164.00	100	Horizontal	N/A



WIFI5GB4-AC20-Middle channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_16.01.31

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	40.20	-15.71	74.0	33.80	Peak	360.00	100	Vertical	Pass
1**	1113.750	35.15	-15.71	54.0	18.85	AV	360.00	100	Vertical	Pass
2	1333.250	43.28	-14.51	74.0	30.72	Peak	280.70	100	Vertical	Pass
2**	1333.250	28.64	-14.51	54.0	25.36	AV	280.70	100	Vertical	Pass
3	1996.500	44.78	-13.01	68.2	23.42	Peak	360.00	100	Vertical	Pass
3**	1996.500	31.49	-13.01	--	-31.49	AV	360.00	100	Vertical	N/A
4	2665.750	46.57	-9.08	68.2	21.63	Peak	186.50	100	Vertical	Pass
4**	2665.750	33.53	-9.08	--	-33.53	AV	186.50	100	Vertical	N/A
5	4053.000	48.74	-1.46	74.0	25.26	Peak	200.90	100	Vertical	Pass
5**	4053.000	38.34	-1.46	54.0	15.66	AV	200.90	100	Vertical	Pass
6	5781.000	94.23	1.53	--	-23.63	Peak	70.60	100	Vertical	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.30.01

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7297.000	25.59	5.95	74.0	48.41	Peak	291.80	100	Vertical	Pass
1**	7297.000	17.88	5.95	54.0	36.12	AV	291.80	100	Vertical	Pass
2	8831.500	31.23	9.35	68.2	36.97	Peak	360.00	100	Vertical	Pass
2**	8831.500	22.61	9.35	--	-22.61	AV	360.00	100	Vertical	N/A
3	11262.500	37.52	16.22	74.0	36.48	Peak	360.00	100	Vertical	Pass
3**	11262.500	29.39	16.22	54.0	24.61	AV	360.00	100	Vertical	Pass
4	12458.750	40.14	16.90	74.0	33.86	Peak	18.40	100	Vertical	Pass
4**	12458.750	31.82	16.90	54.0	22.18	AV	18.40	100	Vertical	Pass
5	14491.000	44.54	21.90	74.0	29.46	Peak	18.40	100	Vertical	Pass
5**	14491.000	36.52	21.90	54.0	17.48	AV	18.40	100	Vertical	Pass
6	17466.499	49.33	26.30	68.2	18.87	Peak	238.50	100	Vertical	Pass

WIFI5GB4-AC20-High channel-Horizontal-TX

# Test result


Project Number: Test

Test Time: 2024-01-16\_15.13.30

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)\_1GHz-7GHz 5G\_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.250	43.57	-14.51	74.0	30.43	Peak	7.30	100	Horizontal	Pass
1**	1333.250	28.99	-14.51	54.0	25.01	AV	7.30	100	Horizontal	Pass
2	1655.750	43.07	-14.85	68.2	25.13	Peak	360.00	100	Horizontal	Pass
2**	1655.750	36.57	-14.85	--	-36.57	AV	360.00	100	Horizontal	N/A
3	2165.000	45.30	-11.02	68.2	22.90	Peak	360.00	100	Horizontal	Pass
3**	2165.000	31.91	-11.02	--	-31.91	AV	360.00	100	Horizontal	N/A
4	3027.500	46.19	-4.92	68.2	22.01	Peak	113.10	100	Horizontal	Pass
4**	3027.500	35.75	-4.92	--	-35.75	AV	113.10	100	Horizontal	N/A
5	5150.500	52.03	0.29	68.2	16.17	Peak	235.20	100	Horizontal	Pass
5**	5150.500	41.14	0.29	--	-41.14	AV	235.20	100	Horizontal	N/A
6	5819.000	88.00	1.40	--	-88.00	Peak	0.00	100	Horizontal	N/A
6**	5819.000	79.70	1.40	--	-79.70	AV	0.00	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.26.55

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8017.500	30.15	8.40	68.2	38.05	Peak	12.50	100	Horizontal	Pass
1**	8017.500	20.30	8.40	--	-20.30	AV	12.50	100	Horizontal	N/A
2	10173.500	35.72	13.32	68.2	32.48	Peak	12.50	100	Horizontal	Pass
2**	10173.500	26.21	13.32	--	-26.21	AV	12.50	100	Horizontal	N/A
3	11215.750	37.82	15.61	74.0	36.18	Peak	198.60	100	Horizontal	Pass
3**	11215.750	29.44	15.61	54.0	24.56	AV	198.60	100	Horizontal	Pass
4	12445.000	39.50	16.87	74.0	34.50	Peak	1.20	100	Horizontal	Pass
4**	12445.000	30.60	16.87	54.0	23.40	AV	1.20	100	Horizontal	Pass
5	14215.999	45.96	23.08	68.2	22.24	Peak	43.40	100	Horizontal	Pass
5**	14215.999	35.95	23.08	--	-35.95	AV	43.40	100	Horizontal	N/A
6	17463.751	49.35	26.24	68.2	18.85	Peak	198.60	100	Horizontal	Pass
6**	17463.751	41.07	26.24	--	-41.07	AV	198.60	100	Horizontal	N/A

WIFI5GB4-AC20-High channel-Vertical-TX


# Test result

Project Number: Test

Test Time: 2024-01-16\_15.58.54

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.750	44.29	-14.55	74.0	29.71	Peak	243.40	100	Vertical	Pass
1**	1330.750	30.35	-14.55	54.0	23.65	AV	243.40	100	Vertical	Pass
2	1992.000	42.93	-13.06	68.2	25.27	Peak	310.10	100	Vertical	Pass
2**	1992.000	30.82	-13.06	--	-30.82	AV	310.10	100	Vertical	N/A
3	2157.000	44.40	-11.06	68.2	23.80	Peak	310.10	100	Vertical	Pass
3**	2157.000	32.72	-11.06	--	-32.72	AV	310.10	100	Vertical	N/A
4	2660.750	47.05	-9.04	68.2	21.15	Peak	228.90	100	Vertical	Pass
4**	2660.750	33.02	-9.04	--	-33.02	AV	228.90	100	Vertical	N/A
5	4049.500	50.22	-1.50	74.0	23.78	Peak	40.90	100	Vertical	Pass
5**	4049.500	38.32	-1.50	54.0	15.68	AV	40.90	100	Vertical	Pass
6	5832.000	94.31	1.38	--	-94.31	Peak	0.00	100	Vertical	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.31.42

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8036.750	28.90	8.73	74.0	45.10	Peak	158.60	100	Vertical	Pass
1**	8036.750	19.44	8.73	54.0	34.56	AV	158.60	100	Vertical	Pass
2	10575.000	36.32	14.48	68.2	31.88	Peak	190.30	100	Vertical	Pass
2**	10575.000	27.37	14.48	--	-27.37	AV	190.30	100	Vertical	N/A
3	12436.750	39.81	16.85	74.0	34.19	Peak	222.30	100	Vertical	Pass
3**	12436.750	31.00	16.85	54.0	23.00	AV	222.30	100	Vertical	Pass
4	14158.250	44.29	22.69	68.2	23.91	Peak	111.00	100	Vertical	Pass
4**	14158.250	36.30	22.69	--	-36.30	AV	111.00	100	Vertical	N/A
5	14760.500	44.97	22.94	68.2	23.23	Peak	111.00	100	Vertical	Pass
5**	14760.500	35.53	22.94	--	-35.53	AV	111.00	100	Vertical	N/A
6	17477.501	49.04	26.57	68.2	19.16	Peak	111.00	100	Vertical	Pass

WIFI5GB4-AC40-Low channel-Horizontal-TX


# Test result

Project Number: Test

Test Time: 2024-01-16\_15.27.56

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1103.750	38.14	-15.72	74.0	35.86	Peak	200.20	100	Horizontal	Pass
1**	1103.750	26.20	-15.72	54.0	27.80	AV	200.20	100	Horizontal	Pass
2	1657.500	43.75	-14.87	68.2	24.45	Peak	360.00	100	Horizontal	Pass
2**	1657.500	36.00	-14.87	--	-36.00	AV	360.00	100	Horizontal	N/A
3	2426.000	48.59	-9.72	68.2	19.61	Peak	105.30	100	Horizontal	Pass
3**	2426.000	42.07	-9.72	--	-42.07	AV	105.30	100	Horizontal	N/A
4	3311.500	45.95	-5.45	68.2	22.25	Peak	152.70	100	Horizontal	Pass
4**	3311.500	34.50	-5.45	--	-34.50	AV	152.70	100	Horizontal	N/A
5	4825.500	50.47	-1.17	74.0	23.53	Peak	102.10	100	Horizontal	Pass
5**	4825.500	39.80	-1.17	54.0	14.20	AV	102.10	100	Horizontal	Pass
6	5758.000	82.85	1.20	--	-82.85	Peak	0.00	100	Horizontal	N/A
6**	5758.000	74.54	1.20	--	-74.54	AV	0.00	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.52.20

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8006.500	27.92	8.22	68.2	40.28	Peak	74.60	100	Horizontal	Pass
1**	8006.500	19.07	8.22	--	-19.07	AV	74.60	100	Horizontal	N/A
2	9538.250	33.61	12.10	68.2	34.59	Peak	12.50	100	Horizontal	Pass
2**	9538.250	23.62	12.10	--	-23.62	AV	12.50	100	Horizontal	N/A
3	11169.000	38.18	15.14	74.0	35.82	Peak	57.90	100	Horizontal	Pass
3**	11169.000	29.90	15.14	54.0	24.10	AV	57.90	100	Horizontal	Pass
4	12403.750	38.62	16.80	74.0	35.38	Peak	12.50	100	Horizontal	Pass
4**	12403.750	31.72	16.80	54.0	22.28	AV	12.50	100	Horizontal	Pass
5	14185.750	44.89	23.59	68.2	23.31	Peak	0.00	100	Horizontal	Pass
5**	14185.750	36.56	23.59	--	-36.56	AV	0.00	100	Horizontal	N/A
6	17491.249	49.16	26.63	68.2	19.04	Peak	12.50	100	Horizontal	Pass
6**	17491.249	40.57	26.63	--	-40.57	AV	12.50	100	Horizontal	N/A



WIFI5GB4-AC40-Low channel-Vertical-TX


# Test result

Project Number: Test

Test Time: 2024-01-16\_15.39.35

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.250	39.38	-15.71	74.0	34.62	Peak	311.90	100	Vertical	Pass
1**	1114.250	33.74	-15.71	54.0	20.26	AV	311.90	100	Vertical	Pass
2	1411.500	39.40	-14.46	74.0	34.60	Peak	311.90	100	Vertical	Pass
2**	1411.500	29.12	-14.46	54.0	24.88	AV	311.90	100	Vertical	Pass
3	2164.500	44.82	-11.02	68.2	23.38	Peak	58.90	100	Vertical	Pass
3**	2164.500	32.24	-11.02	--	-32.24	AV	58.90	100	Vertical	N/A
4	3459.500	46.63	-4.55	68.2	21.57	Peak	215.80	100	Vertical	Pass
4**	3459.500	36.84	-4.55	--	-36.84	AV	215.80	100	Vertical	N/A
5	4674.500	50.84	-0.92	74.0	23.16	Peak	104.90	100	Vertical	Pass
5**	4674.500	39.54	-0.92	54.0	14.46	AV	104.90	100	Vertical	Pass
6	5742.500	87.95	0.95	--	-87.95	Peak	0.00	100	Vertical	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.55.45

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7932.250	28.40	7.51	68.2	39.80	Peak	163.70	100	Vertical	Pass
1**	7932.250	19.25	7.51	--	-19.25	AV	163.70	100	Vertical	N/A
2	9884.750	34.86	13.51	68.2	33.34	Peak	163.70	100	Vertical	Pass
2**	9884.750	25.83	13.51	--	-25.83	AV	163.70	100	Vertical	N/A
3	11174.500	37.32	15.19	74.0	36.68	Peak	0.00	100	Vertical	Pass
3**	11174.500	27.85	15.19	54.0	26.15	AV	0.00	100	Vertical	Pass
4	12428.500	39.09	16.84	74.0	34.91	Peak	6.50	100	Vertical	Pass
4**	12428.500	31.41	16.84	54.0	22.59	AV	6.50	100	Vertical	Pass
5	14183.000	45.27	23.50	68.2	22.93	Peak	102.30	100	Vertical	Pass
5**	14183.000	35.87	23.50	--	-35.87	AV	102.30	100	Vertical	N/A
6	17458.250	49.06	26.11	68.2	19.14	Peak	0.00	100	Vertical	Pass

WIFI5GB4-AC40-High channel-Horizontal-TX

# Test result


Project Number: Test

Test Time: 2024-01-16\_15.25.32

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)\_1GHz-7GHz 5G\_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.500	43.03	-14.51	74.0	30.97	Peak	38.70	100	Horizontal	Pass
1**	1333.500	28.72	-14.51	54.0	25.28	AV	38.70	100	Horizontal	Pass
2	2145.500	45.95	-11.21	68.2	22.25	Peak	85.20	100	Horizontal	Pass
2**	2145.500	33.06	-11.21	--	-33.06	AV	85.20	100	Horizontal	N/A
3	3031.500	45.84	-4.90	68.2	22.36	Peak	70.30	100	Horizontal	Pass
3**	3031.500	35.40	-4.90	--	-35.40	AV	70.30	100	Horizontal	N/A
4	4350.000	48.91	-2.13	74.0	25.09	Peak	86.30	100	Horizontal	Pass
4**	4350.000	38.60	-2.13	54.0	15.40	AV	86.30	100	Horizontal	Pass
5	5811.000	82.74	1.44	--	-59.74	Peak	23.00	100	Horizontal	N/A
5**	5811.000	74.52	1.44	--	-74.52	AV	23.00	100	Horizontal	N/A
6	6555.000	55.16	3.21	68.2	13.04	Peak	23.00	100	Horizontal	Pass
6**	6555.000	44.78	3.21	--	-44.78	AV	23.00	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17.54.13

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7970.750	29.54	7.86	68.2	38.66	Peak	250.70	100	Horizontal	Pass
1**	7970.750	20.12	7.86	--	-20.12	AV	250.70	100	Horizontal	N/A
2	10041.500	33.83	13.32	68.2	34.37	Peak	284.40	100	Horizontal	Pass
2**	10041.500	24.88	13.32	--	-24.88	AV	284.40	100	Horizontal	N/A
3	11889.500	37.93	16.39	74.0	36.07	Peak	190.80	100	Horizontal	Pass
3**	11889.500	28.68	16.39	54.0	25.32	AV	190.80	100	Horizontal	Pass
4	14174.750	44.74	23.23	68.2	23.46	Peak	221.30	100	Horizontal	Pass
4**	14174.750	35.26	23.23	--	-35.26	AV	221.30	100	Horizontal	N/A
5	14724.750	44.90	22.53	68.2	23.30	Peak	190.80	100	Horizontal	Pass
5**	14724.750	36.22	22.53	--	-36.22	AV	190.80	100	Horizontal	N/A
6	17485.750	48.72	26.73	68.2	19.48	Peak	160.20	100	Horizontal	Pass
6**	17485.750	40.88	26.73	--	-40.88	AV	160.20	100	Horizontal	N/A

WIFI5GB4-AC40-High channel-Vertical-TX


# Test result

Project Number: Test

Test Time: 2024-01-16\_15.41.59

EUT Name: N.A  
 Manufacturer: N.A  
 Model: N.A  
 Temp.(oC): 20.5  
 Hum.: 45

Test Engineer: ZY  
 Test Standard: FCC  
 Work Addition: TX  
 Load: full load  
 Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	41.45	-15.71	74.0	32.55	Peak	360.00	100	Vertical	Pass
1**	1113.750	34.59	-15.71	54.0	19.41	AV	360.00	100	Vertical	Pass
2	1331.250	43.38	-14.54	74.0	30.62	Peak	234.30	100	Vertical	Pass
2**	1331.250	29.35	-14.54	54.0	24.65	AV	234.30	100	Vertical	Pass
3	2162.500	44.76	-11.03	68.2	23.44	Peak	93.60	100	Vertical	Pass
3**	2162.500	31.95	-11.03	--	-31.95	AV	93.60	100	Vertical	N/A
4	2665.750	46.05	-9.08	68.2	22.15	Peak	187.50	100	Vertical	Pass
4**	2665.750	33.97	-9.08	--	-33.97	AV	187.50	100	Vertical	N/A
5	4482.500	49.86	-1.34	68.2	18.34	Peak	234.40	100	Vertical	Pass
5**	4482.500	39.00	-1.34	--	-39.00	AV	234.40	100	Vertical	N/A
6	5811.500	89.96	1.44	--	-47.56	Peak	42.40	100	Vertical	N/A

# Test result

Project Number: Test

Test Time: 2024-01-16\_17:57:59

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8058.750	28.86	8.62	74.0	45.14	Peak	226.10	100	Vertical	Pass
1**	8058.750	20.51	8.62	54.0	33.49	AV	226.10	100	Vertical	Pass
2	9904.000	34.05	13.81	68.2	34.15	Peak	98.80	100	Vertical	Pass
2**	9904.000	26.35	13.81	--	-26.35	AV	98.80	100	Vertical	N/A
3	11254.250	37.56	16.10	74.0	36.44	Peak	0.00	100	Vertical	Pass
3**	11254.250	29.72	16.10	54.0	24.28	AV	0.00	100	Vertical	Pass
4	13187.500	39.66	18.18	68.2	28.54	Peak	287.20	100	Vertical	Pass
4**	13187.500	31.51	18.18	--	-31.51	AV	287.20	100	Vertical	N/A
5	14507.500	44.08	21.75	68.2	24.12	Peak	256.30	100	Vertical	Pass
5**	14507.500	35.88	21.75	--	-35.88	AV	256.30	100	Vertical	N/A
6	17477.501	48.67	26.57	68.2	19.53	Peak	98.80	100	Vertical	Pass

WIFI5GB4-AC80-Low channel-Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_15.30.51

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.000	42.27	-14.56	74.0	31.73	Peak	71.50	100	Horizontal	Pass
1**	1330.000	28.76	-14.56	54.0	25.24	AV	71.50	100	Horizontal	Pass
2	1654.500	44.72	-14.83	68.2	23.48	Peak	360.00	100	Horizontal	Pass
2**	1654.500	34.50	-14.83	--	-34.50	AV	360.00	100	Horizontal	N/A
3	2167.750	44.97	-11.00	68.2	23.23	Peak	71.50	100	Horizontal	Pass
3**	2167.750	33.44	-11.00	--	-33.44	AV	71.50	100	Horizontal	N/A
4	3648.000	48.24	-2.18	74.0	25.76	Peak	173.00	100	Horizontal	Pass
4**	3648.000	38.14	-2.18	54.0	15.86	AV	173.00	100	Horizontal	Pass
5	4511.500	50.21	-0.76	74.0	23.79	Peak	0.00	100	Horizontal	Pass
5**	4511.500	40.08	-0.76	54.0	13.92	AV	0.00	100	Horizontal	Pass
6	5811.000	70.15	1.44	--	-70.15	Peak	0.00	100	Horizontal	N/A
6**	5811.000	62.68	1.44	--	-62.68	AV	0.00	100	Horizontal	N/A

# Test result

Project Number: Test

Test Time: 2024-01-18\_15.07.27

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7937.750	28.89	7.56	68.2	39.31	Peak	60.80	100	Horizontal	Pass
1**	7937.750	19.91	7.56	--	-19.91	AV	60.80	100	Horizontal	N/A
2	9145.000	31.17	11.23	74.0	42.83	Peak	106.60	100	Horizontal	Pass
2**	9145.000	23.72	11.23	54.0	30.28	AV	106.60	100	Horizontal	Pass
3	10522.750	35.49	14.43	68.2	32.71	Peak	356.00	100	Horizontal	Pass
3**	10522.750	27.32	14.43	--	-27.32	AV	356.00	100	Horizontal	N/A
4	12420.250	39.56	16.83	74.0	34.44	Peak	170.70	100	Horizontal	Pass
4**	12420.250	30.43	16.83	54.0	23.57	AV	170.70	100	Horizontal	Pass
5	14144.500	44.03	22.24	68.2	24.17	Peak	60.80	100	Horizontal	Pass
5**	14144.500	35.83	22.24	--	-35.83	AV	60.80	100	Horizontal	N/A
6	17436.250	48.20	25.65	68.2	20.00	Peak	202.70	100	Horizontal	Pass
6**	17436.250	39.99	25.65	--	-39.99	AV	202.70	100	Horizontal	N/A



WIFI5GB4-AC80-Low channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_15.36.44

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	40.87	-15.71	74.0	33.13	Peak	311.20	100	Vertical	Pass
1**	1113.750	35.27	-15.71	54.0	18.73	AV	311.20	100	Vertical	Pass
2	1331.500	43.42	-14.54	74.0	30.58	Peak	277.00	100	Vertical	Pass
2**	1331.500	29.61	-14.54	54.0	24.39	AV	277.00	100	Vertical	Pass
3	2069.750	43.60	-11.94	68.2	24.60	Peak	360.00	100	Vertical	Pass
3**	2069.750	31.33	-11.94	--	-31.33	AV	360.00	100	Vertical	N/A
4	2662.750	46.54	-9.06	68.2	21.66	Peak	106.80	100	Vertical	Pass
4**	2662.750	33.34	-9.06	--	-33.34	AV	106.80	100	Vertical	N/A
5	4029.500	49.84	-1.61	74.0	24.16	Peak	283.20	100	Vertical	Pass
5**	4029.500	38.44	-1.61	54.0	15.56	AV	283.20	100	Vertical	Pass
6	5738.500	85.09	0.88	--	-29.29	Peak	55.80	100	Vertical	N/A

# Test result

Project Number: Test

Test Time: 2024-01-18\_15.09.09

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8009.250	28.84	8.26	68.2	39.36	Peak	202.40	100	Vertical	Pass
1**	8009.250	20.82	8.26	--	-20.82	AV	202.40	100	Vertical	N/A
2	9378.750	31.92	11.70	74.0	42.08	Peak	360.00	100	Vertical	Pass
2**	9378.750	24.10	11.70	54.0	29.90	AV	360.00	100	Vertical	Pass
3	10165.250	36.18	13.33	68.2	32.02	Peak	297.30	100	Vertical	Pass
3**	10165.250	26.04	13.33	--	-26.04	AV	297.30	100	Vertical	N/A
4	12447.750	39.44	16.87	74.0	34.56	Peak	360.00	100	Vertical	Pass
4**	12447.750	30.74	16.87	54.0	23.26	AV	360.00	100	Vertical	Pass
5	14191.250	45.49	23.59	68.2	22.71	Peak	0.00	100	Vertical	Pass
5**	14191.250	37.71	23.59	--	-37.71	AV	0.00	100	Vertical	N/A
6	17510.500	49.54	26.26	68.2	18.66	Peak	360.00	100	Vertical	Pass

## WiFi5GB1-Bandedge -A-Low channel-Horizontal-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_11.22.32

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.74	0.29	74.0	24.26	Peak	164.48	100	H	Pass
1**	5150.000	41.09	0.29	54.0	12.91	AV	164.48	100	H	Pass

## WiFi5GB1-Bandedge -A-Low channel- Vertical-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_10.36.52

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01--E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	50.34	0.29	74.0	23.66	Peak	102.57	100	V	Pass
1**	5150.000	41.13	0.29	54.0	12.87	AV	102.57	100	V	Pass

## WiFi5GB1-Bandedge -A-High channel- Horizontal-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_11.24.19

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	48.76	-0.53	74.0	25.24	Peak	181.27	100	H	Pass
1**	5350.000	41.00	-0.53	54.0	13.00	AV	181.27	100	H	Pass

## WiFi5GB1-Bandedge -A-High channel-Vertical-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_10.39.43

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	48.80	-0.53	74.0	25.20	Peak	27.91	100	V	Pass
1**	5350.000	40.69	-0.53	54.0	13.31	AV	27.91	100	V	Pass

WiFi5GB1-Bandedge –N20-Low channel-Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_11.19.56

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	50.14	0.29	74.0	23.86	Peak	317.30	100	H	Pass
1**	5150.000	40.86	0.29	54.0	13.14	AV	317.30	100	H	Pass

WiFi5GB1-Bandedge -N20-Low channel- Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_10.43.15

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.70	0.29	74.0	24.30	Peak	66.50	100	V	Pass
1**	5150.000	41.56	0.29	54.0	12.44	AV	66.50	100	V	Pass



WiFi5GB1-Bandedge –N20-High channel- Horizontal-TX

## Test result

Project Number: Test

Test Time: 2024-01-16\_11.18.13

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	49.20	-0.53	74.0	24.80	Peak	259.58	100	H	Pass
1**	5350.000	40.78	-0.53	54.0	13.22	AV	259.58	100	H	Pass

## WiFi5GB1-Bandedge –N20-High channel-Vertical-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_10.45.01

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	49.36	-0.53	74.0	24.64	Peak	176.41	100	V	Pass
1**	5350.000	40.86	-0.53	54.0	13.14	AV	176.41	100	V	Pass

WiFi5GB1-Bandedge –N40-Low channel-Horizontal-TX

## Test result

Project Number: Test

Test Time: 2024-01-16\_11.12.11

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	52.30	0.29	74.0	21.70	Peak	205.24	100	H	Pass
1**	5150.000	42.14	0.29	54.0	11.86	AV	205.24	100	H	Pass

WIFI5GB1-Bandedge –N40-Low channel- Vertical-TX

## Test result

Project Number: Test

Test Time: 2024-01-16\_10.51.19

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.33	0.29	74.0	19.67	Peak	136.97	100	V	Pass
1**	5150.000	44.85	0.29	54.0	9.15	AV	136.97	100	V	Pass

WiFi5GB1-Bandedge –N40-High channel- Horizontal-TX

## Test result

Project Number: Test

Test Time: 2024-01-16\_11.10.14

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.12	-0.53	74.0	23.88	Peak	190.98	100	H	Pass
1**	5350.000	40.64	-0.53	54.0	13.36	AV	190.98	100	H	Pass

WiFi5GB1-Bandedge –N40-High channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_10.53.16

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.05	-0.53	74.0	23.95	Peak	325.25	100	V	Pass
1**	5350.000	41.09	-0.53	54.0	12.91	AV	325.25	100	V	Pass

## WiFi5GB1-Bandedge –AC20-Low channel-Horizontal-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_11.14.15

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.67	0.29	74.0	24.33	Peak	80.29	100	H	Pass
1**	5150.000	41.08	0.29	54.0	12.92	AV	80.29	100	H	Pass

## WiFi5GB1-Bandedge –AC20-Low channel- Vertical-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_10.49.06

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.85	0.29	74.0	20.15	Peak	278.94	100	V	Pass
1**	5150.000	42.48	0.29	54.0	11.52	AV	278.94	100	V	Pass



## WiFi5GB1-Bandedge –AC20-High channel- Horizontal-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_11.16.02

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	49.11	-0.53	74.0	24.89	Peak	283.68	100	H	Pass
1**	5350.000	40.94	-0.53	54.0	13.06	AV	283.68	100	H	Pass

## WiFi5GB1-Bandedge –AC20-High channel-Vertical-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_10.47.25

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.51	-0.53	74.0	23.49	Peak	19.97	100	V	Pass
1**	5350.000	41.31	-0.53	54.0	12.69	AV	19.97	100	V	Pass

WiFi5GB1-Bandedge –AC40-Low channel-Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_11.06.39

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	50.74	0.29	74.0	23.26	Peak	257.14	100	H	Pass
1**	5150.000	42.57	0.29	54.0	11.43	AV	257.14	100	H	Pass

WIFI5GB1-Bandedge –AC40-Low channel- Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_10.57.26

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.13	0.29	74.0	18.87	Peak	257.43	100	V	Pass
1**	5150.000	44.66	0.29	54.0	9.34	AV	257.43	100	V	Pass

## WiFi5GB1-Bandedge –AC40-High channel- Horizontal-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_11.08.25

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	49.23	-0.53	74.0	24.77	Peak	282.90	100	H	Pass
1**	5350.000	40.81	-0.53	54.0	13.19	AV	282.90	100	H	Pass

WIFI5GB1-Bandedge –AC40-High channel-Vertical-TX

## Test result

Project Number: Test

Test Time: 2024-01-16\_10.55.05

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.26	-0.53	74.0	23.74	Peak	123.56	100	V	Pass
1**	5350.000	40.74	-0.53	54.0	13.26	AV	123.56	100	V	Pass

WIFI5GB1-Bandedge –AC80-Low channel-Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_11.02.40

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	49.24	0.29	74.0	24.76	Peak	310.10	100	H	Pass
1**	5150.000	41.36	0.29	54.0	12.64	AV	310.10	100	H	Pass
2	5350.000	48.07	-0.53	74.0	25.93	Peak	85.35	100	H	Pass
2**	5350.000	40.59	-0.53	54.0	13.41	AV	85.35	100	H	Pass

WIFI5GB1-Bandedge –AC80-Low channel- Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_10.59.51

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	51.05	0.29	74.0	22.95	Peak	346.34	100	V	Pass
1**	5150.000	42.87	0.29	54.0	11.13	AV	346.34	100	V	Pass
2	5350.000	48.37	-0.53	74.0	25.63	Peak	127.60	100	V	Pass
2**	5350.000	40.34	-0.53	54.0	13.66	AV	127.60	100	V	Pass



## WiFi5GB4-Bandedge -A-Low channel-Horizontal-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_11.27.27

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)5G\_Band4\_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.37	0.70	122.2	68.83	Peak	0.00	100	H	Pass

WIFI5GB4-Bandedge -A-Low channel- Vertical-TX

## Test result

Project Number: Test

Test Time: 2024-01-16\_13.28.01

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)5G\_Band4\_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.84	0.70	122.2	62.36	Peak	359.31	100	V	Pass

WIFI5GB4-Bandedge -A-High channel- Horizontal-TX

## Test result

Project Number: Test

Test Time: 2024-01-16\_11.29.17

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)5G\_Band4\_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	56.22	1.34	122.2	65.98	Peak	359.90	100	H	Pass

WIFI5GB4-Bandedge -A-High channel-Vertical-TX

## Test result

Project Number: Test

Test Time: 2024-01-16\_13.29.37

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	65.61	1.34	122.2	56.59	Peak	0.00	100	V	Pass

## WiFi5GB4-Bandedge -N20-Low channel-Horizontal-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_11.32.42

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	51.48	0.70	122.2	70.72	Peak	358.35	100	H	Pass

WIFI5GB4-Bandedge -N20-Low channel- Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_13.20.58

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

R Emission Test case\_FCC\_Part 15E\_FCC 15.407(5G)5G\_Band4\_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.95	0.70	122.2	59.25	Peak	360.00	100	V	Pass

WiFi5GB4-Bandedge –N20-High channel- Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_11.31.01

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	57.12	1.34	122.2	65.08	Peak	0.07	100	H	Pass

WIFI5GB4-Bandedge –N20-High channel-Vertical-TX

## Test result

Project Number: Test

Test Time: 2024-01-16\_13.22.41

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)5G\_Band4\_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	65.75	1.34	122.2	56.45	Peak	358.81	100	V	Pass



WiFi5GB4-Bandedge -N40-Low channel-Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_11.38.31

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.73	0.70	122.2	68.47	Peak	44.00	100	H	Pass

WIFI5GB4-Bandedge -N40-Low channel- Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_13.18.47

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.88	0.70	122.2	65.32	Peak	0.00	100	V	Pass

WiFi5GB4-Bandedge –N40-High channel- Horizontal-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_11.40.23

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	53.06	1.34	122.2	69.14	Peak	0.00	100	H	Pass

WiFi5GB4-Bandedge –N40-High channel-Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_13.16.57

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	56.87	1.34	122.2	65.33	Peak	0.42	100	V	Pass

WiFi5GB4-Bandedge –AC20-Low channel-Horizontal-TX

## Test result

Project Number: Test

Test Time: 2024-01-16\_11.34.23

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)5G\_Band4\_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.90	0.70	122.2	67.30	Peak	48.01	100	H	Pass

WIFI5GB4-Bandedge –AC20-Low channel- Vertical-TX

## Test result

Project Number: Test

Test Time: 2024-01-16\_13.24.26

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)5G\_Band4\_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	69.17	1.34	122.2	53.03	Peak	360.00	100	V	Pass

## WiFi5GB4-Bandedge –AC20-High channel- Horizontal-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_11.35.58

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)5G\_Band4\_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	61.24	1.34	122.2	60.96	Peak	5.10	100	H	Pass

## WiFi5GB4-Bandedge –AC20-High channel-Vertical-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_13.26.20

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)5G\_Band4\_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.72	0.70	122.2	59.48	Peak	3.09	100	V	Pass



WiFi5GB4-Bandedge –AC40-Low channel-Horizontal-TX

## Test result

Project Number: Test

Test Time: 2024-01-16\_11.44.10

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)5G\_Band4\_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	50.86	0.70	122.2	71.34	Peak	3.99	100	H	Pass

## WiFi5GB4-Bandedge –AC40-Low channel- Vertical-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_13.13.14

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)5G\_Band4\_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.78	0.70	122.2	67.42	Peak	360.00	100	V	Pass

WiFi5GB4-Bandedge –AC40-High channel- Horizontal-TX

## Test result

Project Number: Test

Test Time: 2024-01-16\_11.42.28

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case\_FCC\_Part 15E\_FCC 15.407(5G)5G\_Band4\_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	51.76	1.34	122.2	70.44	Peak	110.22	100	H	Pass

WIFI5GB4-Bandedge –AC40-High channel-Vertical-TX

## Test result

Project Number: Test

Test Time: 2024-01-16\_13.15.18

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	58.54	1.34	122.2	63.66	Peak	87.39	100	V	Pass

## WiFi5GB4-Bandedge –AC80-Low channel-Horizontal-TX

### Test result

Project Number: Test

Test Time: 2024-01-16\_11.46.48

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	50.05	0.70	122.2	72.15	Peak	0.00	100	H	Pass
2	5850.000	52.57	1.34	122.2	69.63	Peak	2.60	100	H	Pass

WiFi5GB4-Bandedge –AC80-Low channel- Vertical-TX

# Test result

Project Number: Test

Test Time: 2024-01-16\_13.11.13

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.94	0.70	122.2	67.26	Peak	0.00	100	V	Pass
2	5850.000	58.60	1.34	122.2	63.60	Peak	317.90	100	V	Pass