



## Appendix B for 5.2GWIFI Test Data

Product Name: Car Navigation Multimedia

Test Model: A6G2A7PF

### Environmental Conditions

Temperature:	23.8℃
Relative Humidity:	52%
ATM Pressure:	101.0 kPa
Test Engineer:	Leon Li
Supervised by:	Baret Wu




A1. Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	94.06	0.27	0.49
NVNT	a	5200	Ant1	97.17	0.12	0.49
NVNT	a	5240	Ant1	93.24	0.3	0.48
NVNT	n20	5180	Ant1	92.31	0.35	0.52
NVNT	n20	5200	Ant1	90.57	0.43	0.52
NVNT	n20	5240	Ant1	92.31	0.35	0.52
NVNT	n40	5190	Ant1	84.82	0.72	1.05
NVNT	n40	5230	Ant1	85.45	0.68	1.06
NVNT	ac20	5180	Ant1	94.15	0.26	0.52
NVNT	ac20	5200	Ant1	91.9	0.37	0.52
NVNT	ac20	5240	Ant1	95.54	0.2	0.52
NVNT	ac40	5190	Ant1	91.35	0.39	1.05
NVNT	ac40	5230	Ant1	95.96	0.18	1.05
NVNT	ac80	5210	Ant1	83.64	0.78	2.17




Test Graphs

Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1






Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1






Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1






### Duty Cycle NVNT n40 5190MHz Ant1




### Duty Cycle NVNT n40 5230MHz Ant1






Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1






### Duty Cycle NVNT ac20 5240MHz Ant1




### Duty Cycle NVNT ac40 5190MHz Ant1








### Duty Cycle NVNT ac40 5230MHz Ant1



### Duty Cycle NVNT ac80 5210MHz Ant1




**ZHONGHAN****A2. Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	11.74	0.27	12.01	24	Pass
NVNT	a	5200	Ant1	11.49	0.12	11.61	24	Pass
NVNT	a	5240	Ant1	11.32	0.3	11.62	24	Pass
NVNT	n20	5180	Ant1	10.99	0.35	11.34	24	Pass
NVNT	n20	5200	Ant1	11.13	0.43	11.56	24	Pass
NVNT	n20	5240	Ant1	11.2	0.35	11.55	24	Pass
NVNT	n40	5190	Ant1	9.37	0.72	10.09	24	Pass
NVNT	n40	5230	Ant1	9.52	0.68	10.2	24	Pass
NVNT	ac20	5180	Ant1	10.54	0.26	10.8	24	Pass
NVNT	ac20	5200	Ant1	10.57	0.37	10.94	24	Pass
NVNT	ac20	5240	Ant1	10.72	0.2	10.92	24	Pass
NVNT	ac40	5190	Ant1	8.52	0.39	8.91	24	Pass
NVNT	ac40	5230	Ant1	8.78	0.18	8.96	24	Pass
NVNT	ac80	5210	Ant1	7.47	0.78	8.25	24	Pass




Test Graphs

Power NVNT a 5180MHz Ant1




Power NVNT a 5200MHz Ant1






Power NVNT a 5240MHz Ant1




Power NVNT n20 5180MHz Ant1






### Power NVNT n20 5200MHz Ant1




### Power NVNT n20 5240MHz Ant1






### Power NVNT n40 5190MHz Ant1




### Power NVNT n40 5230MHz Ant1






### Power NVNT ac20 5180MHz Ant1




### Power NVNT ac20 5200MHz Ant1






### Power NVNT ac20 5240MHz Ant1




### Power NVNT ac40 5190MHz Ant1








### Power NVNT ac40 5230MHz Ant1



### Power NVNT ac80 5210MHz Ant1




**ZHONGHAN****A3. -26dB Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	20.665	Pass
NVNT	a	5200	Ant1	20.657	Pass
NVNT	a	5240	Ant1	21.137	Pass
NVNT	n20	5180	Ant1	21.272	Pass
NVNT	n20	5200	Ant1	21.528	Pass
NVNT	n20	5240	Ant1	21.545	Pass
NVNT	n40	5190	Ant1	41.18	Pass
NVNT	n40	5230	Ant1	40.578	Pass
NVNT	ac20	5180	Ant1	21.324	Pass
NVNT	ac20	5200	Ant1	21.262	Pass
NVNT	ac20	5240	Ant1	22.02	Pass
NVNT	ac40	5190	Ant1	40.697	Pass
NVNT	ac40	5230	Ant1	40.488	Pass
NVNT	ac80	5210	Ant1	79.522	Pass




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1






-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1






-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1








ZHONGHAN



-26dB Bandwidth NVNT n40 5190MHz Ant1



-26dB Bandwidth NVNT n40 5230MHz Ant1













ZHONGHAN

-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1




**ZHONGHAN****A4. Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.575
NVNT	a	5200	Ant1	16.557
NVNT	a	5240	Ant1	16.545
NVNT	n20	5180	Ant1	17.614
NVNT	n20	5200	Ant1	17.632
NVNT	n20	5240	Ant1	17.638
NVNT	n40	5190	Ant1	36.126
NVNT	n40	5230	Ant1	36.136
NVNT	ac20	5180	Ant1	17.64
NVNT	ac20	5200	Ant1	17.615
NVNT	ac20	5240	Ant1	17.635
NVNT	ac40	5190	Ant1	36.151
NVNT	ac40	5230	Ant1	36.114
NVNT	ac80	5210	Ant1	75.271




Test Graphs

OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1






OBW NVNT a 5240MHz Ant1




OBW NVNT n20 5180MHz Ant1






OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1






OBW NVNT n40 5190MHz Ant1




OBW NVNT n40 5230MHz Ant1






OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1






OBW NVNT ac20 5240MHz Ant1



OBW NVNT ac40 5190MHz Ant1









ZHONGHAN

OBW NVNT ac40 5230MHz Ant1



OBW NVNT ac80 5210MHz Ant1




**ZHONGHAN****A5. Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-1.81	0.27	-1.54	11	Pass
NVNT	a	5200	Ant1	-2.22	0.12	-2.1	11	Pass
NVNT	a	5240	Ant1	-2.23	0.3	-1.93	11	Pass
NVNT	n20	5180	Ant1	-3.04	0.35	-2.69	11	Pass
NVNT	n20	5200	Ant1	-2.59	0.43	-2.16	11	Pass
NVNT	n20	5240	Ant1	-3.31	0.35	-2.96	11	Pass
NVNT	n40	5190	Ant1	-8.88	0.72	-8.16	11	Pass
NVNT	n40	5230	Ant1	-8.89	0.68	-8.21	11	Pass
NVNT	ac20	5180	Ant1	-3.27	0.26	-3.01	11	Pass
NVNT	ac20	5200	Ant1	-3.09	0.37	-2.72	11	Pass
NVNT	ac20	5240	Ant1	-2.85	0.2	-2.65	11	Pass
NVNT	ac40	5190	Ant1	-10.22	0.39	-9.83	11	Pass
NVNT	ac40	5230	Ant1	-10.09	0.18	-9.91	11	Pass
NVNT	ac80	5210	Ant1	-17.44	0.78	-16.66	11	Pass




Test Graphs

PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1






PSD NVNT a 5240MHz Ant1




PSD NVNT n20 5180MHz Ant1






PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1






PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1






PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1






PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1








PSD NVNT ac40 5230MHz Ant1



PSD NVNT ac80 5210MHz Ant1




**ZHONGHAN**  
**A6. Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-45.76	-27	Pass
NVNT	a	5240	Ant1	-46.14	-27	Pass
NVNT	n20	5180	Ant1	-43.42	-27	Pass
NVNT	n20	5240	Ant1	-45.32	-27	Pass
NVNT	n40	5190	Ant1	-37.66	-27	Pass
NVNT	n40	5230	Ant1	-45.74	-27	Pass
NVNT	ac20	5180	Ant1	-46.9	-27	Pass
NVNT	ac20	5240	Ant1	-45.23	-27	Pass
NVNT	ac40	5190	Ant1	-42.33	-27	Pass
NVNT	ac40	5230	Ant1	-46.02	-27	Pass
NVNT	ac80	5210	Ant1	-40.17	-27	Pass




Test Graphs

Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1






### Band Edge NVNT n20 5180MHz Low Ant1




### Band Edge NVNT n20 5240MHz High Ant1






ZHONGHAN

### Band Edge NVNT n40 5190MHz Low Ant1




### Band Edge NVNT n40 5230MHz High Ant1






Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1






### Band Edge NVNT ac40 5190MHz Low Ant1




### Band Edge NVNT ac40 5230MHz High Ant1





ZHONGHAN

Band Edge NVNT ac80 5210MHz Low Ant1







**ZHONGHAN**


**A7. Frequency Stability**

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5180	Ant1	5180	0	0	25	Pass
NVNT	a	5200	Ant1	5200.02	20000	3.85	25	Pass
NVNT	a	5240	Ant1	5240	0	0	25	Pass
NVNT	n20	5180	Ant1	5180	0	0	25	Pass
NVNT	n20	5200	Ant1	5200	0	0	25	Pass
NVNT	n20	5240	Ant1	5240	0	0	25	Pass
NVNT	n40	5190	Ant1	5190	0	0	25	Pass
NVNT	n40	5230	Ant1	5230	0	0	25	Pass
NVNT	ac20	5180	Ant1	5180	0	0	25	Pass
NVNT	ac20	5200	Ant1	5200.02	20000	3.85	25	Pass
NVNT	ac20	5240	Ant1	5240	0	0	25	Pass
NVNT	ac40	5190	Ant1	5190	0	0	25	Pass
NVNT	ac40	5230	Ant1	5230	0	0	25	Pass
NVNT	ac80	5210	Ant1	5210.08	80000	15.36	25	Pass




Test Graphs

Freq. Stability NVNT a 5180MHz Ant1




Freq. Stability NVNT a 5200MHz Ant1






### Freq. Stability NVNT a 5240MHz Ant1




### Freq. Stability NVNT n20 5180MHz Ant1






### Freq. Stability NVNT n20 5200MHz Ant1




### Freq. Stability NVNT n20 5240MHz Ant1






Freq. Stability NVNT n40 5190MHz Ant1




Freq. Stability NVNT n40 5230MHz Ant1






Freq. Stability NVNT ac20 5180MHz Ant1




Freq. Stability NVNT ac20 5200MHz Ant1






Freq. Stability NVNT ac20 5240MHz Ant1




Freq. Stability NVNT ac40 5190MHz Ant1






ZHONGHAN

### Freq. Stability NVNT ac40 5230MHz Ant1



### Freq. Stability NVNT ac80 5210MHz Ant1






**ZHONGHAN****A8. Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-35.31	-27	Pass
NVNT	a	5200	Ant1	-35.67	-27	Pass
NVNT	a	5240	Ant1	-35.34	-27	Pass
NVNT	n20	5180	Ant1	-35.29	-27	Pass
NVNT	n20	5200	Ant1	-34.66	-27	Pass
NVNT	n20	5240	Ant1	-35.54	-27	Pass
NVNT	n40	5190	Ant1	-35.09	-27	Pass
NVNT	n40	5230	Ant1	-34.8	-27	Pass
NVNT	ac20	5180	Ant1	-35.7	-27	Pass
NVNT	ac20	5200	Ant1	-34.71	-27	Pass
NVNT	ac20	5240	Ant1	-35.58	-27	Pass
NVNT	ac40	5190	Ant1	-34.83	-27	Pass
NVNT	ac40	5230	Ant1	-35.57	-27	Pass
NVNT	ac80	5210	Ant1	-34.82	-27	Pass




Test Graphs

Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission






### Tx. Spurious NVNT a 5240MHz Ant1 Emission




### Tx. Spurious NVNT n20 5180MHz Ant1 Emission






Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission






### Tx. Spurious NVNT n40 5190MHz Ant1 Emission




### Tx. Spurious NVNT n40 5230MHz Ant1 Emission






Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission






Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission





### Tx. Spurious NVNT ac40 5230MHz Ant1 Emission



### Tx. Spurious NVNT ac80 5210MHz Ant1 Emission

