



















D.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant0	4500	-48.93	2.44	-	48.74	Peak	68.2	Pass
NVNT	a	5180	Ant0	4500	-57.17	2.44	0.24	40.74	Average	54	Pass
NVNT	a	5180	Ant0	5072.6	-44.22	2.44	-	53.45	Peak	68.2	Pass
NVNT	a	5180	Ant0	5149.6	-53.54	2.44	0.24	44.37	Average	54	Pass
NVNT	a	5180	Ant0	5150	-41.63	2.44	-	56.04	Peak	68.2	Pass
NVNT	a	5180	Ant0	5150	-53.86	2.44	0.24	44.05	Average	54	Pass
NVNT	a	5240	Ant0	5350	-49.56	2.44	-	48.11	Peak	68.2	Pass
NVNT	a	5240	Ant0	5350	-55.85	2.44	0.24	42.06	Average	54	Pass
NVNT	a	5240	Ant0	5351.04	-46.37	2.44	-	51.30	Peak	68.2	Pass
NVNT	a	5240	Ant0	5351.28	-55.68	2.44	0.24	42.23	Average	54	Pass
NVNT	a	5240	Ant0	5460	-49.08	2.44	-	48.59	Peak	68.2	Pass
NVNT	a	5240	Ant0	5460	-57.28	2.44	0.24	40.63	Average	54	Pass
NVNT	n20	5180	Ant0	4500	-47.54	2.44	-	50.13	Peak	68.2	Pass
NVNT	n20	5180	Ant0	4500	-57.06	2.44	0.28	40.89	Average	54	Pass
NVNT	n20	5180	Ant0	5149.6	-43.63	2.44	-	54.04	Peak	68.2	Pass
NVNT	n20	5180	Ant0	5148.9	-54.15	2.44	0.28	43.80	Average	54	Pass
NVNT	n20	5180	Ant0	5150	-46.16	2.44	-	51.51	Peak	68.2	Pass
NVNT	n20	5180	Ant0	5150	-54.36	2.44	0.28	43.59	Average	54	Pass
NVNT	n20	5240	Ant0	5350	-48.6	2.44	-	49.07	Peak	68.2	Pass
NVNT	n20	5240	Ant0	5350	-56.57	2.44	0.28	41.38	Average	54	Pass
NVNT	n20	5240	Ant0	5442.48	-46.42	2.44	-	51.25	Peak	68.2	Pass
NVNT	n20	5240	Ant0	5369.04	-56.25	2.44	0.28	41.70	Average	54	Pass
NVNT	n20	5240	Ant0	5460	-49.44	2.44	-	48.23	Peak	68.2	Pass
NVNT	n20	5240	Ant0	5460	-57.41	2.44	0.28	40.54	Average	54	Pass
NVNT	n40	5190	Ant0	4500	-49.05	2.44	-	48.62	Peak	68.2	Pass
NVNT	n40	5190	Ant0	4500	-56.76	2.44	0.45	41.36	Average	54	Pass
NVNT	n40	5190	Ant0	5146.78	-42.92	2.44	-	54.75	Peak	68.2	Pass
NVNT	n40	5190	Ant0	5149.7	-53.31	2.44	0.45	44.81	Average	54	Pass
NVNT	n40	5190	Ant0	5150	-44.67	2.44	-	53.00	Peak	68.2	Pass
NVNT	n40	5190	Ant0	5150	-53.31	2.44	0.45	44.81	Average	54	Pass
NVNT	n40	5230	Ant0	5350	-50.46	2.44	-	47.21	Peak	68.2	Pass
NVNT	n40	5230	Ant0	5350	-56.51	2.44	0.45	41.61	Average	54	Pass
NVNT	n40	5230	Ant0	5387.1	-46.75	2.44	-	50.92	Peak	68.2	Pass
NVNT	n40	5230	Ant0	5365.5	-56.12	2.44	0.45	42.00	Average	54	Pass
NVNT	n40	5230	Ant0	5460	-48.51	2.44	-	49.16	Peak	68.2	Pass
NVNT	n40	5230	Ant0	5460	-57.49	2.44	0.45	40.63	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5180	Ant0	4500	-48.49	2.44	-	49.18	Peak	68.2	Pass
NVNT	ac20	5180	Ant0	4500	-57.27	2.44	0.28	40.68	Average	54	Pass
NVNT	ac20	5180	Ant0	5149.6	-39.17	2.44	-	58.50	Peak	68.2	Pass
NVNT	ac20	5180	Ant0	5149.6	-53	2.44	0.28	44.95	Average	54	Pass
NVNT	ac20	5180	Ant0	5150	-40.04	2.44	-	57.63	Peak	68.2	Pass
NVNT	ac20	5180	Ant0	5150	-53.4	2.44	0.28	44.55	Average	54	Pass
NVNT	ac20	5240	Ant0	5350	-48.99	2.44	-	48.68	Peak	68.2	Pass
NVNT	ac20	5240	Ant0	5350	-56.91	2.44	0.28	41.04	Average	54	Pass
NVNT	ac20	5240	Ant0	5404.32	-45.5	2.44	-	52.17	Peak	68.2	Pass
NVNT	ac20	5240	Ant0	5351.52	-55.9	2.44	0.28	42.05	Average	54	Pass
NVNT	ac20	5240	Ant0	5460	-48.1	2.44	-	49.57	Peak	68.2	Pass
NVNT	ac20	5240	Ant0	5460	-57.29	2.44	0.28	40.66	Average	54	Pass
NVNT	ac40	5190	Ant0	4500	-48.34	2.44	-	49.33	Peak	68.2	Pass
NVNT	ac40	5190	Ant0	4500	-57.37	2.44	0.44	40.74	Average	54	Pass
NVNT	ac40	5190	Ant0	5148.24	-41.27	2.44	-	56.40	Peak	68.2	Pass
NVNT	ac40	5190	Ant0	5148.97	-53.6	2.44	0.44	44.51	Average	54	Pass
NVNT	ac40	5190	Ant0	5150	-43	2.44	-	54.67	Peak	68.2	Pass
NVNT	ac40	5190	Ant0	5150	-53.66	2.44	0.44	44.45	Average	54	Pass
NVNT	ac40	5230	Ant0	5350	-48.66	2.44	-	49.01	Peak	68.2	Pass
NVNT	ac40	5230	Ant0	5350	-57.1	2.44	0.45	41.02	Average	54	Pass
NVNT	ac40	5230	Ant0	5371.44	-46.81	2.44	-	50.86	Peak	68.2	Pass
NVNT	ac40	5230	Ant0	5419.23	-56.07	2.44	0.45	42.05	Average	54	Pass
NVNT	ac40	5230	Ant0	5460	-49.42	2.44	-	48.25	Peak	68.2	Pass
NVNT	ac40	5230	Ant0	5460	-56.56	2.44	0.45	41.56	Average	54	Pass
NVNT	ac80	5210	Ant0	5350	-47.55	2.44	-	50.12	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	5350	-55.99	2.44	0.64	42.32	Average	54	Pass
NVNT	ac80	5210	Ant0	5378.16	-46.27	2.44	-	51.40	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	5374.2	-55.72	2.44	0.64	42.59	Average	54	Pass
NVNT	ac80	5210	Ant0	5460	-49.11	2.44	-	48.56	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	5460	-56.28	2.44	0.64	42.03	Average	54	Pass
NVNT	ac80	5210	Ant0	4500	-48.98	2.44	-	48.69	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	4500	-57.81	2.44	0.64	40.50	Average	54	Pass
NVNT	ac80	5210	Ant0	5147.8	-42.7	2.44	-	54.97	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	5142.27	-54.69	2.44	0.64	43.62	Average	54	Pass
NVNT	ac80	5210	Ant0	5150	-46.23	2.44	-	51.44	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	5150	-54.68	2.44	0.64	43.63	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-49.19	2.60	-	48.64	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-57.26	2.60	0.24	40.81	Average	54	Pass
NVNT	a	5180	Ant1	4987.9	-44.87	2.60	-	52.96	Peak	68.2	Pass
NVNT	a	5180	Ant1	5148.2	-54.22	2.60	0.24	43.85	Average	54	Pass
NVNT	a	5180	Ant1	5150	-44.74	2.60	-	53.09	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-54.58	2.60	0.24	43.49	Average	54	Pass
NVNT	a	5240	Ant1	5350	-47.94	2.60	-	49.89	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-56.74	2.60	0.24	41.33	Average	54	Pass
NVNT	a	5240	Ant1	5414.64	-46.68	2.60	-	51.15	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350.32	-56.04	2.60	0.24	42.03	Average	54	Pass
NVNT	a	5240	Ant1	5460	-49.53	2.60	-	48.30	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-57.46	2.60	0.24	40.61	Average	54	Pass
NVNT	n20	5180	Ant1	4500	-50.23	2.60	-	47.60	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-57.82	2.60	0.28	40.29	Average	54	Pass
NVNT	n20	5180	Ant1	5147.5	-37.69	2.60	-	60.14	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5149.6	-52.25	2.60	0.28	45.86	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-41.01	2.60	-	56.82	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-52.85	2.60	0.28	45.26	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-49.63	2.60	-	48.20	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-56.86	2.60	0.28	41.25	Average	54	Pass
NVNT	n20	5240	Ant1	5371.68	-46.1	2.60	-	51.73	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5351.52	-56.13	2.60	0.28	41.98	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-50.32	2.60	-	47.51	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-56.88	2.60	0.28	41.23	Average	54	Pass
NVNT	n40	5190	Ant1	4500	-49.75	2.60	-	48.08	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4500	-56.99	2.60	0.45	41.29	Average	54	Pass
NVNT	n40	5190	Ant1	5146.78	-42.71	2.60	-	55.12	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5147.51	-53.26	2.60	0.45	45.02	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-43.32	2.60	-	54.51	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5150	-53.39	2.60	0.45	44.89	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-49.18	2.60	-	48.65	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5350	-57.04	2.60	0.45	41.24	Average	54	Pass
NVNT	n40	5230	Ant1	5398.98	-46.44	2.60	-	51.39	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5423.82	-56.14	2.60	0.45	42.14	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-48.67	2.60	-	49.16	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5460	-57.26	2.60	0.45	41.02	Average	54	Pass
NVNT	ac20	5180	Ant1	4500	-48.85	2.60	-	48.98	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5180	Ant1	4500	-58.11	2.60	0.28	40.00	Average	54	Pass
NVNT	ac20	5180	Ant1	5147.5	-41.05	2.60	-	56.78	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5148.9	-53.82	2.60	0.28	44.29	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-41.55	2.60	-	56.28	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-53.33	2.60	0.28	44.78	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-48.13	2.60	-	49.70	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5350	-57.07	2.60	0.28	41.04	Average	54	Pass
NVNT	ac20	5240	Ant1	5368.08	-46.72	2.60	-	51.11	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5448.96	-56.15	2.60	0.28	41.96	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-47	2.60	-	50.83	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5460	-57	2.60	0.28	41.11	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-48.84	2.60	-	48.99	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4500	-57.2	2.60	0.45	41.08	Average	54	Pass
NVNT	ac40	5190	Ant1	5148.24	-42.58	2.60	-	55.25	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5149.7	-53.34	2.60	0.45	44.94	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-42.7	2.60	-	55.13	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5150	-53.34	2.60	0.45	44.94	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-47.12	2.60	-	50.71	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350	-56.48	2.60	0.45	41.80	Average	54	Pass
NVNT	ac40	5230	Ant1	5423.82	-46.16	2.60	-	51.67	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5437.32	-56.21	2.60	0.45	42.07	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-48.47	2.60	-	49.36	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5460	-57	2.60	0.45	41.28	Average	54	Pass
NVNT	ac80	5210	Ant1	5350	-47.61	2.60	-	50.22	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5350	-55.97	2.60	0.65	42.51	Average	54	Pass
NVNT	ac80	5210	Ant1	5352.75	-45.18	2.60	-	52.65	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5392.02	-55.58	2.60	0.65	42.90	Average	54	Pass
NVNT	ac80	5210	Ant1	5460	-47.97	2.60	-	49.86	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5460	-56.37	2.60	0.65	42.11	Average	54	Pass
NVNT	ac80	5210	Ant1	4500	-47.97	2.60	-	49.86	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	4500	-57.36	2.60	0.65	41.12	Average	54	Pass
NVNT	ac80	5210	Ant1	5143.85	-42.46	2.60	-	55.37	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5148.59	-52.57	2.60	0.65	45.91	Average	54	Pass
NVNT	ac80	5210	Ant1	5150	-40.94	2.60	-	56.89	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5150	-52.56	2.60	0.65	45.92	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Ant0 Power (dBm)	Ant1 Power (dBm)	Gain (dBi)	Total E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	5180	-47.54	-50.23	5.53	55.09	Peak	68.2	Pass
NVNT	n20	5180	-57.06	-57.82	5.53	46.35	Average	54	Pass
NVNT	n20	5180	-43.63	-37.69	5.53	64.05	Peak	68.2	Pass
NVNT	n20	5180	-54.15	-52.25	5.53	50.67	Average	54	Pass
NVNT	n20	5180	-46.16	-41.01	5.53	60.91	Peak	68.2	Pass
NVNT	n20	5180	-54.36	-52.85	5.53	50.23	Average	54	Pass
NVNT	n20	5240	-48.6	-49.63	5.53	54.68	Peak	68.2	Pass
NVNT	n20	5240	-56.57	-56.86	5.53	47.06	Average	54	Pass
NVNT	n20	5240	-46.42	-46.1	5.53	57.51	Peak	68.2	Pass
NVNT	n20	5240	-56.25	-56.13	5.53	47.58	Average	54	Pass
NVNT	n20	5240	-49.44	-50.32	5.53	53.91	Peak	68.2	Pass
NVNT	n20	5240	-57.41	-56.88	5.53	46.63	Average	54	Pass
NVNT	n40	5190	-49.05	-49.75	5.53	54.38	Peak	68.2	Pass
NVNT	n40	5190	-56.76	-56.99	5.53	46.90	Average	54	Pass
NVNT	n40	5190	-42.92	-42.71	5.53	60.96	Peak	68.2	Pass
NVNT	n40	5190	-53.31	-53.26	5.53	50.48	Average	54	Pass
NVNT	n40	5190	-44.67	-43.32	5.53	59.83	Peak	68.2	Pass
NVNT	n40	5190	-53.31	-53.39	5.53	50.42	Average	54	Pass
NVNT	n40	5230	-50.46	-49.18	5.53	54.00	Peak	68.2	Pass
NVNT	n40	5230	-56.51	-57.04	5.53	47.00	Average	54	Pass
NVNT	n40	5230	-46.75	-46.44	5.53	57.18	Peak	68.2	Pass
NVNT	n40	5230	-56.12	-56.14	5.53	47.64	Average	54	Pass
NVNT	n40	5230	-48.51	-48.67	5.53	55.18	Peak	68.2	Pass
NVNT	n40	5230	-57.49	-57.26	5.53	46.40	Average	54	Pass
NVNT	ac20	5180	-48.49	-48.85	5.53	55.10	Peak	68.2	Pass
NVNT	ac20	5180	-57.27	-58.11	5.53	46.10	Average	54	Pass
NVNT	ac20	5180	-39.17	-41.05	5.53	63.76	Peak	68.2	Pass
NVNT	ac20	5180	-53	-53.82	5.53	50.38	Average	54	Pass
NVNT	ac20	5180	-40.04	-41.55	5.53	63.04	Peak	68.2	Pass
NVNT	ac20	5180	-53.4	-53.33	5.53	50.40	Average	54	Pass
NVNT	ac20	5240	-48.99	-48.13	5.53	55.23	Peak	68.2	Pass
NVNT	ac20	5240	-56.91	-57.07	5.53	46.78	Average	54	Pass
NVNT	ac20	5240	-45.5	-46.72	5.53	57.70	Peak	68.2	Pass
NVNT	ac20	5240	-55.9	-56.15	5.53	47.75	Average	54	Pass
NVNT	ac20	5240	-48.1	-47	5.53	56.25	Peak	68.2	Pass
NVNT	ac20	5240	-57.29	-57	5.53	46.63	Average	54	Pass
NVNT	ac40	5190	-48.34	-48.84	5.53	55.19	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




NVNT	ac40	5190	-57.37	-57.2	5.53	46.48	Average	54	Pass
NVNT	ac40	5190	-41.27	-42.58	5.53	61.89	Peak	68.2	Pass
NVNT	ac40	5190	-53.6	-53.34	5.53	50.30	Average	54	Pass
NVNT	ac40	5190	-43	-42.7	5.53	60.92	Peak	68.2	Pass
NVNT	ac40	5190	-53.66	-53.34	5.53	50.27	Average	54	Pass
NVNT	ac40	5230	-48.66	-47.12	5.53	55.95	Peak	68.2	Pass
NVNT	ac40	5230	-57.1	-56.48	5.53	46.99	Average	54	Pass
NVNT	ac40	5230	-46.81	-46.16	5.53	57.30	Peak	68.2	Pass
NVNT	ac40	5230	-56.07	-56.21	5.53	47.63	Average	54	Pass
NVNT	ac40	5230	-49.42	-48.47	5.53	54.85	Peak	68.2	Pass
NVNT	ac40	5230	-56.56	-57	5.53	46.99	Average	54	Pass
NVNT	ac80	5210	-47.55	-47.61	5.53	56.19	Peak	68.2	Pass
NVNT	ac80	5210	-55.99	-55.97	5.53	47.79	Average	54	Pass
NVNT	ac80	5210	-46.27	-45.18	5.53	58.08	Peak	68.2	Pass
NVNT	ac80	5210	-55.72	-55.58	5.53	48.12	Average	54	Pass
NVNT	ac80	5210	-49.11	-47.97	5.53	55.27	Peak	68.2	Pass
NVNT	ac80	5210	-56.28	-56.37	5.53	47.44	Average	54	Pass
NVNT	ac80	5210	-48.98	-47.97	5.53	55.32	Peak	68.2	Pass
NVNT	ac80	5210	-57.81	-57.36	5.53	46.19	Average	54	Pass
NVNT	ac80	5210	-42.7	-42.46	5.53	61.19	Peak	68.2	Pass
NVNT	ac80	5210	-54.69	-52.57	5.53	50.27	Average	54	Pass
NVNT	ac80	5210	-46.23	-40.94	5.53	60.94	Peak	68.2	Pass
NVNT	ac80	5210	-54.68	-52.56	5.53	50.28	Average	54	Pass






Test Graphs

Restrict Band NVNT a 5180MHz Ant0 Peak




Restrict Band NVNT a 5180MHz Ant0 Average






Restrict Band NVNT a 5240MHz Ant0 Peak



Restrict Band NVNT a 5240MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5180MHz Ant0 Peak




Restrict Band NVNT n20 5180MHz Ant0 Average






Restrict Band NVNT n20 5240MHz Ant0 Peak



Restrict Band NVNT n20 5240MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5190MHz Ant0 Peak



Restrict Band NVNT n40 5190MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5230MHz Ant0 Peak



Restrict Band NVNT n40 5230MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5180MHz Ant0 Peak



Restrict Band NVNT ac20 5180MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5240MHz Ant0 Peak




Restrict Band NVNT ac20 5240MHz Ant0 Average






Restrict Band NVNT ac40 5190MHz Ant0 Peak



Restrict Band NVNT ac40 5190MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5230MHz Ant0 Peak



Restrict Band NVNT ac40 5230MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5210MHz Ant0 Peak




Restrict Band NVNT ac80 5210MHz Ant0 Average






Restrict Band NVNT ac80 5210MHz Ant0 Peak




Restrict Band NVNT ac80 5210MHz Ant0 Average






Test Graphs

Restrict Band NVNT a 5180MHz Ant1 Peak




Restrict Band NVNT a 5180MHz Ant1 Average






Restrict Band NVNT a 5240MHz Ant1 Peak



Restrict Band NVNT a 5240MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average






Restrict Band NVNT n20 5240MHz Ant1 Peak



Restrict Band NVNT n20 5240MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5190MHz Ant1 Peak



Restrict Band NVNT n40 5190MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5230MHz Ant1 Peak



Restrict Band NVNT n40 5230MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5180MHz Ant1 Peak




Restrict Band NVNT ac20 5180MHz Ant1 Average






Restrict Band NVNT ac20 5240MHz Ant1 Peak



Restrict Band NVNT ac20 5240MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ac40 5190MHz Ant1 Peak



Restrict Band NVNT ac40 5190MHz Ant1 Average

