



## Appendix B

### RF Test Data for 5.2GWIFI(Conducted Measurement)

Product Name: Wifi Router

Test Model: xK 1000

#### Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Eason Zhou
Supervised by:	Nick Peng





### B.1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	23.165	>=0.5	Pass
NVNT	a	5200	Ant1	20.765	>=0.5	Pass
NVNT	a	5240	Ant1	22.321	>=0.5	Pass
NVNT	n20	5180	Ant1	26.975	>=0.5	Pass
NVNT	n20	5200	Ant1	27.181	>=0.5	Pass
NVNT	n20	5240	Ant1	25.841	>=0.5	Pass
NVNT	n40	5190	Ant1	45.71	>=0.5	Pass
NVNT	n40	5230	Ant1	39.506	>=0.5	Pass
NVNT	ac20	5180	Ant1	26.243	>=0.5	Pass
NVNT	ac20	5200	Ant1	25.531	>=0.5	Pass
NVNT	ac20	5240	Ant1	25.109	>=0.5	Pass
NVNT	ac40	5190	Ant1	46.842	>=0.5	Pass
NVNT	ac40	5230	Ant1	39.479	>=0.5	Pass
NVNT	ac80	5210	Ant1	80.952	>=0.5	Pass





Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1






-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1






-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1






-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1






-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1






-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1








-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1






Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant2	22.488	$\geq 0.5$	Pass
NVNT	a	5200	Ant2	23.732	$\geq 0.5$	Pass
NVNT	a	5240	Ant2	23.778	$\geq 0.5$	Pass
NVNT	n20	5180	Ant2	25.564	$\geq 0.5$	Pass
NVNT	n20	5200	Ant2	25.975	$\geq 0.5$	Pass
NVNT	n20	5240	Ant2	24.727	$\geq 0.5$	Pass
NVNT	n40	5190	Ant2	41.145	$\geq 0.5$	Pass
NVNT	n40	5230	Ant2	39.734	$\geq 0.5$	Pass
NVNT	ac20	5180	Ant2	25.051	$\geq 0.5$	Pass
NVNT	ac20	5200	Ant2	25.962	$\geq 0.5$	Pass
NVNT	ac20	5240	Ant2	25.843	$\geq 0.5$	Pass
NVNT	ac40	5190	Ant2	40.797	$\geq 0.5$	Pass
NVNT	ac40	5230	Ant2	39.246	$\geq 0.5$	Pass
NVNT	ac80	5210	Ant2	82.46	$\geq 0.5$	Pass






Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant2




-26dB Bandwidth NVNT a 5200MHz Ant2






-26dB Bandwidth NVNT a 5240MHz Ant2




-26dB Bandwidth NVNT n20 5180MHz Ant2






-26dB Bandwidth NVNT n20 5200MHz Ant2




-26dB Bandwidth NVNT n20 5240MHz Ant2






-26dB Bandwidth NVNT n40 5190MHz Ant2




-26dB Bandwidth NVNT n40 5230MHz Ant2






-26dB Bandwidth NVNT ac20 5180MHz Ant2




-26dB Bandwidth NVNT ac20 5200MHz Ant2






-26dB Bandwidth NVNT ac20 5240MHz Ant2




-26dB Bandwidth NVNT ac40 5190MHz Ant2








-26dB Bandwidth NVNT ac40 5230MHz Ant2



-26dB Bandwidth NVNT ac80 5210MHz Ant2





## B.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	12.04	0.19	12.23	24	Pass
NVNT	a	5200	Ant1	12.67	0.2	12.87	24	Pass
NVNT	a	5240	Ant1	12.36	0.2	12.56	24	Pass
NVNT	n20	5180	Ant1	11.22	0.23	11.45	24	Pass
NVNT	n20	5200	Ant1	11.03	0.23	11.26	24	Pass
NVNT	n20	5240	Ant1	11.39	0.23	11.62	24	Pass
NVNT	n40	5190	Ant1	10.83	0.31	11.14	24	Pass
NVNT	n40	5230	Ant1	10.03	0.31	10.34	24	Pass
NVNT	ac20	5180	Ant1	11.64	0.23	11.87	24	Pass
NVNT	ac20	5200	Ant1	11.11	0.23	11.34	24	Pass
NVNT	ac20	5240	Ant1	11.51	0.23	11.74	24	Pass
NVNT	ac40	5190	Ant1	10.8	0.31	11.11	24	Pass
NVNT	ac40	5230	Ant1	9.96	0.31	10.27	24	Pass
NVNT	ac80	5210	Ant1	8.83	0.47	9.3	24	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant2	11.54	0.24	11.78	24	Pass
NVNT	a	5200	Ant2	11.57	0.24	11.81	24	Pass
NVNT	a	5240	Ant2	11.29	0.24	11.53	24	Pass
NVNT	n20	5180	Ant2	10.2	0.28	10.48	24	Pass
NVNT	n20	5200	Ant2	10.03	0.28	10.31	24	Pass
NVNT	n20	5240	Ant2	10.62	0.28	10.9	24	Pass
NVNT	n40	5190	Ant2	9.04	0.12	9.16	24	Pass
NVNT	n40	5230	Ant2	9.97	0.12	10.09	24	Pass
NVNT	ac20	5180	Ant2	10.23	0.28	10.51	24	Pass
NVNT	ac20	5200	Ant2	10.95	0.28	11.23	24	Pass
NVNT	ac20	5240	Ant2	10.01	0.28	10.29	24	Pass
NVNT	ac40	5190	Ant2	9.98	0.12	10.1	24	Pass
NVNT	ac40	5230	Ant2	9.12	0.12	9.24	24	Pass
NVNT	ac80	5210	Ant2	8.08	0.25	8.33	24	Pass





MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5180	11.45	10.48	14.00	23.99	Pass
NVNT	n20	5200	11.26	10.31	13.82	23.99	Pass
NVNT	n20	5240	11.62	10.9	14.29	23.99	Pass
NVNT	n40	5190	11.14	9.16	13.27	23.99	Pass
NVNT	n40	5230	10.34	10.09	13.23	23.99	Pass
NVNT	ac20	5180	11.87	10.51	14.25	23.99	Pass
NVNT	ac20	5200	11.34	11.23	14.30	23.99	Pass
NVNT	ac20	5240	11.74	10.29	14.09	23.99	Pass
NVNT	ac40	5190	11.11	10.1	13.64	23.99	Pass
NVNT	ac40	5230	10.27	9.24	12.80	23.99	Pass
NVNT	ac80	5210	9.3	8.33	11.85	23.99	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



### B.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD(dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	1.24	0.19	1.43	11	Pass
NVNT	a	5200	Ant1	2.65	0.2	2.85	11	Pass
NVNT	a	5240	Ant1	1.94	0.2	2.14	11	Pass
NVNT	n20	5180	Ant1	0.81	0.23	1.04	11	Pass
NVNT	n20	5200	Ant1	0.85	0.23	1.08	11	Pass
NVNT	n20	5240	Ant1	0.97	0.23	1.2	11	Pass
NVNT	n40	5190	Ant1	-2.97	0.31	-2.66	11	Pass
NVNT	n40	5230	Ant1	-3.43	0.31	-3.12	11	Pass
NVNT	ac20	5180	Ant1	0.95	0.23	1.18	11	Pass
NVNT	ac20	5200	Ant1	0.63	0.23	0.86	11	Pass
NVNT	ac20	5240	Ant1	1.06	0.23	1.29	11	Pass
NVNT	ac40	5190	Ant1	-3.88	0.31	-3.57	11	Pass
NVNT	ac40	5230	Ant1	-3.65	0.31	-3.34	11	Pass
NVNT	ac80	5210	Ant1	-7.27	0.47	-6.8	11	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant2	0.95	0.24	1.19	11	Pass
NVNT	a	5200	Ant2	1.08	0.24	1.32	11	Pass
NVNT	a	5240	Ant2	0.62	0.24	0.86	11	Pass
NVNT	n20	5180	Ant2	-0.67	0.28	-0.39	11	Pass
NVNT	n20	5200	Ant2	-0.71	0.28	-0.43	11	Pass
NVNT	n20	5240	Ant2	-0.28	0.28	0	11	Pass
NVNT	n40	5190	Ant2	-3.82	0.12	-3.7	11	Pass
NVNT	n40	5230	Ant2	-3.6	0.12	-3.48	11	Pass
NVNT	ac20	5180	Ant2	-0.33	0.28	-0.05	11	Pass
NVNT	ac20	5200	Ant2	0.29	0.28	0.57	11	Pass
NVNT	ac20	5240	Ant2	-0.68	0.28	-0.4	11	Pass
NVNT	ac40	5190	Ant2	-3.95	0.12	-3.83	11	Pass
NVNT	ac40	5230	Ant2	-4.46	0.12	-4.34	11	Pass
NVNT	ac80	5210	Ant2	-7.7	0.25	-7.45	11	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total PSD (dBm/MHz)			Limit (dBm/MHz)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5180	1.04	-0.39	3.39	10.99	Pass
NVNT	n20	5200	1.08	-0.43	3.40	10.99	Pass
NVNT	n20	5240	1.2	0	3.65	10.99	Pass
NVNT	n40	5190	-2.66	-3.7	-0.14	10.99	Pass
NVNT	n40	5230	-3.12	-3.48	-0.29	10.99	Pass
NVNT	ac20	5180	1.18	-0.05	3.62	10.99	Pass
NVNT	ac20	5200	0.86	0.57	3.73	10.99	Pass
NVNT	ac20	5240	1.29	-0.4	3.54	10.99	Pass
NVNT	ac40	5190	-3.57	-3.83	-0.69	10.99	Pass
NVNT	ac40	5230	-3.34	-4.34	-0.80	10.99	Pass
NVNT	ac80	5210	-6.8	-7.45	-4.10	10.99	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1






PSD NVNT a 5240MHz Ant1




PSD NVNT n20 5180MHz Ant1






PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1








PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1






PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1






PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1






PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac80 5210MHz Ant1






Test Graphs

PSD NVNT a 5180MHz Ant2




PSD NVNT a 5200MHz Ant2






PSD NVNT a 5240MHz Ant2




PSD NVNT n20 5180MHz Ant2






PSD NVNT n20 5200MHz Ant2




PSD NVNT n20 5240MHz Ant2






PSD NVNT n40 5190MHz Ant2




PSD NVNT n40 5230MHz Ant2








PSD NVNT ac20 5180MHz Ant2




PSD NVNT ac20 5200MHz Ant2






PSD NVNT ac20 5240MHz Ant2




PSD NVNT ac40 5190MHz Ant2






PSD NVNT ac40 5230MHz Ant2



PSD NVNT ac80 5210MHz Ant2





### B.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-49.79	3.00	-	48.44	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-57.02	3.00	0.19	41.40	Average	54	Pass
NVNT	a	5180	Ant1	5115.3	-45.26	3.00	-	52.97	Peak	68.2	Pass
NVNT	a	5180	Ant1	5123	-54.88	3.00	0.19	43.54	Average	54	Pass
NVNT	a	5180	Ant1	5150	-42.57	3.00	-	55.66	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-54.8	3.00	0.19	43.62	Average	54	Pass
NVNT	a	5240	Ant1	5350	-47.73	3.00	-	50.50	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-57.21	3.00	0.2	41.22	Average	54	Pass
NVNT	a	5240	Ant1	5386.8	-46.22	3.00	-	52.01	Peak	68.2	Pass
NVNT	a	5240	Ant1	5401.44	-56.57	3.00	0.2	41.86	Average	54	Pass
NVNT	a	5240	Ant1	5460	-49.07	3.00	-	49.16	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-57.46	3.00	0.2	40.97	Average	54	Pass
NVNT	n20	5180	Ant1	4500	-48.55	3.00	-	49.68	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-57.69	3.00	0.23	40.77	Average	54	Pass
NVNT	n20	5180	Ant1	5148.9	-44.32	3.00	-	53.91	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5149.6	-54.89	3.00	0.23	43.57	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-43.57	3.00	-	54.66	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-54.38	3.00	0.23	44.08	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-50.32	3.00	-	47.91	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-57.37	3.00	0.23	41.09	Average	54	Pass
NVNT	n20	5240	Ant1	5435.28	-46.55	3.00	-	51.68	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5376.48	-56.51	3.00	0.23	41.95	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-48.4	3.00	-	49.83	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-57.39	3.00	0.23	41.07	Average	54	Pass
NVNT	n40	5190	Ant1	4500	-48.7	3.00	-	49.53	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4500	-57.69	3.00	0.31	40.85	Average	54	Pass
NVNT	n40	5190	Ant1	5147.51	-42.82	3.00	-	55.41	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5149.7	-53.69	3.00	0.31	44.85	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-45.38	3.00	-	52.85	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5150	-53.69	3.00	0.31	44.85	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-48.79	3.00	-	49.44	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5350	-57.6	3.00	0.31	40.94	Average	54	Pass
NVNT	n40	5230	Ant1	5451.63	-46.85	3.00	-	51.38	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5450.01	-56.51	3.00	0.31	42.03	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-49.48	3.00	-	48.75	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5460	-57.17	3.00	0.31	41.37	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



NVNT	ac20	5180	Ant1	4500	-48.77	3.00	-	49.46	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	4500	-57.38	3.00	0.23	41.08	Average	54	Pass
NVNT	ac20	5180	Ant1	5098.5	-44.9	3.00	-	53.33	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5148.9	-54.83	3.00	0.23	43.63	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-43.53	3.00	-	54.70	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-54.58	3.00	0.23	43.88	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-47.43	3.00	-	50.80	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5350	-56.98	3.00	0.23	41.48	Average	54	Pass
NVNT	ac20	5240	Ant1	5383.44	-46.04	3.00	-	52.19	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5356.08	-56.64	3.00	0.23	41.82	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-49.46	3.00	-	48.77	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5460	-57.43	3.00	0.23	41.03	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-49.21	3.00	-	49.02	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4500	-58.21	3.00	0.31	40.33	Average	54	Pass
NVNT	ac40	5190	Ant1	5149.7	-39.47	3.00	-	58.76	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5149.7	-53.37	3.00	0.31	45.17	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-39.47	3.00	-	58.76	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5150	-53.37	3.00	0.31	45.17	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-49.93	3.00	-	48.30	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350	-57.11	3.00	0.31	41.43	Average	54	Pass
NVNT	ac40	5230	Ant1	5371.98	-46.15	3.00	-	52.08	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5421.93	-56.35	3.00	0.31	42.19	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-50.2	3.00	-	48.03	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5460	-57.13	3.00	0.31	41.41	Average	54	Pass
NVNT	ac80	5210	Ant1	5350	-47.75	3.00	-	50.48	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5350	-55.37	3.00	0.47	43.33	Average	54	Pass
NVNT	ac80	5210	Ant1	5439.87	-45.05	3.00	-	53.18	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5361.66	-55.05	3.00	0.47	43.65	Average	54	Pass
NVNT	ac80	5210	Ant1	5460	-48.73	3.00	-	49.50	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5460	-56.53	3.00	0.47	42.17	Average	54	Pass
NVNT	ac80	5210	Ant1	4500	-48.53	3.00	-	49.70	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	4500	-57.76	3.00	0.47	40.94	Average	54	Pass
NVNT	ac80	5210	Ant1	5135.95	-40.02	3.00	-	58.21	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5136.74	-50.24	3.00	0.47	48.46	Average	54	Pass
NVNT	ac80	5210	Ant1	5150	-41.6	3.00	-	56.63	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5150	-51.93	3.00	0.47	46.77	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5180MHz Ant1 Peak




Restrict Band NVNT a 5180MHz Ant1 Average






Restrict Band NVNT a 5240MHz Ant1 Peak




Restrict Band NVNT a 5240MHz Ant1 Average






Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average








Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average






Restrict Band NVNT n40 5190MHz Ant1 Peak




Restrict Band NVNT n40 5190MHz Ant1 Average






Restrict Band NVNT n40 5230MHz Ant1 Peak




Restrict Band NVNT n40 5230MHz Ant1 Average






Restrict Band NVNT ac20 5180MHz Ant1 Peak




Restrict Band NVNT ac20 5180MHz Ant1 Average






Restrict Band NVNT ac20 5240MHz Ant1 Peak




Restrict Band NVNT ac20 5240MHz Ant1 Average






Restrict Band NVNT ac40 5190MHz Ant1 Peak




Restrict Band NVNT ac40 5190MHz Ant1 Average






Restrict Band NVNT ac40 5230MHz Ant1 Peak




Restrict Band NVNT ac40 5230MHz Ant1 Average






Restrict Band NVNT ac80 5210MHz Ant1 Peak




Restrict Band NVNT ac80 5210MHz Ant1 Average








Restrict Band NVNT ac80 5210MHz Ant1 Peak



Restrict Band NVNT ac80 5210MHz Ant1 Average





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant2	4500	-48.07	3.00	-	50.16	Peak	68.2	Pass
NVNT	a	5180	Ant2	4500	-57.14	3.00	0.24	41.33	Average	54	Pass
NVNT	a	5180	Ant2	5148.9	-41.96	3.00	-	56.27	Peak	68.2	Pass
NVNT	a	5180	Ant2	5148.9	-53.42	3.00	0.24	45.05	Average	54	Pass
NVNT	a	5180	Ant2	5150	-42.38	3.00	-	55.85	Peak	68.2	Pass
NVNT	a	5180	Ant2	5150	-54.11	3.00	0.24	44.36	Average	54	Pass
NVNT	a	5240	Ant2	5350	-46.8	3.00	-	51.43	Peak	68.2	Pass
NVNT	a	5240	Ant2	5350	-55.92	3.00	0.24	42.55	Average	54	Pass
NVNT	a	5240	Ant2	5372.88	-46.05	3.00	-	52.18	Peak	68.2	Pass
NVNT	a	5240	Ant2	5351.52	-55.59	3.00	0.24	42.88	Average	54	Pass
NVNT	a	5240	Ant2	5460	-47.99	3.00	-	50.24	Peak	68.2	Pass
NVNT	a	5240	Ant2	5460	-56.9	3.00	0.24	41.57	Average	54	Pass
NVNT	n20	5180	Ant2	4500	-48.88	3.00	-	49.35	Peak	68.2	Pass
NVNT	n20	5180	Ant2	4500	-57.02	3.00	0.28	41.49	Average	54	Pass
NVNT	n20	5180	Ant2	5149.6	-38.46	3.00	-	59.77	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5149.6	-50.76	3.00	0.28	47.75	Average	54	Pass
NVNT	n20	5180	Ant2	5150	-39.32	3.00	-	58.91	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5150	-50.11	3.00	0.28	48.40	Average	54	Pass
NVNT	n20	5240	Ant2	5350	-48.79	3.00	-	49.44	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5350	-56.69	3.00	0.28	41.82	Average	54	Pass
NVNT	n20	5240	Ant2	5361.36	-45.61	3.00	-	52.62	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5374.8	-55.76	3.00	0.28	42.75	Average	54	Pass
NVNT	n20	5240	Ant2	5460	-49.58	3.00	-	48.65	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5460	-56.61	3.00	0.28	41.90	Average	54	Pass
NVNT	n40	5190	Ant2	4500	-47.56	3.00	-	50.67	Peak	68.2	Pass
NVNT	n40	5190	Ant2	4500	-57.05	3.00	0.12	41.30	Average	54	Pass
NVNT	n40	5190	Ant2	5148.97	-35.74	3.00	-	62.49	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5148.97	-53.31	3.00	0.12	45.04	Average	54	Pass
NVNT	n40	5190	Ant2	5150	-39.27	3.00	-	58.96	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5150	-53.56	3.00	0.12	44.79	Average	54	Pass
NVNT	n40	5230	Ant2	5350	-48.24	3.00	-	49.99	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5350	-56.39	3.00	0.12	41.96	Average	54	Pass
NVNT	n40	5230	Ant2	5435.43	-45.99	3.00	-	52.24	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5392.23	-56.13	3.00	0.12	42.22	Average	54	Pass
NVNT	n40	5230	Ant2	5460	-50.23	3.00	-	48.00	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5460	-56.64	3.00	0.12	41.71	Average	54	Pass
NVNT	ac20	5180	Ant2	4500	-49.27	3.00	-	48.96	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	4500	-57.29	3.00	0.28	41.22	Average	54	Pass

