



Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant2	4500	-48.02	2	-	49.24	Peak	68.2	Pass
NVNT	a	5180	Ant2	4500	-57.41	2	0.24	40.09	Average	54	Pass
NVNT	a	5180	Ant2	5149.6	-40.42	2	-	56.84	Peak	68.2	Pass
NVNT	a	5180	Ant2	5148.2	-53.15	2	0.24	44.35	Average	54	Pass
NVNT	a	5180	Ant2	5150	-38.14	2	-	59.12	Peak	68.2	Pass
NVNT	a	5180	Ant2	5150	-52.45	2	0.24	45.05	Average	54	Pass
NVNT	a	5240	Ant2	5350	-46.71	2	-	50.55	Peak	68.2	Pass
NVNT	a	5240	Ant2	5350	-56.32	2	0.24	41.18	Average	54	Pass
NVNT	a	5240	Ant2	5351.76	-45.35	2	-	51.91	Peak	68.2	Pass
NVNT	a	5240	Ant2	5352	-55.96	2	0.24	41.54	Average	54	Pass
NVNT	a	5240	Ant2	5460	-47.83	2	-	49.43	Peak	68.2	Pass
NVNT	a	5240	Ant2	5460	-57.87	2	0.24	39.63	Average	54	Pass
NVNT	n20	5180	Ant2	4500	-50.13	2	-	47.13	Peak	68.2	Pass
NVNT	n20	5180	Ant2	4500	-57.02	2	0.28	40.52	Average	54	Pass
NVNT	n20	5180	Ant2	5148.2	-42.48	2	-	54.78	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5148.9	-53.59	2	0.28	43.95	Average	54	Pass
NVNT	n20	5180	Ant2	5150	-44.92	2	-	52.34	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5150	-53.27	2	0.28	44.27	Average	54	Pass
NVNT	n20	5240	Ant2	5350	-46.83	2	-	50.43	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5350	-56.09	2	0.28	41.45	Average	54	Pass
NVNT	n20	5240	Ant2	5372.64	-45.98	2	-	51.28	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5352	-55.86	2	0.28	41.68	Average	54	Pass
NVNT	n20	5240	Ant2	5460	-46.93	2	-	50.33	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5460	-56.62	2	0.28	40.92	Average	54	Pass
NVNT	n40	5190	Ant2	4500	-49.68	2	-	47.58	Peak	68.2	Pass
NVNT	n40	5190	Ant2	4500	-57.22	2	0.12	40.16	Average	54	Pass
NVNT	n40	5190	Ant2	5148.24	-38.99	2	-	58.27	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5149.7	-50.45	2	0.12	46.93	Average	54	Pass
NVNT	n40	5190	Ant2	5150	-41.15	2	-	56.11	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5150	-50.45	2	0.12	46.93	Average	54	Pass
NVNT	n40	5230	Ant2	5350	-49.37	2	-	47.89	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5350	-56.26	2	0.12	41.12	Average	54	Pass
NVNT	n40	5230	Ant2	5352.54	-45.87	2	-	51.39	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5350.92	-55.62	2	0.12	41.76	Average	54	Pass
NVNT	n40	5230	Ant2	5460	-49.2	2	-	48.06	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5460	-56.9	2	0.12	40.48	Average	54	Pass
NVNT	ac20	5180	Ant2	4500	-49.07	2	-	48.19	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	4500	-57.23	2	0.28	40.31	Average	54	Pass





NVNT	ac20	5180	Ant2	5149.6	-34.05	2	-	63.21	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5148.2	-50.94	2	0.28	46.6	Average	54	Pass
NVNT	ac20	5180	Ant2	5150	-35.33	2	-	61.93	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5150	-50.56	2	0.28	46.98	Average	54	Pass
NVNT	ac20	5240	Ant2	5350	-48.12	2	-	49.14	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5350	-56.12	2	0.28	41.42	Average	54	Pass
NVNT	ac20	5240	Ant2	5424.96	-45.18	2	-	52.08	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5352.72	-55.7	2	0.28	41.84	Average	54	Pass
NVNT	ac20	5240	Ant2	5460	-50.06	2	-	47.2	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5460	-57.5	2	0.28	40.04	Average	54	Pass
NVNT	ac40	5190	Ant2	4500	-49.35	2	-	47.91	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	4500	-57.27	2	0.12	40.11	Average	54	Pass
NVNT	ac40	5190	Ant2	5148.97	-43.56	2	-	53.7	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5148.97	-52.28	2	0.12	45.1	Average	54	Pass
NVNT	ac40	5190	Ant2	5150	-44.07	2	-	53.19	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5150	-52.84	2	0.12	44.54	Average	54	Pass
NVNT	ac40	5230	Ant2	5350	-47.9	2	-	49.36	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5350	-56.66	2	0.12	40.72	Average	54	Pass
NVNT	ac40	5230	Ant2	5374.95	-45.43	2	-	51.83	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5352	-56.11	2	0.12	41.27	Average	54	Pass
NVNT	ac40	5230	Ant2	5460	-49.88	2	-	47.38	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5460	-57.53	2	0.12	39.85	Average	54	Pass
NVNT	ac80	5210	Ant2	5350	-48.1	2	-	49.16	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5350	-56.14	2	0.25	41.37	Average	54	Pass
NVNT	ac80	5210	Ant2	5368.26	-45.03	2	-	52.23	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5415.78	-55.22	2	0.25	42.29	Average	54	Pass
NVNT	ac80	5210	Ant2	5460	-48.45	2	-	48.81	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5460	-56.83	2	0.25	40.68	Average	54	Pass
NVNT	ac80	5210	Ant2	4500	-48.83	2	-	48.43	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	4500	-57.74	2	0.25	39.77	Average	54	Pass
NVNT	ac80	5210	Ant2	5138.32	-41.63	2	-	55.63	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5149.38	-51.19	2	0.25	46.32	Average	54	Pass
NVNT	ac80	5210	Ant2	5150	-40.52	2	-	56.74	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5150	-51.17	2	0.25	46.34	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5180MHz Ant2 Peak




Restrict Band NVNT a 5180MHz Ant2 Average






Restrict Band NVNT a 5240MHz Ant2 Peak




Restrict Band NVNT a 5240MHz Ant2 Average








Restrict Band NVNT n20 5180MHz Ant2 Peak




Restrict Band NVNT n20 5180MHz Ant2 Average






Restrict Band NVNT n20 5240MHz Ant2 Peak




Restrict Band NVNT n20 5240MHz Ant2 Average






Restrict Band NVNT n40 5190MHz Ant2 Peak




Restrict Band NVNT n40 5190MHz Ant2 Average






Restrict Band NVNT n40 5230MHz Ant2 Peak




Restrict Band NVNT n40 5230MHz Ant2 Average








Restrict Band NVNT ac20 5180MHz Ant2 Peak




Restrict Band NVNT ac20 5180MHz Ant2 Average






Restrict Band NVNT ac20 5240MHz Ant2 Peak




Restrict Band NVNT ac20 5240MHz Ant2 Average






Restrict Band NVNT ac40 5190MHz Ant2 Peak




Restrict Band NVNT ac40 5190MHz Ant2 Average






Restrict Band NVNT ac40 5230MHz Ant2 Peak




Restrict Band NVNT ac40 5230MHz Ant2 Average








Restrict Band NVNT ac80 5210MHz Ant2 Peak




Restrict Band NVNT ac80 5210MHz Ant2 Average






Restrict Band NVNT ac80 5210MHz Ant2 Peak



Restrict Band NVNT ac80 5210MHz Ant2 Average





ant1+ant2

Condition	Mode	Frequency (MHz)	ANT0 Power (dBm)	ANT1 Power (dBm)	Total E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	5180	-48.99	-50.13	48.75	Peak	68.2	Pass
NVNT	n20	5180	-57.83	-57.02	40.86	Average	54	Pass
NVNT	n20	5180	-35.15	-42.48	60.85	Peak	68.2	Pass
NVNT	n20	5180	-50.42	-53.59	46.55	Average	54	Pass
NVNT	n20	5180	-38.46	-44.92	57.68	Peak	68.2	Pass
NVNT	n20	5180	-52.34	-53.27	45.49	Average	54	Pass
NVNT	n20	5240	-46.67	-46.83	51.52	Peak	68.2	Pass
NVNT	n20	5240	-56.81	-56.09	41.84	Average	54	Pass
NVNT	n20	5240	-45.81	-45.98	52.38	Peak	68.2	Pass
NVNT	n20	5240	-55.8	-55.86	42.44	Average	54	Pass
NVNT	n20	5240	-49.27	-46.93	50.33	Peak	68.2	Pass
NVNT	n20	5240	-56.58	-56.62	41.67	Average	54	Pass
NVNT	n40	5190	-48.21	-49.68	49.39	Peak	68.2	Pass
NVNT	n40	5190	-57.24	-57.22	41.04	Average	54	Pass
NVNT	n40	5190	-39.82	-38.99	58.89	Peak	68.2	Pass
NVNT	n40	5190	-52.04	-50.45	47.10	Average	54	Pass
NVNT	n40	5190	-41.69	-41.15	56.86	Peak	68.2	Pass
NVNT	n40	5190	-52.52	-50.45	46.91	Average	54	Pass
NVNT	n40	5230	-49.56	-49.37	48.81	Peak	68.2	Pass
NVNT	n40	5230	-56.35	-56.26	41.97	Average	54	Pass
NVNT	n40	5230	-46.45	-45.87	52.12	Peak	68.2	Pass
NVNT	n40	5230	-55.92	-55.62	42.50	Average	54	Pass
NVNT	n40	5230	-48.71	-49.2	49.32	Peak	68.2	Pass
NVNT	n40	5230	-56.71	-56.9	41.47	Average	54	Pass
NVNT	ac20	5180	-50.22	-49.07	48.66	Peak	68.2	Pass
NVNT	ac20	5180	-56.63	-57.23	41.35	Average	54	Pass
NVNT	ac20	5180	-39.97	-36.05	60.69	Peak	68.2	Pass
NVNT	ac20	5180	-52.57	-50.94	46.59	Average	54	Pass
NVNT	ac20	5180	-40.74	-35.33	61.03	Peak	68.2	Pass
NVNT	ac20	5180	-51.37	-50.56	47.32	Average	54	Pass
NVNT	ac20	5240	-48.44	-48.12	49.99	Peak	68.2	Pass
NVNT	ac20	5240	-55.67	-56.12	42.38	Average	54	Pass
NVNT	ac20	5240	-46.08	-45.18	52.66	Peak	68.2	Pass
NVNT	ac20	5240	-55.67	-55.7	42.59	Average	54	Pass
NVNT	ac20	5240	-50.22	-50.06	48.13	Peak	68.2	Pass
NVNT	ac20	5240	-56.82	-57.5	41.12	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



NVNT	ac40	5190	-48.87	-49.35	49.17	Peak	68.2	Pass
NVNT	ac40	5190	-57.15	-57.27	41.06	Average	54	Pass
NVNT	ac40	5190	-38.25	-43.56	58.13	Peak	68.2	Pass
NVNT	ac40	5190	-54.1	-52.28	45.17	Average	54	Pass
NVNT	ac40	5190	-42.77	-44.07	54.90	Peak	68.2	Pass
NVNT	ac40	5190	-54.2	-52.84	44.80	Average	54	Pass
NVNT	ac40	5230	-48.28	-47.9	50.18	Peak	68.2	Pass
NVNT	ac40	5230	-56.26	-56.66	41.81	Average	54	Pass
NVNT	ac40	5230	-46.01	-45.43	52.56	Peak	68.2	Pass
NVNT	ac40	5230	-55.99	-56.11	42.22	Average	54	Pass
NVNT	ac40	5230	-49.46	-49.88	48.61	Peak	68.2	Pass
NVNT	ac40	5230	-56.82	-57.53	41.11	Average	54	Pass
NVNT	ac80	5210	-48.64	-48.1	49.91	Peak	68.2	Pass
NVNT	ac80	5210	-56.94	-56.14	41.75	Average	54	Pass
NVNT	ac80	5210	-45.37	-45.03	53.07	Peak	68.2	Pass
NVNT	ac80	5210	-55.58	-55.22	42.87	Average	54	Pass
NVNT	ac80	5210	-48.15	-48.45	49.97	Peak	68.2	Pass
NVNT	ac80	5210	-56.56	-56.83	41.58	Average	54	Pass
NVNT	ac80	5210	-48.45	-48.83	49.63	Peak	68.2	Pass
NVNT	ac80	5210	-57.28	-57.74	40.77	Average	54	Pass
NVNT	ac80	5210	-42.86	-41.63	56.07	Peak	68.2	Pass
NVNT	ac80	5210	-53.46	-51.19	46.09	Average	54	Pass
NVNT	ac80	5210	-43.47	-40.52	56.52	Peak	68.2	Pass
NVNT	ac80	5210	-53.71	-51.17	46.01	Average	54	Pass







## B.5 Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
NVNT	ac20	5200	Ant1	5199.98	-20000	-3.85	25	Pass
NVNT	ac20	5240	Ant1	5240	0	0	25	Pass
NVNT	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
NVNT	ac40	5230	Ant1	5230	0	0	25	Pass
NVNT	ac80	5210	Ant1	5210	0	0	25	Pass






Test Graphs

Freq. Stability NVNT ac20 5180MHz Ant1




Freq. Stability NVNT ac20 5200MHz Ant1






Freq. Stability NVNT ac20 5240MHz Ant1




Freq. Stability NVNT ac40 5190MHz Ant1






Freq. Stability NVNT ac40 5230MHz Ant1



Freq. Stability NVNT ac80 5210MHz Ant1







Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5180	Ant2	5180	0	0	25	Pass
NVNT	ac20	5200	Ant2	5200	0	0	25	Pass
NVNT	ac20	5240	Ant2	5240	0	0	25	Pass
NVNT	ac40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
NVNT	ac40	5230	Ant2	5230	0	0	25	Pass
NVNT	ac80	5210	Ant2	5210	0	0	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




Test Graphs

Freq. Stability NVNT ac20 5180MHz Ant2




Freq. Stability NVNT ac20 5200MHz Ant2






Freq. Stability NVNT ac20 5240MHz Ant2




Freq. Stability NVNT ac40 5190MHz Ant2






Freq. Stability NVNT ac40 5230MHz Ant2



Freq. Stability NVNT ac80 5210MHz Ant2







### B.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	94.56	0.24	0.91
NVNT	a	5200	Ant1	94.65	0.24	0.91
NVNT	a	5240	Ant1	94.56	0.24	0.91
NVNT	n20	5180	Ant1	93.77	0.28	1.07
NVNT	n20	5200	Ant1	93.77	0.28	1.07
NVNT	n20	5240	Ant1	93.77	0.28	1.07
NVNT	n40	5190	Ant1	97.23	0.12	0.46
NVNT	n40	5230	Ant1	97.23	0.12	0.46
NVNT	ac20	5180	Ant1	93.83	0.28	1.06
NVNT	ac20	5200	Ant1	93.82	0.28	1.06
NVNT	ac20	5240	Ant1	93.72	0.28	1.06
NVNT	ac40	5190	Ant1	97.24	0.12	0.46
NVNT	ac40	5230	Ant1	97.19	0.12	0.46
NVNT	ac80	5210	Ant1	94.41	0.25	0.97




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1






Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1






Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1








Duty Cycle NVNT n40 5190MHz Ant1




Duty Cycle NVNT n40 5230MHz Ant1






Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1






Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1






Duty Cycle NVNT ac40 5230MHz Ant1



Duty Cycle NVNT ac80 5210MHz Ant1








Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant2	94.56	0.24	0.91
NVNT	a	5200	Ant2	94.56	0.24	0.91
NVNT	a	5240	Ant2	94.65	0.24	0.91
NVNT	n20	5180	Ant2	93.77	0.28	1.07
NVNT	n20	5200	Ant2	93.67	0.28	1.07
NVNT	n20	5240	Ant2	93.77	0.28	1.07
NVNT	n40	5190	Ant2	97.23	0.12	0.46
NVNT	n40	5230	Ant2	97.23	0.12	0.46
NVNT	ac20	5180	Ant2	93.83	0.28	1.06
NVNT	ac20	5200	Ant2	93.72	0.28	1.06
NVNT	ac20	5240	Ant2	93.82	0.28	1.06
NVNT	ac40	5190	Ant2	97.19	0.12	0.46
NVNT	ac40	5230	Ant2	97.24	0.12	0.46
NVNT	ac80	5210	Ant2	94.32	0.25	0.97






Test Graphs

Duty Cycle NVNT a 5180MHz Ant2




Duty Cycle NVNT a 5200MHz Ant2






Duty Cycle NVNT a 5240MHz Ant2




Duty Cycle NVNT n20 5180MHz Ant2






Duty Cycle NVNT n20 5200MHz Ant2




Duty Cycle NVNT n20 5240MHz Ant2








Duty Cycle NVNT n40 5190MHz Ant2




Duty Cycle NVNT n40 5230MHz Ant2






Duty Cycle NVNT ac20 5180MHz Ant2




Duty Cycle NVNT ac20 5200MHz Ant2






Duty Cycle NVNT ac20 5240MHz Ant2




Duty Cycle NVNT ac40 5190MHz Ant2





Duty Cycle NVNT ac40 5230MHz Ant2



Duty Cycle NVNT ac80 5210MHz Ant2

