




11G_Ant1_2412




11G_Ant2_2412




11G_Ant1_2437




11G_Ant2_2437




11G_Ant1_2462




11G_Ant2_2462




11N20MIMO_Ant1_2412




11N20MIMO_Ant2_2412



11N20MIMO_Ant1_2437




11N20MIMO_Ant2_2437




Date: 13.JUN.2024 19:19:14

11N20MIMO_Ant1_2462



Date: 13.JUN.2024 18:44:33

11N20MIMO_Ant2_2462



Date: 13.JUN.2024 19:22:15

Note:


1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Band edge measurements


Note: Both antennas have been tested and only the worst data of Ant1+ Ant2 is shown.


TestMode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1+ Ant2	Low	2412	0.50	-43.75	≤ -29.5	PASS
	Ant1+ Ant2	High	2462	0.76	-47.18	≤ -29.24	PASS
11G	Ant1+ Ant2	Low	2412	-11.57	-46.21	≤ -41.57	PASS
	Ant1+ Ant2	High	2462	-4.91	-35.62	≤ -34.91	PASS
11N20	Ant1+ Ant2	Low	2412	-6.70	-37.45	≤ -36.7	PASS
	Ant1+ Ant2	High	2462	-6.43	-37.44	≤ -36.43	PASS

11B_Ant1+Ant2_Low_2412




11B_Ant1+Ant2_High_2462






11N20_Ant1+Ant2_Low_2412



11N20_Ant1+Ant2_High_2462



APPENDIXH - POWER SPECTRAL DENSITY


TestMode	Antenna	Frequency[MHz]	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
11B	Ant1	2412	-20.85	≤8.00	PASS
	Ant2	2412	-15.11	≤8.00	PASS
	Ant1	2437	-21.19	≤8.00	PASS
	Ant2	2437	-16.37	≤8.00	PASS
	Ant1	2462	-20.64	≤8.00	PASS
	Ant2	2462	-16.74	≤8.00	PASS
11G	Ant1	2412	-31.15	≤8.00	PASS
	Ant2	2412	-14.27	≤8.00	PASS
	Ant1	2437	-25.53	≤8.00	PASS
	Ant2	2437	-15.36	≤8.00	PASS
	Ant1	2462	-22.69	≤8.00	PASS
	Ant2	2462	-15.55	≤8.00	PASS
11N20	Ant1	2412	-24.37	≤8.00	PASS
	Ant2	2412	-14.90	≤8.00	PASS
	Ant1	2437	-24.58	≤8.00	PASS
	Ant2	2437	-15.38	≤8.00	PASS
	Ant1	2462	-24.04	≤8.00	PASS
	Ant2	2462	-15.67	≤8.00	PASS
11N20MIMO	Ant1+ Ant2	2412	-14.44	≤8.00	PASS
	Ant1+ Ant2	2437	-14.89	≤8.00	PASS
	Ant1+ Ant2	2462	-15.08	≤8.00	PASS

The measure-and-sum technique shall be used for measuring in-band transmit power of a device. Total power is the sum of the conducted power levels measured at the various output ports.


(First measure the power (mW) of each antenna separately, and the total power is equal to Ant1mW + Ant2mW+....)

Test Graphs


11B_Ant1_2412




11B_Ant2_2412



11B_Ant1_2437




11B_Ant2_2437




Date: 13.JUN.2024 18:58:29

11B_Ant1_2462




Date: 13.JUN.2024 18:25:07


11B_Ant2_2462




Date: 13.JUN.2024 19:00:50




11G_Ant2_2437




11G_Ant1_2462




11G_Ant2_2462



11N20MIMO_Ant1_2412



11N20MIMO_Ant2_2412



11N20MIMO_Ant1_2437

