Instruction manual



PH-30A

SMARTPHONE CAMERA GRIP HOLDER

Introduction



Parameter

Name: Smartphone Camera Grip Holder

Models: PH-30A

Product size: 11*8.8*5.5cm Package size: 11.5*9*5.5cm

Material: ABS+Magnets

Bluetooth Name: PH-30 photo

Bluetooth Battery Model: CR2032

Bluetooth pairing





- When the Bluetooth remote control switch is turned on, the red indicator light flashes.
- Turn on the phone Bluetooth to enter the search state, and select from the device list

 Select "PH-30 photo" for pairing, red after successful
- Select: PH-30 photo for paining, rea dater successful connection Light off Click on the button to control the phone to take photos; enter the recording interface, click on the button to start recording, and again, click on the button to pause recording.
- No operation for 5 minutes into standby state, red flashing indicator; 30 minutes no operation Bluetooth automatically closed.

Tips

- 1: Bluetooth battery model is CR2032 lithium battery
- 2: When wireless charging is not used for a long time,it is recommended to charge the battery once every 3 month

Assemble the phone





Horizontal beat







Assemble the tripod

Desktop support

warranty service

This card is the warranty certificate of the product, please keep it properly			
Name			
Number		Date	
Dealer Name			
Dealer Address			
Client's Name		Client Fax	
Address			
Telephone.			
产品检验合格证 PRODUCT GUARANTEE CARD			



FCC Warnning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection againstharmful interference in a residential installation. This equipment generates, uses and can radiateradio frequency energy and, if not installed and used in accordance with the instructions, maycause harmful interference to radio communications. However, there is no guarantee thatinterference will not occur in a particular installation. If this equipment does cause harmfulinterference to radio or television reception, which can be determined by turning the equipmentoff and on, the user is encouraged to try to correct the interference by one or more of thefollowing measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1)This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 0cm between the radiator and your body.