Antenna Test Report		
Report No.	: <u>SSP24060185-2A</u>	
Manufacturer	: Shenzhen Ulanzi Technology Co.,Ltd.	
Product Name	: 2.4GHz Antenna	
Model Name	: <u>AE01</u>	
Test Standard	: <u>IEEE 149-1979</u>	
Tested Date	: 2024-06-17	
Issued Date	: 2024-06-18	
Tested By	: William Liu(Engineer) Lahn Peng	
Approved By	Lahm Peng (Manager)	
	CCUT	
	nenzhen CCUT Quality Technology Co., Ltd. echnology Industrial Park, Yutang Street, Guangming District, Shenzhen,	
Guangdong, China		
-	above client company and the product model only. It may not be duplicated permitted by Shenzhen CCUT Quality Technology Co., Ltd.	

1. General Information

1.1 Product Information

Manufacturer:	Shenzhen Ulanzi Technology Co.,Ltd.		
Address of Manufacturer:	A1703, Building A, Galaxy World, No.1 Yabao Road, Bantian Street, Long		
	District, Shenzhen, China		
Product Name:	2.4GHz Antenna		
Model Name:	AE01		
Frequency Range:	2402MHz - 2480MHz		
Type of Antenna:	SMD Antenna		
Antenna Gain:	0dBi (Max.)		
Impedance:	50 ohm		
	Length * Width (5cm * 1.5cm)		
Antenna View:	1		

1.2 Test Facilities

	Shenzhen CCUT Quality Technology Co., Ltd.	
Laboratory Name:	1F, Building 35, Changxing Technology Industrial Park, Yutang Street,	
	Guangming District, Shenzhen, Guangdong, China	
All measurement facilities used to collect the measurement data are located at 1F, Building 35, Changxing		
Technology Industrial Park, Yutang Street, Guangming District, Shenzhen, Guangdong, China.		

Description	Manufacturer	Model	Serial Number	Cal. Date	Due. Date
Horn Antenna	SCHWARZBECK	BBHA 9120D	02553	2023-08-05	2024-08-04
Spectrum Analyzer	KEYSIGHT	N9020A	MY48030972	2023-07-31	2024-07-30
Amplifier	Agilent	8449B	3008A01520	2023-07-31	2024-07-30
Vector Network	Agilent	E5071B	MY42404001	2023-07-31	2024-07-30
Analyzer	Agnetit	E3071B	M142404001	2023-07-51	2024-07-30

1.3 List of Measurement Instruments


1.4 Measurement Uncertainty

Parameter	Conditions	Uncertainty
Radiated Emissions Power	100MHz ~ 6GHz	±3.38 dB

1.5 Test Methodology

All measurements contained in this report were conducted with standards IEEE 149-1979 for IEEE Standard Test Procedures for Antennas.

1.6 Test Setup




2. OTA Test

2.1 Gain

Frequency	Peak Gain (dBi)	Polarity
2402MHz	0	Horizontal
2402MHz	-0.62	Vertical
2442MHz	-0.86	Horizontal
2442MHz	-1.11	Vertical
2480MHz	-1.56	Horizontal
2480MHz	-1.97	Vertical

2.2 Radiation Pattern View



***** END OF REPORT *****