

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 CA_66B_NTNV_EIRP

BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
				Sum		Result	Limit	
CC1:5 CC2:5	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1717.3	CC1: 1@0 CC2: 0@0	21.19	1.56	22.75	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.44	1.56	23	<=30	Pass
			CC1: 12@0 CC2: 12@13	21.51	1.56	23.07	<=30	Pass
			CC1: 12@13 CC2: 12@0	21.02	1.56	22.58	<=30	Pass
			CC1: 25@0 CC2: 25@0	20.01	1.56	21.57	<=30	Pass
		CC1:1742.6 CC2:1747.4	CC1: 1@0 CC2: 0@0	21.1	1.56	22.66	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.18	1.56	22.74	<=30	Pass
			CC1: 12@0 CC2: 12@13	20.51	1.56	22.07	<=30	Pass
			CC1: 12@13 CC2: 12@0	20.91	1.56	22.47	<=30	Pass
			CC1: 25@0 CC2: 25@0	19.87	1.56	21.43	<=30	Pass
		CC1:1772.7 CC2:1777.5	CC1: 1@0 CC2: 0@0	20.56	1.56	22.12	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.06	1.56	22.62	<=30	Pass
			CC1: 12@0 CC2: 12@13	19.7	1.56	21.26	<=30	Pass
			CC1: 12@13 CC2: 12@0	20.3	1.56	21.86	<=30	Pass
			CC1: 25@0 CC2: 25@0	19.26	1.56	20.82	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1717.3	CC1: 1@0 CC2: 0@0	20.61	1.56	22.17	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.12	1.56	22.68	<=30	Pass
			CC1: 12@0 CC2: 12@13	21	1.56	22.56	<=30	Pass
			CC1: 12@13 CC2: 12@0	19.67	1.56	21.23	<=30	Pass
			CC1: 25@0 CC2: 25@0	18.63	1.56	20.19	<=30	Pass
		CC1:1742.6 CC2:1747.4	CC1: 1@0 CC2: 0@0	20.59	1.56	22.15	<=30	Pass
			CC1: 1@24 CC2: 1@0	20.69	1.56	22.25	<=30	Pass
			CC1: 12@0 CC2: 12@13	20.5	1.56	22.06	<=30	Pass
			CC1: 12@13 CC2: 12@0	19.59	1.56	21.15	<=30	Pass
			CC1: 25@0 CC2: 25@0	18.65	1.56	20.21	<=30	Pass

		CC1:1772.7 CC2:1777.5	CC1: 1@0 CC2: 0@0	19.77	1.56	21.33	<=30	Pass
			CC1: 1@24 CC2: 1@0	20.64	1.56	22.2	<=30	Pass
			CC1: 12@0 CC2: 12@13	19.26	1.56	20.82	<=30	Pass
			CC1: 12@13 CC2: 12@0	19.57	1.56	21.13	<=30	Pass
			CC1: 25@0 CC2: 25@0	18.7	1.56	20.26	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1717.3	CC1: 1@0 CC2: 0@0	17.58	1.56	19.14	<=30	Pass
			CC1: 1@24 CC2: 1@0	19.82	1.56	21.38	<=30	Pass
			CC1: 12@0 CC2: 12@13	20.46	1.56	22.02	<=30	Pass
			CC1: 12@13 CC2: 12@0	18.47	1.56	20.03	<=30	Pass
			CC1: 25@0 CC2: 25@0	19.06	1.56	20.62	<=30	Pass
		CC1:1742.6 CC2:1747.4	CC1: 1@0 CC2: 0@0	19.24	1.56	20.8	<=30	Pass
			CC1: 1@24 CC2: 1@0	19.69	1.56	21.25	<=30	Pass
			CC1: 12@0 CC2: 12@13	19.98	1.56	21.54	<=30	Pass
			CC1: 12@13 CC2: 12@0	18.62	1.56	20.18	<=30	Pass
			CC1: 25@0 CC2: 25@0	18.48	1.56	20.04	<=30	Pass
		CC1:1772.7 CC2:1777.5	CC1: 1@0 CC2: 0@0	19.08	1.56	20.64	<=30	Pass
			CC1: 1@24 CC2: 1@0	19.64	1.56	21.2	<=30	Pass
			CC1: 12@0 CC2: 12@13	19.22	1.56	20.78	<=30	Pass
			CC1: 12@13 CC2: 12@0	18.94	1.56	20.5	<=30	Pass
			CC1: 25@0 CC2: 25@0	18.79	1.56	20.35	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1717.3	CC1: 1@0 CC2: 0@0	15.83	1.56	17.39	<=30	Pass
			CC1: 1@24 CC2: 1@0	16.75	1.56	18.31	<=30	Pass
			CC1: 12@0 CC2: 12@13	19.74	1.56	21.3	<=30	Pass
			CC1: 12@13 CC2: 12@0	16.71	1.56	18.27	<=30	Pass
			CC1: 25@0 CC2: 25@0	16.74	1.56	18.3	<=30	Pass
		CC1:1742.6 CC2:1747.4	CC1: 1@0 CC2: 0@0	15.73	1.56	17.29	<=30	Pass
			CC1: 1@24 CC2: 1@0	16.72	1.56	18.28	<=30	Pass
			CC1: 12@0 CC2: 12@13	19.08	1.56	20.64	<=30	Pass
			CC1: 12@13 CC2: 12@0	16.42	1.56	17.98	<=30	Pass
			CC1: 25@0 CC2: 25@0	16.76	1.56	18.32	<=30	Pass
		CC1:1772.7	CC1: 1@0	15.72	1.56	17.28	<=30	Pass

		CC2:1777.5	CC2: 0@0						
			CC1: 1@24 CC2: 1@0	16.47	1.56	18.03	<=30	Pass	
			CC1: 12@0 CC2: 12@13	17.95	1.56	19.51	<=30	Pass	
			CC1: 12@13 CC2: 12@0	16.81	1.56	18.37	<=30	Pass	
			CC1: 25@0 CC2: 25@0	16.38	1.56	17.94	<=30	Pass	
CC1:5 CC2:10	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1719.7	CC1: 1@0 CC2: 0@0	20.7	1.56	22.26	<=30	Pass	
			CC1: 1@24 CC2: 1@0	21.15	1.56	22.71	<=30	Pass	
			CC1: 12@0 CC2: 25@25	16.62	1.56	18.18	<=30	Pass	
			CC1: 12@13 CC2: 25@0	19.51	1.56	21.07	<=30	Pass	
			CC1: 25@0 CC2: 50@0	19.61	1.56	21.17	<=30	Pass	
		CC1:1740.2 CC2:1747.4	CC1: 1@0 CC2: 0@0	20.57	1.56	22.13	<=30	Pass	
			CC1: 1@24 CC2: 1@0	21.39	1.56	22.95	<=30	Pass	
			CC1: 12@0 CC2: 25@25	16.82	1.56	18.38	<=30	Pass	
			CC1: 12@13 CC2: 25@0	19.35	1.56	20.91	<=30	Pass	
			CC1: 25@0 CC2: 50@0	19.54	1.56	21.1	<=30	Pass	
		CC1:1767.8 CC2:1775	CC1: 1@0 CC2: 0@0	20.79	1.56	22.35	<=30	Pass	
			CC1: 1@24 CC2: 1@0	21.53	1.56	23.09	<=30	Pass	
			CC1: 12@0 CC2: 25@25	16.25	1.56	17.81	<=30	Pass	
			CC1: 12@13 CC2: 25@0	19.55	1.56	21.11	<=30	Pass	
			CC1: 25@0 CC2: 50@0	19.83	1.56	21.39	<=30	Pass	
		CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1719.7	CC1: 1@0 CC2: 0@0	20.56	1.56	22.12	<=30	Pass
				CC1: 1@24 CC2: 1@0	21.04	1.56	22.6	<=30	Pass
				CC1: 12@0 CC2: 25@25	17.08	1.56	18.64	<=30	Pass
				CC1: 12@13 CC2: 25@0	18.89	1.56	20.45	<=30	Pass
				CC1: 25@0 CC2: 50@0	18.73	1.56	20.29	<=30	Pass
	CC1:1740.2 CC2:1747.4		CC1: 1@0 CC2: 0@0	20.71	1.56	22.27	<=30	Pass	
			CC1: 1@24 CC2: 1@0	21.19	1.56	22.75	<=30	Pass	
			CC1: 12@0 CC2: 25@25	16.58	1.56	18.14	<=30	Pass	
			CC1: 12@13 CC2: 25@0	18.55	1.56	20.11	<=30	Pass	
			CC1: 25@0 CC2: 50@0	18.75	1.56	20.31	<=30	Pass	
	CC1:1767.8 CC2:1775		CC1: 1@0 CC2: 0@0	20.24	1.56	21.8	<=30	Pass	

			CC1: 1@24 CC2: 1@0	20.68	1.56	22.24	<=30	Pass
			CC1: 12@0 CC2: 25@25	16.33	1.56	17.89	<=30	Pass
			CC1: 12@13 CC2: 25@0	18.33	1.56	19.89	<=30	Pass
			CC1: 25@0 CC2: 50@0	18.52	1.56	20.08	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1719.7	CC1: 1@0 CC2: 0@0	19.83	1.56	21.39	<=30	Pass
			CC1: 1@24 CC2: 1@0	19.65	1.56	21.21	<=30	Pass
			CC1: 12@0 CC2: 25@25	16.64	1.56	18.2	<=30	Pass
			CC1: 12@13 CC2: 25@0	18.69	1.56	20.25	<=30	Pass
			CC1: 25@0 CC2: 50@0	18.62	1.56	20.18	<=30	Pass
		CC1:1740.2 CC2:1747.4	CC1: 1@0 CC2: 0@0	19.44	1.56	21	<=30	Pass
			CC1: 1@24 CC2: 1@0	19.61	1.56	21.17	<=30	Pass
			CC1: 12@0 CC2: 25@25	16.92	1.56	18.48	<=30	Pass
			CC1: 12@13 CC2: 25@0	18.48	1.56	20.04	<=30	Pass
			CC1: 25@0 CC2: 50@0	18.74	1.56	20.3	<=30	Pass
		CC1:1767.8 CC2:1775	CC1: 1@0 CC2: 0@0	18.8	1.56	20.36	<=30	Pass
			CC1: 1@24 CC2: 1@0	19.34	1.56	20.9	<=30	Pass
			CC1: 12@0 CC2: 25@25	16.64	1.56	18.2	<=30	Pass
			CC1: 12@13 CC2: 25@0	18.64	1.56	20.2	<=30	Pass
			CC1: 25@0 CC2: 50@0	18.52	1.56	20.08	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1719.7	CC1: 1@0 CC2: 0@0	16.37	1.56	17.93	<=30	Pass
			CC1: 1@24 CC2: 1@0	16.83	1.56	18.39	<=30	Pass
			CC1: 12@0 CC2: 25@25	15.96	1.56	17.52	<=30	Pass
			CC1: 12@13 CC2: 25@0	16.86	1.56	18.42	<=30	Pass
			CC1: 25@0 CC2: 50@0	17.03	1.56	18.59	<=30	Pass
		CC1:1740.2 CC2:1747.4	CC1: 1@0 CC2: 0@0	15.8	1.56	17.36	<=30	Pass
			CC1: 1@24 CC2: 1@0	16.92	1.56	18.48	<=30	Pass
			CC1: 12@0 CC2: 25@25	16.22	1.56	17.78	<=30	Pass
			CC1: 12@13 CC2: 25@0	16.31	1.56	17.87	<=30	Pass
			CC1: 25@0 CC2: 50@0	16.91	1.56	18.47	<=30	Pass
		CC1:1767.8 CC2:1775	CC1: 1@0 CC2: 0@0	15.77	1.56	17.33	<=30	Pass
			CC1: 1@24	16.5	1.56	18.06	<=30	Pass

			CC2: 1@0					
			CC1: 12@0 CC2: 25@25	16.41	1.56	17.97	<=30	Pass
CC1:5 CC2:15	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1721.8	CC1: 12@13 CC2: 25@0	16.82	1.56	18.38	<=30	Pass
			CC1: 25@0 CC2: 50@0	16.48	1.56	18.04	<=30	Pass
			CC1: 1@0 CC2: 0@0	20.82	1.56	22.38	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.43	1.56	22.99	<=30	Pass
			CC1: 12@0 CC2: 36@39	21.02	1.56	22.58	<=30	Pass
		CC1:1737.9 CC2:1747.2	CC1: 12@13 CC2: 36@0	19.86	1.56	21.42	<=30	Pass
			CC1: 25@0 CC2: 75@0	19.5	1.56	21.06	<=30	Pass
			CC1: 1@0 CC2: 0@0	20.63	1.56	22.19	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.5	1.56	23.06	<=30	Pass
			CC1: 12@0 CC2: 36@39	20.75	1.56	22.31	<=30	Pass
		CC1:1763.2 CC2:1772.5	CC1: 12@13 CC2: 36@0	19.85	1.56	21.41	<=30	Pass
			CC1: 25@0 CC2: 75@0	19.57	1.56	21.13	<=30	Pass
			CC1: 1@0 CC2: 0@0	20.17	1.56	21.73	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.77	1.56	23.33	<=30	Pass
			CC1: 12@0 CC2: 36@39	19.62	1.56	21.18	<=30	Pass
CC1:5 CC2:15	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1721.8	CC1: 12@13 CC2: 36@0	19.32	1.56	20.88	<=30	Pass
			CC1: 25@0 CC2: 75@0	19.78	1.56	21.34	<=30	Pass
			CC1: 1@0 CC2: 0@0	19.93	1.56	21.49	<=30	Pass
			CC1: 1@24 CC2: 1@0	20.87	1.56	22.43	<=30	Pass
			CC1: 12@0 CC2: 36@39	21.03	1.56	22.59	<=30	Pass
		CC1:1737.9 CC2:1747.2	CC1: 12@13 CC2: 36@0	19.11	1.56	20.67	<=30	Pass
			CC1: 25@0 CC2: 75@0	19.1	1.56	20.66	<=30	Pass
			CC1: 1@0 CC2: 0@0	20.01	1.56	21.57	<=30	Pass
			CC1: 1@24 CC2: 1@0	20.74	1.56	22.3	<=30	Pass
			CC1: 12@0 CC2: 36@39	20.18	1.56	21.74	<=30	Pass
		CC1:1763.2 CC2:1772.5	CC1: 12@13 CC2: 36@0	19.04	1.56	20.6	<=30	Pass
			CC1: 25@0 CC2: 75@0	19.03	1.56	20.59	<=30	Pass
			CC1: 1@0 CC2: 0@0	20.36	1.56	21.92	<=30	Pass
			CC1: 1@24 CC2: 1@0	20.83	1.56	22.39	<=30	Pass

			CC1: 12@0 CC2: 36@39	19.73	1.56	21.29	<=30	Pass
			CC1: 12@13 CC2: 36@0	18.52	1.56	20.08	<=30	Pass
			CC1: 25@0 CC2: 75@0	18.92	1.56	20.48	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1721.8	CC1: 1@0 CC2: 0@0	19.74	1.56	21.3	<=30	Pass
			CC1: 1@24 CC2: 1@0	20.03	1.56	21.59	<=30	Pass
			CC1: 12@0 CC2: 36@39	20.5	1.56	22.06	<=30	Pass
			CC1: 12@13 CC2: 36@0	18.79	1.56	20.35	<=30	Pass
			CC1: 25@0 CC2: 75@0	19.02	1.56	20.58	<=30	Pass
		CC1:1737.9 CC2:1747.2	CC1: 1@0 CC2: 0@0	19.47	1.56	21.03	<=30	Pass
			CC1: 1@24 CC2: 1@0	19.64	1.56	21.2	<=30	Pass
			CC1: 12@0 CC2: 36@39	19.6	1.56	21.16	<=30	Pass
			CC1: 12@13 CC2: 36@0	18.47	1.56	20.03	<=30	Pass
			CC1: 25@0 CC2: 75@0	18.78	1.56	20.34	<=30	Pass
		CC1:1763.2 CC2:1772.5	CC1: 1@0 CC2: 0@0	18.89	1.56	20.45	<=30	Pass
			CC1: 1@24 CC2: 1@0	19.18	1.56	20.74	<=30	Pass
			CC1: 12@0 CC2: 36@39	19.15	1.56	20.71	<=30	Pass
			CC1: 12@13 CC2: 36@0	18.56	1.56	20.12	<=30	Pass
			CC1: 25@0 CC2: 75@0	18.75	1.56	20.31	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1721.8	CC1: 1@0 CC2: 0@0	15.67	1.56	17.23	<=30	Pass
			CC1: 1@24 CC2: 1@0	16.95	1.56	18.51	<=30	Pass
			CC1: 12@0 CC2: 36@39	19.9	1.56	21.46	<=30	Pass
			CC1: 12@13 CC2: 36@0	16.55	1.56	18.11	<=30	Pass
			CC1: 25@0 CC2: 75@0	17.1	1.56	18.66	<=30	Pass
		CC1:1737.9 CC2:1747.2	CC1: 1@0 CC2: 0@0	16.32	1.56	17.88	<=30	Pass
			CC1: 1@24 CC2: 1@0	16.73	1.56	18.29	<=30	Pass
			CC1: 12@0 CC2: 36@39	19.26	1.56	20.82	<=30	Pass
			CC1: 12@13 CC2: 36@0	16.61	1.56	18.17	<=30	Pass
			CC1: 25@0 CC2: 75@0	16.69	1.56	18.25	<=30	Pass
		CC1:1763.2 CC2:1772.5	CC1: 1@0 CC2: 0@0	16.02	1.56	17.58	<=30	Pass
			CC1: 1@24 CC2: 1@0	16.7	1.56	18.26	<=30	Pass
			CC1: 12@0	18.71	1.56	20.27	<=30	Pass

CC1:10 CC2:5			CC2: 36@39					
			CC1: 12@13 CC2: 36@0	16.56	1.56	18.12	<=30	Pass
			CC1: 25@0 CC2: 75@0	16.42	1.56	17.98	<=30	Pass
	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1722.2	CC1: 1@0 CC2: 0@0	20.93	1.56	22.49	<=30	Pass
			CC1: 1@49 CC2: 1@0	21.11	1.56	22.67	<=30	Pass
			CC1: 25@0 CC2: 12@13	16.88	1.56	18.44	<=30	Pass
			CC1: 25@25 CC2: 12@0	19.99	1.56	21.55	<=30	Pass
			CC1: 50@0 CC2: 25@0	20.04	1.56	21.6	<=30	Pass
		CC1:1742.7 CC2:1749.9	CC1: 1@0 CC2: 0@0	20.65	1.56	22.21	<=30	Pass
			CC1: 1@49 CC2: 1@0	20.98	1.56	22.54	<=30	Pass
			CC1: 25@0 CC2: 12@13	16.67	1.56	18.23	<=30	Pass
			CC1: 25@25 CC2: 12@0	19.34	1.56	20.9	<=30	Pass
			CC1: 50@0 CC2: 25@0	19.95	1.56	21.51	<=30	Pass
		CC1:1770.3 CC2:1777.5	CC1: 1@0 CC2: 0@0	20.97	1.56	22.53	<=30	Pass
			CC1: 1@49 CC2: 1@0	20.96	1.56	22.52	<=30	Pass
			CC1: 25@0 CC2: 12@13	16.76	1.56	18.32	<=30	Pass
			CC1: 25@25 CC2: 12@0	19.33	1.56	20.89	<=30	Pass
			CC1: 50@0 CC2: 25@0	19.35	1.56	20.91	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1722.2	CC1: 1@0 CC2: 0@0	20.09	1.56	21.65	<=30	Pass
			CC1: 1@49 CC2: 1@0	21.29	1.56	22.85	<=30	Pass
			CC1: 25@0 CC2: 12@13	16.91	1.56	18.47	<=30	Pass
			CC1: 25@25 CC2: 12@0	18.53	1.56	20.09	<=30	Pass
			CC1: 50@0 CC2: 25@0	18.83	1.56	20.39	<=30	Pass
		CC1:1742.7 CC2:1749.9	CC1: 1@0 CC2: 0@0	20.15	1.56	21.71	<=30	Pass
			CC1: 1@49 CC2: 1@0	20.61	1.56	22.17	<=30	Pass
			CC1: 25@0 CC2: 12@13	16.79	1.56	18.35	<=30	Pass
			CC1: 25@25 CC2: 12@0	18.54	1.56	20.1	<=30	Pass
			CC1: 50@0 CC2: 25@0	18.8	1.56	20.36	<=30	Pass
		CC1:1770.3 CC2:1777.5	CC1: 1@0 CC2: 0@0	20.65	1.56	22.21	<=30	Pass
			CC1: 1@49 CC2: 1@0	20.79	1.56	22.35	<=30	Pass
			CC1: 25@0 CC2: 12@13	16.26	1.56	17.82	<=30	Pass

			CC1: 25@25 CC2: 12@0	18.34	1.56	19.9	<=30	Pass
			CC1: 50@0 CC2: 25@0	18.29	1.56	19.85	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1722.2	CC1: 1@0 CC2: 0@0	19.81	1.56	21.37	<=30	Pass
			CC1: 1@49 CC2: 1@0	19.96	1.56	21.52	<=30	Pass
			CC1: 25@0 CC2: 12@13	16.59	1.56	18.15	<=30	Pass
			CC1: 25@25 CC2: 12@0	18.49	1.56	20.05	<=30	Pass
			CC1: 50@0 CC2: 25@0	18.68	1.56	20.24	<=30	Pass
		CC1:1742.7 CC2:1749.9	CC1: 1@0 CC2: 0@0	18.96	1.56	20.52	<=30	Pass
			CC1: 1@49 CC2: 1@0	19.63	1.56	21.19	<=30	Pass
			CC1: 25@0 CC2: 12@13	16.32	1.56	17.88	<=30	Pass
			CC1: 25@25 CC2: 12@0	18.73	1.56	20.29	<=30	Pass
			CC1: 50@0 CC2: 25@0	18.27	1.56	19.83	<=30	Pass
		CC1:1770.3 CC2:1777.5	CC1: 1@0 CC2: 0@0	19	1.56	20.56	<=30	Pass
			CC1: 1@49 CC2: 1@0	19.51	1.56	21.07	<=30	Pass
			CC1: 25@0 CC2: 12@13	16.37	1.56	17.93	<=30	Pass
			CC1: 25@25 CC2: 12@0	18.4	1.56	19.96	<=30	Pass
			CC1: 50@0 CC2: 25@0	18.32	1.56	19.88	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1722.2	CC1: 1@0 CC2: 0@0	16.59	1.56	18.15	<=30	Pass
			CC1: 1@49 CC2: 1@0	16.5	1.56	18.06	<=30	Pass
			CC1: 25@0 CC2: 12@13	16.52	1.56	18.08	<=30	Pass
			CC1: 25@25 CC2: 12@0	17.04	1.56	18.6	<=30	Pass
			CC1: 50@0 CC2: 25@0	16.77	1.56	18.33	<=30	Pass
		CC1:1742.7 CC2:1749.9	CC1: 1@0 CC2: 0@0	16.01	1.56	17.57	<=30	Pass
			CC1: 1@49 CC2: 1@0	17.21	1.56	18.77	<=30	Pass
			CC1: 25@0 CC2: 12@13	16.09	1.56	17.65	<=30	Pass
			CC1: 25@25 CC2: 12@0	16.46	1.56	18.02	<=30	Pass
			CC1: 50@0 CC2: 25@0	17.01	1.56	18.57	<=30	Pass
		CC1:1770.3 CC2:1777.5	CC1: 1@0 CC2: 0@0	16.23	1.56	17.79	<=30	Pass
			CC1: 1@49 CC2: 1@0	16.66	1.56	18.22	<=30	Pass
			CC1: 25@0 CC2: 12@13	16.29	1.56	17.85	<=30	Pass
			CC1: 25@25	16.92	1.56	18.48	<=30	Pass

			CC2: 12@0					
			CC1: 50@0 CC2: 25@0	16.86	1.56	18.42	<=30	Pass
CC1:10 CC2:10	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1724.9	CC1: 1@0 CC2: 0@0	20.94	1.56	22.5	<=30	Pass
			CC1: 1@49 CC2: 1@0	21.43	1.56	22.99	<=30	Pass
			CC1: 25@0 CC2: 25@25	21.19	1.56	22.75	<=30	Pass
			CC1: 25@25 CC2: 25@0	21.44	1.56	23	<=30	Pass
			CC1: 50@0 CC2: 50@0	21.51	1.56	23.07	<=30	Pass
		CC1:1740.1 CC2:1750	CC1: 1@0 CC2: 0@0	21.02	1.56	22.58	<=30	Pass
			CC1: 1@49 CC2: 1@0	20.01	1.56	21.57	<=30	Pass
			CC1: 25@0 CC2: 25@25	21.1	1.56	22.66	<=30	Pass
			CC1: 25@25 CC2: 25@0	21.18	1.56	22.74	<=30	Pass
			CC1: 50@0 CC2: 50@0	20.51	1.56	22.07	<=30	Pass
		CC1:1765.1 CC2:1775	CC1: 1@0 CC2: 0@0	20.91	1.56	22.47	<=30	Pass
			CC1: 1@49 CC2: 1@0	19.87	1.56	21.43	<=30	Pass
			CC1: 25@0 CC2: 25@25	20.56	1.56	22.12	<=30	Pass
			CC1: 25@25 CC2: 25@0	21.06	1.56	22.62	<=30	Pass
			CC1: 50@0 CC2: 50@0	19.7	1.56	21.26	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1724.9	CC1: 1@0 CC2: 0@0	20.3	1.56	21.86	<=30	Pass
			CC1: 1@49 CC2: 1@0	19.26	1.56	20.82	<=30	Pass
			CC1: 25@0 CC2: 25@25	20.61	1.56	22.17	<=30	Pass
			CC1: 25@25 CC2: 25@0	21.12	1.56	22.68	<=30	Pass
			CC1: 50@0 CC2: 50@0	21	1.56	22.56	<=30	Pass
		CC1:1740.1 CC2:1750	CC1: 1@0 CC2: 0@0	19.67	1.56	21.23	<=30	Pass
			CC1: 1@49 CC2: 1@0	18.63	1.56	20.19	<=30	Pass
			CC1: 25@0 CC2: 25@25	20.59	1.56	22.15	<=30	Pass
			CC1: 25@25 CC2: 25@0	20.69	1.56	22.25	<=30	Pass
			CC1: 50@0 CC2: 50@0	20.5	1.56	22.06	<=30	Pass
		CC1:1765.1 CC2:1775	CC1: 1@0 CC2: 0@0	19.59	1.56	21.15	<=30	Pass
			CC1: 1@49 CC2: 1@0	18.65	1.56	20.21	<=30	Pass
			CC1: 25@0 CC2: 25@25	19.77	1.56	21.33	<=30	Pass
			CC1: 25@25 CC2: 25@0	20.64	1.56	22.2	<=30	Pass

			CC1: 50@0 CC2: 50@0	19.26	1.56	20.82	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1724.9	CC1: 1@0 CC2: 0@0	19.57	1.56	21.13	<=30	Pass
			CC1: 1@49 CC2: 1@0	18.7	1.56	20.26	<=30	Pass
			CC1: 25@0 CC2: 25@25	17.58	1.56	19.14	<=30	Pass
			CC1: 25@25 CC2: 25@0	19.82	1.56	21.38	<=30	Pass
			CC1: 50@0 CC2: 50@0	20.46	1.56	22.02	<=30	Pass
		CC1:1740.1 CC2:1750	CC1: 1@0 CC2: 0@0	18.47	1.56	20.03	<=30	Pass
			CC1: 1@49 CC2: 1@0	19.06	1.56	20.62	<=30	Pass
			CC1: 25@0 CC2: 25@25	19.24	1.56	20.8	<=30	Pass
			CC1: 25@25 CC2: 25@0	19.69	1.56	21.25	<=30	Pass
			CC1: 50@0 CC2: 50@0	19.98	1.56	21.54	<=30	Pass
		CC1:1765.1 CC2:1775	CC1: 1@0 CC2: 0@0	18.62	1.56	20.18	<=30	Pass
			CC1: 1@49 CC2: 1@0	18.48	1.56	20.04	<=30	Pass
			CC1: 25@0 CC2: 25@25	19.08	1.56	20.64	<=30	Pass
			CC1: 25@25 CC2: 25@0	19.64	1.56	21.2	<=30	Pass
			CC1: 50@0 CC2: 50@0	19.22	1.56	20.78	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1724.9	CC1: 1@0 CC2: 0@0	18.94	1.56	20.5	<=30	Pass
			CC1: 1@49 CC2: 1@0	18.79	1.56	20.35	<=30	Pass
			CC1: 25@0 CC2: 25@25	15.83	1.56	17.39	<=30	Pass
			CC1: 25@25 CC2: 25@0	16.75	1.56	18.31	<=30	Pass
			CC1: 50@0 CC2: 50@0	19.74	1.56	21.3	<=30	Pass
		CC1:1740.1 CC2:1750	CC1: 1@0 CC2: 0@0	16.71	1.56	18.27	<=30	Pass
			CC1: 1@49 CC2: 1@0	16.74	1.56	18.3	<=30	Pass
			CC1: 25@0 CC2: 25@25	15.73	1.56	17.29	<=30	Pass
			CC1: 25@25 CC2: 25@0	16.72	1.56	18.28	<=30	Pass
			CC1: 50@0 CC2: 50@0	19.08	1.56	20.64	<=30	Pass
		CC1:1765.1 CC2:1775	CC1: 1@0 CC2: 0@0	16.42	1.56	17.98	<=30	Pass
			CC1: 1@49 CC2: 1@0	16.76	1.56	18.32	<=30	Pass
			CC1: 25@0 CC2: 25@25	15.72	1.56	17.28	<=30	Pass
			CC1: 25@25 CC2: 25@0	16.47	1.56	18.03	<=30	Pass
			CC1: 50@0	17.95	1.56	19.51	<=30	Pass

CC1:15 CC2:5			CC2: 50@0					
			CC1: 1@0 CC2: 0@0	16.81	1.56	18.37	<=30	Pass
			CC1: 1@74 CC2: 1@0	16.38	1.56	17.94	<=30	Pass
			CC1: 36@0 CC2: 12@13	20.7	1.56	22.26	<=30	Pass
			CC1: 36@39 CC2: 12@0	21.15	1.56	22.71	<=30	Pass
			CC1: 75@0 CC2: 25@0	16.62	1.56	18.18	<=30	Pass
		CC1:1742.9 CC2:1752.2	CC1: 1@0 CC2: 0@0	19.51	1.56	21.07	<=30	Pass
			CC1: 1@74 CC2: 1@0	19.61	1.56	21.17	<=30	Pass
			CC1: 36@0 CC2: 12@13	20.57	1.56	22.13	<=30	Pass
			CC1: 36@39 CC2: 12@0	21.39	1.56	22.95	<=30	Pass
			CC1: 75@0 CC2: 25@0	16.82	1.56	18.38	<=30	Pass
		CC1:1768.2 CC2:1777.5	CC1: 1@0 CC2: 0@0	19.35	1.56	20.91	<=30	Pass
			CC1: 1@74 CC2: 1@0	19.54	1.56	21.1	<=30	Pass
			CC1: 36@0 CC2: 12@13	20.79	1.56	22.35	<=30	Pass
			CC1: 36@39 CC2: 12@0	21.53	1.56	23.09	<=30	Pass
			CC1: 75@0 CC2: 25@0	16.25	1.56	17.81	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1726.8	CC1: 1@0 CC2: 0@0	19.55	1.56	21.11	<=30	Pass
			CC1: 1@74 CC2: 1@0	19.83	1.56	21.39	<=30	Pass
			CC1: 36@0 CC2: 12@13	20.56	1.56	22.12	<=30	Pass
			CC1: 36@39 CC2: 12@0	21.04	1.56	22.6	<=30	Pass
			CC1: 75@0 CC2: 25@0	17.08	1.56	18.64	<=30	Pass
		CC1:1742.9 CC2:1752.2	CC1: 1@0 CC2: 0@0	18.89	1.56	20.45	<=30	Pass
			CC1: 1@74 CC2: 1@0	18.73	1.56	20.29	<=30	Pass
			CC1: 36@0 CC2: 12@13	20.71	1.56	22.27	<=30	Pass
			CC1: 36@39 CC2: 12@0	21.19	1.56	22.75	<=30	Pass
			CC1: 75@0 CC2: 25@0	16.58	1.56	18.14	<=30	Pass
		CC1:1768.2 CC2:1777.5	CC1: 1@0 CC2: 0@0	18.55	1.56	20.11	<=30	Pass
			CC1: 1@74 CC2: 1@0	18.75	1.56	20.31	<=30	Pass
			CC1: 36@0 CC2: 12@13	20.24	1.56	21.8	<=30	Pass
			CC1: 36@39 CC2: 12@0	20.68	1.56	22.24	<=30	Pass
			CC1: 75@0 CC2: 25@0	16.33	1.56	17.89	<=30	Pass

	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1726.8	CC1: 1@0 CC2: 0@0	18.33	1.56	19.89	<=30	Pass
			CC1: 1@74 CC2: 1@0	18.52	1.56	20.08	<=30	Pass
			CC1: 36@0 CC2: 12@13	19.83	1.56	21.39	<=30	Pass
			CC1: 36@39 CC2: 12@0	19.65	1.56	21.21	<=30	Pass
			CC1: 75@0 CC2: 25@0	16.64	1.56	18.2	<=30	Pass
		CC1:1742.9 CC2:1752.2	CC1: 1@0 CC2: 0@0	18.69	1.56	20.25	<=30	Pass
			CC1: 1@74 CC2: 1@0	18.62	1.56	20.18	<=30	Pass
			CC1: 36@0 CC2: 12@13	19.44	1.56	21	<=30	Pass
			CC1: 36@39 CC2: 12@0	19.61	1.56	21.17	<=30	Pass
			CC1: 75@0 CC2: 25@0	16.92	1.56	18.48	<=30	Pass
		CC1:1768.2 CC2:1777.5	CC1: 1@0 CC2: 0@0	18.48	1.56	20.04	<=30	Pass
			CC1: 1@74 CC2: 1@0	18.74	1.56	20.3	<=30	Pass
			CC1: 36@0 CC2: 12@13	18.8	1.56	20.36	<=30	Pass
			CC1: 36@39 CC2: 12@0	19.34	1.56	20.9	<=30	Pass
			CC1: 75@0 CC2: 25@0	16.64	1.56	18.2	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1726.8	CC1: 1@0 CC2: 0@0	18.64	1.56	20.2	<=30	Pass
			CC1: 1@74 CC2: 1@0	18.52	1.56	20.08	<=30	Pass
			CC1: 36@0 CC2: 12@13	16.37	1.56	17.93	<=30	Pass
			CC1: 36@39 CC2: 12@0	16.83	1.56	18.39	<=30	Pass
			CC1: 75@0 CC2: 25@0	15.96	1.56	17.52	<=30	Pass
		CC1:1742.9 CC2:1752.2	CC1: 1@0 CC2: 0@0	16.86	1.56	18.42	<=30	Pass
			CC1: 1@74 CC2: 1@0	17.03	1.56	18.59	<=30	Pass
			CC1: 36@0 CC2: 12@13	15.8	1.56	17.36	<=30	Pass
			CC1: 36@39 CC2: 12@0	16.92	1.56	18.48	<=30	Pass
			CC1: 75@0 CC2: 25@0	16.22	1.56	17.78	<=30	Pass
		CC1:1768.2 CC2:1777.5	CC1: 1@0 CC2: 0@0	16.31	1.56	17.87	<=30	Pass
			CC1: 1@74 CC2: 1@0	16.91	1.56	18.47	<=30	Pass
			CC1: 36@0 CC2: 12@13	15.77	1.56	17.33	<=30	Pass
			CC1: 36@39 CC2: 12@0	16.5	1.56	18.06	<=30	Pass
			CC1: 75@0 CC2: 25@0	16.41	1.56	17.97	<=30	Pass

2. Field Strength of Spurious Radiation

Test Band = LTE Band66B_ TM1

Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3915	44.24	-46.24	29.26	-68.00	-13.00	55.00	Horizontal
2	4881.75	42.96	-45.53	31.21	-66.62	-13.00	53.62	Horizontal
3	6039	43.29	-44.68	32.53	-64.12	-13.00	51.12	Horizontal
4	7530	40.96	-43.08	36.44	-60.94	-13.00	47.94	Horizontal
5	9809.25	37.06	-39.47	38.12	-59.55	-13.00	46.55	Horizontal
6	11757.75	34.71	-36.95	38.98	-58.52	-13.00	45.52	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3909.75	43.79	-46.26	29.26	-68.47	-13.00	55.47	Vertical
2	4934.25	43.38	-45.57	31.29	-66.15	-13.00	53.15	Vertical
3	5881.5	43.19	-44.93	32.38	-64.62	-13.00	51.62	Vertical
4	7349.25	41.97	-43.58	35.98	-60.89	-13.00	47.89	Vertical
5	8540.25	40.43	-41.50	36.78	-59.56	-13.00	46.56	Vertical
6	11473.5	34.65	-37.33	38.84	-59.10	-13.00	46.10	Vertical

Test Band = LTE Band66B_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4161	42.67	-45.77	29.79	-68.57	-13.00	55.57	Horizontal
2	5484.75	43.65	-45.25	32.27	-64.59	-13.00	51.59	Horizontal
3	6702	42.13	-43.82	34.46	-62.48	-13.00	49.48	Horizontal
4	7240.5	42.02	-43.55	35.67	-61.12	-13.00	48.12	Horizontal
5	9317.25	38.52	-40.15	37.13	-59.76	-13.00	46.76	Horizontal
6	11583	34.64	-36.97	38.89	-58.70	-13.00	45.70	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4221	42.35	-45.72	29.93	-68.70	-13.00	55.70	Vertical
2	5442	43.28	-45.27	32.20	-65.06	-13.00	52.06	Vertical
3	7245	41.73	-43.57	35.69	-61.41	-13.00	48.41	Vertical
4	8086.5	40.28	-41.49	37.05	-59.43	-13.00	46.43	Vertical
5	10037.25	37.32	-39.20	38.50	-58.63	-13.00	45.63	Vertical
6	13387.5	34.14	-36.38	39.94	-57.56	-13.00	44.56	Vertical

Test Band = LTE Band66B_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3772.5	44.16	-45.80	29.04	-67.87	-13.00	54.87	Horizontal
2	4891.5	43.17	-45.53	31.23	-66.39	-13.00	53.39	Horizontal
3	6494.25	41.83	-44.60	34.08	-63.95	-13.00	50.95	Horizontal
4	8034.75	41.02	-42.01	37.08	-59.17	-13.00	46.17	Horizontal
5	11418.75	34.99	-37.36	38.81	-58.82	-13.00	45.82	Horizontal
6	13551.75	34.37	-36.53	40.17	-57.25	-13.00	44.25	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3592.5	43.80	-46.14	28.75	-68.85	-13.00	55.85	Vertical
2	5436	43.42	-45.28	32.18	-64.93	-13.00	51.93	Vertical
3	6468.75	42.36	-44.55	33.99	-63.45	-13.00	50.45	Vertical
4	9156.75	37.68	-40.29	36.81	-61.06	-13.00	48.06	Vertical
5	11762.25	34.39	-36.95	38.98	-58.84	-13.00	45.84	Vertical
6	15318.75	31.38	-34.25	40.93	-57.20	-13.00	44.20	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level

---End of Attachment---