



PMN:Microphone

Models No./HVIN: UHF888

- a. Power switch
- b. echo attenuation
- c. Echo enhancement
- d. The microphone volume drops
- e. Music volume increases

f. The microphone volume increases

g. power display

h. Microphone frequency

i Mute Adjustment "Frequency fine-tuning (Long press)

j Music volume reduced

- a. **Power Button:** Press and hold for 2 seconds to turn on/off.
- i. **Vocal Reduction:** Double-press to reduce vocals by 70%. Press again to return to normal.
- f. **Increase Microphone Volume:** Press the volume increase button (Ⓢ).
- d. **Decrease Microphone Volume:** Press the volume decrease button (Ⓢ).
- j. **Decrease Music Volume:** Press the music volume decrease button.
- e. **Increase Music Volume:** Press the music volume increase button.
- c. **Enhance Echo Effect:** Press the echo enhance button.
- b. **Reduce Echo Effect:** Press the echo reduce button.

Adjusting Microphone Frequency

- If both microphones are on the same channel (CHA or CHB), they will interfere with each other. Ensure one microphone is set to CHA and the other to CHB:
 1. Turn on the microphone power, then press and hold the two channel buttons (J+D) simultaneously to switch between CHA/CHB.
- Fine-tuning the frequency:
 1. Turn on the microphone power, then press and hold the frequency adjustment button (i).
 2. CHA frequency range: 566MHz ~ 585MHz cycle.
 3. CHB frequency range: 566MHz ~ 585MHz cycle.

Channel	Frequency (MHz)
01	566
02	567
03	568
04	569
05	570
06	571
07	572
08	573
09	574
10	575
11	576
12	577
13	578
14	579
15	580
16	581
17	582
18	583
19	584
20	585

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To assure continued compliance, any changes or modifications not expressly approved by the party.

Responsible for compliance could void the user's authority to operate this equipment. (Example- use only shielded interface cables when connecting to computer or peripheral devices).

This equipment complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

RF warning statement:

The device has been evaluated to meet general RF exposure requirement.

The device can be used in portable exposure condition without restriction.

ISED Statement

- English: This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

(1) This device may not cause interference.

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

- French: Cet appareil contient des émetteurs/récepteurs exempts de licence qui sont conformes aux CNR exempts de licence d'Innovation, Sciences et Développement économique Canada. Le fonctionnement est soumis aux deux conditions suivantes :

(1) Cet appareil ne doit pas causer d'interférences.

(2) Cet appareil doit accepter toute interférence, y compris les interférences susceptibles de provoquer un fonctionnement indésirable de l'appareil.

This device meets the exemption from the routine evaluation limits in section 2.5 of RSS 102 and compliance with RSS 102 RF exposure, users can obtain Canadian information on RF exposure and compliance.

cet appareil est conforme à l'exemption des limites d'évaluation courante dans la section 2.5 du cnr - 102 et conformité avec rss 102 de l'exposition aux rf, les utilisateurs peuvent obtenir des données canadiennes sur l'exposition aux champs rf et la conformité.

This equipment complies with Canada radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 0cm between the radiator & your body.

Cet équipement est conforme Canada limites d'exposition aux radiations dans un environnement non contrôlé.

Cet équipement doit être installé et utilisé avec une distance minimale de 0 cm entre le radiateur et votre corps.