





M6S Remote



M6S Remote INSTRUCTION


Ambient light mode



Press and hold this button " " to turn the light on or off. When the light is on, the light flashes when braking.

Only VOYAGER X Limited can be used

M6S Remote Adjustable Parameters




THUMBWHEEL:OK CHARGING...
DRIVE MODE : 2WD-LOCKED
UNIT : MPH
DRIVE TRAIN : PULLEYED
WHEEL DIAMETER: 175
MOTOR POLE PAIRS: 7
SPEED RATIO : 1:4.4
BRIGHNESS : 100%

- Turn off the remote and long press "Function" with "power" to remote menu.


- Use "Scroll wheel" to choose parameter, Use "Function" and "Power button" to turn page.
- Long press "Power button" to save the setting.

To Pair With Your Board




NO.1

Press "power button" to turn on your board, and then keep pressing for 7s until it is blinking.



NO.2

Press "power button" 3s to turn on your remote



NO.3

Hold the "FUNCTION" and "POWER" button of remote at the same time quickly (keep trying a few times if fail in the first time)

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception,

which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction