




Test Mode UNII-3\_TX AX(HE20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	19.13	19.216	0.5	Complies
157	5785	19.01	19.144	0.5	Complies
165	5825	19.03	19.141	0.5	Complies




CH149

CH157  
6 dB Bandwidth

CH165



99 % Occupied Bandwidth




Test Mode UNII-3\_TX AX(HE40) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	38.06	38.246	0.5	Complies
159	5795	38.09	38.220	0.5	Complies

### CH151

### CH159 6 dB Bandwidth




### 99 % Occupied Bandwidth




Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	78.11	77.925	0.5	Complies

### CH155 6 dB Bandwidth



### 99 % Occupied Bandwidth






Test Mode UNII-3\_TX BE(EHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.98	19.154	0.5	Complies
157	5785	18.93	19.162	0.5	Complies
165	5825	19.06	19.149	0.5	Complies




CH149

CH157  
6 dB Bandwidth

CH165



99 % Occupied Bandwidth




Test Mode UNII-3\_TX BE(EHT40) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.93	38.432	0.5	Complies
159	5795	38.20	38.407	0.5	Complies

### CH151

### CH159 6 dB Bandwidth




### 99 % Occupied Bandwidth




Test Mode	UNII-3_TX BE(EHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	78.14	77.703	0.5	Complies

### CH155 6 dB Bandwidth



### 99 % Occupied Bandwidth



## **APPENDIX E - MAXIMUM OUTPUT POWER**

### Beamforming

<b>Test Mode</b>	UNII-1_TX A Mode_Ant. 1
------------------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.46	0.20	10.66	23.22	0.2099	Complies
40	5200	10.58	0.20	10.78	23.22	0.2099	Complies
48	5240	10.67	0.20	10.87	23.22	0.2099	Complies

<b>Test Mode</b>	UNII-1_TX A Mode_Ant. 2
------------------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.03	0.20	10.23	23.22	0.2099	Complies
40	5200	10.12	0.20	10.32	23.22	0.2099	Complies
48	5240	10.61	0.20	10.81	23.22	0.2099	Complies

<b>Test Mode</b>	UNII-1_TX A Mode_Total
------------------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.46	23.22	0.2099	Complies
40	5200	13.57	23.22	0.2099	Complies
48	5240	13.85	23.22	0.2099	Complies



Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.28	0.43	9.71	23.22	0.2099	Complies
40	5200	9.64	0.43	10.07	23.22	0.2099	Complies
48	5240	9.75	0.43	10.18	23.22	0.2099	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.06	0.43	9.49	23.22	0.2099	Complies
40	5200	9.06	0.43	9.49	23.22	0.2099	Complies
48	5240	9.47	0.43	9.90	23.22	0.2099	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.61	23.22	0.2099	Complies
40	5200	12.80	23.22	0.2099	Complies
48	5240	13.05	23.22	0.2099	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.63	0.76	10.39	23.22	0.2099	Complies
46	5230	9.77	0.76	10.53	23.22	0.2099	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.14	0.76	9.90	23.22	0.2099	Complies
46	5230	9.15	0.76	9.91	23.22	0.2099	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.16	23.22	0.2099	Complies
46	5230	13.24	23.22	0.2099	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	8.35	0.34	8.69	23.22	0.2099	Complies
40	5200	8.64	0.34	8.98	23.22	0.2099	Complies
48	5240	8.66	0.34	9.00	23.22	0.2099	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	8.07	0.34	8.41	23.22	0.2099	Complies
40	5200	8.04	0.34	8.38	23.22	0.2099	Complies
48	5240	8.55	0.34	8.89	23.22	0.2099	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.56	23.22	0.2099	Complies
40	5200	11.70	23.22	0.2099	Complies
48	5240	11.96	23.22	0.2099	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.22	0.84	9.06	23.22	0.2099	Complies
46	5230	9.30	0.84	10.14	23.22	0.2099	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.53	0.84	9.37	23.22	0.2099	Complies
46	5230	8.90	0.84	9.74	23.22	0.2099	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.23	23.22	0.2099	Complies
46	5230	12.95	23.22	0.2099	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.55	0.00	7.55	23.22	0.2099	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.47	0.00	7.47	23.22	0.2099	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.52	23.22	0.2099	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	7.46	0.00	7.46	23.22	0.2099	Complies
40	5200	7.51	0.00	7.51	23.22	0.2099	Complies
48	5240	7.71	0.00	7.71	23.22	0.2099	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	7.17	0.00	7.17	23.22	0.2099	Complies
40	5200	7.20	0.00	7.20	23.22	0.2099	Complies
48	5240	7.70	0.00	7.70	23.22	0.2099	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.33	23.22	0.2099	Complies
40	5200	10.37	23.22	0.2099	Complies
48	5240	10.72	23.22	0.2099	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.54	0.48	8.02	23.22	0.2099	Complies
46	5230	7.51	0.48	7.99	23.22	0.2099	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.28	0.48	7.76	23.22	0.2099	Complies
46	5230	7.32	0.48	7.80	23.22	0.2099	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.90	23.22	0.2099	Complies
46	5230	10.91	23.22	0.2099	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	6.93	0.41	7.34	23.22	0.2099	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	6.70	0.41	7.11	23.22	0.2099	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.24	23.22	0.2099	Complies



Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	7.44	0.23	7.67	23.22	0.2099	Complies
40	5200	7.71	0.23	7.94	23.22	0.2099	Complies
48	5240	7.71	0.23	7.94	23.22	0.2099	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	7.19	0.23	7.42	23.22	0.2099	Complies
40	5200	7.04	0.23	7.27	23.22	0.2099	Complies
48	5240	7.59	0.23	7.82	23.22	0.2099	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.56	23.22	0.2099	Complies
40	5200	10.63	23.22	0.2099	Complies
48	5240	10.89	23.22	0.2099	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.37	0.31	7.68	23.22	0.2099	Complies
46	5230	7.29	0.31	7.60	23.22	0.2099	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	6.87	0.31	7.18	23.22	0.2099	Complies
46	5230	7.18	0.31	7.49	23.22	0.2099	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.45	23.22	0.2099	Complies
46	5230	10.56	23.22	0.2099	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	6.78	0.41	7.19	23.22	0.2099	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	6.60	0.41	7.01	23.22	0.2099	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.11	23.22	0.2099	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.59	0.20	10.79	23.22	0.2099	Complies
60	5300	10.94	0.20	11.14	23.22	0.2099	Complies
64	5320	10.61	0.20	10.81	23.22	0.2099	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.02	0.20	11.22	23.22	0.2099	Complies
60	5300	10.06	0.20	10.26	23.22	0.2099	Complies
64	5320	11.00	0.20	11.20	23.22	0.2099	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.02	23.22	0.2099	Complies
60	5300	13.73	23.22	0.2099	Complies
64	5320	14.02	23.22	0.2099	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.54	0.43	9.97	23.22	0.2099	Complies
60	5300	9.90	0.43	10.33	23.22	0.2099	Complies
64	5320	9.78	0.43	10.21	23.22	0.2099	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.85	0.43	10.28	23.22	0.2099	Complies
60	5300	9.07	0.43	9.50	23.22	0.2099	Complies
64	5320	9.89	0.43	10.32	23.22	0.2099	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.14	23.22	0.2099	Complies
60	5300	12.95	23.22	0.2099	Complies
64	5320	13.28	23.22	0.2099	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.82	0.76	10.58	23.22	0.2099	Complies
62	5310	9.96	0.76	10.72	23.22	0.2099	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.06	0.76	10.82	23.22	0.2099	Complies
62	5310	9.44	0.76	10.20	23.22	0.2099	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.71	23.22	0.2099	Complies
62	5310	13.48	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.76	0.34	9.10	23.22	0.2099	Complies
60	5300	8.93	0.34	9.27	23.22	0.2099	Complies
64	5320	8.84	0.34	9.18	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.02	0.34	9.36	23.22	0.2099	Complies
60	5300	8.33	0.34	8.67	23.22	0.2099	Complies
64	5320	8.98	0.34	9.32	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.24	23.22	0.2099	Complies
60	5300	11.99	23.22	0.2099	Complies
64	5320	12.26	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.26	0.84	10.10	23.22	0.2099	Complies
62	5310	9.27	0.84	10.11	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.40	0.84	10.24	23.22	0.2099	Complies
62	5310	9.04	0.84	9.88	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.18	23.22	0.2099	Complies
62	5310	13.01	23.22	0.2099	Complies



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	7.80	0.00	7.80	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	7.68	0.00	7.68	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.75	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.78	0.00	7.78	23.22	0.2099	Complies
60	5300	8.03	0.00	8.03	23.22	0.2099	Complies
64	5320	7.94	0.00	7.94	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.90	0.00	7.90	23.22	0.2099	Complies
60	5300	7.28	0.00	7.28	23.22	0.2099	Complies
64	5320	8.02	0.00	8.02	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.85	23.22	0.2099	Complies
60	5300	10.68	23.22	0.2099	Complies
64	5320	10.99	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	7.79	0.48	8.27	23.22	0.2099	Complies
62	5310	7.92	0.48	8.40	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	7.61	0.48	8.09	23.22	0.2099	Complies
62	5310	7.48	0.48	7.96	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.19	23.22	0.2099	Complies
62	5310	11.20	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	6.96	0.41	7.37	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	5.60	0.41	6.01	23.22	0.2099	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.75	23.22	0.2099	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.75	0.23	7.98	23.22	0.2099	Complies
60	5300	8.05	0.23	8.28	23.22	0.2099	Complies
64	5320	7.92	0.23	8.15	23.22	0.2099	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.83	0.23	8.06	23.22	0.2099	Complies
60	5300	7.19	0.23	7.42	23.22	0.2099	Complies
64	5320	7.99	0.23	8.22	23.22	0.2099	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.03	23.22	0.2099	Complies
60	5300	10.88	23.22	0.2099	Complies
64	5320	11.20	23.22	0.2099	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	7.58	0.31	7.89	23.22	0.2099	Complies
62	5310	7.69	0.31	8.00	23.22	0.2099	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	7.40	0.31	7.71	23.22	0.2099	Complies
62	5310	7.18	0.31	7.49	23.22	0.2099	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.81	23.22	0.2099	Complies
62	5310	10.76	23.22	0.2099	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	6.88	0.41	7.29	23.22	0.2099	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	7.03	0.41	7.44	23.22	0.2099	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.38	23.22	0.2099	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	7.04	0.00	7.04	23.22	0.2099	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	6.94	0.00	6.94	23.22	0.2099	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	10.00	23.22	0.2099	Complies



Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	5.85	0.00	5.85	23.22	0.2099	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	5.58	0.00	5.58	23.22	0.2099	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	8.73	23.22	0.2099	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.26	0.20	9.46	23.22	0.2099	Complies
116	5580	9.85	0.20	10.05	23.22	0.2099	Complies
140	5700	10.11	0.20	10.31	23.22	0.2099	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.15	0.20	10.35	23.22	0.2099	Complies
116	5580	8.78	0.20	8.98	23.22	0.2099	Complies
140	5700	9.49	0.20	9.69	23.22	0.2099	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.94	23.22	0.2099	Complies
116	5580	12.56	23.22	0.2099	Complies
140	5700	13.02	23.22	0.2099	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.61	0.43	9.04	23.22	0.2099	Complies
116	5580	8.90	0.43	9.33	23.22	0.2099	Complies
140	5700	9.29	0.43	9.72	23.22	0.2099	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.14	0.43	9.57	23.22	0.2099	Complies
116	5580	7.83	0.43	8.26	23.22	0.2099	Complies
140	5700	8.50	0.43	8.93	23.22	0.2099	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.32	23.22	0.2099	Complies
116	5580	11.84	23.22	0.2099	Complies
140	5700	12.35	23.22	0.2099	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	8.52	0.76	9.28	23.22	0.2099	Complies
110	5550	8.71	0.76	9.47	23.22	0.2099	Complies
134	5670	9.41	0.76	10.17	23.22	0.2099	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.07	0.76	9.83	23.22	0.2099	Complies
110	5550	8.32	0.76	9.08	23.22	0.2099	Complies
134	5670	8.59	0.76	9.35	23.22	0.2099	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.57	23.22	0.2099	Complies
110	5550	12.29	23.22	0.2099	Complies
134	5670	12.79	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.74	0.34	8.08	23.22	0.2099	Complies
116	5580	8.07	0.34	8.41	23.22	0.2099	Complies
140	5700	8.34	0.34	8.68	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.48	0.34	8.82	23.22	0.2099	Complies
116	5580	7.82	0.34	8.16	23.22	0.2099	Complies
140	5700	7.29	0.34	7.63	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.48	23.22	0.2099	Complies
116	5580	11.30	23.22	0.2099	Complies
140	5700	11.20	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	7.91	0.84	8.75	23.22	0.2099	Complies
110	5550	8.10	0.84	8.94	23.22	0.2099	Complies
134	5670	8.93	0.84	9.77	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	8.50	0.84	9.34	23.22	0.2099	Complies
110	5550	7.83	0.84	8.67	23.22	0.2099	Complies
134	5670	7.97	0.84	8.81	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.07	23.22	0.2099	Complies
110	5550	11.82	23.22	0.2099	Complies
134	5670	12.33	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	6.86	0.00	6.86	23.22	0.2099	Complies
122	5610	7.35	0.00	7.35	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	6.83	0.00	6.83	23.22	0.2099	Complies
122	5610	6.25	0.00	6.25	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.86	23.22	0.2099	Complies
122	5610	9.85	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.69	0.00	6.69	23.22	0.2099	Complies
116	5580	7.09	0.00	7.09	23.22	0.2099	Complies
140	5700	7.60	0.00	7.60	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.41	0.00	7.41	23.22	0.2099	Complies
116	5580	6.63	0.00	6.63	23.22	0.2099	Complies
140	5700	6.52	0.00	6.52	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.08	23.22	0.2099	Complies
116	5580	9.88	23.22	0.2099	Complies
140	5700	10.10	23.22	0.2099	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	6.47	0.48	6.95	23.22	0.2099	Complies
110	5550	6.68	0.48	7.16	23.22	0.2099	Complies
134	5670	7.36	0.48	7.84	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	7.02	0.48	7.50	23.22	0.2099	Complies
110	5550	6.17	0.48	6.65	23.22	0.2099	Complies
134	5670	6.54	0.48	7.02	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.24	23.22	0.2099	Complies
110	5550	9.92	23.22	0.2099	Complies
134	5670	10.46	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	6.08	0.41	6.49	23.22	0.2099	Complies
122	5610	6.35	0.41	6.76	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	5.94	0.41	6.35	23.22	0.2099	Complies
122	5610	5.32	0.41	5.73	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.43	23.22	0.2099	Complies
122	5610	9.29	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	6.35	0.81	7.16	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	5.55	0.81	6.36	23.22	0.2099	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	9.79	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.60	0.23	6.83	23.22	0.2099	Complies
116	5580	7.08	0.23	7.31	23.22	0.2099	Complies
140	5700	7.40	0.23	7.63	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.47	0.23	7.70	23.22	0.2099	Complies
116	5580	6.01	0.23	6.24	23.22	0.2099	Complies
140	5700	6.45	0.23	6.68	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.30	23.22	0.2099	Complies
116	5580	9.82	23.22	0.2099	Complies
140	5700	10.19	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	6.35	0.31	6.66	23.22	0.2099	Complies
110	5550	6.57	0.31	6.88	23.22	0.2099	Complies
134	5670	7.30	0.31	7.61	23.22	0.2099	Complies

Test Mode	UNII-2C_TX A BE(EHT40) Mode_Ant. 2
-----------	------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	6.80	0.31	7.11	23.22	0.2099	Complies
110	5550	6.21	0.31	6.52	23.22	0.2099	Complies
134	5670	6.07	0.31	6.38	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.90	23.22	0.2099	Complies
110	5550	9.71	23.22	0.2099	Complies
134	5670	10.05	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	6.07	0.41	6.48	23.22	0.2099	Complies
122	5610	5.49	0.41	5.90	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	6.08	0.41	6.49	23.22	0.2099	Complies
122	5610	6.32	0.41	6.73	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.50	23.22	0.2099	Complies
122	5610	9.35	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	4.93	0.00	4.93	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	4.43	0.00	4.43	23.22	0.2099	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	7.70	23.22	0.2099	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	9.89	0.20	10.09	29.24	0.8395	Complies
157	5785	9.93	0.20	10.13	29.24	0.8395	Complies
165	5825	9.96	0.20	10.16	29.24	0.8395	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	9.25	0.20	9.45	29.24	0.8395	Complies
157	5785	9.01	0.20	9.21	29.24	0.8395	Complies
165	5825	9.22	0.20	9.42	29.24	0.8395	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	12.79	29.24	0.8395	Complies
157	5785	12.70	29.24	0.8395	Complies
165	5825	12.82	29.24	0.8395	Complies



Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	9.00	0.43	9.43	29.24	0.8395	Complies
157	5785	8.96	0.43	9.39	29.24	0.8395	Complies
165	5825	9.07	0.43	9.50	29.24	0.8395	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	8.15	0.43	8.58	29.24	0.8395	Complies
157	5785	8.10	0.43	8.53	29.24	0.8395	Complies
165	5825	8.20	0.43	8.63	29.24	0.8395	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	12.04	29.24	0.8395	Complies
157	5785	11.99	29.24	0.8395	Complies
165	5825	12.10	29.24	0.8395	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	8.85	0.76	9.61	29.24	0.8395	Complies
159	5795	9.05	0.76	9.81	29.24	0.8395	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	8.19	0.76	8.95	29.24	0.8395	Complies
159	5795	8.19	0.76	8.95	29.24	0.8395	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	12.30	29.24	0.8395	Complies
159	5795	12.41	29.24	0.8395	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	7.86	0.34	8.20	29.24	0.8395	Complies
157	5785	6.86	0.34	7.20	29.24	0.8395	Complies
165	5825	8.04	0.34	8.38	29.24	0.8395	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	7.09	0.34	7.43	29.24	0.8395	Complies
157	5785	6.90	0.34	7.24	29.24	0.8395	Complies
165	5825	7.20	0.34	7.54	29.24	0.8395	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.84	29.24	0.8395	Complies
157	5785	10.23	29.24	0.8395	Complies
165	5825	10.99	29.24	0.8395	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	8.37	0.84	9.21	29.24	0.8395	Complies
159	5795	8.43	0.84	9.27	29.24	0.8395	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	7.74	0.84	8.58	29.24	0.8395	Complies
159	5795	7.55	0.84	8.39	29.24	0.8395	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	11.92	29.24	0.8395	Complies
159	5795	11.86	29.24	0.8395	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	7.13	0.00	7.13	29.24	0.8395	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	6.20	0.00	6.20	29.24	0.8395	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	9.70	29.24	0.8395	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	7.14	0.00	7.14	29.24	0.8395	Complies
157	5785	6.85	0.00	6.85	29.24	0.8395	Complies
165	5825	6.94	0.00	6.94	29.24	0.8395	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	6.29	0.00	6.29	29.24	0.8395	Complies
157	5785	6.06	0.00	6.06	29.24	0.8395	Complies
165	5825	6.26	0.00	6.26	29.24	0.8395	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	9.75	29.24	0.8395	Complies
157	5785	9.48	29.24	0.8395	Complies
165	5825	9.62	29.24	0.8395	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	6.98	0.48	7.46	29.24	0.8395	Complies
159	5795	6.98	0.48	7.46	29.24	0.8395	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	5.98	0.48	6.46	29.24	0.8395	Complies
159	5795	5.97	0.48	6.45	29.24	0.8395	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.00	29.24	0.8395	Complies
159	5795	9.99	29.24	0.8395	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	6.43	0.41	6.84	29.24	0.8395	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	5.46	0.41	5.87	29.24	0.8395	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	9.39	29.24	0.8395	Complies



Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	7.01	0.23	7.24	29.24	0.8395	Complies
157	5785	7.11	0.23	7.34	29.24	0.8395	Complies
165	5825	7.19	0.23	7.42	29.24	0.8395	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	6.30	0.23	6.53	29.24	0.8395	Complies
157	5785	6.00	0.23	6.23	29.24	0.8395	Complies
165	5825	6.27	0.23	6.50	29.24	0.8395	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	9.91	29.24	0.8395	Complies
157	5785	9.83	29.24	0.8395	Complies
165	5825	9.99	29.24	0.8395	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	6.65	0.31	6.96	29.24	0.8395	Complies
159	5795	6.79	0.31	7.10	29.24	0.8395	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	6.03	0.31	6.34	29.24	0.8395	Complies
159	5795	5.85	0.31	6.16	29.24	0.8395	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	9.67	29.24	0.8395	Complies
159	5795	9.67	29.24	0.8395	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	5.53	0.41	5.94	29.24	0.8395	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	6.45	0.41	6.86	29.24	0.8395	Complies


Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	9.43	29.24	0.8395	Complies

## APPENDIX F - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.93	0.20	-0.73	10.24	Complies
40	5200	-0.66	0.20	-0.46	10.24	Complies
48	5240	-0.19	0.20	0.01	10.24	Complies



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.99	0.20	-0.79	10.24	Complies
40	5200	-1.01	0.20	-0.81	10.24	Complies
48	5240	-0.64	0.20	-0.44	10.24	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.25	10.24	Complies
40	5200	2.38	10.24	Complies
48	5240	2.80	10.24	Complies


Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-3.24	0.43	-2.81	10.24	Complies
40	5200	-2.05	0.43	-1.62	10.24	Complies
48	5240	-1.45	0.43	-1.02	10.24	Complies



Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-2.67	0.43	-2.24	10.24	Complies
40	5200	-2.37	0.43	-1.94	10.24	Complies
48	5240	-2.04	0.43	-1.61	10.24	Complies




Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.50	10.24	Complies
40	5200	1.23	10.24	Complies
48	5240	1.71	10.24	Complies


Test Mode UNII-1\_TX N(HT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-5.28	0.76	-4.52	10.24	Complies
46	5230	-4.49	0.76	-3.73	10.24	Complies

CH38




CH46




Test Mode UNII-1\_TX N(HT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-5.83	0.76	-5.07	10.24	Complies
46	5230	-4.97	0.76	-4.21	10.24	Complies

CH38



CH46




Test Mode UNII-1\_TX N(HT40) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.78	10.24	Complies
46	5230	-0.95	10.24	Complies


Test Mode UNII-1\_TX AC(VHT20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-3.64	0.34	-3.30	10.24	Complies
40	5200	-3.42	0.34	-3.08	10.24	Complies
48	5240	-2.38	0.34	-2.04	10.24	Complies


CH36



CH40




CH48




Test Mode UNII-1\_TX AC(VHT20) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-3.46	0.34	-3.12	10.24	Complies
40	5200	-3.49	0.34	-3.15	10.24	Complies
48	5240	-2.98	0.34	-2.64	10.24	Complies


CH36



CH40



CH48



Test Mode UNII-1\_TX AC(VHT20) Mode\_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.20	10.24	Complies
40	5200	-0.11	10.24	Complies
48	5240	0.68	10.24	Complies




Test Mode UNII-1\_TX AC(VHT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-7.18	0.84	-6.34	10.24	Complies
46	5230	-5.26	0.84	-4.42	10.24	Complies

CH38




CH46




Test Mode UNII-1\_TX AC(VHT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-5.58	0.84	-4.74	10.24	Complies
46	5230	-4.91	0.84	-4.07	10.24	Complies

CH38



CH46




Test Mode UNII-1\_TX AC(VHT40) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.46	10.24	Complies
46	5230	-1.23	10.24	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-10.25	0.00	-10.25	10.24	Complies


CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-11.08	0.00	-11.08	10.24	Complies

CH42




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-7.63	10.24	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-4.55	0.00	-4.55	10.24	Complies
40	5200	-4.26	0.00	-4.26	10.24	Complies
48	5240	-3.25	0.00	-3.25	10.24	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-4.26	0.00	-4.26	10.24	Complies
40	5200	-4.20	0.00	-4.20	10.24	Complies
48	5240	-4.01	0.00	-4.01	10.24	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-1.39	10.24	Complies
40	5200	-1.22	10.24	Complies
48	5240	-0.60	10.24	Complies