



Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-7.67	0.48	-7.19	10.24	Complies
46	5230	-7.73	0.48	-7.25	10.24	Complies

CH38




CH46




Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-13.35	0.48	-12.87	10.24	Complies
46	5230	-7.38	0.48	-6.90	10.24	Complies

CH38



CH46




Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-6.15	10.24	Complies
46	5230	-4.06	10.24	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-11.44	0.41	-11.03	10.24	Complies


CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-10.62	0.41	-10.21	10.24	Complies

CH42




Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-7.59	10.24	Complies


Test Mode UNII-1_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-4.55	0.23	-4.32	10.24	Complies
40	5200	-4.81	0.23	-4.58	10.24	Complies
48	5240	-3.41	0.23	-3.18	10.24	Complies



Test Mode UNII-1_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-4.77	0.23	-4.54	10.24	Complies
40	5200	-4.33	0.23	-4.10	10.24	Complies
48	5240	-4.22	0.23	-3.99	10.24	Complies




Test Mode UNII-1_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-1.42	10.24	Complies
40	5200	-1.32	10.24	Complies
48	5240	-0.56	10.24	Complies


Test Mode UNII-1_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-8.36	0.31	-8.05	10.24	Complies
46	5230	-7.75	0.31	-7.44	10.24	Complies

CH38




CH46




Test Mode UNII-1_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-7.97	0.31	-7.66	10.24	Complies
46	5230	-8.37	0.31	-8.06	10.24	Complies

CH38



CH46




Test Mode UNII-1_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-4.84	10.24	Complies
46	5230	-4.73	10.24	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-10.94	0.41	-10.53	10.24	Complies


CH42



Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-11.81	0.41	-11.40	10.24	Complies

CH42




Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-7.93	10.24	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.30	0.20	-0.10	10.24	Complies
60	5300	-0.19	0.20	0.01	10.24	Complies
64	5320	-0.23	0.20	-0.03	10.24	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.72	0.20	-0.52	10.24	Complies
60	5300	-0.94	0.20	-0.74	10.24	Complies
64	5320	-1.21	0.20	-1.01	10.24	Complies




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.71	10.24	Complies
60	5300	2.66	10.24	Complies
64	5320	2.52	10.24	Complies


Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.87	0.43	-1.44	10.24	Complies
60	5300	-1.81	0.43	-1.38	10.24	Complies
64	5320	-2.31	0.43	-1.88	10.24	Complies



Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.58	0.43	-1.15	10.24	Complies
60	5300	-1.44	0.43	-1.01	10.24	Complies
64	5320	-1.57	0.43	-1.14	10.24	Complies




Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.72	10.24	Complies
60	5300	1.82	10.24	Complies
64	5320	1.52	10.24	Complies


Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-5.19	0.76	-4.43	10.24	Complies
62	5310	-5.02	0.76	-4.26	10.24	Complies

CH54




CH62




Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-4.62	0.76	-3.86	10.24	Complies
62	5310	-5.29	0.76	-4.53	10.24	Complies

CH54



CH62




Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.13	10.24	Complies
62	5310	-1.38	10.24	Complies


Test Mode UNII-2A_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.79	0.34	-2.45	10.24	Complies
60	5300	-2.92	0.34	-2.58	10.24	Complies
64	5320	-3.17	0.34	-2.83	10.24	Complies



Test Mode UNII-2A_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.59	0.34	-2.25	10.24	Complies
60	5300	-2.41	0.34	-2.07	10.24	Complies
64	5320	-2.43	0.34	-2.09	10.24	Complies




Test Mode UNII-2A_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.66	10.24	Complies
60	5300	0.69	10.24	Complies
64	5320	0.57	10.24	Complies


Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-5.08	0.84	-4.24	10.24	Complies
62	5310	-5.00	0.84	-4.16	10.24	Complies

CH54




CH62




Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-5.39	0.84	-4.55	10.24	Complies
62	5310	-5.74	0.84	-4.90	10.24	Complies

CH54



CH62




Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.38	10.24	Complies
62	5310	-1.50	10.24	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-10.39	0.00	-10.39	10.24	Complies


CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-9.91	0.00	-9.91	10.24	Complies

CH58




Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-7.13	10.24	Complies


Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-3.97	0.00	-3.97	10.24	Complies
60	5300	-3.93	0.00	-3.93	10.24	Complies
64	5320	-4.31	0.00	-4.31	10.24	Complies



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-3.72	0.00	-3.72	10.24	Complies
60	5300	-3.35	0.00	-3.35	10.24	Complies
64	5320	-3.30	0.00	-3.30	10.24	Complies




Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.83	10.24	Complies
60	5300	-0.62	10.24	Complies
64	5320	-0.77	10.24	Complies


Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-7.11	0.48	-6.63	10.24	Complies
62	5310	-8.07	0.48	-7.59	10.24	Complies

CH54




CH62




Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-7.63	0.48	-7.15	10.24	Complies
62	5310	-7.45	0.48	-6.97	10.24	Complies

CH54



CH62




Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-3.87	10.24	Complies
62	5310	-4.26	10.24	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-10.90	0.41	-10.49	10.24	Complies


CH58



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-10.86	0.41	-10.45	10.24	Complies

CH58




Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-7.46	10.24	Complies


Test Mode UNII-2A_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-3.84	0.23	-3.61	10.24	Complies
60	5300	-3.88	0.23	-3.65	10.24	Complies
64	5320	-4.41	0.23	-4.18	10.24	Complies



Test Mode UNII-2A_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-3.75	0.23	-3.52	10.24	Complies
60	5300	-3.25	0.23	-3.02	10.24	Complies
64	5320	-3.52	0.23	-3.29	10.24	Complies




Test Mode UNII-2A_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.55	10.24	Complies
60	5300	-0.31	10.24	Complies
64	5320	-0.70	10.24	Complies


Test Mode UNII-2A_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-7.90	0.31	-7.59	10.24	Complies
62	5310	-7.03	0.31	-6.72	10.24	Complies

CH54




CH62




Test Mode UNII-2A_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-7.25	0.31	-6.94	10.24	Complies
62	5310	-7.35	0.31	-7.04	10.24	Complies

CH54



CH62




Test Mode UNII-2A_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-4.24	10.24	Complies
62	5310	-3.87	10.24	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-11.13	0.41	-10.72	10.24	Complies


CH58



Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-10.84	0.41	-10.43	10.24	Complies

CH58




Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-7.56	10.24	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-12.92	0.81	-12.11	10.24	Complies


CH50



Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-12.95	0.81	-12.14	10.24	Complies

CH50




Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-9.12	10.24	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-14.68	0.00	-14.68	10.24	Complies


CH50



Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-13.95	0.00	-13.95	10.24	Complies

CH50




Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-11.29	10.24	Complies


Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.98	0.20	-1.78	10.24	Complies
116	5580	-2.40	0.20	-2.20	10.24	Complies
140	5700	-0.97	0.20	-0.77	10.24	Complies



Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.59	0.20	-1.39	10.24	Complies
116	5580	-1.29	0.20	-1.09	10.24	Complies
140	5700	-1.75	0.20	-1.55	10.24	Complies




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.43	10.24	Complies
116	5580	1.40	10.24	Complies
140	5700	1.87	10.24	Complies


Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.72	0.43	-2.29	10.24	Complies
116	5580	-2.38	0.43	-1.95	10.24	Complies
140	5700	-3.11	0.43	-2.68	10.24	Complies



Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.99	0.43	-2.56	10.24	Complies
116	5580	-3.71	0.43	-3.28	10.24	Complies
140	5700	-2.37	0.43	-1.94	10.24	Complies




Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.59	10.24	Complies
116	5580	0.45	10.24	Complies
140	5700	0.72	10.24	Complies


Test Mode UNII-2C_TX N(HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-6.23	0.76	-5.47	10.24	Complies
110	5550	-7.16	0.76	-6.40	10.24	Complies
134	5670	-5.16	0.76	-4.40	10.24	Complies



Test Mode UNII-2C_TX N(HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-6.10	0.76	-5.34	10.24	Complies
110	5550	-6.08	0.76	-5.32	10.24	Complies
134	5670	-13.49	0.76	-12.73	10.24	Complies




Test Mode UNII-2C_TX N(HT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.39	10.24	Complies
110	5550	-2.82	10.24	Complies
134	5670	-3.81	10.24	Complies


Test Mode UNII-2C_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-3.68	0.34	-3.34	10.24	Complies
116	5580	-3.49	0.34	-3.15	10.24	Complies
140	5700	-4.23	0.34	-3.89	10.24	Complies



Test Mode UNII-2C_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-4.08	0.34	-3.74	10.24	Complies
116	5580	-4.70	0.34	-4.36	10.24	Complies
140	5700	-3.53	0.34	-3.19	10.24	Complies




Test Mode UNII-2C_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.53	10.24	Complies
116	5580	-0.70	10.24	Complies
140	5700	-0.52	10.24	Complies


Test Mode UNII-2C_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-7.19	0.84	-6.35	10.24	Complies
110	5550	-6.58	0.84	-5.74	10.24	Complies
134	5670	-7.53	0.84	-6.69	10.24	Complies



Test Mode UNII-2C_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-6.70	0.84	-5.86	10.24	Complies
110	5550	-7.53	0.84	-6.69	10.24	Complies
134	5670	-5.65	0.84	-4.81	10.24	Complies




Test Mode UNII-2C_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.09	10.24	Complies
110	5550	-3.18	10.24	Complies
134	5670	-2.64	10.24	Complies


Test Mode UNII-2C_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-11.13	0.00	-11.13	10.24	Complies
122	5610	-19.28	0.00	-19.28	10.24	Complies

CH106




CH122




Test Mode UNII-2C_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-11.50	0.00	-11.50	10.24	Complies
122	5610	-10.35	0.00	-10.35	10.24	Complies

CH106



CH122




Test Mode UNII-2C_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-8.30	10.24	Complies
122	5610	-9.83	10.24	Complies


Test Mode UNII-2C_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-4.82	0.00	-4.82	10.24	Complies
116	5580	-4.78	0.00	-4.78	10.24	Complies
140	5700	-5.27	0.00	-5.27	10.24	Complies


CH100



CH116




CH140




Test Mode UNII-2C_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-5.57	0.00	-5.57	10.24	Complies
116	5580	-5.95	0.00	-5.95	10.24	Complies
140	5700	-4.34	0.00	-4.34	10.24	Complies


CH100



CH116



CH140




Test Mode UNII-2C_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.17	10.24	Complies
116	5580	-2.32	10.24	Complies
140	5700	-1.77	10.24	Complies


Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-8.59	0.48	-8.11	10.24	Complies
110	5550	-18.30	0.48	-17.82	10.24	Complies
134	5670	-7.62	0.48	-7.14	10.24	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-16.01	0.48	-15.53	10.24	Complies
110	5550	-8.38	0.48	-7.90	10.24	Complies
134	5670	-15.75	0.48	-15.27	10.24	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-7.39	10.24	Complies
110	5550	-7.48	10.24	Complies
134	5670	-6.52	10.24	Complies