


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-7_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 135     | 6625            | 86.34                 | 78.219                        | 320         | Complies |
| 151     | 6705            | 86.98                 | 78.338                        | 320         | Complies |
| 167     | 6785            | 86.51                 | 78.315                        | 320         | Complies |

**CH135**




**CH151**




26 dB Bandwidth



**CH167**




99 % Occupied Bandwidth




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-7_TX AX(HE160) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 143     | 6665            | 171.10                | 157.85                        | 320         | Complies |

### CH143 26 dB Bandwidth




### 99 % Occupied Bandwidth



Test Mode UNII-7\_TX BE(EHT20) Mode\_Ant. 1


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 117     | 6535            | 23.48                 | 19.271                        | 320         | Complies |
| 149     | 6695            | 22.65                 | 19.311                        | 320         | Complies |
| 181     | 6855            | 23.45                 | 19.256                        | 320         | Complies |

CH117




CH149


26 dB Bandwidth



CH181



99 % Occupied Bandwidth



Test Mode UNII-7\_TX BE(EHT40) Mode\_Ant. 1


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 123     | 6565            | 43.79                 | 38.287                        | 320         | Complies |
| 147     | 6685            | 44.45                 | 38.242                        | 320         | Complies |
| 179     | 6845            | 43.45                 | 38.430                        | 320         | Complies |

CH123




CH147




26 dB Bandwidth



CH179




99 % Occupied Bandwidth



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-7_TX BE(EHT80) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 135     | 6625            | 88.03                 | 78.205                        | 320         | Complies |
| 151     | 6705            | 88.38                 | 78.358                        | 320         | Complies |
| 167     | 6785            | 87.42                 | 78.318                        | 320         | Complies |

### CH135




### CH151




#### 26 dB Bandwidth



### CH167




#### 99 % Occupied Bandwidth




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-7_TX BE(EHT160) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 143     | 6665            | 172.80                | 157.84                        | 320         | Complies |

### CH143 26 dB Bandwidth




### 99 % Occupied Bandwidth




|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 185     | 6875            | 22.53                 | 19.237                        | 320         | Complies |

### CH185 26 dB Bandwidth




### 99 % Occupied Bandwidth




|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 187     | 6885            | 43.41                 | 38.255                        | 320         | Complies |

### CH187 26 dB Bandwidth



### 99 % Occupied Bandwidth







|           |                                       |
|-----------|---------------------------------------|
| Test Mode | UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 183     | 6865            | 86.74                 | 78.107                        | 320         | Complies |

### CH183 26 dB Bandwidth




### 99 % Occupied Bandwidth




|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 175     | 6825            | 172.30                | 158.250                       | 320         | Complies |

### CH175 26 dB Bandwidth




### 99 % Occupied Bandwidth




|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 185     | 6875            | 23.02                 | 19.266                        | 320         | Complies |

### CH185 26 dB Bandwidth




### 99 % Occupied Bandwidth




|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 187     | 6885            | 43.75                 | 38.276                        | 320         | Complies |

### CH187 26 dB Bandwidth




### 99 % Occupied Bandwidth




|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 1 |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 183     | 6865            | 88.21                 | 78.288                        | 320         | Complies |

### CH183 26 dB Bandwidth




### 99 % Occupied Bandwidth




|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 1 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 175     | 6825            | 173.90                | 157.870                       | 320         | Complies |

### CH175 26 dB Bandwidth




### 99 % Occupied Bandwidth




|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 1 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 159     | 6745            | 326.70                | 313.920                       | 320         | Complies |

### CH159 26 dB Bandwidth



### 99 % Occupied Bandwidth



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-8_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|




| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 189     | 6895            | 22.83                 | 19.251                        | 320         | Complies |
| 213     | 7015            | 23.10                 | 19.228                        | 320         | Complies |
| 233     | 7115            | 23.42                 | 19.254                        | 320         | Complies |

**CH189**




**CH213**

**CH233**

26 dB Bandwidth



99 % Occupied Bandwidth





|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-8_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 195     | 6925            | 43.25                 | 38.296                        | 320         | Complies |
| 211     | 7005            | 43.30                 | 38.351                        | 320         | Complies |
| 227     | 7085            | 43.44                 | 38.286                        | 320         | Complies |

### CH195




### CH211




#### 26 dB Bandwidth



### CH227



#### 99 % Occupied Bandwidth



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-8_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 199     | 6945            | 86.37                 | 78.313                        | 320         | Complies |
| 215     | 7025            | 87.85                 | 78.137                        | 320         | Complies |

### CH199





### CH215

#### 26 dB Bandwidth




#### 99 % Occupied Bandwidth




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-8_TX AX(HE160) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 207     | 6985            | 171.90                | 157.890                       | 320         | Complies |

### CH207 26 dB Bandwidth




### 99 % Occupied Bandwidth



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-8_TX BE(EHT20) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 189     | 6895            | 23.30                 | 19.296                        | 320         | Complies |
| 213     | 7015            | 22.85                 | 19.296                        | 320         | Complies |
| 233     | 7115            | 22.89                 | 19.223                        | 320         | Complies |

**CH189**




**CH213**




26 dB Bandwidth



**CH233**



99 % Occupied Bandwidth



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-8_TX BE(EHT40) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 195     | 6925            | 43.24                 | 38.335                        | 320         | Complies |
| 211     | 7005            | 43.18                 | 38.271                        | 320         | Complies |
| 227     | 7085            | 43.55                 | 38.328                        | 320         | Complies |

### CH195



### CH211




#### 26 dB Bandwidth



### CH227



#### 99 % Occupied Bandwidth



Test Mode UNII-8\_TX BE(EHT80) Mode\_Ant. 1


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 199     | 6945            | 87.13                 | 78.365                        | 320         | Complies |
| 215     | 7025            | 87.60                 | 78.142                        | 320         | Complies |

### CH199





### CH215

#### 26 dB Bandwidth




#### 99 % Occupied Bandwidth




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-8_TX BE(EHT160) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 207     | 6985            | 170.80                | 157.990                       | 320         | Complies |

### CH207 26 dB Bandwidth




### 99 % Occupied Bandwidth




|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 1 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result   |
|---------|-----------------|-----------------------|-------------------------------|-------------|----------|
| 191     | 6905            | 328.10                | 314.30                        | 320         | Complies |

### 191 26 dB Bandwidth



### 99 % Occupied Bandwidth





## **APPENDIX E - MAXIMUM E.I.R.P.**

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-5_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------|------------------|----------------|----------|
| 01      | 5955            | 2.05               | 0.21        | 8.34           | 24.00            | 0.2512         | Complies |
| 45      | 6175            | 5.62               | 0.21        | 11.91          | 24.00            | 0.2512         | Complies |
| 93      | 6415            | 1.93               | 0.21        | 8.22           | 24.00            | 0.2512         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-5_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------|------------------|----------------|----------|
| 01      | 5955            | 3.04               | 0.21        | 9.33           | 24.00            | 0.2512         | Complies |
| 45      | 6175            | 5.31               | 0.21        | 11.60          | 24.00            | 0.2512         | Complies |
| 93      | 6415            | 3.54               | 0.21        | 9.83           | 24.00            | 0.2512         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-5_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|----------------|------------------|----------------|----------|
| 01      | 5955            | 11.66          | 24.00            | 0.2512         | Complies |
| 45      | 6175            | 14.56          | 24.00            | 0.2512         | Complies |
| 93      | 6415            | 11.90          | 24.00            | 0.2512         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-5_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------|------------------|----------------|----------|
| 03      | 5965            | 5.31               | 0.00        | 11.39          | 24.00            | 0.2512         | Complies |
| 43      | 6165            | 6.35               | 0.00        | 12.43          | 24.00            | 0.2512         | Complies |
| 91      | 6405            | 5.38               | 0.00        | 11.46          | 24.00            | 0.2512         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-5_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------|------------------|----------------|----------|
| 03      | 5965            | 6.29               | 0.00        | 12.37          | 24.00            | 0.2512         | Complies |
| 43      | 6165            | 6.67               | 0.00        | 12.75          | 24.00            | 0.2512         | Complies |
| 91      | 6405            | 6.80               | 0.00        | 12.88          | 24.00            | 0.2512         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-5_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|----------------|------------------|----------------|----------|
| 03      | 5965            | 14.92          | 24.00            | 0.2512         | Complies |
| 43      | 6165            | 15.60          | 24.00            | 0.2512         | Complies |
| 91      | 6405            | 15.24          | 24.00            | 0.2512         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-5_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------|------------------|----------------|----------|
| 07      | 5985            | 4.84               | 0.28        | 11.20          | 24.00            | 0.2512         | Complies |
| 39      | 6145            | 5.94               | 0.28        | 12.30          | 24.00            | 0.2512         | Complies |
| 87      | 6385            | 4.98               | 0.28        | 11.34          | 24.00            | 0.2512         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-5_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------|------------------|----------------|----------|
| 07      | 5985            | 5.83               | 0.28        | 12.19          | 24.00            | 0.2512         | Complies |
| 39      | 6145            | 6.03               | 0.28        | 12.39          | 24.00            | 0.2512         | Complies |
| 87      | 6385            | 6.46               | 0.28        | 12.82          | 24.00            | 0.2512         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-5_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|----------------|------------------|----------------|----------|
| 07      | 5985            | 14.45          | 24.00            | 0.2512         | Complies |
| 39      | 6145            | 15.07          | 24.00            | 0.2512         | Complies |
| 87      | 6385            | 14.87          | 24.00            | 0.2512         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-5_TX AX(HE160) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------|------------------|----------------|----------|
| 15      | 6025            | 5.30               | 0.10        | 11.48          | 24.00            | 0.2512         | Complies |
| 47      | 6185            | 5.36               | 0.10        | 11.54          | 24.00            | 0.2512         | Complies |
| 79      | 6345            | 4.86               | 0.10        | 11.04          | 24.00            | 0.2512         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-5_TX AC(HE160) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------|------------------|----------------|----------|
| 15      | 6025            | 4.92               | 0.10        | 11.10          | 24.00            | 0.2512         | Complies |
| 47      | 6185            | 5.91               | 0.10        | 12.09          | 24.00            | 0.2512         | Complies |
| 79      | 6345            | 5.91               | 0.10        | 12.09          | 24.00            | 0.2512         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-5_TX AX(HE160) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|----------------|------------------|----------------|----------|
| 15      | 6025            | 14.20          | 24.00            | 0.2512         | Complies |
| 47      | 6185            | 14.73          | 24.00            | 0.2512         | Complies |
| 79      | 6345            | 14.51          | 24.00            | 0.2512         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-5_TX BE(EHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------|------------------|----------------|----------|
| 01      | 5955            | 4.09               | 0.00        | 10.17          | 24.00            | 0.2512         | Complies |
| 45      | 6175            | 3.10               | 0.00        | 9.18           | 24.00            | 0.2512         | Complies |
| 93      | 6415            | 1.83               | 0.00        | 7.91           | 24.00            | 0.2512         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-5_TX BE(EHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------|------------------|----------------|----------|
| 01      | 5955            | 5.20               | 0.00        | 11.28          | 24.00            | 0.2512         | Complies |
| 45      | 6175            | 3.02               | 0.00        | 9.10           | 24.00            | 0.2512         | Complies |
| 93      | 6415            | 3.44               | 0.00        | 9.52           | 24.00            | 0.2512         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-5_TX BE(EHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|----------------|------------------|----------------|----------|
| 01      | 5955            | 13.77          | 24.00            | 0.2512         | Complies |
| 45      | 6175            | 12.15          | 24.00            | 0.2512         | Complies |
| 93      | 6415            | 11.80          | 24.00            | 0.2512         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-5_TX BE(EHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------|------------------|----------------|----------|
| 03      | 5965            | 5.13               | 0.00        | 11.21          | 24.00            | 0.2512         | Complies |
| 43      | 6165            | 6.04               | 0.00        | 12.12          | 24.00            | 0.2512         | Complies |
| 91      | 6405            | 5.13               | 0.00        | 11.21          | 24.00            | 0.2512         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-5_TX BE(EHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------|------------------|----------------|----------|
| 03      | 5965            | 5.99               | 0.00        | 12.07          | 24.00            | 0.2512         | Complies |
| 43      | 6165            | 6.34               | 0.00        | 12.42          | 24.00            | 0.2512         | Complies |
| 91      | 6405            | 6.63               | 0.00        | 12.71          | 24.00            | 0.2512         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-5_TX BE(EHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|----------------|------------------|----------------|----------|
| 03      | 5965            | 14.67          | 24.00            | 0.2512         | Complies |
| 43      | 6165            | 15.28          | 24.00            | 0.2512         | Complies |
| 91      | 6405            | 15.04          | 24.00            | 0.2512         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-5_TX BE(EHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------|------------------|----------------|----------|
| 07      | 5985            | 5.00               | 0.17        | 11.25          | 24.00            | 0.2512         | Complies |
| 39      | 6145            | 5.71               | 0.17        | 11.96          | 24.00            | 0.2512         | Complies |
| 87      | 6385            | 4.88               | 0.17        | 11.13          | 24.00            | 0.2512         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-5_TX BE(EHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------|------------------|----------------|----------|
| 07      | 5985            | 5.68               | 0.17        | 11.93          | 24.00            | 0.2512         | Complies |
| 39      | 6145            | 5.94               | 0.17        | 12.19          | 24.00            | 0.2512         | Complies |
| 87      | 6385            | 6.30               | 0.17        | 12.55          | 24.00            | 0.2512         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-5_TX BE(EHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | e.i.r.p. (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|----------------|------------------|----------------|----------|
| 07      | 5985            | 14.44          | 24.00            | 0.2512         | Complies |
| 39      | 6145            | 14.92          | 24.00            | 0.2512         | Complies |
| 87      | 6385            | 14.74          | 24.00            | 0.2512         | Complies |