

Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	3.61	0.00	9.69	24.00	0.2512	Complies
47	6185	4.18	0.00	10.26	24.00	0.2512	Complies
79	6345	3.58	0.00	9.66	24.00	0.2512	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	4.10	0.00	10.18	24.00	0.2512	Complies
47	6185	4.57	0.00	10.65	24.00	0.2512	Complies
79	6345	4.71	0.00	10.79	24.00	0.2512	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
15	6025	12.95	24.00	0.2512	Complies
47	6185	13.47	24.00	0.2512	Complies
79	6345	13.27	24.00	0.2512	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
31	6105	4.45	0.17	10.70	24.00	0.2512	Complies
63	6265	4.78	0.17	11.03	24.00	0.2512	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
31	6105	3.64	0.17	9.89	24.00	0.2512	Complies
63	6265	4.16	0.17	10.41	24.00	0.2512	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
31	6105	13.15	24.00	0.2512	Complies
63	6265	13.57	24.00	0.2512	Complies

Test Mode	UNII-5+ UNII-6+ UNII-7_TX BE(EHT320) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	3.77	0.17	10.02	24.00	0.2512	Complies

Test Mode	UNII-5+ UNII-6+ UNII-7_TX BE(EHT320) Mode _Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	5.24	0.17	11.49	24.00	0.2512	Complies

Test Mode	UNII-5_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
95	6425	13.66	24.00	0.2512	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	4.36	0.21	10.65	24.00	0.2512	Complies
105	6475	1.98	0.21	8.27	24.00	0.2512	Complies
113	6515	2.18	0.21	8.47	24.00	0.2512	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	5.36	0.21	11.65	24.00	0.2512	Complies
105	6475	2.71	0.21	9.00	24.00	0.2512	Complies
113	6515	3.02	0.21	9.31	24.00	0.2512	Complies

Test Mode	UNII-6_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	13.98	24.00	0.2512	Complies
105	6475	11.45	24.00	0.2512	Complies
113	6515	11.71	24.00	0.2512	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	5.58	0.00	11.66	24.00	0.2512	Complies
107	6485	5.77	0.00	11.85	24.00	0.2512	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	6.51	0.00	12.59	24.00	0.2512	Complies
107	6485	6.60	0.00	12.68	24.00	0.2512	Complies

Test Mode	UNII-6_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	15.16	24.00	0.2512	Complies
107	6485	15.30	24.00	0.2512	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	5.33	0.28	11.69	24.00	0.2512	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	6.25	0.28	12.61	24.00	0.2512	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	14.90	24.00	0.2512	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	4.64	0.00	10.72	24.00	0.2512	Complies
105	6475	2.66	0.00	8.74	24.00	0.2512	Complies
113	6515	2.76	0.00	8.84	24.00	0.2512	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	5.56	0.00	11.64	24.00	0.2512	Complies
105	6475	3.21	0.00	9.29	24.00	0.2512	Complies
113	6515	3.00	0.00	9.08	24.00	0.2512	Complies

Test Mode	UNII-6_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
97	6435	14.21	24.00	0.2512	Complies
105	6475	12.03	24.00	0.2512	Complies
113	6515	11.97	24.00	0.2512	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	5.17	0.00	11.25	24.00	0.2512	Complies
107	6485	5.35	0.00	11.43	24.00	0.2512	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	6.30	0.00	12.38	24.00	0.2512	Complies
107	6485	6.37	0.00	12.45	24.00	0.2512	Complies

Test Mode	UNII-6_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
99	6445	14.86	24.00	0.2512	Complies
107	6485	14.98	24.00	0.2512	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	5.17	0.17	11.42	24.00	0.2512	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	6.12	0.17	12.37	24.00	0.2512	Complies

Test Mode	UNII-6_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
103	6465	14.76	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	5.91	0.00	11.99	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	6.36	0.00	12.44	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	15.23	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	5.57	0.28	11.93	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	6.10	0.28	12.46	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	14.93	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	5.13	0.10	11.31	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	5.50	0.10	11.68	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	14.41	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40)Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	5.70	0.00	11.78	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	6.17	0.00	12.25	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
115	6525	15.03	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	5.42	0.17	11.67	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	5.83	0.17	12.08	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT80)Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
119	6545	14.72	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	3.88	0.00	9.96	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	4.39	0.00	10.47	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
111	6505	13.23	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	3.87	0.17	10.12	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	5.02	0.17	11.27	24.00	0.2512	Complies

Test Mode	UNII-6+UNII-7_TX BE(EHT320) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
127	6585	13.57	24.00	0.2512	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	2.60	0.21	8.89	24.00	0.2512	Complies
149	6695	4.95	0.21	11.24	24.00	0.2512	Complies
181	6855	3.14	0.21	9.43	24.00	0.2512	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	3.20	0.21	9.49	24.00	0.2512	Complies
149	6695	5.56	0.21	11.85	24.00	0.2512	Complies
181	6855	3.40	0.21	9.69	24.00	0.2512	Complies

Test Mode	UNII-7_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	12.00	24.00	0.2512	Complies
149	6695	14.35	24.00	0.2512	Complies
181	6855	12.36	24.00	0.2512	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	6.04	0.00	12.12	24.00	0.2512	Complies
147	6685	6.05	0.00	12.13	24.00	0.2512	Complies
179	6845	5.90	0.00	11.98	24.00	0.2512	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	6.43	0.00	12.51	24.00	0.2512	Complies
147	6685	6.38	0.00	12.46	24.00	0.2512	Complies
179	6845	6.60	0.00	12.68	24.00	0.2512	Complies

Test Mode	UNII-7_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	15.33	24.00	0.2512	Complies
147	6685	15.31	24.00	0.2512	Complies
179	6845	15.35	24.00	0.2512	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	6.06	0.28	12.42	24.00	0.2512	Complies
151	6705	5.68	0.28	12.04	24.00	0.2512	Complies
167	6785	5.69	0.28	12.05	24.00	0.2512	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	6.03	0.28	12.39	24.00	0.2512	Complies
151	6705	6.16	0.28	12.52	24.00	0.2512	Complies
167	6785	6.04	0.28	12.40	24.00	0.2512	Complies

Test Mode	UNII-7_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	15.13	24.00	0.2512	Complies
151	6705	15.01	24.00	0.2512	Complies
167	6785	14.96	24.00	0.2512	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	5.01	0.10	11.19	24.00	0.2512	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	5.49	0.10	11.67	24.00	0.2512	Complies

Test Mode	UNII-7_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	14.35	24.00	0.2512	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	4.64	0.00	10.72	24.00	0.2512	Complies
149	6695	2.32	0.00	8.40	24.00	0.2512	Complies
181	6855	2.61	0.00	8.69	24.00	0.2512	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	5.38	0.00	11.46	24.00	0.2512	Complies
149	6695	3.13	0.00	9.21	24.00	0.2512	Complies
181	6855	3.08	0.00	9.16	24.00	0.2512	Complies

Test Mode	UNII-7_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
117	6535	14.12	24.00	0.2512	Complies
149	6695	11.83	24.00	0.2512	Complies
181	6855	11.94	24.00	0.2512	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	5.95	0.00	12.03	24.00	0.2512	Complies
147	6685	5.84	0.00	11.92	24.00	0.2512	Complies
179	6845	6.04	0.00	12.12	24.00	0.2512	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	6.17	0.00	12.25	24.00	0.2512	Complies
147	6685	6.23	0.00	12.31	24.00	0.2512	Complies
179	6845	6.16	0.00	12.24	24.00	0.2512	Complies

Test Mode	UNII-7_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
123	6565	15.15	24.00	0.2512	Complies
147	6685	15.13	24.00	0.2512	Complies
179	6845	15.19	24.00	0.2512	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	5.86	0.17	12.11	24.00	0.2512	Complies
151	6705	5.52	0.17	11.77	24.00	0.2512	Complies
167	6785	5.16	0.17	11.41	24.00	0.2512	Complies

Test Mode	UNII-7_TX BE(EHT80)Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	5.91	0.17	12.16	24.00	0.2512	Complies
151	6705	6.00	0.17	12.25	24.00	0.2512	Complies
167	6785	6.00	0.17	12.25	24.00	0.2512	Complies

Test Mode	UNII-7_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
135	6625	14.97	24.00	0.2512	Complies
151	6705	14.86	24.00	0.2512	Complies
167	6785	14.69	24.00	0.2512	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	3.58	0.00	9.66	24.00	0.2512	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	4.13	0.00	10.21	24.00	0.2512	Complies

Test Mode	UNII-7_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
143	6665	12.95	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	2.70	0.21	8.99	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	2.87	0.21	9.16	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE20) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	11.87	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	5.73	0.00	11.81	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	6.48	0.00	12.56	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE40) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	15.21	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	5.60	0.28	11.96	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	5.96	0.28	12.32	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE80) Mode_Total
-----------	--------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	14.87	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	5.27	0.10	11.45	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	5.91	0.10	12.09	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX AX(HE160) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	14.69	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	5.09	0.00	11.17	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	5.01	0.00	11.09	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT20) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
185	6875	14.14	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	5.76	0.00	11.84	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	6.28	0.00	12.36	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT40) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
187	6885	15.12	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	5.51	0.17	11.76	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80)Mode_Ant. 2
-----------	---------------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	5.87	0.17	12.12	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT80) Mode_Total
-----------	---------------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
183	6865	14.87	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	3.88	0.00	9.96	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	4.71	0.00	10.79	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT160) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
175	6825	13.41	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	3.91	0.17	10.16	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	5.42	0.17	11.67	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Total
-----------	--

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
159	6745	13.82	24.00	0.2512	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	5.39	0.21	11.68	24.00	0.2512	Complies
213	7015	1.79	0.21	8.08	24.00	0.2512	Complies
233	7115	1.21	0.21	7.50	24.00	0.2512	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	5.58	0.21	11.87	24.00	0.2512	Complies
213	7015	3.13	0.21	9.42	24.00	0.2512	Complies
233	7115	2.49	0.21	8.78	24.00	0.2512	Complies

Test Mode	UNII-8_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	14.57	24.00	0.2512	Complies
213	7015	11.60	24.00	0.2512	Complies
233	7115	10.99	24.00	0.2512	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	5.95	0.00	12.03	24.00	0.2512	Complies
211	7005	5.10	0.00	11.18	24.00	0.2512	Complies
227	7085	4.18	0.00	10.26	24.00	0.2512	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	6.61	0.00	12.69	24.00	0.2512	Complies
211	7005	6.56	0.00	12.64	24.00	0.2512	Complies
227	7085	5.82	0.00	11.90	24.00	0.2512	Complies

Test Mode	UNII-8_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	15.38	24.00	0.2512	Complies
211	7005	14.98	24.00	0.2512	Complies
227	7085	14.17	24.00	0.2512	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	5.34	0.28	11.70	24.00	0.2512	Complies
215	7025	4.40	0.28	10.76	24.00	0.2512	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	6.30	0.28	12.66	24.00	0.2512	Complies
215	7025	6.00	0.28	12.36	24.00	0.2512	Complies

Test Mode	UNII-8_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	14.93	24.00	0.2512	Complies
215	7025	14.36	24.00	0.2512	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	4.49	0.10	10.67	24.00	0.2512	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	5.52	0.10	11.70	24.00	0.2512	Complies

Test Mode	UNII-8_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	14.13	24.00	0.2512	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	2.96	0.00	9.04	24.00	0.2512	Complies
213	7015	1.36	0.00	7.44	24.00	0.2512	Complies
233	7115	2.90	0.00	8.98	24.00	0.2512	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	2.95	0.00	9.03	24.00	0.2512	Complies
213	7015	3.04	0.00	9.12	24.00	0.2512	Complies
233	7115	4.39	0.00	10.47	24.00	0.2512	Complies

Test Mode	UNII-8_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
189	6895	12.05	24.00	0.2512	Complies
213	7015	11.37	24.00	0.2512	Complies
233	7115	12.80	24.00	0.2512	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	5.88	0.00	11.96	24.00	0.2512	Complies
211	7005	4.75	0.00	10.83	24.00	0.2512	Complies
227	7085	4.41	0.00	10.49	24.00	0.2512	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	6.52	0.00	12.60	24.00	0.2512	Complies
211	7005	6.36	0.00	12.44	24.00	0.2512	Complies
227	7085	5.86	0.00	11.94	24.00	0.2512	Complies

Test Mode	UNII-8_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
195	6925	15.30	24.00	0.2512	Complies
211	7005	14.72	24.00	0.2512	Complies
227	7085	14.29	24.00	0.2512	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	5.06	0.17	11.31	24.00	0.2512	Complies
215	7025	4.62	0.17	10.87	24.00	0.2512	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	6.27	0.17	12.52	24.00	0.2512	Complies
215	7025	5.89	0.17	12.14	24.00	0.2512	Complies

Test Mode	UNII-8_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
199	6945	14.80	24.00	0.2512	Complies
215	7025	14.39	24.00	0.2512	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	3.16	0.00	9.24	24.00	0.2512	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	4.37	0.00	10.45	24.00	0.2512	Complies

Test Mode	UNII-8_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
207	6985	12.90	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
191	6905	3.43	0.17	9.68	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
191	6905	4.89	0.17	11.14	24.00	0.2512	Complies

Test Mode	UNII-7+UNII-8_TX BE(EHT320) Mode_Total
-----------	--


Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
191	6905	13.31	24.00	0.2512	Complies

Note: Output power = Measure result + Cable loss

APPENDIX F - MAXIMUM POWER SPECTRAL DENSITY (E.I.R.P.)


Test Mode UNII-5_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	-8.928	0.21	-2.638	-1	Complies
45	6175	-15.272	0.21	-8.982	-1	Complies
93	6415	-9.353	0.21	-3.063	-1	Complies



Test Mode UNII-5_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	-14.901	0.21	-8.611	-1	Complies
45	6175	-8.725	0.21	-2.435	-1	Complies
93	6415	-14.859	0.21	-8.569	-1	Complies




Test Mode	UNII-5_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	-1.660	-1	Complies
45	6175	-1.570	-1	Complies
93	6415	-1.990	-1	Complies


Test Mode UNII-5_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	-9.619	0.00	-3.539	-1	Complies
43	6165	-17.408	0.00	-11.328	-1	Complies
91	6405	-11.093	0.00	-5.013	-1	Complies


CH03



CH43




CH91




Test Mode UNII-5_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	-16.004	0.00	-9.924	-1	Complies
43	6165	-9.778	0.00	-3.698	-1	Complies
91	6405	-9.905	0.00	-3.825	-1	Complies


CH03



CH43



CH91




Test Mode	UNII-5_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	-2.640	-1	Complies
43	6165	-3.010	-1	Complies
91	6405	-1.370	-1	Complies


Test Mode UNII-5_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	-14.265	0.28	-7.905	-1	Complies
39	6145	-14.513	0.28	-8.153	-1	Complies
87	6385	-14.325	0.28	-7.965	-1	Complies


07



CH39




CH87




Test Mode UNII-5_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	-15.608	0.28	-9.248	-1	Complies
39	6145	-14.478	0.28	-8.118	-1	Complies
87	6385	-14.791	0.28	-8.431	-1	Complies


07



CH39



CH87




Test Mode	UNII-5_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	-5.510	-1	Complies
39	6145	-5.130	-1	Complies
87	6385	-5.180	-1	Complies


Test Mode UNII-5_TX AX(HE160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
15	6025	-23.406	0.10	-17.226	-1	Complies
47	6185	-17.304	0.10	-11.124	-1	Complies
79	6345	-17.848	0.10	-11.668	-1	Complies


CH15



CH47




CH79




Test Mode UNII-5_TX AX(HE160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
15	6025	-18.159	0.10	-11.979	-1	Complies
47	6185	-26.828	0.10	-20.648	-1	Complies
79	6345	-26.393	0.10	-20.213	-1	Complies


CH15



CH47



CH79




Test Mode	UNII-5_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
15	6025	-10.840	-1	Complies
47	6185	-10.660	-1	Complies
79	6345	-11.100	-1	Complies


Test Mode UNII-5_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	-10.251	0.00	-4.171	-1	Complies
45	6175	-10.496	0.00	-4.416	-1	Complies
93	6415	-9.288	0.00	-3.208	-1	Complies


CH01



CH45




CH93




Test Mode UNII-5_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	-10.350	0.00	-4.270	-1	Complies
45	6175	-10.923	0.00	-4.843	-1	Complies
93	6415	-11.270	0.00	-5.190	-1	Complies


CH01



CH45



CH93




Test Mode	UNII-5_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
01	5955	-1.210	-1	Complies
45	6175	-1.610	-1	Complies
93	6415	-1.080	-1	Complies


Test Mode UNII-5_TX BE(EHT40)Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	-10.633	0.00	-4.553	-1	Complies
43	6165	-10.758	0.00	-4.678	-1	Complies
91	6405	-11.574	0.00	-5.494	-1	Complies


CH03



CH43




CH91




Test Mode UNII-5_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	-12.004	0.00	-5.924	-1	Complies
43	6165	-11.021	0.00	-4.941	-1	Complies
91	6405	-11.742	0.00	-5.662	-1	Complies


CH03



CH43



CH91




Test Mode	UNII-5_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
03	5965	-2.170	-1	Complies
43	6165	-1.800	-1	Complies
91	6405	-2.570	-1	Complies


Test Mode UNII-5_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	-14.184	0.17	-7.934	-1	Complies
39	6145	-13.674	0.17	-7.424	-1	Complies
87	6385	-14.001	0.17	-7.751	-1	Complies



Test Mode UNII-5_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	-15.613	0.17	-9.363	-1	Complies
39	6145	-15.096	0.17	-8.846	-1	Complies
87	6385	-14.038	0.17	-7.788	-1	Complies




Test Mode	UNII-5_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
07	5985	-5.580	-1	Complies
39	6145	-5.070	-1	Complies
87	6385	-4.760	-1	Complies


Test Mode UNII-5_TX BE(EHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
15	6025	-18.287	0.00	-12.207	-1	Complies
47	6185	-18.186	0.00	-12.106	-1	Complies
79	6345	-17.906	0.00	-11.826	-1	Complies


CH15



CH47




CH79




Test Mode UNII-5_TX BE(EHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
15	6025	-19.140	0.00	-13.060	-1	Complies
47	6185	-19.022	0.00	-12.942	-1	Complies
79	6345	-19.407	0.00	-13.327	-1	Complies


CH15



CH47



CH79




Test Mode	UNII-5_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
15	6025	-9.600	-1	Complies
47	6185	-9.490	-1	Complies
79	6345	-9.500	-1	Complies

Test Mode UNII-5+ UNII-6+ UNII-7_TX BE(EHT320) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
95	6425	-23.099	0.17	-16.849	-1	Complies


CH95



Test Mode UNII-5+ UNII-6+ UNII-7_TX BE(EHT320) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
95	6425	-20.463	0.17	-14.213	-1	Complies

CH95




Test Mode	UNII-5+ UNII-6+ UNII-7_TX BE(EHT320) Mode_Total
-----------	---

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
95	6425	-12.320	-1	Complies


Test Mode UNII-6_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-10.450	0.21	-4.160	-1	Complies
105	6475	-16.849	0.21	-10.559	-1	Complies
113	6515	-8.975	0.21	-2.685	-1	Complies


CH97



CH105




CH113




Test Mode UNII-6_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-17.538	0.21	-11.248	-1	Complies
105	6475	-9.402	0.21	-3.112	-1	Complies
113	6515	-16.490	0.21	-10.200	-1	Complies


CH97



CH105



CH113



Test Mode	UNII-6_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-3.380	-1	Complies
105	6475	-2.390	-1	Complies
113	6515	-1.980	-1	Complies