





Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1149.00	66.55	43.92	-22.63	74.00	30.08	150	117	PK	Vertical	PASS
2	1749.00	61.01	41.69	-19.32	74.00	32.31	150	58	PK	Vertical	PASS
3	2183.00	61.97	44.83	-17.14	74.00	29.17	150	76	PK	Vertical	PASS
4	3216.00	54.36	41.30	-13.06	74.00	32.70	150	31	PK	Vertical	PASS
5	4133.00	53.03	45.11	-7.92	74.00	28.89	150	81	PK	Vertical	PASS
6	4826.00	64.32	57.05	-7.27	74.00	16.95	150	261	PK	Vertical	PASS
7	1150.00	57.18	34.54	-22.64	54.00	19.46	150	112	AV	Vertical	PASS
8	1706.00	50.78	31.13	-19.65	54.00	22.87	150	72	AV	Vertical	PASS
9	2178.00	52.62	35.47	-17.15	54.00	18.53	150	72	AV	Vertical	PASS
10	3217.00	50.52	37.46	-13.06	54.00	16.54	150	27	AV	Vertical	PASS
11	4138.00	42.83	34.91	-7.92	54.00	19.09	150	81	AV	Vertical	PASS
12	4823.00	53.20	45.92	-7.28	54.00	8.08	150	314	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g	Test Date:	2024-11-01
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1120.00	66.68	42.92	-23.76	74.00	31.08	150	130	PK	Horizontal	PASS
2	1508.00	59.97	38.27	-21.70	74.00	35.73	150	161	PK	Horizontal	PASS
3	1864.00	59.18	39.98	-19.20	74.00	34.02	150	6	PK	Horizontal	PASS
4	3249.00	55.41	42.05	-13.36	74.00	31.95	150	247	PK	Horizontal	PASS
5	4020.00	49.78	41.30	-8.48	74.00	32.70	150	1	PK	Horizontal	PASS
6	4868.00	67.12	60.53	-6.59	74.00	13.47	150	251	PK	Horizontal	PASS
7	1140.00	58.22	34.53	-23.69	54.00	19.47	150	130	AV	Horizontal	PASS
8	1514.00	51.19	29.53	-21.66	54.00	24.47	150	161	AV	Horizontal	PASS
9	1901.00	48.65	29.62	-19.03	54.00	24.38	150	68	AV	Horizontal	PASS
10	3250.00	49.28	35.92	-13.36	54.00	18.08	150	260	AV	Horizontal	PASS
11	3988.00	41.30	32.64	-8.66	54.00	21.36	150	14	AV	Horizontal	PASS
12	4876.00	56.96	50.39	-6.57	54.00	3.61	150	251	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1120.00	66.58	43.85	-22.73	74.00	30.15	150	103	PK	Vertical	PASS
2	1804.00	62.25	43.34	-18.91	74.00	30.66	150	67	PK	Vertical	PASS
3	2666.00	60.31	44.88	-15.43	74.00	29.12	150	80	PK	Vertical	PASS
4	3334.00	59.41	47.00	-12.41	74.00	27.00	150	358	PK	Vertical	PASS
5	3997.00	53.19	44.89	-8.30	74.00	29.11	150	103	PK	Vertical	PASS
6	4877.00	63.94	56.77	-7.17	74.00	17.23	150	318	PK	Vertical	PASS
7	1121.00	56.43	33.70	-22.73	54.00	20.30	150	103	AV	Vertical	PASS
8	1805.00	53.78	34.88	-18.90	54.00	19.12	150	67	AV	Vertical	PASS
9	2609.00	48.66	32.97	-15.69	54.00	21.03	150	237	AV	Vertical	PASS
10	3335.00	44.35	31.95	-12.40	54.00	22.05	150	356	AV	Vertical	PASS
11	3979.00	43.35	34.95	-8.40	54.00	19.05	150	76	AV	Vertical	PASS
12	4877.00	54.35	47.18	-7.17	54.00	6.82	150	318	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g	Test Date:	2024-11-01
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1240.00	68.35	45.12	-23.23	74.00	28.88	150	140	PK	Horizontal	PASS
2	1541.00	60.59	39.11	-21.48	74.00	34.89	150	148	PK	Horizontal	PASS
3	1812.00	59.21	39.78	-19.43	74.00	34.22	150	100	PK	Horizontal	PASS
4	3283.00	55.73	42.53	-13.20	74.00	31.47	150	259	PK	Horizontal	PASS
5	3994.00	51.60	42.98	-8.62	74.00	31.02	150	52	PK	Horizontal	PASS
6	4919.00	66.62	60.21	-6.41	74.00	13.79	150	254	PK	Horizontal	PASS
7	1241.00	55.37	32.15	-23.22	54.00	21.85	150	140	AV	Horizontal	PASS
8	1510.00	50.79	29.11	-21.68	54.00	24.89	150	158	AV	Horizontal	PASS
9	1801.00	47.95	28.48	-19.47	54.00	25.52	150	241	AV	Horizontal	PASS
10	3284.00	49.42	36.22	-13.20	54.00	17.78	150	254	AV	Horizontal	PASS
11	3995.00	41.51	32.89	-8.62	54.00	21.11	150	52	AV	Horizontal	PASS
12	4926.00	57.04	50.67	-6.37	54.00	3.33	150	254	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1141.00	68.42	45.75	-22.67	74.00	28.25	150	116	PK	Vertical	PASS
2	1516.00	62.42	41.56	-20.86	74.00	32.44	150	35	PK	Vertical	PASS
3	1793.00	62.40	43.42	-18.98	74.00	30.58	150	62	PK	Vertical	PASS
4	2666.00	61.28	45.85	-15.43	74.00	28.15	150	106	PK	Vertical	PASS
5	2843.00	59.18	44.23	-14.95	74.00	29.77	150	102	PK	Vertical	PASS
6	4925.00	65.03	58.01	-7.02	74.00	15.99	150	323	PK	Vertical	PASS
7	1139.00	58.02	35.35	-22.67	54.00	18.65	150	116	AV	Vertical	PASS
8	1531.00	52.52	31.75	-20.77	54.00	22.25	150	89	AV	Vertical	PASS
9	1788.00	50.96	31.95	-19.01	54.00	22.05	150	71	AV	Vertical	PASS
10	2659.00	48.82	33.35	-15.47	54.00	20.65	150	71	AV	Vertical	PASS
11	2845.00	48.95	34.01	-14.94	54.00	19.99	150	102	AV	Vertical	PASS
12	4926.00	55.10	48.09	-7.01	54.00	5.91	150	323	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20	Test Date:	2024-11-01
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1134.00	66.88	43.18	-23.70	74.00	30.82	150	122	PK	Horizontal	PASS
2	1535.00	59.24	37.72	-21.52	74.00	36.28	150	158	PK	Horizontal	PASS
3	1859.00	59.93	40.71	-19.22	74.00	33.29	150	122	PK	Horizontal	PASS
4	3216.00	54.82	41.30	-13.52	74.00	32.70	150	239	PK	Horizontal	PASS
5	3987.00	51.14	42.47	-8.67	74.00	31.53	150	54	PK	Horizontal	PASS
6	4820.00	63.25	56.52	-6.73	74.00	17.48	150	262	PK	Horizontal	PASS
7	1120.00	58.49	34.73	-23.76	54.00	19.27	150	145	AV	Horizontal	PASS
8	1535.00	51.14	29.62	-21.52	54.00	24.38	150	158	AV	Horizontal	PASS
9	1897.00	47.67	28.61	-19.06	54.00	25.39	150	9	AV	Horizontal	PASS
10	3217.00	49.69	36.17	-13.52	54.00	17.83	150	257	AV	Horizontal	PASS
11	3992.00	39.96	31.32	-8.64	54.00	22.68	150	54	AV	Horizontal	PASS
12	4828.00	53.39	46.68	-6.71	54.00	7.32	150	262	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1116.00	66.13	43.38	-22.75	74.00	30.62	150	110	PK	Vertical	PASS
2	1527.00	61.87	41.08	-20.79	74.00	32.92	150	37	PK	Vertical	PASS
3	2213.00	60.97	43.91	-17.06	74.00	30.09	150	37	PK	Vertical	PASS
4	2658.00	61.71	46.24	-15.47	74.00	27.76	150	92	PK	Vertical	PASS
5	4124.00	53.44	45.53	-7.91	74.00	28.47	150	97	PK	Vertical	PASS
6	4828.00	61.53	54.26	-7.27	74.00	19.74	150	326	PK	Vertical	PASS
7	1117.00	56.41	33.67	-22.74	54.00	20.33	150	110	AV	Vertical	PASS
8	1512.00	51.75	30.87	-20.88	54.00	23.13	150	106	AV	Vertical	PASS
9	2214.00	51.33	34.27	-17.06	54.00	19.73	150	37	AV	Vertical	PASS
10	2666.00	50.27	34.84	-15.43	54.00	19.16	150	97	AV	Vertical	PASS
11	4165.00	43.82	35.90	-7.92	54.00	18.10	150	84	AV	Vertical	PASS
12	4826.00	52.97	45.70	-7.27	54.00	8.30	150	259	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20	Test Date:	2024-11-01
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1144.00	67.81	44.14	-23.67	74.00	29.86	150	131	PK	Horizontal	PASS
2	1329.00	60.21	37.52	-22.69	74.00	36.48	150	162	PK	Horizontal	PASS
3	1801.00	57.65	38.18	-19.47	74.00	35.82	150	152	PK	Horizontal	PASS
4	3250.00	54.02	40.66	-13.36	74.00	33.34	150	259	PK	Horizontal	PASS
5	3998.00	51.61	43.01	-8.60	74.00	30.99	150	51	PK	Horizontal	PASS
6	4874.00	64.20	57.62	-6.58	74.00	16.38	150	249	PK	Horizontal	PASS
7	1136.00	54.96	31.26	-23.70	54.00	22.74	150	135	AV	Horizontal	PASS
8	1332.00	49.81	27.15	-22.66	54.00	26.85	150	198	AV	Horizontal	PASS
9	1799.00	48.01	28.52	-19.49	54.00	25.48	150	152	AV	Horizontal	PASS
10	3250.00	48.64	35.28	-13.36	54.00	18.72	150	254	AV	Horizontal	PASS
11	3985.00	40.84	32.16	-8.68	54.00	21.84	150	78	AV	Horizontal	PASS
12	4876.00	55.50	48.93	-6.57	54.00	5.07	150	254	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1118.00	66.22	43.48	-22.74	74.00	30.52	150	101	PK	Vertical	PASS
2	1521.00	61.66	40.83	-20.83	74.00	33.17	150	101	PK	Vertical	PASS
3	1790.00	65.39	46.39	-19.00	74.00	27.61	150	70	PK	Vertical	PASS
4	3387.00	54.63	42.47	-12.16	74.00	31.53	150	359	PK	Vertical	PASS
5	3987.00	51.79	43.44	-8.35	74.00	30.56	150	79	PK	Vertical	PASS
6	4876.00	62.98	55.81	-7.17	74.00	18.19	150	327	PK	Vertical	PASS
7	1119.00	55.96	33.23	-22.73	54.00	20.77	150	101	AV	Vertical	PASS
8	1523.00	51.47	30.65	-20.82	54.00	23.35	150	17	AV	Vertical	PASS
9	1791.00	55.05	36.06	-18.99	54.00	17.94	150	70	AV	Vertical	PASS
10	3388.00	45.33	33.18	-12.15	54.00	20.82	150	359	AV	Vertical	PASS
11	3995.00	41.72	33.41	-8.31	54.00	20.59	150	79	AV	Vertical	PASS
12	4872.00	54.51	47.33	-7.18	54.00	6.67	150	322	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20	Test Date:	2024-11-01
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1219.00	66.24	42.90	-23.34	74.00	31.10	150	145	PK	Horizontal	PASS
2	1395.00	61.00	38.78	-22.22	74.00	35.22	150	132	PK	Horizontal	PASS
3	1802.00	56.82	37.35	-19.47	74.00	36.65	150	239	PK	Horizontal	PASS
4	3283.00	55.93	42.73	-13.20	74.00	31.27	150	253	PK	Horizontal	PASS
5	3997.00	51.58	42.98	-8.60	74.00	31.02	150	47	PK	Horizontal	PASS
6	4923.00	65.36	58.97	-6.39	74.00	15.03	150	263	PK	Horizontal	PASS
7	1220.00	55.42	32.08	-23.34	54.00	21.92	150	149	AV	Horizontal	PASS
8	1392.00	49.22	26.97	-22.25	54.00	27.03	150	149	AV	Horizontal	PASS
9	1803.00	48.01	28.55	-19.46	54.00	25.45	150	239	AV	Horizontal	PASS
10	3284.00	49.11	35.91	-13.20	54.00	18.09	150	263	AV	Horizontal	PASS
11	4053.00	39.21	30.89	-8.32	54.00	23.11	150	32	AV	Horizontal	PASS
12	4921.00	56.41	50.01	-6.40	54.00	3.99	150	266	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1147.00	66.90	44.26	-22.64	74.00	29.74	150	111	PK	Vertical	PASS
2	1435.00	61.90	40.70	-21.20	74.00	33.30	150	84	PK	Vertical	PASS
3	1886.00	60.94	42.33	-18.61	74.00	31.67	150	87	PK	Vertical	PASS
4	3200.00	56.85	43.69	-13.16	74.00	30.31	150	87	PK	Vertical	PASS
5	3985.00	55.46	47.09	-8.37	74.00	26.91	150	106	PK	Vertical	PASS
6	4932.00	63.03	56.04	-6.99	74.00	17.96	150	324	PK	Vertical	PASS
7	1148.00	58.12	35.48	-22.64	54.00	18.52	150	106	AV	Vertical	PASS
8	1409.00	51.41	30.12	-21.29	54.00	23.88	150	84	AV	Vertical	PASS
9	1858.00	50.68	31.97	-18.71	54.00	22.03	150	79	AV	Vertical	PASS
10	3284.00	48.08	35.42	-12.66	54.00	18.58	150	177	AV	Vertical	PASS
11	3988.00	44.02	35.67	-8.35	54.00	18.33	150	106	AV	Vertical	PASS
12	4925.00	54.33	47.31	-7.02	54.00	6.69	150	318	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40	Test Date:	2024-11-01
Test Channel:	03	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1064.00	65.99	41.99	-24.00	74.00	32.01	150	0	PK	Horizontal	PASS
2	1176.00	63.90	40.36	-23.54	74.00	33.64	150	130	PK	Horizontal	PASS
3	1729.00	57.06	36.97	-20.09	74.00	37.03	150	54	PK	Horizontal	PASS
4	3229.00	53.60	40.14	-13.46	74.00	33.86	150	239	PK	Horizontal	PASS
5	3572.00	52.04	40.30	-11.74	74.00	33.70	150	0	PK	Horizontal	PASS
6	4845.00	58.35	51.69	-6.66	74.00	22.31	150	253	PK	Horizontal	PASS
7	1078.00	54.81	30.88	-23.93	54.00	23.12	150	51	AV	Horizontal	PASS
8	1177.00	53.44	29.90	-23.54	54.00	24.10	150	134	AV	Horizontal	PASS
9	1723.00	46.10	25.97	-20.13	54.00	28.03	150	15	AV	Horizontal	PASS
10	3230.00	47.92	34.46	-13.46	54.00	19.54	150	257	AV	Horizontal	PASS
11	3582.00	42.55	30.90	-11.65	54.00	23.10	150	0	AV	Horizontal	PASS
12	4850.00	50.04	43.39	-6.65	54.00	10.61	150	257	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1141.00	68.38	45.71	-22.67	74.00	28.29	150	109	PK	Vertical	PASS
2	1518.00	60.90	40.05	-20.85	74.00	33.95	150	39	PK	Vertical	PASS
3	1773.00	61.00	41.87	-19.13	74.00	32.13	150	78	PK	Vertical	PASS
4	2666.00	59.21	43.78	-15.43	74.00	30.22	150	91	PK	Vertical	PASS
5	4081.00	52.07	44.09	-7.98	74.00	29.91	150	88	PK	Vertical	PASS
6	4840.00	56.27	49.02	-7.25	74.00	24.98	150	324	PK	Vertical	PASS
7	1142.00	59.49	36.83	-22.66	54.00	17.17	150	109	AV	Vertical	PASS
8	1519.00	51.82	30.98	-20.84	54.00	23.02	150	39	AV	Vertical	PASS
9	1774.00	52.89	33.76	-19.13	54.00	20.24	150	78	AV	Vertical	PASS
10	2667.00	49.10	33.67	-15.43	54.00	20.33	150	91	AV	Vertical	PASS
11	4112.00	42.84	34.93	-7.91	54.00	19.07	150	83	AV	Vertical	PASS
12	4846.00	47.53	40.29	-7.24	54.00	13.71	150	319	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40	Test Date:	2024-11-01
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1113.00	65.87	42.08	-23.79	74.00	31.92	150	149	PK	Horizontal	PASS
2	1398.00	59.99	37.79	-22.20	74.00	36.21	150	136	PK	Horizontal	PASS
3	1803.00	57.74	38.28	-19.46	74.00	35.72	150	63	PK	Horizontal	PASS
4	3249.00	54.30	40.94	-13.36	74.00	33.06	150	257	PK	Horizontal	PASS
5	3986.00	49.98	41.31	-8.67	74.00	32.69	150	297	PK	Horizontal	PASS
6	4875.00	60.18	53.61	-6.57	74.00	20.39	150	266	PK	Horizontal	PASS
7	1115.00	55.15	31.37	-23.78	54.00	22.63	150	136	AV	Horizontal	PASS
8	1398.00	50.44	28.24	-22.20	54.00	25.76	150	140	AV	Horizontal	PASS
9	1806.00	50.11	30.66	-19.45	54.00	23.34	150	63	AV	Horizontal	PASS
10	3250.00	48.83	35.47	-13.36	54.00	18.53	150	257	AV	Horizontal	PASS
11	4007.00	39.45	30.91	-8.54	54.00	23.09	150	50	AV	Horizontal	PASS
12	4877.00	49.76	43.19	-6.57	54.00	10.81	150	257	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1118.00	64.61	41.87	-22.74	74.00	32.13	150	103	PK	Vertical	PASS
2	1243.00	64.01	41.75	-22.26	74.00	32.25	150	243	PK	Vertical	PASS
3	1899.00	59.92	41.35	-18.57	74.00	32.65	150	62	PK	Vertical	PASS
4	3331.00	55.86	43.44	-12.42	74.00	30.56	150	360	PK	Vertical	PASS
5	3986.00	53.15	44.79	-8.36	74.00	29.21	150	94	PK	Vertical	PASS
6	4867.00	58.20	51.01	-7.19	74.00	22.99	150	314	PK	Vertical	PASS
7	1150.00	56.48	33.84	-22.64	54.00	20.16	150	103	AV	Vertical	PASS
8	1243.00	51.80	29.54	-22.26	54.00	24.46	150	243	AV	Vertical	PASS
9	1904.00	50.29	31.76	-18.53	54.00	22.24	150	67	AV	Vertical	PASS
10	3332.00	44.02	31.61	-12.41	54.00	22.39	150	360	AV	Vertical	PASS
11	3997.00	41.95	33.65	-8.30	54.00	20.35	150	81	AV	Vertical	PASS
12	4880.00	49.40	42.23	-7.17	54.00	11.77	150	310	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40	Test Date:	2024-11-01
Test Channel:	09	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1115.00	64.03	40.25	-23.78	74.00	33.75	150	141	PK	Horizontal	PASS
2	1398.00	60.06	37.86	-22.20	74.00	36.14	150	136	PK	Horizontal	PASS
3	1796.00	59.67	40.16	-19.51	74.00	33.84	150	141	PK	Horizontal	PASS
4	3269.00	55.07	41.81	-13.26	74.00	32.19	150	244	PK	Horizontal	PASS
5	4038.00	49.97	41.58	-8.39	74.00	32.42	150	123	PK	Horizontal	PASS
6	4892.00	59.02	52.50	-6.52	74.00	21.50	150	253	PK	Horizontal	PASS
7	1116.00	55.09	31.31	-23.78	54.00	22.69	150	131	AV	Horizontal	PASS
8	1400.00	50.87	28.68	-22.19	54.00	25.32	150	131	AV	Horizontal	PASS
9	1802.00	48.52	29.05	-19.47	54.00	24.95	150	141	AV	Horizontal	PASS
10	3270.00	49.18	35.92	-13.26	54.00	18.08	150	257	AV	Horizontal	PASS
11	3999.00	39.84	31.26	-8.58	54.00	22.74	150	51	AV	Horizontal	PASS
12	4910.00	50.68	44.23	-6.45	54.00	9.77	150	262	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1145.00	66.87	44.22	-22.65	74.00	29.78	150	125	PK	Vertical	PASS
2	1460.00	64.01	42.91	-21.10	74.00	31.09	150	85	PK	Vertical	PASS
3	1803.00	64.04	45.14	-18.90	74.00	28.86	150	75	PK	Vertical	PASS
4	3392.00	55.70	43.56	-12.14	74.00	30.44	150	360	PK	Vertical	PASS
5	3983.00	54.89	46.52	-8.37	74.00	27.48	150	130	PK	Vertical	PASS
6	4900.00	59.60	52.48	-7.12	74.00	21.52	150	324	PK	Vertical	PASS
7	1165.00	57.27	34.68	-22.59	54.00	19.32	150	116	AV	Vertical	PASS
8	1461.00	51.86	30.76	-21.10	54.00	23.24	150	85	AV	Vertical	PASS
9	1809.00	53.59	34.71	-18.88	54.00	19.29	150	75	AV	Vertical	PASS
10	2666.00	49.65	34.22	-15.43	54.00	19.78	150	98	AV	Vertical	PASS
11	3393.00	43.60	31.46	-12.14	54.00	22.54	150	360	AV	Vertical	PASS
12	3994.00	42.14	33.82	-8.32	54.00	20.18	150	98	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level

6GHz-18GHz

Test Mode:	802.11b	Test Date:	2024-11-01
Test Channel:	01	Test Engineer:	Stone Zhang




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7234.50	62.37	58.44	-3.93	74.00	15.56	150	257	PK	Horizontal	PASS
2	9648.00	49.36	48.66	-0.70	74.00	25.34	150	298	PK	Horizontal	PASS
3	12468.00	43.04	45.44	2.40	74.00	28.56	150	153	PK	Horizontal	PASS
4	14302.50	42.40	47.15	4.75	74.00	26.85	150	179	PK	Horizontal	PASS
5	15856.50	41.04	49.99	8.95	74.00	24.01	150	195	PK	Horizontal	PASS
6	17956.50	38.29	52.34	14.05	74.00	21.66	150	319	PK	Horizontal	PASS
7	7236.00	57.23	53.31	-3.92	54.00	0.69	150	257	AV	Horizontal	PASS
8	9649.50	43.47	42.76	-0.71	54.00	11.24	150	298	AV	Horizontal	PASS
9	12277.50	34.46	36.08	1.62	54.00	17.92	150	330	AV	Horizontal	PASS
10	14316.00	33.53	38.34	4.81	54.00	15.66	150	309	AV	Horizontal	PASS
11	15930.00	31.58	41.36	9.78	54.00	12.64	150	142	AV	Horizontal	PASS
12	17920.50	29.43	43.72	14.29	54.00	10.28	150	1	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7237.50	61.79	57.88	-3.91	74.00	16.12	150	109	PK	Vertical	PASS
2	9648.00	47.80	47.25	-0.55	74.00	26.75	150	150	PK	Vertical	PASS
3	11605.50	42.87	44.63	1.76	74.00	29.37	150	196	PK	Vertical	PASS
4	13815.00	42.26	45.85	3.59	74.00	28.15	150	360	PK	Vertical	PASS
5	15936.00	40.28	49.58	9.30	74.00	24.42	150	4	PK	Vertical	PASS
6	17880.00	38.36	53.25	14.89	74.00	20.75	150	301	PK	Vertical	PASS
7	7239.00	54.99	51.10	-3.89	54.00	2.90	150	103	AV	Vertical	PASS
8	9649.50	41.72	41.16	-0.56	54.00	12.84	150	207	AV	Vertical	PASS
9	11605.50	33.75	35.51	1.76	54.00	18.49	150	359	AV	Vertical	PASS
10	13891.50	33.35	37.40	4.05	54.00	16.60	150	124	AV	Vertical	PASS
11	15855.00	32.53	40.98	8.45	54.00	13.02	150	36	AV	Vertical	PASS
12	17847.00	29.98	44.69	14.71	54.00	9.31	150	47	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11b	Test Date:	2024-11-01
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7309.50	61.13	57.73	-3.40	74.00	16.27	150	262	PK	Horizontal	PASS
2	9748.50	48.38	47.64	-0.74	74.00	26.36	150	267	PK	Horizontal	PASS
3	11788.50	44.04	45.26	1.22	74.00	28.74	150	34	PK	Horizontal	PASS
4	13474.50	43.01	46.23	3.22	74.00	27.77	150	19	PK	Horizontal	PASS
5	15319.50	42.05	49.26	7.21	74.00	24.74	150	14	PK	Horizontal	PASS
6	17604.00	37.96	51.92	13.96	74.00	22.08	150	8	PK	Horizontal	PASS
7	7311.00	55.07	51.68	-3.39	54.00	2.32	150	267	AV	Horizontal	PASS
8	9750.00	40.92	40.19	-0.73	54.00	13.81	150	267	AV	Horizontal	PASS
9	11880.00	34.90	36.01	1.11	54.00	17.99	150	330	AV	Horizontal	PASS
10	13467.00	33.70	36.88	3.18	54.00	17.12	150	350	AV	Horizontal	PASS
11	15310.50	32.51	39.76	7.25	54.00	14.24	150	65	AV	Horizontal	PASS
12	17797.50	29.10	42.98	13.88	54.00	11.02	150	262	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7311.00	60.56	57.17	-3.39	74.00	16.83	150	98	PK	Vertical	PASS
2	9748.50	47.49	47.00	-0.49	74.00	27.00	150	155	PK	Vertical	PASS
3	11769.00	45.19	46.45	1.26	74.00	27.55	150	109	PK	Vertical	PASS
4	14248.50	42.91	47.71	4.80	74.00	26.29	150	297	PK	Vertical	PASS
5	15886.50	41.12	50.17	9.05	74.00	23.83	150	10	PK	Vertical	PASS
6	17899.50	37.76	52.76	15.00	74.00	21.24	150	360	PK	Vertical	PASS
7	7311.00	55.11	51.72	-3.39	54.00	2.28	150	103	AV	Vertical	PASS
8	9750.00	40.08	39.60	-0.48	54.00	14.40	150	208	AV	Vertical	PASS
9	11706.00	35.03	35.84	0.81	54.00	18.16	150	281	AV	Vertical	PASS
10	14334.00	33.69	39.11	5.42	54.00	14.89	150	140	AV	Vertical	PASS
11	15936.00	31.57	40.87	9.30	54.00	13.13	150	255	AV	Vertical	PASS
12	17871.00	29.10	43.94	14.84	54.00	10.06	150	306	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11b	Test Date:	2024-11-01
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7386.00	60.35	57.52	-2.83	74.00	16.48	150	258	PK	Horizontal	PASS
2	9084.00	45.18	44.41	-0.77	74.00	29.59	150	312	PK	Horizontal	PASS
3	11209.50	43.52	44.29	0.77	74.00	29.71	150	106	PK	Horizontal	PASS
4	13897.50	42.73	46.14	3.41	74.00	27.86	150	69	PK	Horizontal	PASS
5	15297.00	41.29	48.52	7.23	74.00	25.48	150	23	PK	Horizontal	PASS
6	17604.00	37.85	51.81	13.96	74.00	22.19	150	188	PK	Horizontal	PASS
7	7387.50	53.99	51.17	-2.82	54.00	2.83	150	258	AV	Horizontal	PASS
8	9105.00	36.08	35.29	-0.79	54.00	18.71	150	157	AV	Horizontal	PASS
9	11154.00	34.54	35.26	0.72	54.00	18.74	150	0	AV	Horizontal	PASS
10	13908.00	33.30	36.67	3.37	54.00	17.33	150	188	AV	Horizontal	PASS
11	15529.50	32.33	39.76	7.43	54.00	14.24	150	65	AV	Horizontal	PASS
12	17875.50	29.29	43.59	14.30	54.00	10.41	150	360	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7386.00	58.86	56.03	-2.83	74.00	17.97	150	104	PK	Vertical	PASS
2	9039.00	45.93	45.16	-0.77	74.00	28.84	150	72	PK	Vertical	PASS
3	10854.00	44.02	44.95	0.93	74.00	29.05	150	360	PK	Vertical	PASS
4	13432.50	43.05	45.50	2.45	74.00	28.50	150	87	PK	Vertical	PASS
5	15337.50	41.73	48.63	6.90	74.00	25.37	150	155	PK	Vertical	PASS
6	17796.00	38.53	52.97	14.44	74.00	21.03	150	353	PK	Vertical	PASS
7	7386.00	52.30	49.47	-2.83	54.00	4.53	150	104	AV	Vertical	PASS
8	8961.00	35.90	34.96	-0.94	54.00	19.04	150	360	AV	Vertical	PASS
9	10974.00	34.09	35.42	1.33	54.00	18.58	150	0	AV	Vertical	PASS
10	13486.50	33.85	36.53	2.68	54.00	17.47	150	135	AV	Vertical	PASS
11	15303.00	32.61	39.68	7.07	54.00	14.32	150	171	AV	Vertical	PASS
12	17881.50	29.07	43.97	14.90	54.00	10.03	150	177	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g	Test Date:	2024-11-01
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7237.50	67.55	63.64	-3.91	74.00	10.36	150	257	PK	Horizontal	PASS
2	9648.00	51.75	51.05	-0.70	74.00	22.95	150	299	PK	Horizontal	PASS
3	11052.00	44.05	45.02	0.97	74.00	28.98	150	274	PK	Horizontal	PASS
4	13768.50	43.23	46.40	3.17	74.00	27.60	150	257	PK	Horizontal	PASS
5	15868.50	40.94	50.12	9.18	74.00	23.88	150	305	PK	Horizontal	PASS
6	17739.00	39.41	52.99	13.58	74.00	21.01	150	82	PK	Horizontal	PASS
7	7234.50	57.25	53.32	-3.93	54.00	0.68	150	268	AV	Horizontal	PASS
8	9649.50	43.57	42.86	-0.71	54.00	11.14	150	299	AV	Horizontal	PASS
9	11017.50	34.60	35.80	1.20	54.00	18.20	150	226	AV	Horizontal	PASS
10	13690.50	33.67	36.89	3.22	54.00	17.11	150	55	AV	Horizontal	PASS
11	15952.50	31.60	41.38	9.78	54.00	12.62	150	242	AV	Horizontal	PASS
12	17856.00	30.08	44.27	14.19	54.00	9.73	150	134	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7234.50	64.98	61.05	-3.93	74.00	12.95	150	91	PK	Vertical	PASS
2	9648.00	50.25	49.70	-0.55	74.00	24.30	150	190	PK	Vertical	PASS
3	11607.00	43.74	45.49	1.75	74.00	28.51	150	242	PK	Vertical	PASS
4	13875.00	42.37	46.32	3.95	74.00	27.68	150	257	PK	Vertical	PASS
5	15895.50	40.16	49.38	9.22	74.00	24.62	150	174	PK	Vertical	PASS
6	17811.00	38.90	53.42	14.52	74.00	20.58	150	28	PK	Vertical	PASS
7	7239.00	55.14	51.25	-3.89	54.00	2.75	150	106	AV	Vertical	PASS
8	9646.50	39.83	39.30	-0.53	54.00	14.70	150	153	AV	Vertical	PASS
9	11637.00	34.46	35.89	1.43	54.00	18.11	150	200	AV	Vertical	PASS
10	13825.50	34.14	37.79	3.65	54.00	16.21	150	200	AV	Vertical	PASS
11	15889.50	32.26	41.36	9.10	54.00	12.64	150	28	AV	Vertical	PASS
12	17851.50	30.26	44.99	14.73	54.00	9.01	150	299	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g	Test Date:	2024-11-01
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7318.50	66.95	63.61	-3.34	74.00	10.39	150	273	PK	Horizontal	PASS
2	9748.50	53.18	52.44	-0.74	74.00	21.56	150	298	PK	Horizontal	PASS
3	12447.00	43.09	45.46	2.37	74.00	28.54	150	359	PK	Horizontal	PASS
4	14271.00	43.14	47.54	4.40	74.00	26.46	150	360	PK	Horizontal	PASS
5	15936.00	40.83	50.61	9.78	74.00	23.39	150	220	PK	Horizontal	PASS
6	17814.00	39.26	53.23	13.97	74.00	20.77	150	112	PK	Horizontal	PASS
7	7306.50	56.87	53.45	-3.42	54.00	0.55	150	267	AV	Horizontal	PASS
8	9750.00	41.99	41.26	-0.73	54.00	12.74	150	267	AV	Horizontal	PASS
9	12445.50	34.03	36.39	2.36	54.00	17.61	150	182	AV	Horizontal	PASS
10	14340.00	33.88	38.79	4.91	54.00	15.21	150	256	AV	Horizontal	PASS
11	15958.50	31.64	41.42	9.78	54.00	12.58	150	156	AV	Horizontal	PASS
12	17826.00	30.37	44.41	14.04	54.00	9.59	150	359	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7309.50	66.46	63.06	-3.40	74.00	10.94	150	105	PK	Vertical	PASS
2	9751.50	50.43	49.97	-0.46	74.00	24.03	150	200	PK	Vertical	PASS
3	12217.50	44.20	45.97	1.77	74.00	28.03	150	314	PK	Vertical	PASS
4	14317.50	42.46	47.83	5.37	74.00	26.17	150	59	PK	Vertical	PASS
5	15853.50	41.40	49.82	8.42	74.00	24.18	150	85	PK	Vertical	PASS
6	17856.00	38.64	53.40	14.76	74.00	20.60	150	152	PK	Vertical	PASS
7	7306.50	55.68	52.26	-3.42	54.00	1.74	150	111	AV	Vertical	PASS
8	9750.00	40.06	39.58	-0.48	54.00	14.42	150	189	AV	Vertical	PASS
9	12286.50	34.79	36.45	1.66	54.00	17.55	150	74	AV	Vertical	PASS
10	14352.00	33.40	38.87	5.47	54.00	15.13	150	85	AV	Vertical	PASS
11	15918.00	31.96	41.25	9.29	54.00	12.75	150	340	AV	Vertical	PASS
12	17859.00	29.80	44.58	14.78	54.00	9.42	150	152	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g	Test Date:	2024-11-01
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7390.50	63.50	60.70	-2.80	74.00	8.80	150	259	PK	Horizontal	PASS
2	9856.50	50.92	50.57	-0.35	74.00	23.43	150	259	PK	Horizontal	PASS
3	10756.50	44.61	45.13	0.52	74.00	28.87	150	44	PK	Horizontal	PASS
4	13866.00	44.11	47.43	3.32	74.00	26.57	150	139	PK	Horizontal	PASS
5	16009.50	41.30	50.93	9.63	74.00	23.07	150	44	PK	Horizontal	PASS
6	17854.50	40.14	54.32	14.18	74.00	19.68	150	159	PK	Horizontal	PASS
7	7383.00	55.39	52.54	-2.85	54.00	1.46	150	259	AV	Horizontal	PASS
8	9849.00	42.09	41.76	-0.33	54.00	12.24	150	297	AV	Horizontal	PASS
9	10816.50	34.77	35.40	0.63	54.00	18.60	150	34	AV	Horizontal	PASS
10	13747.50	33.77	36.95	3.18	54.00	17.05	150	291	AV	Horizontal	PASS
11	15930.00	32.63	42.41	9.78	54.00	11.59	150	302	AV	Horizontal	PASS
12	17863.50	31.62	45.85	14.23	54.00	8.15	150	302	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7383.00	63.94	61.09	-2.85	74.00	9.41	150	92	PK	Vertical	PASS
2	9843.00	49.45	49.47	0.02	74.00	24.53	150	321	PK	Vertical	PASS
3	12451.50	43.36	45.82	2.46	74.00	28.18	150	92	PK	Vertical	PASS
4	14157.00	44.15	47.97	3.82	74.00	26.03	150	290	PK	Vertical	PASS
5	15270.00	44.92	51.53	6.61	74.00	22.47	150	227	PK	Vertical	PASS
6	17833.50	40.74	55.38	14.64	74.00	18.62	150	36	PK	Vertical	PASS
7	7392.00	55.19	52.40	-2.79	54.00	1.60	150	103	AV	Vertical	PASS
8	9846.00	40.25	40.27	0.02	54.00	13.73	150	321	AV	Vertical	PASS
9	12420.00	34.38	36.78	2.40	54.00	17.22	150	212	AV	Vertical	PASS
10	14196.00	34.75	39.02	4.27	54.00	14.98	150	56	AV	Vertical	PASS
11	15313.50	33.39	40.41	7.02	54.00	13.59	150	150	AV	Vertical	PASS
12	17808.00	31.39	45.89	14.50	54.00	8.11	150	212	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20	Test Date:	2024-11-01
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7234.50	64.49	60.56	-3.93	74.00	13.44	150	256	PK	Horizontal	PASS
2	9648.00	50.23	49.53	-0.70	74.00	24.47	150	293	PK	Horizontal	PASS
3	12198.00	43.84	45.59	1.75	74.00	28.41	150	355	PK	Horizontal	PASS
4	14788.50	42.69	48.13	5.44	74.00	25.87	150	0	PK	Horizontal	PASS
5	15937.50	41.41	51.19	9.78	74.00	22.81	150	11	PK	Horizontal	PASS
6	17866.50	40.21	54.46	14.25	74.00	19.54	150	174	PK	Horizontal	PASS
7	7240.50	56.38	52.50	-3.88	54.00	1.50	150	256	AV	Horizontal	PASS
8	9649.50	42.38	41.67	-0.71	54.00	12.33	150	298	AV	Horizontal	PASS
9	12193.50	33.98	35.72	1.74	54.00	18.28	150	221	AV	Horizontal	PASS
10	14713.50	34.27	39.66	5.39	54.00	14.34	150	206	AV	Horizontal	PASS
11	15883.50	32.98	42.45	9.47	54.00	11.55	150	293	AV	Horizontal	PASS
12	17859.00	32.27	46.48	14.21	54.00	7.52	150	272	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7227.00	62.54	58.56	-3.98	74.00	15.44	150	109	PK	Vertical	PASS
2	9652.50	47.70	47.11	-0.59	74.00	26.89	150	208	PK	Vertical	PASS
3	11299.50	44.22	45.37	1.15	74.00	28.63	150	125	PK	Vertical	PASS
4	13204.50	42.92	45.85	2.93	74.00	28.15	150	83	PK	Vertical	PASS
5	14689.50	43.40	48.89	5.49	74.00	25.11	150	10	PK	Vertical	PASS
6	17859.00	40.26	55.04	14.78	74.00	18.96	150	328	PK	Vertical	PASS
7	7237.50	53.40	49.49	-3.91	54.00	4.51	150	109	AV	Vertical	PASS
8	9648.00	39.80	39.25	-0.55	54.00	14.75	150	317	AV	Vertical	PASS
9	11265.00	35.06	36.15	1.09	54.00	17.85	150	78	AV	Vertical	PASS
10	13029.00	34.06	36.43	2.37	54.00	17.57	150	360	AV	Vertical	PASS
11	14757.00	33.91	39.52	5.61	54.00	14.48	150	26	AV	Vertical	PASS
12	17922.00	31.20	46.06	14.86	54.00	7.94	150	317	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level

Test Mode:	802.11n-HT20	Test Date:	2024-11-01
Test Channel:	06	Test Engineer:	Stone Zhang




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7303.50	63.44	60.00	-3.44	74.00	14.00	150	266	PK	Horizontal	PASS
2	9748.50	49.01	48.27	-0.74	74.00	25.73	150	262	PK	Horizontal	PASS
3	11719.50	44.60	45.28	0.68	74.00	28.72	150	65	PK	Horizontal	PASS
4	13390.50	44.30	47.15	2.85	74.00	26.85	150	303	PK	Horizontal	PASS
5	15303.00	42.34	49.62	7.28	74.00	24.38	150	0	PK	Horizontal	PASS
6	17649.00	40.95	54.63	13.68	74.00	19.37	150	345	PK	Horizontal	PASS
7	7305.00	56.70	53.27	-3.43	54.00	0.73	150	266	AV	Horizontal	PASS
8	9750.00	40.37	39.64	-0.73	54.00	14.36	150	266	AV	Horizontal	PASS
9	11787.00	34.47	35.68	1.21	54.00	18.32	150	236	AV	Horizontal	PASS
10	13419.00	35.01	37.98	2.97	54.00	16.02	150	0	AV	Horizontal	PASS
11	15306.00	33.24	40.50	7.26	54.00	13.50	150	96	AV	Horizontal	PASS
12	17607.00	31.36	45.30	13.94	54.00	8.70	150	91	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7315.50	63.32	59.96	-3.36	74.00	14.04	150	109	PK	Vertical	PASS
2	9748.50	47.78	47.29	-0.49	74.00	26.71	150	317	PK	Vertical	PASS
3	11751.00	44.72	45.85	1.13	74.00	28.15	150	317	PK	Vertical	PASS
4	13767.00	43.25	46.68	3.43	74.00	27.32	150	10	PK	Vertical	PASS
5	15288.00	43.38	50.28	6.90	74.00	23.72	150	291	PK	Vertical	PASS
6	17917.50	40.28	55.17	14.89	74.00	18.83	150	198	PK	Vertical	PASS
7	7303.50	54.38	50.94	-3.44	54.00	3.06	150	109	AV	Vertical	PASS
8	9750.00	39.18	38.70	-0.48	54.00	15.30	150	202	AV	Vertical	PASS
9	11778.00	35.33	36.64	1.31	54.00	17.36	150	333	AV	Vertical	PASS
10	13870.50	33.62	37.54	3.92	54.00	16.46	150	322	AV	Vertical	PASS
11	15321.00	33.33	40.32	6.99	54.00	13.68	150	311	AV	Vertical	PASS
12	17812.50	31.75	46.28	14.53	54.00	7.72	150	229	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20	Test Date:	2024-11-01
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7389.00	64.30	61.49	-2.81	74.00	12.51	150	258	PK	Horizontal	PASS
2	9846.00	51.55	51.22	-0.33	74.00	22.78	150	258	PK	Horizontal	PASS
3	12358.50	43.30	45.30	2.00	74.00	28.70	150	2	PK	Horizontal	PASS
4	14694.00	43.28	48.59	5.31	74.00	25.41	150	314	PK	Horizontal	PASS
5	15864.00	43.22	52.32	9.10	74.00	21.68	150	274	PK	Horizontal	PASS
6	17851.50	40.77	54.93	14.16	74.00	19.07	150	263	PK	Horizontal	PASS
7	7390.50	54.98	52.18	-2.80	54.00	1.82	150	258	AV	Horizontal	PASS
8	9849.00	40.74	40.41	-0.33	54.00	13.59	150	294	AV	Horizontal	PASS
9	12420.00	34.97	37.29	2.32	54.00	16.71	150	180	AV	Horizontal	PASS
10	14704.50	33.95	39.33	5.38	54.00	14.67	150	138	AV	Horizontal	PASS
11	15922.50	32.39	42.17	9.78	54.00	11.83	150	0	AV	Horizontal	PASS
12	17898.00	31.33	45.74	14.41	54.00	8.26	150	8	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7374.00	63.94	61.01	-2.93	74.00	12.99	150	103	PK	Vertical	PASS
2	9846.00	48.50	48.52	0.02	74.00	25.48	150	269	PK	Vertical	PASS
3	12409.50	43.11	45.50	2.39	74.00	28.50	150	57	PK	Vertical	PASS
4	14362.50	42.77	48.28	5.51	74.00	25.72	150	212	PK	Vertical	PASS
5	16699.50	42.18	52.50	10.32	74.00	21.50	150	182	PK	Vertical	PASS
6	17848.50	41.88	56.61	14.73	74.00	17.39	150	360	PK	Vertical	PASS
7	7384.50	55.11	52.27	-2.84	54.00	1.73	150	109	AV	Vertical	PASS
8	9849.00	40.85	40.87	0.02	54.00	13.13	150	212	AV	Vertical	PASS
9	12487.50	34.01	36.54	2.53	54.00	17.46	150	66	AV	Vertical	PASS
10	14317.50	33.85	39.22	5.37	54.00	14.78	150	20	AV	Vertical	PASS
11	16717.50	32.92	43.13	10.21	54.00	10.87	150	182	AV	Vertical	PASS
12	17926.50	31.51	46.34	14.83	54.00	7.66	150	176	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40	Test Date:	2024-11-01
Test Channel:	03	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7264.50	59.94	56.22	-3.72	74.00	17.78	150	262	PK	Horizontal	PASS
2	9678.00	46.83	45.83	-1.00	74.00	28.17	150	268	PK	Horizontal	PASS
3	11592.00	44.31	45.65	1.34	74.00	28.35	150	111	PK	Horizontal	PASS
4	13699.50	42.82	46.05	3.23	74.00	27.95	150	185	PK	Horizontal	PASS
5	15237.00	43.10	49.31	6.21	74.00	24.69	150	293	PK	Horizontal	PASS
6	17788.50	41.87	55.70	13.83	74.00	18.30	150	54	PK	Horizontal	PASS
7	7261.50	52.40	48.66	-3.74	54.00	5.34	150	268	AV	Horizontal	PASS
8	9690.00	38.42	37.30	-1.12	54.00	16.70	150	299	AV	Horizontal	PASS
9	11664.00	35.13	36.01	0.88	54.00	17.99	150	345	AV	Horizontal	PASS
10	13785.00	34.20	37.35	3.15	54.00	16.65	150	132	AV	Horizontal	PASS
11	15303.00	33.19	40.47	7.28	54.00	13.53	150	216	AV	Horizontal	PASS
12	17881.50	31.82	46.14	14.32	54.00	7.86	150	75	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7260.00	59.48	55.73	-3.75	74.00	18.27	150	104	PK	Vertical	PASS
2	8944.50	45.41	44.41	-1.00	74.00	29.59	150	360	PK	Vertical	PASS
3	11181.00	44.39	45.34	0.95	74.00	28.66	150	298	PK	Vertical	PASS
4	13714.50	43.93	47.23	3.30	74.00	26.77	150	41	PK	Vertical	PASS
5	15340.50	43.01	49.89	6.88	74.00	24.11	150	26	PK	Vertical	PASS
6	17856.00	40.27	55.03	14.76	74.00	18.97	150	235	PK	Vertical	PASS
7	7264.50	50.19	46.47	-3.72	54.00	7.53	150	109	AV	Vertical	PASS
8	8968.50	36.17	35.26	-0.91	54.00	18.74	150	78	AV	Vertical	PASS
9	10981.50	35.07	36.42	1.35	54.00	17.58	150	230	AV	Vertical	PASS
10	13864.50	34.00	37.88	3.88	54.00	16.12	150	192	AV	Vertical	PASS
11	15279.00	33.66	40.41	6.75	54.00	13.59	150	119	AV	Vertical	PASS
12	17779.50	31.72	46.07	14.35	54.00	7.93	150	276	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40	Test Date:	2024-11-01
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7317.00	59.94	56.59	-3.35	74.00	17.41	150	262	PK	Horizontal	PASS
2	9052.50	45.74	44.96	-0.78	74.00	29.04	150	184	PK	Horizontal	PASS
3	10542.00	44.11	44.93	0.82	74.00	29.07	150	36	PK	Horizontal	PASS
4	12471.00	44.05	46.45	2.40	74.00	27.55	150	0	PK	Horizontal	PASS
5	15297.00	42.66	49.89	7.23	74.00	24.11	150	21	PK	Horizontal	PASS
6	17607.00	40.22	54.16	13.94	74.00	19.84	150	41	PK	Horizontal	PASS
7	7306.50	51.97	48.55	-3.42	54.00	5.45	150	272	AV	Horizontal	PASS
8	8970.00	36.50	35.59	-0.91	54.00	18.41	150	10	AV	Horizontal	PASS
9	10527.00	35.03	35.86	0.83	54.00	18.14	150	247	AV	Horizontal	PASS
10	12477.00	34.28	36.69	2.41	54.00	17.31	150	339	AV	Horizontal	PASS
11	15307.50	34.28	41.54	7.26	54.00	12.46	150	262	AV	Horizontal	PASS
12	17608.50	31.51	45.44	13.93	54.00	8.56	150	0	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7308.00	59.41	56.00	-3.41	74.00	18.00	150	104	PK	Vertical	PASS
2	9751.50	45.50	45.04	-0.46	74.00	28.96	150	265	PK	Vertical	PASS
3	11628.00	43.86	45.38	1.52	74.00	28.62	150	140	PK	Vertical	PASS
4	14392.50	42.84	48.43	5.59	74.00	25.57	150	302	PK	Vertical	PASS
5	16330.50	42.58	52.00	9.42	74.00	22.00	150	353	PK	Vertical	PASS
6	17887.50	39.94	54.87	14.93	74.00	19.13	150	202	PK	Vertical	PASS
7	7311.00	50.43	47.04	-3.39	54.00	6.96	150	104	AV	Vertical	PASS
8	9759.00	37.71	37.34	-0.37	54.00	16.66	150	265	AV	Vertical	PASS
9	11787.00	35.12	36.50	1.38	54.00	17.50	150	338	AV	Vertical	PASS
10	14301.00	34.16	39.48	5.32	54.00	14.52	150	41	AV	Vertical	PASS
11	16341.00	33.09	42.56	9.47	54.00	11.44	150	276	AV	Vertical	PASS
12	17865.00	31.59	46.40	14.81	54.00	7.60	150	10	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40	Test Date:	2024-11-01
Test Channel:	09	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7360.50	60.61	57.59	-3.02	74.00	16.41	150	263	PK	Horizontal	PASS
2	9805.50	45.72	45.48	-0.24	74.00	28.52	150	268	PK	Horizontal	PASS
3	11770.50	44.93	46.01	1.08	74.00	27.99	150	263	PK	Horizontal	PASS
4	13510.50	43.48	46.79	3.31	74.00	27.21	150	201	PK	Horizontal	PASS
5	15466.50	42.90	50.25	7.35	74.00	23.75	150	108	PK	Horizontal	PASS
6	17856.00	40.26	54.45	14.19	74.00	19.55	150	56	PK	Horizontal	PASS
7	7353.00	52.66	49.58	-3.08	54.00	4.42	150	263	AV	Horizontal	PASS
8	9810.00	38.36	38.11	-0.25	54.00	15.89	150	299	AV	Horizontal	PASS
9	11865.00	34.97	36.11	1.14	54.00	17.89	150	0	AV	Horizontal	PASS
10	13465.50	34.10	37.28	3.18	54.00	16.72	150	71	AV	Horizontal	PASS
11	15310.50	33.25	40.50	7.25	54.00	13.50	150	23	AV	Horizontal	PASS
12	17877.00	31.20	45.50	14.30	54.00	8.50	150	13	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7359.00	60.49	57.45	-3.04	74.00	16.55	150	106	PK	Vertical	PASS
2	9814.50	45.80	45.85	0.05	74.00	28.15	150	160	PK	Vertical	PASS
3	12483.00	43.24	45.76	2.52	74.00	28.24	150	112	PK	Vertical	PASS
4	14299.50	42.90	48.22	5.32	74.00	25.78	150	96	PK	Vertical	PASS
5	16504.50	42.19	51.51	9.32	74.00	22.49	150	140	PK	Vertical	PASS
6	17862.00	40.88	55.68	14.80	74.00	18.32	150	297	PK	Vertical	PASS
7	7354.50	51.99	48.92	-3.07	54.00	5.08	150	101	AV	Vertical	PASS
8	9813.00	37.50	37.56	0.06	54.00	16.44	150	144	AV	Vertical	PASS
9	12400.50	34.83	37.20	2.37	54.00	16.80	150	38	AV	Vertical	PASS
10	14325.00	33.92	39.31	5.39	54.00	14.69	150	272	AV	Vertical	PASS
11	16318.50	33.37	42.74	9.37	54.00	11.26	150	234	AV	Vertical	PASS
12	17727.00	32.37	46.42	14.05	54.00	7.58	150	134	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level

7.7. Radiated Restricted Band Edge Measurement

7.7.1. Test Limit

For 15.205 requirement:

Radiated emissions which fall in the restricted bands, as defined in Section 15.205(a) of FCC part 15, must also comply with the radiated emission limits specified in Section 15.209(a).

Frequency (MHz)	Frequency (MHz)	Frequency (MHz)	Frequency (GHz)
0.090 - 0.110	16.42 - 16.423	399.9 - 410	4.5 - 5.15
¹ 0.495 - 0.505	16.69475 - 16.69525	608 - 614	5.35 - 5.46
2.1735 - 2.1905	16.80425 - 16.80475	960 - 1240	7.25 - 7.75
4.125 - 4.128	25.5 - 25.67	1300 - 1427	8.25 - 8.5
4.17725 - 4.17775	37.5 - 38.25	1435 - 1626.5	9.0 - 9.2
4.20725 - 4.20775	73 - 74.6	1645.5 - 1646.5	9.3 - 9.5
6.215 - 6.218	74.8 - 75.2	1660 - 1710	10.6 - 12.7
6.26775 - 6.26825	108 - 121.94	1718.8 - 1722.2	13.25 - 13.4
6.31175 - 6.31225	123 - 138	2200 - 2300	14.47 - 14.5
8.291 - 8.294	149.9 - 150.05	2310 - 2390	15.35 - 16.2
8.362 - 8.366	156.52475 - 156.525	2483.5 - 2500	17.7 - 21.4
8.37625 - 8.38675	156.7 - 156.9	2690 - 2900	22.01 - 23.12
8.41425 - 8.41475	162.0125 - 167.17	3260 - 3267	23.6 - 24.0
12.29 - 12.293	167.72 - 173.2	3332 - 3339	31.2 - 31.8
12.51975 - 12.52025	240 - 285	3345.8 - 3358	36.43 - 36.5
12.57675 - 12.57725	322 - 335.4	3600 - 4400	(²)
13.36 - 13.41	--	--	--

¹ Until February 1, 1999, this restricted band shall be 0.490-0.510MHz.

² Above 38.6