

Appendix B

Test Information:

Serial No.:	2PYV-1	Test Date:	2024/08/15~2024/08/16
Test Site:	RF	Test Mode:	Transmitting
Tester:	Karl Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	27.4~27.5	Relative Humidity: (%)	56~62	ATM Pressure: (kPa)	100.4~100.5
-----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101461	2023/11/27	2024/11/26
Micro-Coax	Coaxial Cable	UFB205A	323308-012	2024/01/02	2025/01/01
Minl-Clruids	Coaxial Power Splitters & Combiner	ZFRSC-183-S+	SF448201614	2024/02/25	2025/02/24
R&S	Wideband Radio Communication Tester	CMW500	144976	2023/10/18	2024/10/17
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30173	2023/10/18	2024/10/17
TDK-Lambda	DC Power Supply	Z+60-14	F-08-EM038-1	N/A	N/A
All-sun	Multimeter	EM305A	8348897	2024/08/03	2025/08/02

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Frequency stability vs. temperature &Frequency stability vs. voltage Compliance

FCC Part 22H

Band 5

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Result
		(Hz)	(ppm)		
R99_Middle_TN/VN	836.6	0.9	0.001	±2.5	Pass
R99_Middle_T1/VN	836.6	-1.2	-0.001	±2.5	Pass
R99_Middle_T2/VN	836.6	1.4	0.002	±2.5	Pass
R99_Middle_T3/VN	836.6	-1.6	-0.002	±2.5	Pass
R99_Middle_T4/VN	836.6	0.7	0.001	±2.5	Pass
R99_Middle_T5/VN	836.6	0.2	0.000	±2.5	Pass
R99_Middle_T6/VN	836.6	-1.0	-0.001	±2.5	Pass
R99_Middle_T7/VN	836.6	-0.6	-0.001	±2.5	Pass
R99_Middle_T8/VN	836.6	-0.3	0.000	±2.5	Pass
R99_Middle_TN/VH	836.6	-1.5	-0.002	±2.5	Pass
R99_Middle_TN/VL	836.6	0.2	0.000	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)*10⁶

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

FCC Part 24E

Band 2

Mode	Value (MHz)	Limit (MHz)	Result
R99_Low_TN/VN	1850.315	1850	Pass
R99_Low_T1/VN	1850.325	1850	Pass
R99_Low_T2/VN	1850.325	1850	Pass
R99_Low_T3/VN	1850.315	1850	Pass
R99_Low_T4/VN	1850.335	1850	Pass
R99_Low_T5/VN	1850.345	1850	Pass
R99_Low_T6/VN	1850.325	1850	Pass
R99_Low_T7/VN	1850.335	1850	Pass
R99_Low_T8/VN	1850.325	1850	Pass
R99_Low_TN/VH	1850.325	1850	Pass
R99_Low_TN/VL	1850.325	1850	Pass
R99_High_TN/VN	1909.685	1910	Pass
R99_High_T1/VN	1909.705	1910	Pass
R99_High_T2/VN	1909.675	1910	Pass
R99_High_T3/VN	1909.705	1910	Pass
R99_High_T4/VN	1909.695	1910	Pass
R99_High_T5/VN	1909.695	1910	Pass
R99_High_T6/VN	1909.705	1910	Pass
R99_High_T7/VN	1909.695	1910	Pass
R99_High_T8/VN	1909.705	1910	Pass
R99_High_TN/VH	1909.685	1910	Pass
R99_High_TN/VL	1909.685	1910	Pass

Note:
TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.
VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

FCC Part 27

Band 4

Mode	Value (MHz)	Limit (MHz)	Result
R99_Low_TN/VN	1710.315	1710	Pass
R99_Low_T1/VN	1710.335	1710	Pass
R99_Low_T2/VN	1710.325	1710	Pass
R99_Low_T3/VN	1710.325	1710	Pass
R99_Low_T4/VN	1710.335	1710	Pass
R99_Low_T5/VN	1710.305	1710	Pass
R99_Low_T6/VN	1710.345	1710	Pass
R99_Low_T7/VN	1710.335	1710	Pass
R99_Low_T8/VN	1710.325	1710	Pass
R99_Low_TN/VH	1710.335	1710	Pass
R99_Low_TN/VL	1710.315	1710	Pass
R99_High_TN/VN	1754.675	1755	Pass
R99_High_T1/VN	1754.685	1755	Pass
R99_High_T2/VN	1754.675	1755	Pass
R99_High_T3/VN	1754.665	1755	Pass
R99_High_T4/VN	1754.685	1755	Pass
R99_High_T5/VN	1754.685	1755	Pass
R99_High_T6/VN	1754.675	1755	Pass
R99_High_T7/VN	1754.685	1755	Pass
R99_High_T8/VN	1754.695	1755	Pass
R99_High_TN/VH	1754.705	1755	Pass
R99_High_TN/VL	1754.695	1755	Pass

Note:

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

Occupied Bandwidth


FCC Part 22H

Band 5 , Normal


Mode	99% OBW (MHz)	EBW (MHz)
R99_Low	4.150	4.695
R99_Middle	4.140	4.685
R99_High	4.170	4.675
HSDPA_Low_Subtest1	4.160	4.715
HSDPA_Middle_Subtest1	4.130	4.685
HSDPA_High_Subtest1	4.170	4.695
HSUPA_Low_Subtest1	4.190	4.695
HSUPA_Middle_Subtest1	4.160	4.705
HSUPA_High_Subtest1	4.170	4.685

Band 5 , Normal


R99_Low 4.150MHz




R99_Middle 4.140MHz




R99_High 4.170MHz




HSDPA_Low_Subtest1 4.160MHz




HSDPA_Middle_Subtest1 4.130MHz



HSDPA_High_Subtest1 4.170MHz




HSUPA_Low_Subtest1 4.190MHz




ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 10:55:43

HSUPA_Middle_Subtest1 4.160MHz



ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 10:56:45

HSUPA_High_Subtest1 4.170MHz



ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 10:57:42


FCC Part 24E

Band 2 , Normal

Mode	99% OBW (MHz)	EBW (MHz)
R99_Low	4.140	4.695
R99_Middle	4.150	4.685
R99_High	4.150	4.705
HSDPA_Low_Subtest1	4.160	4.695
HSDPA_Middle_Subtest1	4.180	4.695
HSDPA_High_Subtest1	4.210	5.295
HSUPA_Low_Subtest1	4.190	4.685
HSUPA_Middle_Subtest1	4.180	4.685
HSUPA_High_Subtest1	4.170	4.695


Band 2 , Normal

R99_Low 4.140MHz




ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 10:41:06

R99_Middle 4.150MHz




ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 10:41:46

R99_High 4.150MHz




ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 10:42:27

HSDPA_Low_Subtest1 4.160MHz




ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 10:43:44

HSDPA_Middle_Subtest1 4.180MHz




ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 10:44:51

HSDPA_High_Subtest1 4.210MHz




ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 10:45:54

HSUPA_Low_Subtest1 4.190MHz




ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 10:46:44

HSUPA_Middle_Subtest1 4.180MHz



ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 10:47:23

HSUPA_High_Subtest1 4.170MHz



ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 10:48:21


FCC Part 27

Band 4 , Normal


Mode	99% OBW (MHz)	EBW (MHz)
R99_Low	4.160	4.675
R99_Middle	4.190	4.685
R99_High	4.170	4.695
HSDPA_Low_Subtest1	4.170	4.705
HSDPA_Middle_Subtest1	4.150	4.675
HSDPA_High_Subtest1	4.160	4.685
HSUPA_Low_Subtest1	4.160	4.695
HSUPA_Middle_Subtest1	4.160	4.675
HSUPA_High_Subtest1	4.170	4.695

Band 4 , Normal


R99_Low 4.160MHz




R99_Middle 4.190MHz




R99_High 4.170MHz




HSDPA_Low_Subtest1 4.170MHz




HSDPA_Middle_Subtest1 4.150MHz



HSDPA_High_Subtest1 4.160MHz




HSUPA_Low_Subtest1 4.160MHz




ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 11:06:48

HSUPA_Middle_Subtest1 4.160MHz



ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 11:07:30

HSUPA_High_Subtest1 4.170MHz



ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 11:08:20

RF Output Power

FCC Part 22H

Band 5 , Normal

Mode	Average Conducted Power(dBm)	ERP (dBm)	Limit (dBm)	Result
R99_Low	22.97	23.08	38.45	Pass
R99_Middle	23.09	23.20	38.45	Pass
R99_High	23.26	23.37	38.45	Pass
HSDPA_Low_Subtest1	22.99	23.10	38.45	Pass
HSDPA_Low_Subtest2	22.73	22.84	38.45	Pass
HSDPA_Low_Subtest3	22.06	22.17	38.45	Pass
HSDPA_Low_Subtest4	21.40	21.51	38.45	Pass
HSDPA_Middle_Subtest1	23.00	23.11	38.45	Pass
HSDPA_Middle_Subtest2	22.67	22.78	38.45	Pass
HSDPA_Middle_Subtest3	21.86	21.97	38.45	Pass
HSDPA_Middle_Subtest4	21.42	21.53	38.45	Pass
HSDPA_High_Subtest1	23.36	23.47	38.45	Pass
HSDPA_High_Subtest2	22.77	22.88	38.45	Pass
HSDPA_High_Subtest3	22.04	22.15	38.45	Pass
HSDPA_High_Subtest4	21.47	21.58	38.45	Pass
HSUPA_Low_Subtest1	21.44	21.55	38.45	Pass
HSUPA_Low_Subtest2	21.33	21.44	38.45	Pass
HSUPA_Low_Subtest3	21.44	21.55	38.45	Pass
HSUPA_Low_Subtest4	21.39	21.50	38.45	Pass
HSUPA_Low_Subtest5	21.30	21.41	38.45	Pass
HSUPA_Middle_Subtest1	21.19	21.30	38.45	Pass
HSUPA_Middle_Subtest2	21.17	21.28	38.45	Pass
HSUPA_Middle_Subtest3	21.27	21.38	38.45	Pass
HSUPA_Middle_Subtest4	21.31	21.42	38.45	Pass
HSUPA_Middle_Subtest5	21.19	21.30	38.45	Pass
HSUPA_High_Subtest1	21.16	21.27	38.45	Pass
HSUPA_High_Subtest2	21.12	21.23	38.45	Pass
HSUPA_High_Subtest3	21.18	21.29	38.45	Pass
HSUPA_High_Subtest4	21.24	21.35	38.45	Pass
HSUPA_High_Subtest5	21.18	21.29	38.45	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	Limit (dBm)	Result
HSPA+_Low_Subtest1	21.12	21.23	38.45	Pass
HSPA+_Middle_Subtest1	21.08	21.19	38.45	Pass
HSPA+_High_Subtest1	21.24	21.35	38.45	Pass
DC-HSDPA_Low_Subtest1	21.16	21.27	38.45	Pass
DC-HSDPA_Low_Subtest2	21.21	21.32	38.45	Pass
DC-HSDPA_Low_Subtest3	21.19	21.30	38.45	Pass
DC-HSDPA_Low_Subtest4	21.25	21.36	38.45	Pass
DC-HSDPA_Middle_Subtest1	21.06	21.17	38.45	Pass
DC-HSDPA_Middle_Subtest2	21.03	21.14	38.45	Pass
DC-HSDPA_Middle_Subtest3	21.18	21.29	38.45	Pass
DC-HSDPA_Middle_Subtest4	21.13	21.24	38.45	Pass
DC-HSDPA_High_Subtest1	21.27	21.38	38.45	Pass
DC-HSDPA_High_Subtest2	21.20	21.31	38.45	Pass
DC-HSDPA_High_Subtest3	21.19	21.30	38.45	Pass
DC-HSDPA_High_Subtest4	21.26	21.37	38.45	Pass

Note:

$ERP = \text{Average Conducted Power(dBm)} - L_C(\text{dB}) + G_T(\text{dBd})$

$G_T(\text{dBd}) = G_T(\text{dBi}) - 2.15$

$1.Ant\ Gain = 2.26\text{dBi};$

$2.C_L = \text{signal attenuation in the connecting cable between the transmitter and antenna in 0dB}$

FCC Part 24E**Band 2 , Normal**

Mode	Average Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Result
R99_Low	22.42	25.00	33	Pass
R99_Middle	22.38	24.96	33	Pass
R99_High	22.48	25.06	33	Pass
HSDPA_Low_Subtest1	22.92	25.50	33	Pass
HSDPA_Low_Subtest2	22.55	25.13	33	Pass
HSDPA_Low_Subtest3	22.42	25.00	33	Pass
HSDPA_Low_Subtest4	22.10	24.68	33	Pass
HSDPA_Middle_Subtest1	22.63	25.21	33	Pass
HSDPA_Middle_Subtest2	22.48	25.06	33	Pass
HSDPA_Middle_Subtest3	22.36	24.94	33	Pass
HSDPA_Middle_Subtest4	22.01	24.59	33	Pass
HSDPA_High_Subtest1	22.25	24.83	33	Pass
HSDPA_High_Subtest2	22.12	24.70	33	Pass
HSDPA_High_Subtest3	21.99	24.57	33	Pass
HSDPA_High_Subtest4	21.80	24.38	33	Pass
HSUPA_Low_Subtest1	22.33	24.91	33	Pass
HSUPA_Low_Subtest2	22.31	24.89	33	Pass
HSUPA_Low_Subtest3	22.30	24.88	33	Pass
HSUPA_Low_Subtest4	22.30	24.88	33	Pass
HSUPA_Low_Subtest5	22.29	24.87	33	Pass
HSUPA_Middle_Subtest1	22.31	24.89	33	Pass
HSUPA_Middle_Subtest2	22.30	24.88	33	Pass
HSUPA_Middle_Subtest3	22.31	24.89	33	Pass
HSUPA_Middle_Subtest4	22.31	24.89	33	Pass
HSUPA_Middle_Subtest5	22.29	24.87	33	Pass
HSUPA_High_Subtest1	21.91	24.49	33	Pass
HSUPA_High_Subtest2	21.95	24.53	33	Pass
HSUPA_High_Subtest3	21.95	24.53	33	Pass
HSUPA_High_Subtest4	21.95	24.53	33	Pass
HSUPA_High_Subtest5	21.95	24.53	33	Pass
HSPA+_Low_Subtest1	22.41	24.99	33	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Result
HSPA+_Middle_Subtest1	22.37	24.95	33	Pass
HSPA+_High_Subtest1	22.36	24.94	33	Pass
DC-HSDPA_Low_Subtest1	22.34	24.92	33	Pass
DC-HSDPA_Low_Subtest2	22.31	24.89	33	Pass
DC-HSDPA_Low_Subtest3	22.32	24.90	33	Pass
DC-HSDPA_Low_Subtest4	22.28	24.86	33	Pass
DC-HSDPA_Middle_Subtest1	22.36	24.94	33	Pass
DC-HSDPA_Middle_Subtest2	22.28	24.86	33	Pass
DC-HSDPA_Middle_Subtest3	22.32	24.90	33	Pass
DC-HSDPA_Middle_Subtest4	22.31	24.89	33	Pass
DC-HSDPA_High_Subtest1	22.24	24.82	33	Pass
DC-HSDPA_High_Subtest2	22.17	24.75	33	Pass
DC-HSDPA_High_Subtest3	22.13	24.71	33	Pass
DC-HSDPA_High_Subtest4	22.21	24.79	33	Pass

Note:

$EIRP = \text{Average Conducted Power(dBm)} - L_C(\text{dB}) + G_T(\text{dBi})$

1.Ant Gain = 2.58dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

FCC Part 27

Band 4 , Normal

Mode	Average Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Result
R99_Low	22.05	26.17	30	Pass
R99_Middle	22.15	26.27	30	Pass
R99_High	22.08	26.20	30	Pass
HSDPA_Low_Subtest1	21.33	25.45	30	Pass
HSDPA_Low_Subtest2	21.72	25.84	30	Pass
HSDPA_Low_Subtest3	21.71	25.83	30	Pass
HSDPA_Low_Subtest4	21.77	25.89	30	Pass
HSDPA_Middle_Subtest1	21.32	25.44	30	Pass
HSDPA_Middle_Subtest2	21.98	26.10	30	Pass
HSDPA_Middle_Subtest3	21.89	26.01	30	Pass
HSDPA_Middle_Subtest4	21.91	26.03	30	Pass
HSDPA_High_Subtest1	21.33	25.45	30	Pass
HSDPA_High_Subtest2	20.86	24.98	30	Pass
HSDPA_High_Subtest3	21.81	25.93	30	Pass
HSDPA_High_Subtest4	21.88	26.00	30	Pass
HSUPA_Low_Subtest1	21.76	25.88	30	Pass
HSUPA_Low_Subtest2	21.86	25.98	30	Pass
HSUPA_Low_Subtest3	21.82	25.94	30	Pass
HSUPA_Low_Subtest4	21.83	25.95	30	Pass
HSUPA_Low_Subtest5	21.72	25.84	30	Pass
HSUPA_Middle_Subtest1	21.88	26.00	30	Pass
HSUPA_Middle_Subtest2	21.84	25.96	30	Pass
HSUPA_Middle_Subtest3	21.89	26.01	30	Pass
HSUPA_Middle_Subtest4	21.90	26.02	30	Pass
HSUPA_Middle_Subtest5	21.90	26.02	30	Pass
HSUPA_High_Subtest1	21.74	25.86	30	Pass
HSUPA_High_Subtest2	21.72	25.84	30	Pass
HSUPA_High_Subtest3	21.76	25.88	30	Pass
HSUPA_High_Subtest4	21.76	25.88	30	Pass
HSUPA_High_Subtest5	21.75	25.87	30	Pass
HSPA+_Low_Subtest1	21.82	25.94	30	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Result
HSPA+_Middle_Subtest1	21.86	25.98	30	Pass
HSPA+_High_Subtest1	21.74	25.86	30	Pass
DC-HSDPA_Low_Subtest1	21.85	25.97	30	Pass
DC-HSDPA_Low_Subtest2	21.81	25.93	30	Pass
DC-HSDPA_Low_Subtest3	21.89	26.01	30	Pass
DC-HSDPA_Low_Subtest4	21.76	25.88	30	Pass
DC-HSDPA_Middle_Subtest1	21.83	25.95	30	Pass
DC-HSDPA_Middle_Subtest2	21.84	25.96	30	Pass
DC-HSDPA_Middle_Subtest3	21.78	25.90	30	Pass
DC-HSDPA_Middle_Subtest4	21.88	26.00	30	Pass
DC-HSDPA_High_Subtest1	21.71	25.83	30	Pass
DC-HSDPA_High_Subtest2	21.74	25.86	30	Pass
DC-HSDPA_High_Subtest3	21.72	25.84	30	Pass
DC-HSDPA_High_Subtest4	21.80	25.92	30	Pass

Note:

$EIRP = \text{Average Conducted Power(dBm)} - L_C(\text{dB}) + G_T(\text{dBi})$

1.Ant Gain = 4.12dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

Peak-to-average Ratio(PAR)

FCC Part 22H

Band 5 , Normal

Mode	Value (dB)	Limit (dB)
R99_Low	2.90	13
R99_Middle	3.01	13
R99_High	3.16	13
HSDPA_Low_Subtest1	3.33	13
HSDPA_Middle_Subtest1	3.71	13
HSDPA_High_Subtest1	3.59	13
HSUPA_Low_Subtest1	4.32	13
HSUPA_Middle_Subtest1	4.67	13
HSUPA_High_Subtest1	4.58	13

FCC Part 24E

Band 2 , Normal

Mode	Value (dB)	Limit (dB)
R99_Low	2.81	13
R99_Middle	2.84	13
R99_High	2.93	13
HSDPA_Low_Subtest1	3.22	13
HSDPA_Middle_Subtest1	3.22	13
HSDPA_High_Subtest1	3.04	13
HSUPA_Low_Subtest1	4.09	13
HSUPA_Middle_Subtest1	4.14	13
HSUPA_High_Subtest1	3.74	13

FCC Part 27

Band 4 , Normal


Mode	Value (dB)	Limit (dB)
R99_Low	3.04	13
R99_Middle	2.78	13
R99_High	2.78	13
HSDPA_Low_Subtest1	3.65	13
HSDPA_Middle_Subtest1	3.36	13
HSDPA_High_Subtest1	3.45	13
HSUPA_Low_Subtest1	4.43	13
HSUPA_Middle_Subtest1	4.06	13
HSUPA_High_Subtest1	4.20	13

Out of band emission,Band Edge


FCC Part 22H

Band 5 , Normal


R99_Low -35.11dBm




R99_High -29.95dBm




HSDPA_Low_Subtest1 -26.60dBm




HSDPA_High_Subtest1 -22.91dBm



HSUPA_Low_Subtest1 -28.61dBm




HSUPA_High_Subtest1 -27.34dBm




FCC Part 24E

Band 2 , Normal


R99_Low -29.48dBm




R99_High -21.99dBm




HSDPA_Low_Subtest1 -16.48dBm




HSDPA_High_Subtest1 -13.03dBm



HSUPA_Low_Subtest1 -16.69dBm




HSUPA_High_Subtest1 -14.65dBm




FCC Part 27

Band 4 , Normal


R99_Low -25.79dBm




R99_High -27.07dBm




HSDPA_Low_Subtest1 -22.18dBm




HSDPA_High_Subtest1 -19.14dBm



HSUPA_Low_Subtest1 -20.58dBm



HSUPA_High_Subtest1 -17.19dBm




Spurious Emissions at Antenna Terminal

FCC Part 22H
Band 5 , Normal


R99_Low

Below 1G



ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 11:27:18


Above 1G



ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 11:27:43


R99_Middle

Below 1G



ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 11:28:47

Above 1G




ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 11:29:12


R99_High

Below 1G

Above 1G



ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 11:30:05




ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 11:30:29

FCC Part 24E

Band 2 , Normal


R99_Low

Below 1G



ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 11:09:22


Above 1G



ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 11:10:15


R99_Middle

Below 1G



ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 11:11:21


Above 1G



ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 11:12:15


R99_High

Below 1G



ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 11:13:03

Above 1G




ProjectNo.:2402W20091E-RF Tester:Karl Liang
Date: 16.AUG.2024 11:13:57


FCC Part 27
Band 4 , Normal

R99_Low

Below 1G




Above 1G




R99_Middle

Below 1G




Above 1G



R99_High

Below 1G



Above 1G

