

Ylight



Operation Procedure:


1.Scan code download

2.Please "Match Code"before use and only one device control




Function Description:

1. Combination
2. In wave
3. Sequential
4. Slo glo
5. Chasing/Flash
6. Slow fade
7. Twinkle/Flash
8. Steady on




Brightness



Speed gear



Timing



Product name: Decorative light string

Product model: SJDHAZ-030-006WZ

Rating Input Parameters(AC): 120V 0.25mA Max12W 50/60Hz

Rating Output Parameters(DC): 30V 300mA Max9W 50/60Hz

A LIGHT CORD WITHOUT A TWIST IS NOT EASILY KNOTTED

Number of lights holder	Cord length	Power line length	Power supply	Bulb spacing
1680 LED	40M	5M	9w	10cm



Memory function



Timing function



Brightness control




Color conversion



Speed regulation



Mobile phone remote control can control 15M



This device complies with part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body: Use only the supplied antenna.

FCC ID:2BKBG-SJDHAZ030