



902 Far-infrared sauna

Installation & Owner's Manual

Please read this entire manual carefully before start to install and use sauna.

CATALOGS

- 01 PRECAUTIONS AND INSTRUCTION
- 02 INSTALLATION GUIDE
- 06 SCREW FIXATION
- 08 CONTROL PANEL INSTRUCTION
- 09 TIPS FOR INSTALLATION AND MAINTENANCE
- 10 CONCENTRATE ON PROFESSIONAL SAUNA

PRECAUTIONS AND INSTRUCTION

ATTENTION

Please read all instructions thoroughly before using.

Serious injury may caused if ignore the following warning and instruction.

Basic precautions should be always followed when using this electrical equipment.

DANGER

To avoid the risk of causing burns, fire, electric shock, or other injuries:

- ▶ Connect the power cord to a properly grounded outlet.
- ▶ Using only for its intended use as described in this manual.
- ▶ Don't use accessories not recommended by the manufacturer.
- ▶ Please **disconnect the power** after using.
- ▶ Please keep the electrical cord away from heated surfaces.

If the sauna is faulty, the supply cord or plug is damaged, please stop using it immediately.

CONNECT TO BLUETOOTH SPEAKERS

- ▶ When the sauna power cord is plugged in, the speakers make beeps sound **in 2-3 seconds** telling you the speakers are ready for pairing.
- ▶ Activate the blue tooth function of your smart phone/tablet.
- ▶ Search and find the sauna Bluetooth speaker "BT Speaker".
- ▶ **Click "BT Speaker" to link.**
- ▶ When successfully connected to the speakers, the speakers make a beep, then the Bluetooth speaker is **under the control of your phone/tablet**.
- ▶ When the sauna room is being powered off or the Bluetooth speaker is being disconnected, the speakers will beep twice.
- ▶ Before connecting to the Bluetooth speakers, make sure **no other phone** is connected to the speakers.

WARNINGS

- ▶ Not recommend **doing sauna over one hour**.
- ▶ Don't place the sauna in a humid environment.
- ▶ Don't touch heating panel directly.
- ▶ Don't bring any sharp tool inside sauna,heating panel may damaged or caused a severe consequence.
- ▶ When successfully connected to the speakers, the speakers make a beep, then the Bluetooth speaker is **under the control of your phone/tablet**.
- ▶ Placing the sauna on a flat surface for lining up installation.

- ▶ Don't **disassemble the main box** , wires or other electronic parts without factory authorized. You may get injury or damage the sauna.
- ▶ Customer with medical condition should consult doctor first before using sauna (Including acute diseases, malignant tumors, high blood pressure, heart disease, allergic dermatitis, pregnancy, etc.)
- ▶ This sauna should not be used for person (including children) with **reduced physical, sensory or mental capabilities, or lack of adequate experience knowledge**, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- ▶ Using a sauna after taking alcohol, drugs, or medication can lead to hyperthermia and increase the risk of death.
- ▶ If you are feeling uncomfortable, exit the sauna immediately and consult a doctor. Children should be supervised to ensure that they do not play with the appliance.

HYPERTHERMIA

Prolonged exposure in the sauna may cause hyperthermia.

Hyperthermia occurs when body's core temperature rises above 98.6F.

Symptoms of hyperthermia include a rise in body temperature, dizziness, lethargy, drowsiness, and fainting. The effects of hyperthermia may include:

- Failure to perceive heat / Unawareness of impending heat
- Failure to recognize the need to exit the sauna
- Fetal damage in pregnant women
- Physical inability to exit the sauna
- Unconsciousness

INSTALLATION GUIDE


Each panel is heavy, especially the top panel. Be careful to avoid injury when installing. This sauna requires at least 2 adults to complete assembly. The panels should be install in the following order.

Special Note: Following Installation Step 1st. 4th. 7th. 8th. 9th need Screw Fixation.
When you assembly on these step, please check how to fasten screws in detail on Page 6th-7th (Screw Fixation)

1st	Floor Panel
2nd	Rear Panel
3rd	Left Panel
4th	Right Panel
5th	Bench Support Panel
6th	Bench Surface Panel
7th	Front Panel
8th	Ceiling Panel
9th	Roof

Step 1: Position the Floor Panel


Place the floor panel on a flat surface. Before assembly, make sure the floor is flat so that you can maintain a comfortable subsequent installation. (image1)



(image1)

Step 2: Position the Rear Panel


Lift the rear panel into position wedging the bottom of the panel into the channel in the floor panel, you can gently rest the rear panel against the wall of your home. Please note the two holes are closer to the rear panel. (image 2)



(image2)

Step 3: Position the Left Side Panel


Place the left panel into the slot of the floor panel and push it towards the rear panel. Check whether the hooks of the fasteners are up or down, and the fasteners are connected together as shown. (image 3)



(image3)

Step 4: Position the Right Side Panel


Place the right panel into the slot of the floor panel and push it towards the rear panel. Please check if there is almost no visible gap between the outside and the inside of the sauna, then it is already fixed. (image 4)




(image4)

Step 5: Place the Bench Support Panel


Place the Bench Support panel (image5&6) and connect the wires behind (image7&8). Each two wires have corresponding unique interface shape, hear a click to indicate that the connection is completed.




(image5)



(image6)




(image7)




(image8)

Step 6: Place the Bench Surface Panel

Place the bench surface panel (image9), and connect the connecting wire of the light strip on the bench surface panel with the wire behind the bench support panel (image10).




(image9)




(image10)

Step 7: Place the Front Panel


Place the front panel into the slot of the floor panel and push it towards the side panels. Then go inside the sauna and check if the gap is almost invisible.



(image11)




(image12)




(image13)

Step 8: Install Ceiling Panel and connect the wires


Place the ceiling on top of the sauna. Make sure that all panels are in the slots in the ceiling panel. Make sure that all wires on the side panel pass through the holes. Finally, connect all the wires in the ceiling panel.




(image14)



(image15)




(image16)



(image17)

Step 9: Install the Roof Panel

Finally, install the roof panel, and plug in the power on to operate the Sauna.




(Congratulations! Installation completed! Plug in and power on to enjoy your sauna!)

Screw Fasten



Schematic diagram of expansion screw

- ▶ You could install the expansion screw at the Step 1. It is installed to prevent wind.





Attach Floor Panel to Surround Panels

- There are 16 screws for fastening floor panel to surrounding panels. You could install them at the Step 4&7.





Attach Ceiling Panel to Front & Rear Panels

- There are 4 screws for fastening ceiling panel to front & rear panels. You could install the expansion screw at the Step 8.



Attach Roof to Front & Rear Panels


- There are 4 screws for fastening roof to front & rear panels. You could install the expansion screw at the Step 9.



WARNING:

All screws are used to fix the sauna room. The sauna room cannot be moved after the screws are installed. If you need to move or disassemble the sauna room, you need to remove the screws.

CONTROL PANEL INSTRUCTION



Important Note

- After completing the product assembly, please firstly test whether the appliance operates normally. After normal operation, please use our attached adhesive to seal the product, which can increase the waterproof and sealing effect of the product.
- The areas marked in red in the diagram need to be sealed as shown in the diagram, four places in total.



CHROMOTHERAPY LIGHTING SYSTEM

- Chromotherapy is the science of using color to tune the body's vibrations to frequencies that produce health and harmony.
- Each color has a specific vibrational frequency, and each vibration is associated with a different physical symptom.
- Chromotherapy helps balance your body by acting on various energy points through the full spectrum of visible light, with each color catering to a different need.



Tips for Installation and Maintenance

- We offer silicone vials for repairing cracks or holes in sauna wooden frames.
The warranty for our product is valid for one year.
- For some large crack repair, you would also buy vial of silicone on local market.
- Pay attention to **remove excess silica gel after repair**, for the silica gel would not be firmly attached if wood wax oil etc painted on wood.
- Please repair crack when you found it, otherwise it may get larger and cause sauna damaged.
- Please keep doing regular maintenance for sauna, **at least 1 time per 3-6 months after sauna is installed.**
- It is strongly recommended to do maintenance to the floor panel of sauna **per 6 months**, for it is easy to get rotted and damaged.
- When doing maintenance for **bottom panel, please disassemble the sauna first and leave floor panel only**.
Flip the floor panel to dry its bottom face. After removing the dirt, paint the second time with anti-corrosive coating.
- **It is prohibited to majorly modify equipment body or electrical parts, or to connect external device.**
- Please **contact customer service** for solution to those problems that happened in installation, using or maintenance. You will be assured that the problem is solved.

CONCENTRATE ON PROFESSIONAL SAUNA SPECIFICATIONS

Product Name	Far-infrared sauna
Model	902
Dimensions	57.9*40.1*81.1 in
Voltage	110-120VAC
Plug Type	15Amps
Wattage	1750W
Number of Heaters	6 pcs
Raw Material	Basswood
Location	Outdoor/Indoor

KEEP IN WELL CONDITION FOR SAUNA ROOM

- ▶ Place a large towel over the seat and baseboard before use to absorb excess sweat and prevent it from eroding the equipment.
- ▶ In order to prevent colds during use, it is recommended that the temperature be gradually lowered until the body gradually adapts to room temperature before stepping out of the equipment.
- ▶ If there is a lot of sweating after using the device, it is recommended to take a shower after 60 minutes, or use a room temperature wet towel to wipe the body after using the device, which is also an alternative to showering. It is also a good alternative to showering and is better for the skin.
- ▶ After use, open the door and ventilate for about 10 minutes, during the ventilation process, the device can be turned off, and the residual temperature can also be used to evaporate the internal water vapor.
- ▶ If there is sweat dripping onto the surface of the board or heating plate, etc., you can use a damp towel to wipe it in time to prevent discoloration and leaving stains, etc.
- ▶ The door just has a magnetic suction device, can not prevent violent entry, please pay attention to children, the elderly, pets and other bad entry.
- ▶ It is strictly prohibited to add locking devices to the door when using it, and it must be ensured that people can enter and exit conveniently at any time.

WARRANTYCERTIFICATE

Please complete the following details and send back
with the original item/parts with safety package.

Client's Name: _____

Address: _____

City: _____ State: _____

Postcode: _____ Model No: _____

Telephone: _____ Order No: _____

Date of Purchase: _____

Store from which product was purchased: _____

Problem Description: _____

- We provide 1year free maintain service for part of main electric equipment from when your purchase, please enclose this warranty card when you return back. Without this warranty card or change the warranty card, the maintain will not be provided.

CONCENTRATE ON PROFESSIONAL SAUNA

Federal Communications Commission (FCC) Statement.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide Reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: Changes or modifications made to this device not expressly approved by **Maester (Jiangsu)Medical Device Technology Co.,LTD** may void the FCC authorization to operate this device.

Note: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

RF exposure statement:

This device complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. The device is installed and operated without restriction.