

Appendix A: Test Results of 5GHz Wi-Fi

APPENDIX A: TEST RESULTS OF 5GHZ WI-FI.....	1
APPENDIX A.1: TEST RESULTS OF MAXIMUM CONDUCTED OUTPUT POWER.....	2
U-NII-1 Band.....	2
U-NII-3 Band.....	4
APPENDIX A.2: TEST RESULTS OF CONDUCTED POWER SPECTRAL DENSITY.....	6
U-NII-1 Band.....	6
U-NII-3 Band.....	33
APPENDIX A.3: TEST RESULTS OF FREQUENCY STABILITY	60
U-NII-1 Band.....	60
U-NII-3 Band.....	61
APPENDIX A.4: TEST RESULTS OF 26DB BANDWIDTH	62
APPENDIX A.5: TEST RESULTS OF 6DB BANDWIDTH	70
APPENDIX A.6: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	78
30MHz - 1GHz (Worst case)	78
1GHz - 40GHz.....	82

Appendix A.1: Test Results of Maximum Conducted Output Power

U-NII-1 Band

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	EIRP Power	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	10.606	0.08	10.69	14.69	24	Pass
NVNT	a	5200	Ant1	10.106	0.08	10.19	14.19	24	Pass
NVNT	a	5240	Ant1	7.808	0.08	7.89	11.89	24	Pass
NVNT	a	5180	Ant2	9.592	0.08	9.67	13.27	24	Pass
NVNT	a	5200	Ant2	9.971	0.08	10.05	13.65	24	Pass
NVNT	a	5240	Ant2	10.681	0.08	10.76	14.36	24	Pass
NVNT	ac(VHT20)	5180	Ant1	10.469	0.08	10.55	14.55	24	Pass
NVNT	ac(VHT20)	5200	Ant1	9.972	0.08	10.05	14.05	24	Pass
NVNT	ac(VHT20)	5240	Ant1	7.682	0.08	7.76	11.76	24	Pass
NVNT	ac(VHT20)	5180	Ant2	9.396	0.08	9.48	13.08	24	Pass
NVNT	ac(VHT20)	5200	Ant2	9.773	0.08	9.85	13.45	24	Pass
NVNT	ac(VHT20)	5240	Ant2	10.472	0.08	10.55	14.15	24	Pass
NVNT	ac(VHT20)	5180	Ant1	8.554	0.08	8.63	12.63	24	Pass
NVNT	ac(VHT20)	5180	Ant2	7.65	0.08	7.73	11.33	24	Pass
NVNT	ac(VHT20)	5180	Sum	11.136	0.08	11.22	15.22	24	Pass
NVNT	ac(VHT20)	5200	Ant1	8.303	0.08	8.38	12.38	24	Pass
NVNT	ac(VHT20)	5200	Ant2	8.152	0.08	8.23	11.83	24	Pass
NVNT	ac(VHT20)	5200	Sum	11.238	0.08	11.32	15.32	24	Pass
NVNT	ac(VHT20)	5240	Ant1	5.949	0.08	6.03	10.03	24	Pass
NVNT	ac(VHT20)	5240	Ant2	8.956	0.08	9.04	12.64	24	Pass
NVNT	ac(VHT20)	5240	Sum	10.718	0.08	10.80	14.80	24	Pass
NVNT	ac(VHT40)	5190	Ant1	0.408	0.16	0.57	4.57	24	Pass
NVNT	ac(VHT40)	5230	Ant1	-1.435	0.16	-1.28	2.72	24	Pass
NVNT	ac(VHT40)	5190	Ant2	0.998	0.16	1.16	4.76	24	Pass
NVNT	ac(VHT40)	5230	Ant2	0.573	0.16	0.73	4.33	24	Pass
NVNT	ac(VHT40)	5190	Ant1	-4.06	0.16	-3.90	0.10	24	Pass
NVNT	ac(VHT40)	5190	Ant2	-3.188	0.16	-3.03	0.57	24	Pass
NVNT	ac(VHT40)	5190	Sum	-0.592	0.16	-0.43	3.57	24	Pass
NVNT	ac(VHT40)	5230	Ant1	-5.632	0.16	-5.47	-1.47	24	Pass
NVNT	ac(VHT40)	5230	Ant2	-3.546	0.16	-3.39	0.21	24	Pass
NVNT	ac(VHT40)	5230	Sum	-1.455	0.16	-1.30	2.70	24	Pass
NVNT	ac(VHT80)	5210	Ant1	-0.458	0.32	-0.14	3.86	24	Pass
NVNT	ac(VHT80)	5210	Ant2	0.398	0.32	0.72	4.32	24	Pass
NVNT	ac(VHT80)	5210	Ant1	-6.597	0.32	-6.28	-2.28	24	Pass
NVNT	ac(VHT80)	5210	Ant2	-5.448	0.32	-5.13	-1.53	24	Pass
NVNT	ac(VHT80)	5210	Sum	-2.974	0.32	-2.65	1.35	24	Pass
NVNT	n(HT20)	5180	Ant1	8.16	0.08	8.24	12.24	24	Pass
NVNT	n(HT20)	5200	Ant1	7.217	0.08	7.30	11.30	24	Pass
NVNT	n(HT20)	5240	Ant1	5.569	0.08	5.65	9.65	24	Pass
NVNT	n(HT20)	5180	Ant2	7.438	0.08	7.52	11.12	24	Pass
NVNT	n(HT20)	5200	Ant2	7.223	0.08	7.30	10.90	24	Pass

NVNT	n(HT20)	5240	Ant2	6.845	0.08	6.93	10.53	24	Pass
NVNT	n(HT20)	5180	Ant1	7.948	0.08	8.03	12.03	24	Pass
NVNT	n(HT20)	5180	Ant2	7.975	0.08	8.06	11.66	24	Pass
NVNT	n(HT20)	5180	Sum	10.972	0.08	11.05	15.05	24	Pass
NVNT	n(HT20)	5200	Ant1	6.181	0.08	6.26	10.26	24	Pass
NVNT	n(HT20)	5200	Ant2	6.796	0.08	6.88	10.48	24	Pass
NVNT	n(HT20)	5200	Sum	9.51	0.08	9.59	13.59	24	Pass
NVNT	n(HT20)	5240	Ant1	4.607	0.08	4.69	8.69	24	Pass
NVNT	n(HT20)	5240	Ant2	6.424	0.08	6.50	10.10	24	Pass
NVNT	n(HT20)	5240	Sum	8.62	0.08	8.70	12.70	24	Pass
NVNT	n(HT40)	5190	Ant1	-0.58	0.16	-0.42	3.58	24	Pass
NVNT	n(HT40)	5230	Ant1	-2.326	0.16	-2.17	1.83	24	Pass
NVNT	n(HT40)	5190	Ant2	0.012	0.16	0.17	3.77	24	Pass
NVNT	n(HT40)	5230	Ant2	-0.482	0.16	-0.32	3.28	24	Pass
NVNT	n(HT40)	5190	Ant1	-1.043	0.16	-0.88	3.12	24	Pass
NVNT	n(HT40)	5190	Ant2	-0.201	0.16	-0.04	3.56	24	Pass
NVNT	n(HT40)	5190	Sum	2.409	0.16	2.57	6.57	24	Pass
NVNT	n(HT40)	5230	Ant1	-2.688	0.16	-2.53	1.47	24	Pass
NVNT	n(HT40)	5230	Ant2	-0.776	0.16	-0.62	2.98	24	Pass
NVNT	n(HT40)	5230	Sum	1.383	0.16	1.54	5.54	24	Pass

U-NII-3 Band

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	EIRP Power	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	8.345	0.08	8.42	12.42	30	Pass
NVNT	a	5785	Ant1	9.88	0.08	9.96	13.96	30	Pass
NVNT	a	5825	Ant1	10.127	0.08	10.21	14.21	30	Pass
NVNT	a	5745	Ant2	10.148	0.08	10.23	13.83	30	Pass
NVNT	a	5785	Ant2	10.612	0.08	10.69	14.29	30	Pass
NVNT	a	5825	Ant2	9.809	0.08	9.89	13.49	30	Pass
NVNT	ac(VHT20)	5745	Ant1	8.44	0.08	8.52	12.52	30	Pass
NVNT	ac(VHT20)	5785	Ant1	9.741	0.08	9.82	13.82	30	Pass
NVNT	ac(VHT20)	5825	Ant1	10.019	0.08	10.10	14.10	30	Pass
NVNT	ac(VHT20)	5745	Ant2	10.035	0.08	10.12	13.72	30	Pass
NVNT	ac(VHT20)	5785	Ant2	10.509	0.08	10.59	14.19	30	Pass
NVNT	ac(VHT20)	5825	Ant2	9.694	0.08	9.77	13.37	30	Pass
NVNT	ac(VHT20)	5745	Ant1	6.562	0.08	6.64	10.64	30	Pass
NVNT	ac(VHT20)	5745	Ant2	8.233	0.08	8.31	11.91	30	Pass
NVNT	ac(VHT20)	5745	Sum	10.488	0.08	10.57	14.57	30	Pass
NVNT	ac(VHT20)	5785	Ant1	7.898	0.08	7.98	11.98	30	Pass
NVNT	ac(VHT20)	5785	Ant2	8.617	0.08	8.70	12.30	30	Pass
NVNT	ac(VHT20)	5785	Sum	11.283	0.08	11.36	15.36	30	Pass
NVNT	ac(VHT20)	5825	Ant1	8.025	0.08	8.11	12.11	30	Pass
NVNT	ac(VHT20)	5825	Ant2	7.937	0.08	8.02	11.62	30	Pass
NVNT	ac(VHT20)	5825	Sum	10.992	0.08	11.07	15.07	30	Pass
NVNT	ac(VHT40)	5755	Ant1	8.519	0.16	8.68	12.68	30	Pass
NVNT	ac(VHT40)	5795	Ant1	10.26	0.16	10.42	14.42	30	Pass
NVNT	ac(VHT40)	5755	Ant2	9.734	0.16	9.89	13.49	30	Pass
NVNT	ac(VHT40)	5795	Ant2	10.326	0.16	10.49	14.09	30	Pass
NVNT	ac(VHT40)	5755	Ant1	5.621	0.16	5.78	9.78	30	Pass
NVNT	ac(VHT40)	5755	Ant2	6.775	0.16	6.94	10.54	30	Pass
NVNT	ac(VHT40)	5755	Sum	9.247	0.16	9.41	13.41	30	Pass
NVNT	ac(VHT40)	5795	Ant1	7.256	0.16	7.42	11.42	30	Pass
NVNT	ac(VHT40)	5795	Ant2	7.452	0.16	7.61	11.21	30	Pass
NVNT	ac(VHT40)	5795	Sum	10.365	0.16	10.52	14.52	30	Pass
NVNT	ac(VHT80)	5775	Ant1	9.651	0.33	9.98	13.98	30	Pass
NVNT	ac(VHT80)	5775	Ant2	9.546	0.33	9.88	13.48	30	Pass
NVNT	ac(VHT80)	5775	Ant1	3.165	0.33	3.50	7.50	30	Pass
NVNT	ac(VHT80)	5775	Ant2	4.08	0.33	4.41	8.01	30	Pass
NVNT	ac(VHT80)	5775	Sum	6.657	0.33	6.99	10.99	30	Pass
NVNT	n(HT20)	5745	Ant1	8.404	0.08	8.48	12.48	30	Pass
NVNT	n(HT20)	5785	Ant1	9.72	0.08	9.80	13.80	30	Pass
NVNT	n(HT20)	5825	Ant1	9.978	0.08	10.06	14.06	30	Pass
NVNT	n(HT20)	5745	Ant2	9.992	0.08	10.07	13.67	30	Pass
NVNT	n(HT20)	5785	Ant2	10.459	0.08	10.54	14.14	30	Pass
NVNT	n(HT20)	5825	Ant2	9.597	0.08	9.68	13.28	30	Pass
NVNT	n(HT20)	5745	Ant1	8.469	0.08	8.55	12.55	30	Pass

NVNT	n(HT20)	5745	Ant2	9.935	0.08	10.02	13.62	30	Pass
NVNT	n(HT20)	5745	Sum	12.274	0.08	12.35	16.35	30	Pass
NVNT	n(HT20)	5785	Ant1	9.778	0.08	9.86	13.86	30	Pass
NVNT	n(HT20)	5785	Ant2	10.257	0.08	10.34	13.94	30	Pass
NVNT	n(HT20)	5785	Sum	13.034	0.08	13.11	17.11	30	Pass
NVNT	n(HT20)	5825	Ant1	10.043	0.08	10.12	14.12	30	Pass
NVNT	n(HT20)	5825	Ant2	9.496	0.08	9.58	13.18	30	Pass
NVNT	n(HT20)	5825	Sum	12.788	0.08	12.87	16.87	30	Pass
NVNT	n(HT40)	5755	Ant1	8.483	0.16	8.64	12.64	30	Pass
NVNT	n(HT40)	5795	Ant1	10.267	0.16	10.43	14.43	30	Pass
NVNT	n(HT40)	5755	Ant2	9.549	0.16	9.71	13.31	30	Pass
NVNT	n(HT40)	5795	Ant2	10.265	0.16	10.42	14.02	30	Pass
NVNT	n(HT40)	5755	Ant1	8.817	0.16	8.98	12.98	30	Pass
NVNT	n(HT40)	5755	Ant2	9.516	0.16	9.68	13.28	30	Pass
NVNT	n(HT40)	5755	Sum	12.191	0.16	12.35	16.35	30	Pass
NVNT	n(HT40)	5795	Ant1	10.447	0.16	10.61	14.61	30	Pass
NVNT	n(HT40)	5795	Ant2	10.198	0.16	10.36	13.96	30	Pass
NVNT	n(HT40)	5795	Sum	13.335	0.16	13.49	17.49	30	Pass



Appendix A.2: Test Results of Conducted Power Spectral Density



U-NII-1 Band



Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Duty Factor(dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	5.54	0.08	5.62	11	Pass
NVNT	a	5200	Ant1	5.18	0.08	5.26	11	Pass
NVNT	a	5240	Ant1	2.67	0.08	2.75	11	Pass
NVNT	a	5180	Ant2	4.29	0.08	4.37	11	Pass
NVNT	a	5200	Ant2	4.99	0.08	5.07	11	Pass
NVNT	a	5240	Ant2	5.71	0.08	5.79	11	Pass
NVNT	ac(VHT20)	5180	Ant1	5.08	0.08	5.16	11	Pass
NVNT	ac(VHT20)	5200	Ant1	4.68	0.08	4.76	11	Pass
NVNT	ac(VHT20)	5240	Ant1	2.60	0.08	2.68	11	Pass
NVNT	ac(VHT20)	5180	Ant2	4.39	0.08	4.47	11	Pass
NVNT	ac(VHT20)	5200	Ant2	4.54	0.08	4.62	11	Pass
NVNT	ac(VHT20)	5240	Ant2	5.33	0.08	5.41	11	Pass
NVNT	ac(VHT20)	5180	Ant1	5.87	0.08	5.95	11	Pass
NVNT	ac(VHT20)	5180	Ant2	5.06	0.08	5.14	11	Pass
NVNT	ac(VHT20)	5180	Sum	8.50	0.08	8.58	11	Pass
NVNT	ac(VHT20)	5200	Ant1	5.38	0.08	5.46	11	Pass
NVNT	ac(VHT20)	5200	Ant2	5.20	0.08	5.28	11	Pass
NVNT	ac(VHT20)	5200	Sum	8.30	0.08	8.38	11	Pass
NVNT	ac(VHT20)	5240	Ant1	3.67	0.08	3.75	11	Pass
NVNT	ac(VHT20)	5240	Ant2	6.09	0.08	6.17	11	Pass
NVNT	ac(VHT20)	5240	Sum	8.06	0.08	8.14	11	Pass
NVNT	ac(VHT40)	5190	Ant1	-7.01	0.16	-6.85	11	Pass
NVNT	ac(VHT40)	5230	Ant1	-9.31	0.16	-9.15	11	Pass
NVNT	ac(VHT40)	5190	Ant2	-7.05	0.16	-6.89	11	Pass
NVNT	ac(VHT40)	5230	Ant2	-7.18	0.16	-7.02	11	Pass
NVNT	ac(VHT40)	5190	Ant1	-7.55	0.16	-7.39	11	Pass
NVNT	ac(VHT40)	5190	Ant2	-7.45	0.16	-7.29	11	Pass
NVNT	ac(VHT40)	5190	Sum	-4.48	0.16	-4.32	11	Pass
NVNT	ac(VHT40)	5230	Ant1	-7.34	0.16	-7.18	11	Pass
NVNT	ac(VHT40)	5230	Ant2	-8.40	0.16	-8.24	11	Pass
NVNT	ac(VHT40)	5230	Sum	-4.83	0.16	-4.67	11	Pass
NVNT	ac(VHT80)	5210	Ant1	-10.78	0.32	-10.46	11	Pass
NVNT	ac(VHT80)	5210	Ant2	-10.23	0.32	-9.91	11	Pass
NVNT	ac(VHT80)	5210	Ant1	-10.47	0.32	-10.15	11	Pass
NVNT	ac(VHT80)	5210	Ant2	-10.27	0.32	-9.95	11	Pass
NVNT	ac(VHT80)	5210	Sum	-7.36	0.32	-7.04	11	Pass
NVNT	n(HT20)	5180	Ant1	3.07	0.08	3.15	11	Pass
NVNT	n(HT20)	5200	Ant1	1.51	0.08	1.59	11	Pass
NVNT	n(HT20)	5240	Ant1	0.72	0.08	0.80	11	Pass
NVNT	n(HT20)	5180	Ant2	2.33	0.08	2.41	11	Pass
NVNT	n(HT20)	5200	Ant2	1.99	0.08	2.07	11	Pass
NVNT	n(HT20)	5240	Ant2	1.37	0.08	1.45	11	Pass



NVNT	n(HT20)	5180	Ant1	3.11	0.08	3.19	11	Pass
NVNT	n(HT20)	5180	Ant2	3.47	0.08	3.55	11	Pass
NVNT	n(HT20)	5180	Sum	6.31	0.08	6.39	11	Pass
NVNT	n(HT20)	5200	Ant1	0.61	0.08	0.69	11	Pass
NVNT	n(HT20)	5200	Ant2	2.01	0.08	2.09	11	Pass
NVNT	n(HT20)	5200	Sum	4.38	0.08	4.46	11	Pass
NVNT	n(HT20)	5240	Ant1	-0.47	0.08	-0.39	11	Pass
NVNT	n(HT20)	5240	Ant2	1.77	0.08	1.85	11	Pass
NVNT	n(HT20)	5240	Sum	3.80	0.08	3.88	11	Pass
NVNT	n(HT40)	5190	Ant1	-8.12	0.16	-7.96	11	Pass
NVNT	n(HT40)	5230	Ant1	-10.86	0.16	-10.70	11	Pass
NVNT	n(HT40)	5190	Ant2	-8.14	0.16	-7.98	11	Pass
NVNT	n(HT40)	5230	Ant2	-8.53	0.16	-8.37	11	Pass
NVNT	n(HT40)	5190	Ant1	-8.09	0.16	-7.93	11	Pass
NVNT	n(HT40)	5190	Ant2	-7.43	0.16	-7.27	11	Pass
NVNT	n(HT40)	5190	Sum	-4.74	0.16	-4.58	11	Pass
NVNT	n(HT40)	5230	Ant1	-11.06	0.16	-10.90	11	Pass
NVNT	n(HT40)	5230	Ant2	-7.55	0.16	-7.39	11	Pass
NVNT	n(HT40)	5230	Sum	-5.95	0.16	-5.79	11	Pass




























































































U-NII-3 Band

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Duty Factor(dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	1.71	0.08	1.79	30	Pass
NVNT	a	5785	Ant1	3.07	0.08	3.15	30	Pass
NVNT	a	5825	Ant1	4.08	0.08	4.16	30	Pass
NVNT	a	5745	Ant2	3.62	0.08	3.70	30	Pass
NVNT	a	5785	Ant2	4.02	0.08	4.10	30	Pass
NVNT	a	5825	Ant2	3.29	0.08	3.37	30	Pass
NVNT	ac(VHT20)	5745	Ant1	1.50	0.08	1.58	30	Pass
NVNT	ac(VHT20)	5785	Ant1	3.44	0.08	3.52	30	Pass
NVNT	ac(VHT20)	5825	Ant1	3.14	0.08	3.22	30	Pass
NVNT	ac(VHT20)	5745	Ant2	3.53	0.08	3.61	30	Pass
NVNT	ac(VHT20)	5785	Ant2	3.65	0.08	3.73	30	Pass
NVNT	ac(VHT20)	5825	Ant2	2.80	0.08	2.88	30	Pass
NVNT	ac(VHT20)	5745	Ant1	1.74	0.08	1.82	30	Pass
NVNT	ac(VHT20)	5745	Ant2	3.77	0.08	3.85	30	Pass
NVNT	ac(VHT20)	5745	Sum	5.88	0.08	5.96	30	Pass
NVNT	ac(VHT20)	5785	Ant1	3.07	0.08	3.15	30	Pass
NVNT	ac(VHT20)	5785	Ant2	3.86	0.08	3.94	30	Pass
NVNT	ac(VHT20)	5785	Sum	6.49	0.08	6.57	30	Pass
NVNT	ac(VHT20)	5825	Ant1	4.02	0.08	4.10	30	Pass
NVNT	ac(VHT20)	5825	Ant2	3.04	0.08	3.12	30	Pass
NVNT	ac(VHT20)	5825	Sum	6.57	0.08	6.65	30	Pass
NVNT	ac(VHT40)	5755	Ant1	-1.87	0.16	-1.71	30	Pass
NVNT	ac(VHT40)	5795	Ant1	0.14	0.16	0.30	30	Pass
NVNT	ac(VHT40)	5755	Ant2	-0.73	0.16	-0.57	30	Pass
NVNT	ac(VHT40)	5795	Ant2	0.44	0.16	0.60	30	Pass
NVNT	ac(VHT40)	5755	Ant1	-1.09	0.16	-0.93	30	Pass
NVNT	ac(VHT40)	5755	Ant2	0.36	0.16	0.52	30	Pass
NVNT	ac(VHT40)	5755	Sum	2.71	0.16	2.87	30	Pass
NVNT	ac(VHT40)	5795	Ant1	0.14	0.16	0.30	30	Pass
NVNT	ac(VHT40)	5795	Ant2	0.71	0.16	0.87	30	Pass
NVNT	ac(VHT40)	5795	Sum	3.45	0.16	3.61	30	Pass
NVNT	ac(VHT80)	5775	Ant1	-3.62	0.33	-3.29	30	Pass
NVNT	ac(VHT80)	5775	Ant2	-3.32	0.33	-2.99	30	Pass
NVNT	ac(VHT80)	5775	Ant1	-3.81	0.33	-3.48	30	Pass
NVNT	ac(VHT80)	5775	Ant2	-2.28	0.33	-1.95	30	Pass
NVNT	ac(VHT80)	5775	Sum	0.03	0.33	0.36	30	Pass
NVNT	n(HT20)	5745	Ant1	1.09	0.08	1.17	30	Pass
NVNT	n(HT20)	5785	Ant1	2.91	0.08	2.99	30	Pass
NVNT	n(HT20)	5825	Ant1	2.82	0.08	2.90	30	Pass
NVNT	n(HT20)	5745	Ant2	2.85	0.08	2.93	30	Pass
NVNT	n(HT20)	5785	Ant2	3.40	0.08	3.48	30	Pass
NVNT	n(HT20)	5825	Ant2	3.09	0.08	3.17	30	Pass
NVNT	n(HT20)	5745	Ant1	1.36	0.08	1.44	30	Pass
NVNT	n(HT20)	5745	Ant2	3.93	0.08	4.01	30	Pass


NVNT	n(HT20)	5745	Sum	5.84	0.08	5.92	30	Pass
NVNT	n(HT20)	5785	Ant1	2.56	0.08	2.64	30	Pass
NVNT	n(HT20)	5785	Ant2	4.25	0.08	4.33	30	Pass
NVNT	n(HT20)	5785	Sum	6.50	0.08	6.58	30	Pass
NVNT	n(HT20)	5825	Ant1	3.07	0.08	3.15	30	Pass
NVNT	n(HT20)	5825	Ant2	4.03	0.08	4.11	30	Pass
NVNT	n(HT20)	5825	Sum	6.59	0.08	6.67	30	Pass
NVNT	n(HT40)	5755	Ant1	-1.83	0.16	-1.67	30	Pass
NVNT	n(HT40)	5795	Ant1	0.49	0.16	0.65	30	Pass
NVNT	n(HT40)	5755	Ant2	-0.86	0.16	-0.70	30	Pass
NVNT	n(HT40)	5795	Ant2	0.36	0.16	0.52	30	Pass
NVNT	n(HT40)	5755	Ant1	-1.55	0.16	-1.39	30	Pass
NVNT	n(HT40)	5755	Ant2	0.72	0.16	0.88	30	Pass
NVNT	n(HT40)	5755	Sum	2.74	0.16	2.90	30	Pass
NVNT	n(HT40)	5795	Ant1	0.97	0.16	1.13	30	Pass
NVNT	n(HT40)	5795	Ant2	1.66	0.16	1.82	30	Pass
NVNT	n(HT40)	5795	Sum	4.34	0.16	4.50	30	Pass

Test Graphs


PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1




PSD NVNT a 5825MHz Ant1




PSD NVNT a 5745MHz Ant2




PSD NVNT a 5785MHz Ant2




PSD NVNT a 5825MHz Ant2




PSD NVNT ac(VHT20) 5745MHz Ant1



PSD NVNT ac(VHT20) 5785MHz Ant1




PSD NVNT ac(VHT20) 5825MHz Ant1




PSD NVNT ac(VHT20) 5745MHz Ant2




PSD NVNT ac(VHT20) 5785MHz Ant2




PSD NVNT ac(VHT20) 5825MHz Ant2




PSD NVNT ac(VHT20) 5745MHz Ant1




PSD NVNT ac(VHT20) 5745MHz Ant2




PSD NVNT ac(VHT20) 5785MHz Ant1




PSD NVNT ac(VHT20) 5785MHz Ant2




PSD NVNT ac(VHT20) 5825MHz Ant1




PSD NVNT ac(VHT20) 5825MHz Ant2




PSD NVNT ac(VHT40) 5755MHz Ant1




PSD NVNT ac(VHT40) 5795MHz Ant1




PSD NVNT ac(VHT40) 5755MHz Ant2




PSD NVNT ac(VHT40) 5795MHz Ant2




PSD NVNT ac(VHT40) 5755MHz Ant1




PSD NVNT ac(VHT40) 5755MHz Ant2




PSD NVNT ac(VHT40) 5795MHz Ant1




PSD NVNT ac(VHT40) 5795MHz Ant2




PSD NVNT ac(VHT80) 5775MHz Ant1




PSD NVNT ac(VHT80) 5775MHz Ant2





PSD NVNT ac(VHT80) 5775MHz Ant1




PSD NVNT ac(VHT80) 5775MHz Ant2







PSD NVNT n(HT20) 5825MHz Ant1




PSD NVNT n(HT20) 5745MHz Ant2




PSD NVNT n(HT20) 5785MHz Ant2




PSD NVNT n(HT20) 5825MHz Ant2




PSD NVNT n(HT20) 5745MHz Ant1




PSD NVNT n(HT20) 5745MHz Ant2




PSD NVNT n(HT20) 5785MHz Ant1




PSD NVNT n(HT20) 5785MHz Ant2




PSD NVNT n(HT20) 5825MHz Ant1




PSD NVNT n(HT20) 5825MHz Ant2




PSD NVNT n(HT40) 5755MHz Ant1




PSD NVNT n(HT40) 5795MHz Ant1




PSD NVNT n(HT40) 5755MHz Ant2



PSD NVNT n(HT40) 5795MHz Ant2



PSD NVNT n(HT40) 5755MHz Ant1



PSD NVNT n(HT40) 5755MHz Ant2

