

**SHENZHEN XIN LINGKE TECHNOLOGY CO.,LTD**  
SHENZHEN CITY LONGGANG DISTRICT PINGHU STREET HEHUA COMMUNITY, HENGSHUN SCIENCE PARK BUILDING B  
B303, 37 TONGFU ROAD

## **SPECIFICATION FOR APPROVAL**

**Customer:zhongbai**

**Description: N100 II**

P/N:		SENDING DATE	2024.08.06
SUPPLIERS P/N		APPROVED NO.	
Customer hardware		Client project	N100 II
customer structure		Customer quality	
RF Engineer		Structural engineer	

**SHENZHEN XIN LINGKE TECHNOLOGY CO.,LTD**

Project: N100 II		Writed by: Zhang_hai dong	<b>N100 II -antenna Specification for Approval</b>	
Date:: 2024.08.06				
Revision	V1.0	Supervised by: LI peng		
Mould				
<b>CONFIDENTIAL</b> Brotone.com				

# 1 Summary

This report describes the characteristics of antenna for the zhongbai by Shenzhen xin lingke Technology Co., Ltd. The phablet model is N100 II and the range of frequency is frequency/2.4G+5G WIFI+BT , The Antenna gain:2.4G:0.8dbi , 5G:1.1dbi. The antenna model is PIFA and located inside the handset.

## 1.1 Match circuit

No change.

## 2 Configuring settings

TX Power and RX Sensitivity The data of TX Power and Rx Sensitivity is 3D result measured in microwave eanechoic chamber by the Anritsu8820c.

TRP、TIS

### 2.4GWIFI

WirelessMon 信号 (dbm)	
1米 (dbm)	-38
5米 (dbm)	-40
10米隔墙 (dbm)	-56




SSID KP-2.4		频道 3
MAC地址	08-AA-89-6D-F0-74	发射功率 N/A
强度	-40 dBm	天线 N/A
速度 [Mbit/s]	135	使用 GPS No
验证类型	WPA2	GPS 信号 N/A
碎片阈值	N/A	卫星 N/A
RTS阈值	N/A	Wi-Spy No
频率	2422 MHz	
1 unsecured - 9 available		GPS: N/A

SSID KP-2.4		频道 3
MAC地址	08-AA-89-6D-F0-74	发射功率 N/A
强度	-56 dBm	天线 N/A
速度 [Mbit/s]	150	使用 GPS No
验证类型	WPA2	GPS 信号 N/A
碎片阈值	N/A	卫星 N/A
RTS阈值	N/A	Wi-Spy No
频率	2422 MHz	
d (17 secure - 1 unsecured) - 6 available		GPS: N/A

### 5GWIFI

WirelessMon 信号 (dbm)	
1米 (dbm)	-39
5米 (dbm)	-47
10米隔墙 (dbm)	-64



SSID KP-5G		频道
MAC地址	08-AA-89-6D-F0-75	发射功率
强度	-47 dBm	天线
速度 [Mbit/s]	433	使用 GPS
验证类型	WPA2	GPS 信号
碎片阈值	N/A	卫星
RTS阈值	N/A	Wi-Spy
频率	5200 MHz	
5 APs detected (15 secure - 1 unsecured) - 10 available		GPS: N/A

SSID KP-5G		频道
MAC地址	08-AA-89-6D-F0-75	发射功率
强度	-47 dBm	天线
速度 [Mbit/s]	351	使用 GPS
验证类型	WPA2	GPS 信号
碎片阈值	N/A	卫星
RTS阈值	N/A	Wi-Spy
频率	5200 MHz	
d (17 secure - 1 unsecured) - 7 available		GPS: N/A

Project: N100 II	Writed by: Zhang_hai dong	<b>N100 II -antenna Specification for Approval</b>
Date:: 2024.08.06		
Revision	V1.0	
Mould	Supervised by: LI peng	
CONFIDENTIAL Brotone.com		

## 2.4GWIFI

SPEEDTEST 测速		
1米	下载	45.08mb
	上传	34.12mb
5米	下载	19.89mb
	上传	37.07mb
10米隔墙	下载	24.15mb
	上传	26.45mb




## 5GWiFi

SPEEDTEST 测速		
1米	下载	101.72mb
	上传	67.69mb
5米	下载	121.17mb
	上传	64.73mb
10米隔墙	下载	49.57mb
	上传	32.43mb




## 2.4GWIFI

吞吐量测试	
1米(mb/s)	165mb/s
5米(mb/s)	161 mb/s
10米隔墙(mb/s)	49.2mb/s




## 5GWiFi

吞吐量测试	
1米(mb/s)	347 mb/s
5米(mb/s)	256mb/s
10米隔墙(mb/s)	119mb/s



Project: N100 II	Writed by: Zhang_hai dong	<b>N100 II -antenna Specification for Approval</b>
Date:: 2024.08.06		
Revision	V1.0	
Mould	Supervised by: LI peng	
<b>CONFIDENTIAL</b> Brotone.com		


### 3. Gain( 2.4G 0.72dbi, 5G 2.25dbi)



Project: N100 II		Writed by: Zhang_hai dong	<b>N100 II -antenna Specification for Approval</b>	
Date:: 2024.08.06				
Revision		Supervised by: LI peng		
Mould				
<b>CONFIDENTIAL</b> Brotone.com				


#### 4. Environmental treatment

## Antenna position



## 5. Assembling picture

WIFI/BT  
antenna



Project: N100 II	Writed by: Zhang_hai dong	<b>N100 II -antenna Specification for Approval</b>
Date:: 2024.08.06		
Revision	V1.0	
Mould		

6. Antenna tested Report with all dimension  
Salt Fog Test Report

Handset Model	N100 II			Tested Quantity	5PCS		
Standard	GB2423. 18			Product material	FPC		
Tested Items	Required Standard	Actual value	Result	Tested Items	Required Standard	Actual value	Result
Tester Model	KD-60	KD-60	OK	Tested Period	24H	24H	OK
Salt Fog Test Type	NSS Neutral NSS	NSS Neutral NSS	OK	Salt Fog Box Temperature	35° C	35°C	OK
Salt PH	6. 5-7. 2	6. 8	OK	amount of precipitation of Salt fog (H. 80C)	1-2ml	1. 8ml	OK
Fog spit type	Continued fog	Continued fog	OK	Material	FPC	FPC	OK
Volume of salt	5%/NaCL	5%/NaCL	OK	Compressed air pressure	1±0. 1KG/CM2	1	OK
saturated temperature	47° C	47°C	OK	Sample location angel	90°	90°	OK
Observed Period	Observed phenomenon						
4H	NA						
12H	NA						
24H	NA						
Judged Standard: Judged by the method of GB5944-86, over Level 9 is qualified.							
Final Tested Result	Qualified ✓			Unqualified			

Project: N100 II	Writed by: Zhang_hai dong	<b>N100 II -antenna Specification for Approval</b>
Date:: 2024.08.06		
Revision	V1.0	
Mould		
CONFIDENTIAL Brotone.com		

Tested by	Benyuan He	Supervised by	Aibing Wang	Approved by	
Remark: normal salt fog tested methods is NSS, AASS and CASS.					

## 7. Shipment Mode

Material Type	Package Mode	
FPC	1、 full page package for shipment 2、 Release paper+ PET plastics bags packed 3、 100sheets/bag	

Project: N100 II	Writed by: Zhang_hai dong	<b>N100 II -antenna Specification for Approval</b>
Date:: 2024.08.06		
Revision	V1.0	
Mould		
<b>CONFIDENTIAL</b> Brotone.com		