

产品承认书

SPECIFICATION FOR APPROVED

客户

CUSTOMER: _____

产品名称

PRODUCTS: _____ Internal FM Antenna _____

客户料号

PART NO: _____

产品型号

Spec. : _____ S417-G50 (FM) _____

适用机种

APPLICATION: _____ G50 _____

客户确认 CUSTOMER APPROVED BY			
工程部 ENGINEER R&DDEPT.	采购部 OPERATION STOCK DEPT.	品质部 Q C DEPT.	
供应商确认 APPROVED BY VENDOR			
工程部 ENGINEER R&DDEPT.	业务部 OPERATION STOCK DEPT.	日期 DATE	版本 REV.
			1.0

新品承认 (Newly Approved)

材料变更再承认 (Material Approved)

规格变更再承认 (SPEC Approved)

Dongguan MeiYin keji Co., LTD.

Room 1004, No.3, Lane 6, Minchang Road, Nanzha, Humen Town, Dongguan City,
Guangdong Province 523920, China


We statement that All measurements were performed radiated and therefore additional antenna gain documentation is not required.

目录

产品承认书	1
1 项目信息 Project Information	1
1.1 外观尺寸 Appearance and Dimensions	1
2 电气性能 Electrical Characteristics.....	2
2.1 测试环境条件 Test Environment Conditions	2
2.2 测试方法 Measurement method.....	2
2.3 天线参数 Pictorial view	2
3 备注 Notes	2

1 项目信息 Project Information

1.1 外观尺寸 Appearance and Dimensions




2 电气性能 Electrical Characteristics

2.1 测试环境条件 Test Environment Conditions

温度 Temperature	Ordinary Temperature (5 to 35°C)
湿度 Humidity	Ordinary Humidity (25 to 85% RH)

2.2 测试方法 Measurement method



2.3 天线参数 Pictorial view

天线的主要参数 Main Technical Specifications				
频率 (MHz) Frequency	阻抗 (Ω) Impedence	驻波比 VSWR	极化方式 Polarization mode	匹配网络 Matching network
87.5	50	<2	圆极化 circular polarization	π 型

3 备注 Notes

- 1、安装时注意不能离金属部分太近，以避免影响天线性能。
- 2、此款天线只适用此机型，天线的位置不可以随意改动，若用于其它机器上导致效果变差，与我司无关