

Case No. : <u>CTA24090900401</u>	
Ambient Condition: <u>23</u> °C, <u>52</u> %RH	
According Standard: ■Part15C	
Test Date: <u>2024.9.19</u>	Test Engineer: <u>Lushan Kong</u>

Appendix A.1: 20dB Emission Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	20dB EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH1	Ant1	2402	0.894	2401.556	2402.450	---	---
		2441	0.939	2440.544	2441.483	---	---
		2480	0.945	2479.544	2480.489	---	---
2DH1	Ant1	2402	1.245	2401.385	2402.630	---	---
		2441	1.248	2440.367	2441.615	---	---
		2480	1.296	2479.346	2480.642	---	---
3DH1	Ant1	2402	1.260	2401.373	2402.633	---	---
		2441	1.275	2440.364	2441.639	---	---
		2480	1.248	2479.382	2480.630	---	---

Test Graphs


DH1_Ant1_2402



DH1_Ant1_2441



DH1_Ant1_2480




2DH1_Ant1_2480



3DH1_Ant1_2402



3DH1_Ant1_2441



Appendix A.2: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH1	Ant1	2402	0.83785	2401.5824	2402.4202	---	---
		2441	0.85837	2440.5709	2441.4293	---	---
		2480	0.85717	2479.5703	2480.4274	---	---
2DH1	Ant1	2402	1.1677	2401.4088	2402.5765	---	---
		2441	1.1764	2440.4068	2441.5832	---	---
		2480	1.1749	2479.4069	2480.5818	---	---
3DH1	Ant1	2402	1.1713	2401.4234	2402.5947	---	---
		2441	1.1688	2440.4245	2441.5933	---	---
		2480	1.1705	2479.4243	2480.5948	---	---

Test Graphs


DH1_Ant1_2402



DH1_Ant1_2441



DH1_Ant1_2480




2DH1_Ant1_2480



3DH1_Ant1_2402



3DH1_Ant1_2441



Appendix A.3: Maximum conducted output power

Test Result Peak

Test Mode	Antenna	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
DH1	Ant1	2402	5.46	≤ 20.97	PASS
		2441	7.13	≤ 20.97	PASS
		2480	6.39	≤ 20.97	PASS
2DH1	Ant1	2402	4.64	≤ 20.97	PASS
		2441	6.15	≤ 20.97	PASS
		2480	5.62	≤ 20.97	PASS
3DH1	Ant1	2402	5.02	≤ 20.97	PASS
		2441	6.48	≤ 20.97	PASS
		2480	5.92	≤ 20.97	PASS

Appendix A.4: Carrier frequency separation

Test Result

TestMode	Antenna	Freq(MHz)	Result[MHz]	Limit[MHz]	Verdict
DH1	Ant1	Hop_2402	0.976	≥ 0.630	PASS
		Hop_2441	0.68	≥ 0.630	PASS
		Hop_2480	0.988	≥ 0.630	PASS
2DH1	Ant1	Hop_2402	1.154	≥ 0.864	PASS
		Hop_2441	0.978	≥ 0.864	PASS
		Hop_2480	1.174	≥ 0.864	PASS
3DH1	Ant1	Hop_2402	0.988	≥ 0.850	PASS
		Hop_2441	0.994	≥ 0.850	PASS
		Hop_2480	1.004	≥ 0.850	PASS

Test Graphs


DH1_Ant1_Hop_2402



DH1_Ant1_Hop_2441



DH1_Ant1_Hop_2480




2DH1_Ant1_Hop_2480



3DH1_Ant1_Hop_2402



3DH1_Ant1_Hop_2441





Appendix A.5: Time of occupancy


Test Result


TestMode	Antenna	Freq(MHz)	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH1	Ant1	Hop	0.365	320	0.117	≤0.4	PASS
DH3	Ant1	Hop	1.621	180	0.292	≤0.4	PASS
DH5	Ant1	Hop	2.873	130	0.373	≤0.4	PASS
2DH1	Ant1	Hop	0.380	970	0.369	≤0.4	PASS
2DH3	Ant1	Hop	1.626	220	0.358	≤0.4	PASS
2DH5	Ant1	Hop	2.878	120	0.345	≤0.4	PASS
3DH1	Ant1	Hop	0.375	480	0.18	≤0.4	PASS
3DH3	Ant1	Hop	1.626	240	0.39	≤0.4	PASS
3DH5	Ant1	Hop	2.878	120	0.345	≤0.4	PASS


Test Graphs



















Appendix A.6: Number of hopping channels

Test Result

TestMode	Antenna	Freq(MHz)	Result[Num]	Limit[Num]	Verdict
DH1	Ant1	Hop	79	≥15	PASS
2DH1	Ant1	Hop	79	≥15	PASS
3DH1	Ant1	Hop	79	≥15	PASS

Test Graphs






Appendix A.7: Band edge measurements

Test Result

TestMode	Antenna	ChName	Freq(MHz)	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH1	Ant1	Low	2402	8.34	-49.8	≤ -11.66	PASS
		High	2480	11.29	-34.28	≤ -8.71	PASS
		Low	Hop_2402	4.96	-31.04	≤ -15.04	PASS
		High	Hop_2480	6.44	-27.68	≤ -13.56	PASS
2DH1	Ant1	Low	2402	7.68	-48.45	≤ -12.32	PASS
		High	2480	11.14	-48.99	≤ -8.86	PASS
		Low	Hop_2402	4.08	-27.56	≤ -15.92	PASS
		High	Hop_2480	4.58	-28.24	≤ -15.42	PASS
3DH1	Ant1	Low	2402	7.70	-46.92	≤ -12.31	PASS
		High	2480	11.19	-48.73	≤ -8.81	PASS
		Low	Hop_2402	4.02	-29.72	≤ -15.98	PASS
		High	Hop_2480	4.85	-28.23	≤ -15.15	PASS

Test Graphs


DH1_Ant1_Low_2402




DH1_Ant1_High_2480



DH1_Ant1_Low_Hop_2402




2DH1_Ant1_High_2480



2DH1_Ant1_Low_Hop_2402



2DH1_Ant1_High_Hop_2480



3DH1_Ant1_Low_Hop_2402



3DH1_Ant1_High_Hop_2480





Appendix A.8: Conducted Spurious Emission

Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH1	Ant1	2402	Reference	4.72	4.72	---	PASS
			30~1000	4.72	-60.72	≤ -15.28	PASS
			1000~26500	4.72	-47.88	≤ -15.28	PASS
		2441	Reference	6.57	6.57	---	PASS
			30~1000	6.57	-60.06	≤ -13.43	PASS
			1000~26500	6.57	-47.02	≤ -13.43	PASS
		2480	Reference	5.65	5.65	---	PASS
			30~1000	5.65	-60.72	≤ -14.35	PASS
			1000~26500	5.65	-47.4	≤ -14.35	PASS
2DH1	Ant1	2402	Reference	3.72	3.72	---	PASS
			30~1000	3.72	-59.93	≤ -16.28	PASS
			1000~26500	3.72	-48.11	≤ -16.28	PASS
		2441	Reference	5.16	5.16	---	PASS
			30~1000	5.16	-60.44	≤ -14.84	PASS
			1000~26500	5.16	-46.48	≤ -14.84	PASS
		2480	Reference	4.72	4.72	---	PASS
			30~1000	4.72	-59.87	≤ -15.28	PASS
			1000~26500	4.72	-47.49	≤ -15.28	PASS
3DH1	Ant1	2402	Reference	3.64	3.64	---	PASS
			30~1000	3.64	-60.34	≤ -16.36	PASS
			1000~26500	3.64	-48.08	≤ -16.36	PASS
		2441	Reference	4.74	4.74	---	PASS
			30~1000	4.74	-59.95	≤ -15.26	PASS
			1000~26500	4.74	-48.01	≤ -15.26	PASS
		2480	Reference	4.59	4.59	---	PASS
			30~1000	4.59	-60.74	≤ -15.41	PASS
			1000~26500	4.59	-47.68	≤ -15.41	PASS

Test Graphs






DH1_Ant1_2441_1000~26500



DH1_Ant1_2480_0~Reference



DH1_Ant1_2480_30~1000




DH1_Ant1_2480_1000~26500



2DH1_Ant1_2402_0~Reference





Keysight Spectrum Analyzer - Swept SA

08:55:49 PM Sep 19, 2024

Center Freq 515.000000 MHz

Ref Offset 9.05 dB
Ref 15.00 dBm

Mkr1 926.15 MHz
-60.444 dBm

10 dB/div
Log

Start 0.0300 GHz
Stop 1.0000 GHz
#Res BW 100 kHz
#VBW 300 kHz
Sweep 94.00 ms (30001 pts)

Frequency

Auto Tune

Center Freq
515.000000 MHz

Start Freq
30.000000 MHz

Stop Freq
1.000000000 GHz

CF Step
97.000000 MHz
Man

Freq Offset
0 Hz

Keysight Spectrum Analyzer - Swept SA

Center Freq 13.750000000 GHz

Ref Offset 9.05 dB
Ref 15.00 dBm

Mkr2 24.284 90 GHz
-46.478 dBm

Start 1.00 GHz
#Res BW 100 kHz

Stop 26.50000000 GHz
#VBW 300 kHz
Sweep 2.438 s (30001 pts)

Frequency

Auto Tune

Center Freq
13.750000000 GHz

Start Freq
1.000000000 GHz

Stop Freq
26.500000000 GHz

CF Stop
2.550000000 GHz


Auto Man

Freq Offset
0 Hz


2DH1_Ant1_2480_0~Reference



2DH1_Ant1_2480_30~1000



2DH1_Ant1_2480_1000~26500




3DH1_Ant1_2402_1000~26500



3DH1_Ant1_2441_0~Reference



3DH1_Ant1_2441_30~1000




3DH1_Ant1_2441_1000~26500



3DH1_Ant1_2480_0~Reference





Appendix A.9: Emissions in Restricted Bands

Test Result


TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH1	Ant1	Low	2402	AV	2310.000	-49.65	≤-41.20	45.55	≤54	PASS
				AV	2389.670	-46.74	≤-41.20	48.46	≤54	PASS
				AV	2390.000	-48.45	≤-41.20	46.75	≤54	PASS
				Peak	2310.000	-41.89	≤-21.20	53.31	≤74	PASS
				Peak	2353.340	-39.14	≤-21.20	56.06	≤74	PASS
				Peak	2390.000	-40.1	≤-21.20	55.10	≤74	PASS
		High	2480	AV	2483.500	-47.32	≤-41.20	47.88	≤54	PASS
				AV	2483.520	-47.32	≤-41.20	47.88	≤54	PASS
				AV	2500.000	-48.83	≤-41.20	46.37	≤54	PASS
				Peak	2483.500	-40.32	≤-21.20	54.88	≤74	PASS
				Peak	2487.120	-33.66	≤-21.20	61.54	≤74	PASS
				Peak	2500.000	-41.2	≤-21.20	54.00	≤74	PASS
2DH1	Ant1	Low	2402	AV	2310.000	-49.46	≤-41.20	45.74	≤54	PASS
				AV	2387.780	-48.99	≤-41.20	46.21	≤54	PASS
				AV	2390.000	-49.11	≤-41.20	46.09	≤54	PASS
				Peak	2310.000	-42.41	≤-21.20	52.79	≤74	PASS
				Peak	2382.530	-38.61	≤-21.20	56.59	≤74	PASS
				Peak	2390.000	-40.96	≤-21.20	54.24	≤74	PASS
		High	2480	AV	2483.500	-46.41	≤-41.20	48.79	≤54	PASS
				AV	2483.520	-46.41	≤-41.20	48.79	≤54	PASS
				AV	2500.000	-48.84	≤-41.20	46.36	≤54	PASS
				Peak	2483.500	-40.13	≤-21.20	55.07	≤74	PASS
				Peak	2485.440	-38.61	≤-21.20	56.59	≤74	PASS
				Peak	2500.000	-39.79	≤-21.20	55.41	≤74	PASS
3DH1	Ant1	Low	2402	AV	2310.000	-49.55	≤-41.20	45.65	≤54	PASS
				AV	2388.830	-48.92	≤-41.20	46.28	≤54	PASS
				AV	2390.000	-49.04	≤-41.20	46.16	≤54	PASS
				Peak	2310.000	-42.44	≤-21.20	52.76	≤74	PASS
				Peak	2328.980	-39.17	≤-21.20	56.03	≤74	PASS
				Peak	2390.000	-41.81	≤-21.20	53.39	≤74	PASS
		High	2480	AV	2483.500	-46.49	≤-41.20	48.71	≤54	PASS
				AV	2483.520	-46.49	≤-41.20	48.71	≤54	PASS
				AV	2500.000	-48.81	≤-41.20	46.39	≤54	PASS
				Peak	2483.500	-39.82	≤-21.20	55.38	≤74	PASS
				Peak	2491.360	-38.46	≤-21.20	56.74	≤74	PASS


				Peak	2500.000	-41.59	≤-21.20	53.61	≤74	PASS
--	--	--	--	------	----------	--------	---------	-------	-----	------

Note:

1. The Antenna Gain is compensated in the graph.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.
3. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH1_Ant1_High_2480_Peak




2DH1_Ant1_Low_2402_AV




2DH1_Ant1_Low_2402_Peak




2DH1_Ant1_High_2480_AV



2DH1_Ant1_High_2480_Peak



3DH1_Ant1_High_2480_AV



3DH1_Ant1_High_2480_Peak

