











CMYK: C100,M0,Y0,K0

CMYK: C0,M0,Y0,K0

CMYK: C0,M0,Y0,K100

 OBDCheck BLE Version: V6.20240625 User Manual Bedienungsanleitung	 <p>Scan the QR code for the latest user instructions, supported Apps & vehicles, connection guide and customer support.</p> <p>Product Name: Car OBD2 Scanner Model No: OBDCheck BLE FCC ID: 2BLL9-OBDCHECKBLE IC: 29069-OBDCHECKBLE</p> 	<p>Scan the QR codes below to get the user instructions in other languages:</p>  <p>Other product documents:</p> 	<p>Content</p> <table border="0"><tr><td>I. Setup Instructions</td><td>1</td></tr><tr><td>II. Vehicle Compatibility</td><td>4</td></tr><tr><td>III. Product Specifications</td><td>5</td></tr><tr><td>IV. Compatible Third-Party Apps</td><td>6</td></tr><tr><td>V. FAQ and Troubleshooting</td><td>9</td></tr><tr><td>VI. Support and Warranty</td><td>13</td></tr><tr><td>VII. Disclaimer</td><td>14</td></tr><tr><td>ISED Canada Statement</td><td>23</td></tr><tr><td>RF Exposure Statement</td><td>24</td></tr><tr><td>Déclaration de l'ISED Canada</td><td>25</td></tr><tr><td>Déclaration d'exposition aux RF</td><td>26</td></tr></table> <p>Benutzerhandbuch</p> <table border="0"><tr><td>I. Anweisungen zur Einrichtung</td><td>16</td></tr><tr><td>II. Fahrzeugkompatibilität</td><td>20</td></tr><tr><td>III. Kompatible Apps von Drittanbietern</td><td>20</td></tr><tr><td>IV. Support und Garantie</td><td>21</td></tr></table>	I. Setup Instructions	1	II. Vehicle Compatibility	4	III. Product Specifications	5	IV. Compatible Third-Party Apps	6	V. FAQ and Troubleshooting	9	VI. Support and Warranty	13	VII. Disclaimer	14	ISED Canada Statement	23	RF Exposure Statement	24	Déclaration de l'ISED Canada	25	Déclaration d'exposition aux RF	26	I. Anweisungen zur Einrichtung	16	II. Fahrzeugkompatibilität	20	III. Kompatible Apps von Drittanbietern	20	IV. Support und Garantie	21	<p>I. Setup Instructions</p> <p>1. Install a third-party App on your phone/tablet.</p> <p>Below Apps are recommended for generic OBD2 features.</p> <p>For iOS: Car Scanner ELM OBD2 (free), OBD Fusion, Infocar. (Note: Torque Pro on Apple App Store is not compatible!)</p> <p>For Android: Torque Lite/Pro, OBD Fusion, Car Scanner ELM OBD2, Infocar.</p> <p>More App options can be found in Part IV.</p> <p>2. Locate the OBD port and plug in the device. The blue light should turn on. Make sure it fits snugly for a good contact. For some vehicles, you may need to push it a little harder in order to connect to the vehicle ECU.</p> <p>-1-</p>	<p>3. Turn on the car ignition.</p> <p>For Push Button Start vehicles, press the button once to twice without putting your foot on the brake pedal (check your car manual).</p> <p>4. Go to Settings- Bluetooth. Turn on Bluetooth and "VEEPEAK" should show up here. If you use iOS devices, do NOT connect with "VEEPEAK" here because no regular Bluetooth pairing is needed. Go to next step. For Android, pair with it using pin 1234. It may go to saved, paired, or even previously connected device list, but you do not need to select it to connect again.</p> <p>5. Start the app, make connection setting and grant App permissions (Bluetooth for</p> <p>-2-</p>	<p>iOS, devices nearby for Android, then connect in the App.</p> <p>For example: OBD Fusion (iOS): Settings > Preferences > Communications > Type: Bluetooth LE.</p> <p>CAR SCANNER ELM OBD2 (iOS): Settings > Adapter OBDII ELM327. Connection type: Bluetooth LE (4.0); select device: VEEPEAK</p> <p>Torque Pro (Android): Setting > OBD2 Adapter Setting > Connection Type: Bluetooth; Choose Bluetooth Device: VEEPEAK. Quit and restart the App.</p> <p>OBD Fusion (Android): Settings > Communications > Connection Settings: Communication Type - Bluetooth; Bluetooth Device - VEEPEAK.</p> <p>CAR SCANNER ELM OBD2 (Android):</p> <p>-3-</p>	<p>Settings>Adapter OBDII ELM327, Connection type:Bluetooth;select device: VEEPEAK</p> <p>* Scan the QR code below to get detailed setup instructions for more Apps:</p>  <p>II.Vehicle Compatibility</p> <p>Compatible with cars & light trucks since the following model years for generic OBD II features (check engine light diagnostics).</p> <p>USA - 1996 .Canada - 1998, European Union - 2001 (gas), 2004 (diesel) Australia - 2006 (gas), 2007 (diesel)</p> <p>-4-</p>	<p>Mexico - 2006, etc.</p> <p>* For advanced diagnostics (ABS, SRS, body control, etc.) and features, please scan the QR code below to check if your vehicle is supported.</p>  <p>III. Product Specifications</p> <ol style="list-style-type: none">1. Bluetooth version & range: dual mode 4.0 (LE), up to 10m.2. Supported devices: iOS (iPhone, iPad), Android (phones, tablets). (Android head units not recommended).3. Operating voltage: 9V-16V4. Operating/standby current: up to <p>-5-</p>	<p>35mA/15mA</p> <p>5. Operating temperature: -40-85°C</p> <p>6. Dimension: 1.61" x 1.97" x 0.87"</p> <p>7. Weight: 1.59oz.</p> <p>8.Supported OBD II Protocols: SAE J1850 PWM, SAE J1850 VPW, ISO 9141-2, ISO14230-4 (KWP2000), and ISO15765-4 CAN</p> <p>IV.Compatible Third-Party Apps</p> <p>Some Apps are not free. Some offer in-app purchase.Consult with the APP developer for app features and purchase iuuses.</p> <p>Torque Lite/Pro (Android only): OBD II performance and diagnostic tool for Android.</p> <p>OBD Fusion: Read diagnostic data and access a whole new world of information</p> <p>-6-</p>	<p>about your vehicle, plus enhanced diagnostics for Ford, Lincoln, Mercury, Mazda, Toyota, Lexus, Scion, Nissan and Infiniti vehicles.</p> <p>CAR SCANNER ELM OBD2: See what your car is doing in realtime, get OBD fault codes, car performance, sensor data and more!</p> <p>BimmerCode: Coding your BMW or Mini made simple (2008+, not suitable for G series).</p> <p>BimmerLink: Read trouble codes from all ECUs and display real-time sensor values for BMW(2008+).</p> <p>JSscan:Access, diagnostic trouble codes and live data in all modules for selected Jeep/Dodge vehicles.</p> <p>Dr. Prius:Help Toyota/Lexus hybrid owners</p> <p>-7-</p>	<p>to examine the health of the High Voltage battery.</p> <p>Carista OBD2: Code features, diagnose warning lights, monitor live data and service your car. (Select Bluetooth ELM327 (Android)/Bluetooth LE ELM327 (iOS) as the adapter).</p> <p>ActiveOBD for Subaru (2012+): - Offers a free and simple multi-functional information display for your Subaru vehicle.</p> <p>Bimmer-tool (BTool): Read & clear fault codes, request DPF regeneration, read engine live data and much more in BMW cars. (Try bimmer-tool lite to check compatibility first)</p> <p>Appcar DiagFCA(Windows): professional diagnostics & programming software for selected Chrysler,Dodge,Jeep</p> <p>-8-</p>	<p>and RAM vehicles.</p> <p>More Apps will be added. Please contact us or go to Veepeak website to check the latest list:</p> <p>https://veepeak.com/products/obdcheck-ble</p> <p>V.FAQ and Troubleshooting</p> <p>1.What device does it work with?</p> <p>It is compatible with iOS devices (via Bluetooth LE; do NOT connect with the device in iOS Bluetooth Settings; please connect directly in the OBD App) and Android devices (via Classic Bluetooth).</p> <p>Android head units may not be supported due to the limitation from their manufacturers.</p> <p>2.When I try to connect "VEEPEAK" with my iPhone, it tells me it is not supported.</p> <p>On iOS devices, you will see this error when</p> <p>-9-</p>	<p>trying to connect to Bluetooth LE devices from the Bluetooth menu.You do not need to connect here. Please restart your iOS device so "VEEPEAK" shows up again on Bluetooth Then start the app to connect.</p> <p>3. Could not pair my Android device with "VEEPEAK".</p> <p>Turn off Bluetooth and turn it back on. Try pairing a few more times; Restart your phone. turn off WiFi/cellular data and try again; Clear Bluetooth cache/storage: Settings - Apps (show system) - Bluetooth -Storage & Cache, clear them and RESTART the phone For some Android head units, check the Bluetooth settings and see if pairing PIN is enabled or the default PIN is correct (should be 1234).</p> <p>4.Pairs with Android phone but does not</p> <p>-10-</p>	<p>show "Connected".</p> <p>If VEEPEAK only shows as saved, paired or previously connected after pairing,don't worry,normally it's still connected.You just start the app to connect.</p> <p>5."VEEPEAK" is not showing up on my phone's Bluetooth device list.</p> <p>Make sure the device is not connected to other phones or tablets. Please restart your phone, turn off Bluetooth and turn it back on, and wait for a few more seconds. If the no blue light is on, check if the cigar fuse of your vehicle is in good condition to provide power.</p> <p>6.App does not connect to the Veepeak Device(ELM connection fails).</p> <p>Make sure the App is compatible, and you have made the correct App connection settings and granted the App permissions</p> <p>-11-</p>
I. Setup Instructions	1																																											
II. Vehicle Compatibility	4																																											
III. Product Specifications	5																																											
IV. Compatible Third-Party Apps	6																																											
V. FAQ and Troubleshooting	9																																											
VI. Support and Warranty	13																																											
VII. Disclaimer	14																																											
ISED Canada Statement	23																																											
RF Exposure Statement	24																																											
Déclaration de l'ISED Canada	25																																											
Déclaration d'exposition aux RF	26																																											
I. Anweisungen zur Einrichtung	16																																											
II. Fahrzeugkompatibilität	20																																											
III. Kompatible Apps von Drittanbietern	20																																											
IV. Support und Garantie	21																																											

<p>(Bluetooth for iOS, or devices nearby for Android); remove and re-install the app; Try with a different App.</p> <p>7.Cannot connect to vehicle (ECU connection fails).</p> <p>Make sure the OBD port is in good condition and the device fits snugly in it. Try to push it a little harder into the OBD port if the contact is loose as powering up does not always mean a good fit; Make sure your vehicle is OBD II compliant, and ignition is turned ON; Try it on another vehicle & with a different App.</p> <p>8.Can I leave the device plugged in all the time?</p> <p>You can leave the device plugged in for a few days if your car battery is not too old, or the car is driven frequently. If you leave your</p> <p>-12-</p>	<p>sitting for more than 1 week, we strongly recommend you remove it.</p> <p>For more FAQs & troubleshooting, please visit veepeak product page or scan the QR code on the device.</p> <p>VI. Support and Warranty</p> <p>For technical support or warranty service, please contact us via one of the following ways:</p> <ul style="list-style-type: none">• Email: support@veepeak.com• Visit www.veepeak.com to submit a contact form. <p>Please describe your issue in as many details as possible and include a screenshot if you get any error message.</p> <p>Emails usually be answered within 24 hours. Products are covered by one-year hassle-free replacement warranty against defect.</p> <p>-13-</p>	<p>VII. Disclaimer</p> <p>Features and functions are offered and achieved through third-party Apps. Product names, logos, brands, vehicle makes /models and other trademarks featured or referred to within this user manual are the property of their respective trademark holders. Use of them does not imply any affiliation with or endorsement by them.</p>  <p>Scan the QR code for the latest user instructions, supported Apps & vehicles, connection guide and customer support.</p> <p>-14-</p>	 OBDCheck BLE Bedienungsanleitung -15-	<p>I. Anweisungen zur Einrichtung</p> <p>1. Installieren Sie eine Drittanbieter-App auf Ihrem Telefon / Tablet.</p> <p>Die folgenden Apps werden für die allgemeine Verwendung empfohlen:</p> <p>Für iOS: Car Scanner ELM OBD2, OBD Fusion, FourStroke. (Hinweis: Torque Pro im Apple App Store ist nicht kompatibel!)</p> <p>Für Android: Torque Lite (oder kostenpflichtige Pro-Version), OBD Fusion, Car Scanner ELM OBD2.Weitere App-Optionen finden Sie in Teil IV.</p> <p>2. Suchen Sie den OBD II-Anschluss und schließen Sie das Gerät an. Stellen Sie sicher, dass es gut passt und die blaue LED leuchtet.</p> <p>Wenn nicht, überprüfen Sie die Zigarrensicherung oder versuchen Sie es</p> <p>-16-</p>	<p>an einem anderen Fahrzeug.</p> <p>3. Schalten Sie die Zündung ein oder starten Sie das Fahrzeug.</p> <p>Drücken Sie bei Fahrzeugen mit Druckknopfstart den Knopf ein- bis zweimal, ohne das Bremspedal zu betätigen (siehe Fahrzeughandbuch).</p> <p>4. Gehen Sie zu Einstellungen-Bluetooth.</p> <p>Schalten Sie Bluetooth ein und VEEPEAK sollte hier angezeigt werden.Wenn Sie iOS-Geräte verwenden,verbinden Sie sich hier nicht mit "VEEPEAK" da keine regelmäßige Bluetooth-Kopplung erforderlich ist. Fahren Sie mit dem nächsten Schritt fort. Wenn Sie Android verwenden, koppeln Sie mit PIN 12 34. Es kann gespeichert, gekoppelt oder zuvor verbunden werden.</p> <p>5. Starten Sie die App, nehmen Sie die</p> <p>-17-</p>	<p>Verbindungseinstellung vor und stellen Sie eine Verbindung her.</p> <p>Beispielsweise:</p> <p>OBD Fusion (iOS): Settings > Preferences > Communications > Type:Bluetooth LE.</p> <p>CAR SCANNER ELM OBD2 (iOS): Setting >Adapter OBDII ELM327>Connection type: Bluetooth LE (4.0);Device name:Veepeak</p> <p>Torque Pro (Android): Setting > OBD2 Adapter Setting >Connection Type: Bluetooth; Choose Bluetooth Device: VEEPEAK. Quit and restart the App.</p> <p>OBD Fusion (Android): Settings > Communications > Connection Settings: Communication Type - Bluetooth; Bluetooth Device - VEEPEAK</p> <p>Hinweis:</p> <ul style="list-style-type: none">• Es ist ein Bluetooth-OBD II-Scanner. Es <p>-18-</p>	<p>wird kein WiFi verwendet.</p> <ul style="list-style-type: none">• Eine Drittanbieter-App ist erforderlich.• Es wird empfohlen, das Gerät vom Stromnetz zu trennen, wenn es nicht verwendet wird.• Während der Fahrt haben Sie keine Funktionen in der App.Konzentrieren Sie sich immer auf das Fahren und befolgen Sie die örtlichen Gesetze und Vorschriften.• Nicht alle Fehlercodes können gelesen werden, da OBD II hauptsächlich für die emissionsbezogene Motordiagnose ausgelegt ist.Andere Systeme wie ABS, Airbag, TPMS use verwenden proprietäre Protokolle für die Kommunikation, und einige spezielle Apps können in bestimmten Fahrzeugen darauf zugreifen. <p>-19-</p>	<p>II. Fahrzeugkompatibilität (OBD II / EODB-konform)</p> <p>Autos und leichte Lastwagen seit dem folgenden Jahr: Europäische Union - 2001 (Gas), 2004 (Diesel)</p> <p>III. Kompatible Apps von Drittanbietern:</p> <p>Torque Lite/Pro (nur Android), Car Scanner ELM OBD2, OBD Fusion, Infocar, BimmerCode (MY2008+, außer G-Serie), BimmerLink (MY2008+), OBD JSscan, Carista, Dr Prius usw. Bitte scannen Sie den QR-Code auf dem Gerät, um alle kompatiblen Apps sowie die App-Funktionen und Fahrzeugkompatibilität zu finden.</p> <p>-20-</p>	<p>IV.Support und Garantie</p> <p>Für technischen Support oder Garantieservice kontaktieren Sie uns unter support@veepeak.com oder besuchen Sie www.veepeak.com, um ein Kontaktformular einzureichen.</p> <p>Bitte beschreiben Sie Ihre Probleme so detailliert wie möglich und fügen Sie einen Screenshot bei, wenn Sie eine Fehlermeldung erhalten. E-Mails werden normalerweise innerhalb von 24 Stunden beantwortet.</p> <p>Die Produkte sind durch eine einjährige problemlose Ersatzgarantie gegen Defekte abgedeckt.</p> <p>-21-</p>	<p>Haftungsausschluss</p> <p>Features und Funktionen werden über Apps von Drittanbietern angeboten und erreicht. Produktnamen, Logos, Marken, Fahrzeugmarken / -modelle und andere Marken, die in dieser Bedienungsanleitung aufgeführt sind oder auf die in dieser Bedienungsanleitung Bezug genommen wird, sind Eigentum ihrer jeweiligen Markeninhaber.Ihre Verwendung bedeutet keine Zugehörigkeit zu oder Billigung durch sie</p>  <p>Scannen Sie den QR-Code, um Produktinformationen, Benutzerhandbuch und Kundensupport zu erhalten. Oder besuchen Sie www.veepeak.com.</p> <p>-22-</p>	<p>ISED Canada Statement</p> <p>This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:</p> <ol style="list-style-type: none">1) this device may not cause interference.2) this device must accept any interference, including interference that may cause undesired operation of the device. <p>-23-</p>	<p>RF Exposure Statement</p> <p>This equipment complies with Canada radiation exposure limits set forth for an uncontrolled environment.</p> <p>To maintain compliance with IC's RF Exposure guidelines, this equipment should be installed and operated with minimum distance of 20cm between the radiator and your body.This device and its antenna(s) must not be co-located or operated in conjunction with any other antenna or transmitter.</p> <p>-24-</p>	<p>Déclaration de l'ISED Canada</p> <p>L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :</p> <ol style="list-style-type: none">1.L'appareil ne doit pas produire de brouillage;2.L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement. <p>-25-</p>	<p>Déclaration d'exposition aux RF</p> <p>Exposition aux rayonnements : Cet équipement est conforme aux radiations du Canada limites d'exposition pour un environnement contrôlé.</p> <p>Pour maintenir la conformité avec les directives d'exposition RF d'IC, cet équipement doit être installé et utilisé à une distance minimale de 20 cm entre le radiateur et votre corps. Cet appareil et ses antennes ne doivent pas être situés ou fonctionner en conjonction avec une autre antenne ou un autre émetteur.</p> <p>-26-</p>
---	---	---	---	---	---	---	--	--	--	--	--	--	--	--

Warning Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.