

Table of Contents

1. Modulation Characteristics	2
3. Occupied Bandwidth	6
4. Peak to Average Ratio	9
5. Unwanted Spurious Emission	12
6. Frequency Stability	18


FCC ID:2BLXN-PAD6PLUS

NewPlan(1)(18)


FCC GSM Test Data

1. Modulation Characteristics


Band	Modulation	Frequency(MHz)	Result
GSM 850	CS	824.2	See the photograph
GSM 850	CS	836.6	See the photograph
GSM 850	CS	848.8	See the photograph
PCS 1900	CS	1850.2	See the photograph
PCS 1900	CS	1880.0	See the photograph
PCS 1900	CS	1909.8	See the photograph




GSM_GSM_850_200k_CH190




GSM_GSM_850_200k_CH251




GSM_PCS_1900_200k_CH512



GSM_PCS_1900_200k_CH661





GSM_PCS_1900_200k_CH810




3. Occupied Bandwidth


Condition	Band	Modulation	Frequency(MHz)	OBW(MHz)	-26EBW(MHz)
NVNT	GSM 850	CS	824.2	0.2508	0.3157
NVNT	GSM 850	CS	836.6	0.2481	0.3140
NVNT	GSM 850	CS	848.8	0.2432	0.3074
NVNT	PCS 1900	CS	1850.2	0.2437	0.3124
NVNT	PCS 1900	CS	1880.0	0.2472	0.3157
NVNT	PCS 1900	CS	1909.8	0.2450	0.3212




SA 65 NT NV 0 GSM GSM_850_200k_CH251




SA 65 NT NV 0 GSM PCS_1900_200k_CH512



SA 65 NT NV 0 GSM_PCS_1900_200k_CH661





SA 65 NT NV 0 GSM_PCS_1900_200k_CH810




4. Peak to Average Ratio


Condition	Band	Modulation	Frequency(MHz)	Peak to AVG Ratio-0.1%(dB)	Limit(dB)	Result
NVNT	GSM	GSM 850	824.2	10.84	13.00	Pass
NVNT	GSM	GSM 850	836.6	10.32	13.00	Pass
NVNT	GSM	GSM 850	848.8	10.72	13.00	Pass
NVNT	GSM	PCS 1900	1850.2	10.76	13.00	Pass
NVNT	GSM	PCS 1900	1880.0	11.12	13.00	Pass
NVNT	GSM	PCS 1900	1909.8	10.51	13.00	Pass




SA 65 NT NV 0 GSM GSM 850 200k CH251




SA 65 NT NV 0 GSM PCS 1900 200k CH512



SA 65 NT NV 0 GSM PCS 1900 200k CH661





SA 65 NT NV 0 GSM PCS 1900 200k CH810




5. Unwanted Spurious Emission


Condition	Mode	Band	Frequency(MHz)	RBW(kHz)	Test Freq Range(MHz)	Spur Freq (MHz)	Spur Level(dBm)	Limit(dBm)	Result
NVNT	GSM 850	CS	824.20	1000	819.0~823.0	822.972	-33.50	-13	Pass
NVNT	GSM 850	CS	824.20	3	823.0~824.0	823.997	-13.25	-13	Pass
NVNT	GSM 850	CS	848.80	3	849.0~850.0	849.020	-16.60	-13	Pass
NVNT	GSM 850	CS	848.80	1000	850.0~854.0	850.109	-33.04	-13	Pass
NVNT	PCS 1900	CS	1850.20	1000	1845.0~1849.0	1848.974	-25.74	-13	Pass
NVNT	PCS 1900	CS	1850.20	3	1849.0~1850.0	1849.982	-17.11	-13	Pass
NVNT	PCS 1900	CS	1909.80	3	1910.0~1911.0	1910.003	-17.88	-13	Pass
NVNT	PCS 1900	CS	1909.80	1000	1911.0~1915.0	1911.011	-26.21	-13	Pass



LOW_EDGE_65_NT_NV_0_PCS_1900_CS_200k_CH512




UPPER_EDGE_65_NT_NV_0_PCS_1900_CS_200k



Condition	Band	Modulation	Frequency(MHz)	RBW(kHz)	Test Freq Range(MHz)	Spur Freq (MHz)	Spur Level(dBm)	Limit(dBm)	Result
NVNT	GSM 850	CS	824.20	1	0.009~0.150	0.009	-40.03	-13	Pass
NVNT	GSM 850	CS	824.20	10	0.150~30.000	0.166	-43.87	-13	Pass
NVNT	GSM 850	CS	824.20	100	30.000~819.000	818.763	-46.95	-13	Pass
NVNT	GSM 850	CS	824.20	100	854.000~1000.000	882.343	-52.53	-13	Pass
NVNT	GSM 850	CS	824.20	1000	1000.000~10000.000	1648.300	-39.85	-13	Pass
NVNT	GSM 850	CS	836.60	1	0.009~0.150	0.009	-40.23	-13	Pass
NVNT	GSM 850	CS	836.60	10	0.150~30.000	0.157	-42.99	-13	Pass
NVNT	GSM 850	CS	836.60	100	30.000~819.000	545.191	-51.41	-13	Pass
NVNT	GSM 850	CS	836.60	100	854.000~1000.000	933.911	-52.23	-13	Pass
NVNT	GSM 850	CS	836.60	1000	1000.000~10000.000	1673.200	-39.14	-13	Pass
NVNT	GSM 850	CS	848.80	1	0.009~0.150	0.009	-40.47	-13	Pass
NVNT	GSM 850	CS	848.80	10	0.150~30.000	0.152	-43.74	-13	Pass
NVNT	GSM 850	CS	848.80	100	30.000~819.000	790.964	-51.36	-13	Pass
NVNT	GSM 850	CS	848.80	100	854.000~1000.000	854.015	-46.14	-13	Pass
NVNT	GSM 850	CS	848.80	1000	1000.000~10000.000	1697.500	-39.52	-13	Pass
NVNT	PCS 1900	CS	1850.20	1	0.009~0.150	0.011	-37.83	-13	Pass
NVNT	PCS 1900	CS	1850.20	10	0.150~30.000	0.150	-41.82	-13	Pass
NVNT	PCS 1900	CS	1850.20	100	30.000~1000.000	884.958	-51.09	-13	Pass
NVNT	PCS 1900	CS	1850.20	1000	1000.000~1845.000	1844.972	-39.45	-13	Pass
NVNT	PCS 1900	CS	1850.20	1000	1915.000~20000.000	16527.680	-37.14	-13	Pass
NVNT	PCS 1900	CS	1880.00	1	0.009~0.150	0.010	-39.10	-13	Pass
NVNT	PCS 1900	CS	1880.00	10	0.150~30.000	0.165	-43.57	-13	Pass
NVNT	PCS 1900	CS	1880.00	100	30.000~1000.000	764.419	-51.11	-13	Pass
NVNT	PCS 1900	CS	1880.00	1000	1000.000~1845.000	1837.508	-45.05	-13	Pass
NVNT	PCS 1900	CS	1880.00	1000	1915.000~20000.000	16513.212	-37.32	-13	Pass
NVNT	PCS 1900	CS	1909.80	1	0.009~0.150	0.011	-39.92	-13	Pass
NVNT	PCS 1900	CS	1909.80	10	0.150~30.000	0.154	-42.67	-13	Pass
NVNT	PCS 1900	CS	1909.80	100	30.000~1000.000	911.116	-50.01	-13	Pass
NVNT	PCS 1900	CS	1909.80	1000	1000.000~1845.000	1831.621	-44.97	-13	Pass
NVNT	PCS 1900	CS	1909.80	1000	1915.000~20000.000	16466.794	-36.84	-13	Pass


SA_65_NT_NV_0_GSM_850_CS_200k_CH128

Unwanted spurious emissions




SA_65_NT_NV_0_GSM_850_CS_200k_CH190

Unwanted spurious emissions




SA_65_NT_NV_0_GSM_850_CS_200k_CH251

Unwanted spurious emissions




SA_65_NT_NV_0_PCS_1900_CS_200k_CH512

Unwanted spurious emissions




SA_65_NT_NV_0_PCS_1900_CS_200k_CH661

Unwanted spurious emissions



SA_65_NT_NV_0_PCS_1900_CS_200k_CH810

Unwanted spurious emissions



6. Frequency Stability

Humidity(%)	Temperature(C)	Voltage(V)	Amplitude(cm)	Band	Modulation	Frequency(MHz)	Frequency Stabilization (ppm)	Limit_Low(ppm)	Limit_Up(ppm)	Result
65	-30	3.3	0	GSM 850	CS	824.2	-0.0081	-2.50	2.50	Pass
65	-30	3.3	0	GSM 850	CS	836.6	0.0014	-2.50	2.50	Pass
65	-30	3.3	0	GSM 850	CS	848.8	-0.0059	-2.50	2.50	Pass
65	-30	3.8	0	GSM 850	CS	824.2	-0.0048	-2.50	2.50	Pass
65	-30	3.8	0	GSM 850	CS	836.6	-0.0031	-2.50	2.50	Pass
65	-30	3.8	0	GSM 850	CS	848.8	-0.0044	-2.50	2.50	Pass
65	-30	4.2	0	GSM 850	CS	824.2	-0.0102	-2.50	2.50	Pass
65	-30	4.2	0	GSM 850	CS	836.6	0.0000	-2.50	2.50	Pass
65	-30	4.2	0	GSM 850	CS	848.8	-0.0091	-2.50	2.50	Pass
65	-20	3.3	0	GSM 850	CS	824.2	-0.0099	-2.50	2.50	Pass
65	-20	3.3	0	GSM 850	CS	836.6	-0.0014	-2.50	2.50	Pass
65	-20	3.3	0	GSM 850	CS	848.8	-0.0084	-2.50	2.50	Pass
65	-20	3.8	0	GSM 850	CS	824.2	-0.0062	-2.50	2.50	Pass
65	-20	3.8	0	GSM 850	CS	836.6	0.0003	-2.50	2.50	Pass
65	-20	3.8	0	GSM 850	CS	848.8	-0.0061	-2.50	2.50	Pass
65	-20	4.2	0	GSM 850	CS	824.2	-0.0036	-2.50	2.50	Pass
65	-20	4.2	0	GSM 850	CS	836.6	-0.0015	-2.50	2.50	Pass
65	-20	4.2	0	GSM 850	CS	848.8	-0.0041	-2.50	2.50	Pass
65	-10	3.3	0	GSM 850	CS	824.2	-0.0079	-2.50	2.50	Pass
65	-10	3.3	0	GSM 850	CS	836.6	-0.0022	-2.50	2.50	Pass
65	-10	3.3	0	GSM 850	CS	848.8	-0.0099	-2.50	2.50	Pass
65	-10	3.8	0	GSM 850	CS	824.2	-0.0070	-2.50	2.50	Pass
65	-10	3.8	0	GSM 850	CS	836.6	-0.0005	-2.50	2.50	Pass
65	-10	3.8	0	GSM 850	CS	848.8	-0.0068	-2.50	2.50	Pass
65	-10	4.2	0	GSM 850	CS	824.2	-0.0074	-2.50	2.50	Pass
65	-10	4.2	0	GSM 850	CS	836.6	-0.0040	-2.50	2.50	Pass
65	-10	4.2	0	GSM 850	CS	848.8	-0.0046	-2.50	2.50	Pass
65	0	3.3	0	GSM 850	CS	824.2	-0.0072	-2.50	2.50	Pass
65	0	3.3	0	GSM 850	CS	836.6	-0.0000	-2.50	2.50	Pass
65	0	3.3	0	GSM 850	CS	848.8	-0.0052	-2.50	2.50	Pass
65	0	3.8	0	GSM 850	CS	824.2	-0.0096	-2.50	2.50	Pass
65	0	3.8	0	GSM 850	CS	836.6	-0.0013	-2.50	2.50	Pass
65	0	3.8	0	GSM 850	CS	848.8	-0.0089	-2.50	2.50	Pass
65	0	4.2	0	GSM 850	CS	824.2	-0.0067	-2.50	2.50	Pass
65	0	4.2	0	GSM 850	CS	836.6	-0.0039	-2.50	2.50	Pass
65	0	4.2	0	GSM 850	CS	848.8	-0.0099	-2.50	2.50	Pass
65	10	3.3	0	GSM 850	CS	824.2	-0.0087	-2.50	2.50	Pass
65	10	3.3	0	GSM 850	CS	836.6	-0.0064	-2.50	2.50	Pass
65	10	3.3	0	GSM 850	CS	848.8	-0.0073	-2.50	2.50	Pass
65	10	3.8	0	GSM 850	CS	824.2	-0.0077	-2.50	2.50	Pass
65	10	3.8	0	GSM 850	CS	836.6	-0.0032	-2.50	2.50	Pass
65	10	3.8	0	GSM 850	CS	848.8	-0.0099	-2.50	2.50	Pass
65	10	4.2	0	GSM 850	CS	824.2	-0.0079	-2.50	2.50	Pass
65	10	4.2	0	GSM 850	CS	836.6	-0.0049	-2.50	2.50	Pass
65	10	4.2	0	GSM 850	CS	848.8	-0.0092	-2.50	2.50	Pass
65	20	3.3	0	GSM 850	CS	824.2	-0.0090	-2.50	2.50	Pass
65	20	3.3	0	GSM 850	CS	836.6	-0.0055	-2.50	2.50	Pass
65	20	3.3	0	GSM 850	CS	848.8	-0.0052	-2.50	2.50	Pass
65	20	3.8	0	GSM 850	CS	824.2	-0.0088	-2.50	2.50	Pass
65	20	3.8	0	GSM 850	CS	836.6	-0.0033	-2.50	2.50	Pass
65	20	3.8	0	GSM 850	CS	848.8	-0.0060	-2.50	2.50	Pass
65	20	4.2	0	GSM 850	CS	824.2	-0.0064	-2.50	2.50	Pass
65	20	4.2	0	GSM 850	CS	836.6	-0.0039	-2.50	2.50	Pass
65	20	4.2	0	GSM 850	CS	848.8	-0.0071	-2.50	2.50	Pass
65	30	3.3	0	GSM 850	CS	824.2	-0.0130	-2.50	2.50	Pass
65	30	3.3	0	GSM 850	CS	836.6	-0.0018	-2.50	2.50	Pass
65	30	3.3	0	GSM 850	CS	848.8	-0.0058	-2.50	2.50	Pass
65	30	3.8	0	GSM 850	CS	824.2	-0.0091	-2.50	2.50	Pass
65	30	3.8	0	GSM 850	CS	836.6	-0.0025	-2.50	2.50	Pass
65	30	3.8	0	GSM 850	CS	848.8	-0.0071	-2.50	2.50	Pass
65	30	4.2	0	GSM 850	CS	824.2	-0.0082	-2.50	2.50	Pass
65	30	4.2	0	GSM 850	CS	836.6	-0.0017	-2.50	2.50	Pass
65	30	4.2	0	GSM 850	CS	848.8	-0.0103	-2.50	2.50	Pass
65	40	3.3	0	GSM 850	CS	824.2	-0.0068	-2.50	2.50	Pass

65	40	3.3	0	GSM 850	CS	836.6	-0.0068	-2.50	2.50	Pass
65	40	3.3	0	GSM 850	CS	848.8	-0.0067	-2.50	2.50	Pass
65	40	3.8	0	GSM 850	CS	824.2	-0.0092	-2.50	2.50	Pass
65	40	3.8	0	GSM 850	CS	836.6	-0.0016	-2.50	2.50	Pass
65	40	3.8	0	GSM 850	CS	848.8	-0.0072	-2.50	2.50	Pass
65	40	4.2	0	GSM 850	CS	824.2	-0.0076	-2.50	2.50	Pass
65	40	4.2	0	GSM 850	CS	836.6	-0.0029	-2.50	2.50	Pass
65	40	4.2	0	GSM 850	CS	848.8	-0.0048	-2.50	2.50	Pass
65	50	3.3	0	GSM 850	CS	824.2	-0.0056	-2.50	2.50	Pass
65	50	3.3	0	GSM 850	CS	836.6	-0.0058	-2.50	2.50	Pass
65	50	3.3	0	GSM 850	CS	848.8	-0.0047	-2.50	2.50	Pass
65	50	3.8	0	GSM 850	CS	824.2	-0.0103	-2.50	2.50	Pass
65	50	3.8	0	GSM 850	CS	836.6	-0.0014	-2.50	2.50	Pass
65	50	3.8	0	GSM 850	CS	848.8	-0.0072	-2.50	2.50	Pass
65	50	4.2	0	GSM 850	CS	824.2	-0.0089	-2.50	2.50	Pass
65	50	4.2	0	GSM 850	CS	836.6	-0.0049	-2.50	2.50	Pass
65	50	4.2	0	GSM 850	CS	848.8	-0.0081	-2.50	2.50	Pass
65	-30	3.3	0	PCS 1900	CS	1850.2	0.0066	-2.50	2.50	Pass
65	-30	3.3	0	PCS 1900	CS	1880.0	0.0090	-2.50	2.50	Pass
65	-30	3.3	0	PCS 1900	CS	1909.8	0.0095	-2.50	2.50	Pass
65	-30	3.8	0	PCS 1900	CS	1850.2	0.0070	-2.50	2.50	Pass
65	-30	3.8	0	PCS 1900	CS	1880.0	0.0099	-2.50	2.50	Pass
65	-30	3.8	0	PCS 1900	CS	1909.8	0.0090	-2.50	2.50	Pass
65	-30	4.2	0	PCS 1900	CS	1850.2	0.0068	-2.50	2.50	Pass
65	-30	4.2	0	PCS 1900	CS	1880.0	0.0099	-2.50	2.50	Pass
65	-30	4.2	0	PCS 1900	CS	1909.8	0.0089	-2.50	2.50	Pass
65	-20	3.3	0	PCS 1900	CS	1850.2	0.0065	-2.50	2.50	Pass
65	-20	3.3	0	PCS 1900	CS	1880.0	0.0081	-2.50	2.50	Pass
65	-20	3.3	0	PCS 1900	CS	1909.8	0.0098	-2.50	2.50	Pass
65	-20	3.8	0	PCS 1900	CS	1850.2	0.0079	-2.50	2.50	Pass
65	-20	3.8	0	PCS 1900	CS	1880.0	0.0089	-2.50	2.50	Pass
65	-20	3.8	0	PCS 1900	CS	1909.8	0.0089	-2.50	2.50	Pass
65	-20	4.2	0	PCS 1900	CS	1850.2	0.0045	-2.50	2.50	Pass
65	-20	4.2	0	PCS 1900	CS	1880.0	0.0073	-2.50	2.50	Pass
65	-20	4.2	0	PCS 1900	CS	1909.8	0.0116	-2.50	2.50	Pass
65	-10	3.3	0	PCS 1900	CS	1850.2	0.0075	-2.50	2.50	Pass
65	-10	3.3	0	PCS 1900	CS	1880.0	0.0074	-2.50	2.50	Pass
65	-10	3.3	0	PCS 1900	CS	1909.8	0.0095	-2.50	2.50	Pass
65	-10	3.8	0	PCS 1900	CS	1850.2	0.0074	-2.50	2.50	Pass
65	-10	3.8	0	PCS 1900	CS	1880.0	0.0060	-2.50	2.50	Pass
65	-10	3.8	0	PCS 1900	CS	1909.8	0.0095	-2.50	2.50	Pass
65	-10	4.2	0	PCS 1900	CS	1850.2	0.0050	-2.50	2.50	Pass
65	-10	4.2	0	PCS 1900	CS	1880.0	0.0073	-2.50	2.50	Pass
65	-10	4.2	0	PCS 1900	CS	1909.8	0.0090	-2.50	2.50	Pass
65	0	3.3	0	PCS 1900	CS	1850.2	0.0055	-2.50	2.50	Pass
65	0	3.3	0	PCS 1900	CS	1880.0	0.0073	-2.50	2.50	Pass
65	0	3.3	0	PCS 1900	CS	1909.8	0.0095	-2.50	2.50	Pass
65	0	3.8	0	PCS 1900	CS	1850.2	0.0089	-2.50	2.50	Pass
65	0	3.8	0	PCS 1900	CS	1880.0	0.0071	-2.50	2.50	Pass
65	0	3.8	0	PCS 1900	CS	1909.8	0.0112	-2.50	2.50	Pass
65	0	4.2	0	PCS 1900	CS	1850.2	0.0064	-2.50	2.50	Pass
65	0	4.2	0	PCS 1900	CS	1880.0	0.0050	-2.50	2.50	Pass
65	0	4.2	0	PCS 1900	CS	1909.8	0.0094	-2.50	2.50	Pass
65	10	3.3	0	PCS 1900	CS	1850.2	0.0074	-2.50	2.50	Pass
65	10	3.3	0	PCS 1900	CS	1880.0	0.0033	-2.50	2.50	Pass
65	10	3.3	0	PCS 1900	CS	1909.8	0.0087	-2.50	2.50	Pass
65	10	3.8	0	PCS 1900	CS	1850.2	0.0087	-2.50	2.50	Pass
65	10	3.8	0	PCS 1900	CS	1880.0	0.0086	-2.50	2.50	Pass
65	10	3.8	0	PCS 1900	CS	1909.8	0.0079	-2.50	2.50	Pass
65	10	4.2	0	PCS 1900	CS	1850.2	0.0072	-2.50	2.50	Pass
65	10	4.2	0	PCS 1900	CS	1880.0	0.0061	-2.50	2.50	Pass
65	10	4.2	0	PCS 1900	CS	1909.8	0.0118	-2.50	2.50	Pass
65	20	3.3	0	PCS 1900	CS	1850.2	0.0082	-2.50	2.50	Pass
65	20	3.3	0	PCS 1900	CS	1880.0	0.0079	-2.50	2.50	Pass
65	20	3.3	0	PCS 1900	CS	1909.8	0.0084	-2.50	2.50	Pass
65	20	3.8	0	PCS 1900	CS	1850.2	0.0066	-2.50	2.50	Pass
65	20	3.8	0	PCS 1900	CS	1880.0	0.0058	-2.50	2.50	Pass
65	20	3.8	0	PCS 1900	CS	1909.8	0.0091	-2.50	2.50	Pass
65	20	4.2	0	PCS 1900	CS	1850.2	0.0094	-2.50	2.50	Pass
65	20	4.2	0	PCS 1900	CS	1880.0	0.0078	-2.50	2.50	Pass
65	20	4.2	0	PCS 1900	CS	1909.8	0.0075	-2.50	2.50	Pass
65	30	3.3	0	PCS 1900	CS	1850.2	0.0086	-2.50	2.50	Pass
65	30	3.3	0	PCS 1900	CS	1880.0	0.0075	-2.50	2.50	Pass
65	30	3.3	0	PCS 1900	CS	1909.8	0.0093	-2.50	2.50	Pass
65	30	3.8	0	PCS 1900	CS	1850.2	0.0082	-2.50	2.50	Pass

65	30	3.8	0	PCS 1900	CS	1880.0	0.0079	-2.50	2.50	Pass
65	30	3.8	0	PCS 1900	CS	1909.8	0.0086	-2.50	2.50	Pass
65	30	4.2	0	PCS 1900	CS	1850.2	0.0079	-2.50	2.50	Pass
65	30	4.2	0	PCS 1900	CS	1880.0	0.0085	-2.50	2.50	Pass
65	30	4.2	0	PCS 1900	CS	1909.8	0.0084	-2.50	2.50	Pass
65	40	3.3	0	PCS 1900	CS	1850.2	0.0069	-2.50	2.50	Pass
65	40	3.3	0	PCS 1900	CS	1880.0	0.0093	-2.50	2.50	Pass
65	40	3.3	0	PCS 1900	CS	1909.8	0.0100	-2.50	2.50	Pass
65	40	3.8	0	PCS 1900	CS	1850.2	0.0084	-2.50	2.50	Pass
65	40	3.8	0	PCS 1900	CS	1880.0	0.0075	-2.50	2.50	Pass
65	40	3.8	0	PCS 1900	CS	1909.8	0.0098	-2.50	2.50	Pass
65	40	4.2	0	PCS 1900	CS	1850.2	0.0092	-2.50	2.50	Pass
65	40	4.2	0	PCS 1900	CS	1880.0	0.0082	-2.50	2.50	Pass
65	40	4.2	0	PCS 1900	CS	1909.8	0.0085	-2.50	2.50	Pass
65	50	3.3	0	PCS 1900	CS	1850.2	0.0059	-2.50	2.50	Pass
65	50	3.3	0	PCS 1900	CS	1880.0	0.0064	-2.50	2.50	Pass
65	50	3.3	0	PCS 1900	CS	1909.8	0.0088	-2.50	2.50	Pass
65	50	3.8	0	PCS 1900	CS	1850.2	0.0065	-2.50	2.50	Pass
65	50	3.8	0	PCS 1900	CS	1880.0	0.0073	-2.50	2.50	Pass
65	50	3.8	0	PCS 1900	CS	1909.8	0.0092	-2.50	2.50	Pass
65	50	4.2	0	PCS 1900	CS	1850.2	0.0081	-2.50	2.50	Pass
65	50	4.2	0	PCS 1900	CS	1880.0	0.0104	-2.50	2.50	Pass
65	50	4.2	0	PCS 1900	CS	1909.8	0.0066	-2.50	2.50	Pass