Wired PTZ WiFi Camera

wi Fi 2.4G / 5G

Email: usservice@isecugroup.com

Before operating this unit please read these instructions carefully, and save them for future use.

AJCloud




Interface description

This manual is suitable for various types of cameras.

(The appearance may be different due to different batches. The details are subject to the receipt. This manual is only for the installation instructions of this series of equipment)

Wireless Pan-tilt IP Camera



1. Reset buttor

Description

SD card slot


The working state of the device, long press 5 seconds to restore the factory settings, the camera will have a voice prompt broadcast.

video.

Micro SD card, storage video and playback

Installation and placement

Wireless Pan-tilt IP Camera



1.1 Drive the expansion rubber plug into the ceiling and use screws to fix the base of the bracket to the ceiling;

1.2 Install the device on the stand.

Software installation

APP Download and Installation

Users can search" AJCloud" on APP store or Google Play, or scan the OR code below to install the APP





APP download

A.ICloud APP

If you are prompted to open certain permissions (such as ocation, message notification, etc.) during APP installation, click Allow (garee).

Account register: Open the APP.click" Sign up", enter your email or phone number to create an account.

Account login: On the login interface, enter the account/ phone number/email and the corresponding password and click the "OK" button to log in.

Third-party login: APP supports thirdparty login. Click the third-party social software icon, jump to the APP to complete theauthorization and log in.



... ...

Bluetooth adding process with network

*"Before adding a camera, please make sure that the Bluetooth function of the mobile phone has been turned on, and do not turn off the Bluetooth during the adding process. If a prompt box pops up during the adding process to enable Bluetooth or Bluetooth authorization, please follow

After the camera is powered on, open the "AJCloud "APP and click the "+" icon in the upper right corner to enter the interface of addina devices.

The APP will automatically search for a new device and click the "Pair" button when it finds the device.



Altering $\sigma = \{ 1, \dots, n-1 \} \dots \{ n-1 \}$ CART RESERVE

I BAT M

how a sales

And in column

Select the WiFi that

the camera needs to

connect to, enter the

to factory settings, and try again.

After the network is configured successfully, the system prompts you to enter the device name. Click Next.



and in consideral

Or you can add camera by WiFi configuration

Open the APP, click the "+" icon Or click the "Add device" to enter the scan code interface:

Select the device type Select "IP Camera"



DETRI

44.000

9.754

Select Wi-Fi connection by OR code



Check whether the device is powered on and has a prompt tone

Market Market

Personal State of

Commence of the same of

19

Step 6

The explorate the development of

Select the WiFi that the camera needs to connect to, enter the password, and click Next;



Point the cornera at the OR code that appears on the screen of the phone

After the network

-wowev.

" make

.

de maria.

Acres Consideration

configuration is successful. set a name for the camera. 17000

A T T A T T A T T



If wireless camera configuration fails, please follow the APP guide to reconfigure.

Q1: Why is the pairing network unsuccessful?

Help FAQ

- 1. Please make sure that the distance among the camera, the router and the mobile phone should be close enough when configuring the network.
- 2. Please make sure that the WIFI signal connected to the mobile phone 2.4G Wifi are both ok.
- Please check whether the WIFI name and password are correct.
- 4. Please long press the reset button for 5 seconds and try gagin after restoring the camera to the factory settings

O2: Why is there no playback?

- 1. Make sure that the TE card has been inserted into the camera and try to turn on/off the camera.
- 2. Enter the camera settings menu to check the storage status 'in good condition' (if the status is abnormal click to "Format the memory card".)

O3: Why is the camera offline?

- It may caused by router WIFI signal interference or network reasons. Power off and restart the optical modem, router or camera.
- 2. The camera maybe too far away from the WIFI router, try to get the camera next to the WIFI router
- 3. Whether the WIFI password has been changed, try to reset the camera and try pairing again.

04: Why my phone does not have an alarm push function or two way audio?

- 1. Check your mobile phone permission settings, and make sure that enable the notification permission of "AJCloud" App.
- 2.Open your phone's Settings > Apps and Notifications, select Apps and Notification Management respectively, find the "AJCloud" app. and turn on all permissions





After Service

- Thanks for your purchase and support, we appreciate all your. valuable feedback
- 2. If you have any questions about our products, please feel free to contact us.

Toll Free: +1 888 971 6718

Email: usservice@isecugroup.com

FCC Warning

This device complies with part 15 of the ECC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the

equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the ECC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment

does cause harmful interferenceto radio or television reception, which can

be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the

following measures: -Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver

. Connect the equipment into an outlet on a circuit different from that to

which the receiver is connected.

 Consult the dealer or an experienced radio/TV technician for help. Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for

an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your







password, and click Next:





If you can't find the device in the above steps, press and hold the reset button for 5 seconds, restore the camera