



Project No.: 2503P40909E-RF
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: Vertical
 Note: a Low Channel 5745MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	43.77	9.72	53.49	68.20	14.71	Peak
2	5662.200	46.27	9.71	55.98	77.26	21.28	Peak
3	5700.000	44.29	9.67	53.96	105.20	51.24	Peak
4	5720.000	47.81	9.67	57.48	110.80	53.32	Peak
5	5725.000	58.71	9.67	68.38	122.20	53.82	Peak

Project No.: 2503P40909E-RF
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: Horizontal
 Note: a High Channel 5825MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBUV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	44.86	9.25	54.11	122.20	68.09	Peak
2	5855.000	44.55	9.29	53.84	110.80	56.96	Peak
3	5875.000	44.56	9.43	53.99	105.20	51.21	Peak
4	5925.000	45.05	9.92	54.97	68.20	13.23	Peak

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Vertical
Note: a High Channel 5825MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	45.17	9.25	54.42	122.20	67.78	Peak
2	5855.000	45.46	9.29	54.75	110.80	56.05	Peak
3	5875.000	44.40	9.43	53.83	105.20	51.37	Peak
4	5925.000	43.84	9.92	53.76	68.20	14.44	Peak

Project No.: 2503P40909E-RF
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: Horizontal
 Note: n20 Low Channel 5745MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5639.920	47.97	9.77	57.74	68.20	10.46	Peak
2	5650.000	45.02	9.72	54.74	68.20	13.46	Peak
3	5680.000	51.00	9.69	60.69	90.44	29.75	Peak
4	5700.000	45.71	9.67	55.38	105.20	49.82	Peak
5	5720.000	56.37	9.67	66.04	110.80	44.76	Peak
6	5725.000	67.10	9.67	76.77	122.20	45.43	Peak

Project No.: 2503P40909E-RF
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: Vertical
 Note: n20 Low Channel 5745MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	44.73	9.72	54.45	68.20	13.75	Peak
2	5679.960	48.96	9.69	58.65	90.41	31.76	Peak
3	5700.000	45.18	9.67	54.85	105.20	50.35	Peak
4	5720.000	48.37	9.67	58.04	110.80	52.76	Peak
5	5725.000	59.27	9.67	68.94	122.20	53.26	Peak

Project No.: 2503P40909E-RF
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: Horizontal
 Note: n20 High Channel 5825MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	48.63	9.25	57.88	122.20	64.32	Peak
2	5855.000	45.58	9.29	54.87	110.80	55.93	Peak
3	5875.000	45.08	9.43	54.51	105.20	50.69	Peak
4	5920.040	47.67	9.86	57.53	71.86	14.33	Peak
5	5925.000	44.53	9.92	54.45	68.20	13.75	Peak

Project No.: 2503P40909E-RF
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: Vertical
 Note: n20 High Channel 5825MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBUV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	45.39	9.25	54.64	122.20	67.56	Peak
2	5855.000	44.77	9.29	54.06	110.80	56.74	Peak
3	5875.000	45.63	9.43	55.06	105.20	50.14	Peak
4	5925.000	45.06	9.92	54.98	68.20	13.22	Peak

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Horizontal
Note: n40 Low Channel 5755MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	45.52	9.72	55.24	68.20	12.96	Peak
2	5679.840	51.12	9.69	60.81	90.32	29.51	Peak
3	5700.000	46.33	9.67	56.00	105.20	49.20	Peak
4	5720.000	64.00	9.67	73.67	110.80	37.13	Peak
5	5725.000	65.48	9.67	75.15	122.20	47.05	Peak

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Vertical
Note: n40 Low Channel 5755MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5639.880	45.48	9.77	55.25	68.20	12.95	Peak
2	5650.000	43.62	9.72	53.34	68.20	14.86	Peak
3	5679.920	49.42	9.69	59.11	90.38	31.27	Peak
4	5700.000	45.43	9.67	55.10	105.20	50.10	Peak
5	5720.000	58.14	9.67	67.81	110.80	42.99	Peak
6	5725.000	59.66	9.67	69.33	122.20	52.87	Peak

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Horizontal
Note: n40 High Channel 5795MHz



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	46.24	9.25	55.49	122.20	66.71	Peak
2	5855.000	46.00	9.29	55.29	110.80	55.51	Peak
3	5875.000	44.70	9.43	54.13	105.20	51.07	Peak
4	5879.953	47.36	9.46	56.82	101.52	44.70	Peak
5	5925.000	45.27	9.92	55.19	68.20	13.01	Peak

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: Vertical
Note: n40 High Channel 5795MHz




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	45.27	9.25	54.52	122.20	67.68	Peak
2	5855.000	45.21	9.29	54.50	110.80	56.30	Peak
3	5875.000	45.28	9.43	54.71	105.20	50.49	Peak
4	5925.000	45.71	9.92	55.63	68.20	12.57	Peak


Worst radiation spurious emissions margin test plots for each mode

Note: for 18 – 40 GHz range, only report the worst case mode

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: a Low Channel 5180MHz band1




Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: a Low Channel 5180MHz band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	1575.000	43.44	0.08	43.52	74.00	30.48	Peak
2	1575.000	31.02	0.08	31.10	54.00	22.90	Average

Project No.: 2503P40909E-RF
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: a Low Channel 5180MHz band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10360.000	36.01	13.20	49.21	68.20	18.99	Peak
2	15540.000	35.64	17.35	52.99	74.00	21.01	Peak
3	15540.000	23.39	17.35	40.74	54.00	13.26	Average
4	17721.600	33.60	25.81	59.41	74.00	14.59	Peak
5	17721.600	21.60	25.81	47.41	54.00	6.59	Average

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: a Low Channel 5180MHz band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	6904.800	40.88	9.81	50.69	68.20	17.51	Peak
2	10360.000	35.55	13.20	48.75	68.20	19.45	Peak
3	15540.000	35.74	17.35	53.09	74.00	20.91	Peak
4	15540.000	23.11	17.35	40.46	54.00	13.54	Average
5	17752.800	32.96	25.79	58.75	74.00	15.25	Peak
6	17752.800	21.06	25.79	46.85	54.00	7.15	Average

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: n20 High Channel 5240MHz band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	1349.000	44.24	-0.12	44.12	74.00	29.88	Peak
2	1349.000	31.46	-0.12	31.34	54.00	22.66	Average

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: n20 High Channel 5240MHz band1




Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: n20 High Channel 5240MHz band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	6986.400	40.27	10.29	50.56	68.20	17.64	Peak
2	10480.000	36.01	14.31	50.32	68.20	17.88	Peak
3	15720.000	38.33	16.31	54.64	74.00	19.36	Peak
4	15720.000	26.51	16.31	42.82	54.00	11.18	Average
5	17913.600	33.00	25.77	58.77	74.00	15.23	Peak
6	17913.600	20.88	25.77	46.65	54.00	7.35	Average

Project No.: 2503P40909E-RF
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: n20 High Channel 5240MHz band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
<hr/>							
1	6986.400	40.28	10.29	50.57	68.20	17.63	Peak
2	10480.000	35.53	14.31	49.84	68.20	18.36	Peak
3	15720.000	37.89	16.31	54.20	74.00	19.80	Peak
4	15720.000	25.86	16.31	42.17	54.00	11.83	Average
5	17913.600	33.12	25.77	58.89	74.00	15.11	Peak
6	17913.600	20.92	25.77	46.69	54.00	7.31	Average

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: n40 Low Channel 5190MHz band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	1349.000	43.65	-0.12	43.53	74.00	30.47	Peak
2	1349.000	31.14	-0.12	31.02	54.00	22.98	Average

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: n40 Low Channel 5190MHz band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	1740.000	43.04	1.49	44.53	68.20	23.67	Peak

Project No.: 2503P40909E-RF
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: horizontal
 Note: n40 Low Channel 5190MHz band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
<hr/>							
1	6919.200	42.90	9.82	52.72	68.20	15.48	Peak
2	10380.000	35.22	13.38	48.60	68.20	19.60	Peak
3	15570.000	36.29	16.95	53.24	74.00	20.76	Peak
4	15570.000	24.75	16.95	41.70	54.00	12.30	Average
5	17769.600	33.40	25.78	59.18	74.00	14.82	Peak
6	17769.600	21.63	25.78	47.41	54.00	6.59	Average

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: n40 Low Channel 5190MHz band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	6919.200	42.99	9.82	52.81	68.20	15.39	Peak
2	10380.000	35.41	13.38	48.79	68.20	19.41	Peak
3	15570.000	37.32	16.95	54.27	74.00	19.73	Peak
4	15570.000	25.20	16.95	42.15	54.00	11.85	Average
5	17743.200	32.93	25.80	58.73	74.00	15.27	Peak
6	17743.200	20.75	25.80	46.55	54.00	7.45	Average

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: a High Channel 5825MHz band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	1349.000	45.06	-0.12	44.94	74.00	29.06	Peak
2	1349.000	32.28	-0.12	32.16	54.00	21.84	Average

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: a High Channel 5825MHz band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	1575.000	43.38	0.08	43.46	74.00	30.54	Peak
2	1575.000	31.02	0.08	31.10	54.00	22.90	Average
3	3883.000	37.33	8.19	45.52	74.00	28.48	Peak
4	3883.000	25.20	8.19	33.39	54.00	20.61	Average

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: a High Channel 5825MHz band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11650.000	34.74	15.66	50.40	74.00	23.60	Peak
2	11650.000	22.52	15.66	38.18	54.00	15.82	Average
3	17475.000	35.58	22.47	58.05	68.20	10.15	Peak
4	17791.200	32.93	25.75	58.68	74.00	15.32	Peak
5	17791.200	20.94	25.75	46.69	54.00	7.31	Average

Project No.: 2503P40909E-RF
 Tester: Mack Huang
 Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
 Polarization: vertical
 Note: a High Channel 5825MHz band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11650.000	35.23	15.66	50.89	74.00	23.11	Peak
2	11650.000	23.12	15.66	38.78	54.00	15.22	Average
3	17475.000	36.01	22.47	58.48	68.20	9.72	Peak
4	17935.200	33.02	25.76	58.78	74.00	15.22	Peak
5	17935.200	21.10	25.76	46.86	54.00	7.14	Average

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: n20 Low Channel 5745MHz band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	1349.000	44.47	-0.12	44.35	74.00	29.65	Peak
2	1349.000	32.42	-0.12	32.30	54.00	21.70	Average

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: n20 Low Channel 5745MHz band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	1574.000	43.43	0.08	43.51	74.00	30.49	Peak
2	1574.000	31.02	0.08	31.10	54.00	22.90	Average

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: n20 Low Channel 5745MHz band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11490.000	35.23	14.20	49.43	74.00	24.57	Peak
2	11490.000	23.01	14.20	37.21	54.00	16.79	Average
3	17235.000	37.44	21.51	58.95	68.20	9.25	Peak
4	17704.800	32.93	25.83	58.76	74.00	15.24	Peak
5	17704.800	20.69	25.83	46.52	54.00	7.48	Average

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: n20 Low Channel 5745MHz band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11490.000	37.50	14.20	51.70	74.00	22.30	Peak
2	11490.000	25.36	14.20	39.56	54.00	14.44	Average
3	17235.000	39.20	21.51	60.71	68.20	7.49	Peak
4	17817.600	33.86	25.77	59.63	74.00	14.37	Peak
5	17817.600	21.68	25.77	47.45	54.00	6.55	Average

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: n40 Low Channel 5755MHz band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	1350.000	44.78	-0.12	44.66	74.00	29.34	Peak
2	1350.000	32.13	-0.12	32.01	54.00	21.99	Average

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: vertical
Note: n40 Low Channel 5755MHz band4



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	1575.000	43.05	0.08	43.13	74.00	30.87	Peak
2	1575.000	31.04	0.08	31.12	54.00	22.88	Average

Project No.: 2503P40909E-RF
Tester: Mack Huang
Condition: PK trace RBW:1MHz; VBW:3MHz; SWT:0.3sec AV trace RBW:1MHz; VBW:5kHz; SWT:auto
Polarization: horizontal
Note: n40 Low Channel 5755MHz band4



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11510.000	35.87	14.45	50.32	74.00	23.68	Peak
2	11510.000	23.01	14.45	37.46	54.00	16.54	Average
3	17265.000	35.63	21.44	57.07	68.20	11.13	Peak
4	17709.600	33.72	25.83	59.55	74.00	14.45	Peak
5	17709.600	21.64	25.83	47.47	54.00	6.53	Average