





11BE320MIMO_Ant10_6905_996*2+484Tone_1



Date: 25.NOV.2022 12:32:26


11BE320MIMO_Ant10_6905_996*2+484Tone_2



Date: 25.NOV.2022 12:33:30




11BE320MIMO_Ant10_6905_996*2+484Tone_3



Date: 25.NOV.2022 12:37:38


11BE320MIMO_Ant10_6905_996*2+484Tone_4



Date: 25.NOV.2022 12:39:13




11BE320MIMO_Ant10_6905_996*2+484Tone_5



Date: 25.NOV.2022 12:40:27


11BE320MIMO_Ant10_6905_996*2+484Tone_6



Date: 25.NOV.2022 12:42:33




11BE320MIMO_Ant10_6905_996*2+484Tone_7





Date: 25.NOV.2022 12:43:59

11BE320MIMO_Ant10_6905_996*2+484Tone_8




Date: 25.NOV.2022 12:45:18






11BE320MIMO_Ant10_6905_996*2+484Tone_11





Date: 25.NOV.2022 12:57:16

11BE320MIMO_Ant10_6905_996*2+484Tone_12




Date: 25.NOV.2022 12:58:27






11BE320MIMO_Ant13_6905_996*3+484Tone_3







Date: 24.NOV.2022 19:00:03

11BE320MIMO_Ant13_6905_996*3+484Tone_4




Date: 24.NOV.2022 19:01:11








11BE320MIMO_Ant13_6905_996*3Tone_1



Date: 24.NOV.2022 19:08:32


11BE320MIMO_Ant13_6905_996*3Tone_2



Date: 24.NOV.2022 19:09:35




11BE320MIMO_Ant13_6905_996*3Tone_3



Date: 24.NOV.2022 19:10:47


11BE320MIMO_Ant13_6905_996*3Tone_4



Date: 24.NOV.2022 19:12:03




11BE320MIMO_Ant13_6905_996*2+484Tone_1



Date: 25.NOV.2022 12:32:55


11BE320MIMO_Ant13_6905_996*2+484Tone_2



Date: 25.NOV.2022 12:35:02




11BE320MIMO_Ant13_6905_996*2+484Tone_3



Date: 25.NOV.2022 12:38:15


11BE320MIMO_Ant13_6905_996*2+484Tone_4



Date: 25.NOV.2022 12:39:43




11BE320MIMO_Ant13_6905_996*2+484Tone_5



Date: 25.NOV.2022 12:41:43


11BE320MIMO_Ant13_6905_996*2+484Tone_6



Date: 25.NOV.2022 12:43:06




11BE320MIMO_Ant13_6905_996*2+484Tone_7





Date: 25.NOV.2022 12:44:28

11BE320MIMO_Ant13_6905_996*2+484Tone_8




Date: 25.NOV.2022 12:45:48






11BE320MIMO_Ant13_6905_996*2+484Tone_11



Date: 25.NOV.2022 12:57:46

11BE320MIMO_Ant13_6905_996*2+484Tone_12



Date: 25.NOV.2022 12:58:55



Puncturing mode

Conducted output power

Test Result

Test Mode	Antenna	Freq(MHz)	Puncturing	configure	Set Power	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict	
11BE80MIMO	Ant10	5985	20M	1	7.5	7.80	99.82	0.01	7.81	≤22.70	1.3	9.11	≤24.00	PASS	
				2	7.5	7.85	99.82	0.01	7.86	≤22.70	1.3	9.16	≤24.00	PASS	
				3	7.5	7.89	99.82	0.01	7.9	≤22.70	1.3	9.2	≤24.00	PASS	
				4	7.5	7.74	99.82	0.01	7.75	≤22.70	1.3	9.05	≤24.00	PASS	
	Ant13	5985	20M	20M	1	7.5	8.00	99.82	0.01	8.01	≤26.20	-2.2	5.81	≤24.00	PASS
					2	7.5	8.03	99.82	0.01	8.04	≤26.20	-2.2	5.84	≤24.00	PASS
					3	7.5	8.03	99.82	0.01	8.04	≤26.20	-2.2	5.84	≤24.00	PASS
					4	7.5	7.91	99.82	0.01	7.92	≤26.20	-2.2	5.72	≤24.00	PASS
	total	5985	20M	20M	1	---	---	---	---	10.92	≤22.70	---	10.78	≤24.00	PASS
					2	---	---	---	---	10.96	≤22.70	---	10.82	≤24.00	PASS
					3	---	---	---	---	10.98	≤22.70	---	10.85	≤24.00	PASS
					4	---	---	---	---	10.85	≤22.70	---	10.71	≤24.00	PASS
	Ant10	7025	20M	20M	1	7.5	8.13	99.82	0.01	8.14	≤26.40	-2.4	5.74	≤24.00	PASS
					2	7.5	8.19	99.82	0.01	8.2	≤26.40	-2.4	5.8	≤24.00	PASS
					3	7.5	8.03	99.82	0.01	8.04	≤26.40	-2.4	5.64	≤24.00	PASS
					4	7.5	8.11	99.82	0.01	8.12	≤26.40	-2.4	5.72	≤24.00	PASS
	Ant13	7025	20M	20M	1	7.5	8.12	99.82	0.01	8.13	≤22.10	1.9	10.03	≤24.00	PASS
					2	7.5	8.15	99.82	0.01	8.16	≤22.10	1.9	10.06	≤24.00	PASS
					3	7.5	8.10	99.82	0.01	8.11	≤22.10	1.9	10.01	≤24.00	PASS
					4	7.5	8.19	99.82	0.01	8.2	≤22.10	1.9	10.1	≤24.00	PASS
total	7025	20M	20M	1	---	---	---	---	11.15	≤22.10	---	11.40	≤24.00	PASS	
				2	---	---	---	---	11.19	≤22.10	---	11.44	≤24.00	PASS	
				3	---	---	---	---	11.09	≤22.10	---	11.36	≤24.00	PASS	
				4	---	---	---	---	11.17	≤22.10	---	11.45	≤24.00	PASS	
11BE160MIMO	Ant10	6025	20M	1	7.5	7.61	99.82	0.01	7.62	≤22.70	1.3	8.92	≤24.00	PASS	
				2	7.5	7.64	99.82	0.01	7.65	≤22.70	1.3	8.95	≤24.00	PASS	
				3	7.5	7.70	99.82	0.01	7.71	≤22.70	1.3	9.01	≤24.00	PASS	
				4	7.5	7.63	99.82	0.01	7.64	≤22.70	1.3	8.94	≤24.00	PASS	
				5	7.5	7.72	99.82	0.01	7.73	≤22.70	1.3	9.03	≤24.00	PASS	
				6	7.5	7.73	99.82	0.01	7.74	≤22.70	1.3	9.04	≤24.00	PASS	
				7	7.5	7.74	99.82	0.01	7.75	≤22.70	1.3	9.05	≤24.00	PASS	
				8	7.5	7.61	99.82	0.01	7.62	≤22.70	1.3	8.92	≤24.00	PASS	
	Ant10	6025	40M	40M	1	7.5	7.67	99.82	0.01	7.68	≤22.70	1.3	8.98	≤24.00	PASS
					2	7.5	7.52	99.82	0.01	7.53	≤22.70	1.3	8.83	≤24.00	PASS
					3	7.5	7.69	99.82	0.01	7.7	≤22.70	1.3	9	≤24.00	PASS
					4	7.5	7.62	99.82	0.01	7.63	≤22.70	1.3	8.93	≤24.00	PASS
	Ant13	6025	20M	20M	1	7.5	8.62	99.63	0.02	8.64	≤26.20	-2.2	6.44	≤24.00	PASS
					2	7.5	8.68	99.63	0.02	8.7	≤26.20	-2.2	6.5	≤24.00	PASS
3					7.5	8.53	99.63	0.02	8.55	≤26.20	-2.2	6.35	≤24.00	PASS	
4					7.5	8.52	99.63	0.02	8.54	≤26.20	-2.2	6.34	≤24.00	PASS	
5					7.5	8.67	99.63	0.02	8.69	≤26.20	-2.2	6.49	≤24.00	PASS	
6					7.5	8.54	99.63	0.02	8.56	≤26.20	-2.2	6.36	≤24.00	PASS	



			40M	7	7.5	8.70	99.63	0.02	8.72	≤26.20	-2.2	6.52	≤24.00	PASS	
				8	7.5	8.63	99.63	0.02	8.65	≤26.20	-2.2	6.45	≤24.00	PASS	
				1	7.5	8.58	99.63	0.02	8.6	≤26.20	-2.2	6.4	≤24.00	PASS	
				2	7.5	8.55	99.63	0.02	8.57	≤26.20	-2.2	6.37	≤24.00	PASS	
				3	7.5	8.60	99.63	0.02	8.62	≤26.20	-2.2	6.42	≤24.00	PASS	
total	6025	20M		4	7.5	8.46	99.63	0.02	8.48	≤26.20	-2.2	6.28	≤24.00	PASS	
				1	---	---	---	---	11.17	≤22.70	---	10.86	≤24.00	PASS	
				2	---	---	---	---	11.22	≤22.70	---	10.91	≤24.00	PASS	
				3	---	---	---	---	11.16	≤22.70	---	10.89	≤24.00	PASS	
				4	---	---	---	---	11.12	≤22.70	---	10.84	≤24.00	PASS	
				5	---	---	---	---	11.25	≤22.70	---	10.95	≤24.00	PASS	
				6	---	---	---	---	11.18	≤22.70	---	10.91	≤24.00	PASS	
				7	---	---	---	---	11.27	≤22.70	---	10.98	≤24.00	PASS	
		8	---	---	---	---	11.18	≤22.70	---	10.87	≤24.00	PASS			
		40M			1	---	---	---	---	11.17	≤22.70	---	10.89	≤24.00	PASS
					2	---	---	---	---	11.09	≤22.70	---	10.78	≤24.00	PASS
					3	---	---	---	---	11.19	≤22.70	---	10.91	≤24.00	PASS
					4	---	---	---	---	11.09	≤22.70	---	10.81	≤24.00	PASS
Ant10	6985	20M		1	7.5	8.13	99.82	0.01	8.14	≤26.40	-2.4	5.74	≤24.00	PASS	
				2	7.5	8.16	99.82	0.01	8.17	≤26.40	-2.4	5.77	≤24.00	PASS	
				3	7.5	8.12	99.82	0.01	8.13	≤26.40	-2.4	5.73	≤24.00	PASS	
				4	7.5	8.09	99.82	0.01	8.10	≤26.40	-2.4	5.70	≤24.00	PASS	
				5	7.5	8.05	99.82	0.01	8.06	≤26.40	-2.4	5.66	≤24.00	PASS	
				6	7.5	8.10	99.82	0.01	8.11	≤26.40	-2.4	5.71	≤24.00	PASS	
				7	7.5	8.03	99.82	0.01	8.04	≤26.40	-2.4	5.64	≤24.00	PASS	
				8	7.5	8.04	99.82	0.01	8.05	≤26.40	-2.4	5.65	≤24.00	PASS	
		40M			1	7.5	8.19	99.82	0.01	8.20	≤26.40	-2.4	5.80	≤24.00	PASS
					2	7.5	8.21	99.82	0.01	8.22	≤26.40	-2.4	5.82	≤24.00	PASS
					3	7.5	8.07	99.82	0.01	8.08	≤26.40	-2.4	5.68	≤24.00	PASS
					4	7.5	7.98	99.82	0.01	7.99	≤26.40	-2.4	5.59	≤24.00	PASS
		Ant13	6985	20M		1	7.5	8.51	99.63	0.02	8.53	≤22.10	1.9	10.43	≤24.00
2	7.5					8.75	99.63	0.02	8.77	≤22.10	1.9	10.67	≤24.00	PASS	
3	7.5					8.60	99.63	0.02	8.62	≤22.10	1.9	10.52	≤24.00	PASS	
4	7.5					8.62	99.63	0.02	8.64	≤22.10	1.9	10.54	≤24.00	PASS	
5	7.5					8.60	99.63	0.02	8.62	≤22.10	1.9	10.52	≤24.00	PASS	
6	7.5					8.63	99.63	0.02	8.65	≤22.10	1.9	10.55	≤24.00	PASS	
7	7.5					8.71	99.63	0.02	8.73	≤22.10	1.9	10.63	≤24.00	PASS	
8	7.5					8.60	99.63	0.02	8.62	≤22.10	1.9	10.52	≤24.00	PASS	
40M					1	7.5	8.39	99.63	0.02	8.41	≤22.10	1.9	10.31	≤24.00	PASS
					2	7.5	8.72	99.63	0.02	8.74	≤22.10	1.9	10.64	≤24.00	PASS
					3	7.5	8.57	99.63	0.02	8.59	≤22.10	1.9	10.49	≤24.00	PASS
					4	7.5	8.68	99.63	0.02	8.70	≤22.10	1.9	10.60	≤24.00	PASS
total	6985	20M		1	---	---	---	---	11.35	≤22.10	---	11.70	≤24.00	PASS	
				2	---	---	---	---	11.49	≤22.10	---	11.89	≤24.00	PASS	
				3	---	---	---	---	11.39	≤22.10	---	11.76	≤24.00	PASS	
				4	---	---	---	---	11.39	≤22.10	---	11.77	≤24.00	PASS	
				5	---	---	---	---	11.36	≤22.10	---	11.75	≤24.00	PASS	
				6	---	---	---	---	11.40	≤22.10	---	11.78	≤24.00	PASS	
				7	---	---	---	---	11.41	≤22.10	---	11.83	≤24.00	PASS	
				8	---	---	---	---	11.35	≤22.10	---	11.74	≤24.00	PASS	
		40M			1	---	---	---	---	11.32	≤22.10	---	11.63	≤24.00	PASS



				2	---	---	---	---	11.50	≤22.10	---	11.88	≤24.00	PASS			
				3	---	---	---	---	11.35	≤22.10	---	11.73	≤24.00	PASS			
				4	---	---	---	---	11.37	≤22.10	---	11.79	≤24.00	PASS			
11BE320MIMO	Ant10	6105	40M	1	7	6.94	99.63	0.02	6.96	≤22.70	1.3	8.26	≤24.00	PASS			
				2	7	6.91	99.63	0.02	6.93	≤22.70	1.3	8.23	≤24.00	PASS			
				3	7	6.80	99.63	0.02	6.82	≤22.70	1.3	8.12	≤24.00	PASS			
				4	7	6.88	99.63	0.02	6.9	≤22.70	1.3	8.2	≤24.00	PASS			
				5	7	6.82	99.63	0.02	6.84	≤22.70	1.3	8.14	≤24.00	PASS			
				6	7	6.90	99.63	0.02	6.92	≤22.70	1.3	8.22	≤24.00	PASS			
				7	7	6.99	99.63	0.02	7.01	≤22.70	1.3	8.31	≤24.00	PASS			
				8	7	6.95	99.63	0.02	6.97	≤22.70	1.3	8.27	≤24.00	PASS			
					80M	1	7	6.88	99.63	0.02	6.9	≤22.70	1.3	8.2	≤24.00	PASS	
						2	7	6.77	99.63	0.02	6.79	≤22.70	1.3	8.09	≤24.00	PASS	
						3	7	6.90	99.63	0.02	6.92	≤22.70	1.3	8.22	≤24.00	PASS	
						4	7	6.83	99.63	0.02	6.85	≤22.70	1.3	8.15	≤24.00	PASS	
					80M+40M	1	7	6.92	99.63	0.02	6.94	≤22.70	1.3	8.24	≤24.00	PASS	
						2	7	7.01	99.63	0.02	7.03	≤22.70	1.3	8.33	≤24.00	PASS	
						3	7	7.00	99.63	0.02	7.02	≤22.70	1.3	8.32	≤24.00	PASS	
						4	7	6.87	99.63	0.02	6.89	≤22.70	1.3	8.19	≤24.00	PASS	
				5		7	6.81	99.63	0.02	6.83	≤22.70	1.3	8.13	≤24.00	PASS		
				6		7	6.96	99.63	0.02	6.98	≤22.70	1.3	8.28	≤24.00	PASS		
				7		7	6.96	99.63	0.02	6.98	≤22.70	1.3	8.28	≤24.00	PASS		
				8		7	6.97	99.63	0.02	6.99	≤22.70	1.3	8.29	≤24.00	PASS		
				9		7	7.04	99.63	0.02	7.06	≤22.70	1.3	8.36	≤24.00	PASS		
				10		7	6.99	99.63	0.02	7.01	≤22.70	1.3	8.31	≤24.00	PASS		
				11		7	7.05	99.63	0.02	7.07	≤22.70	1.3	8.37	≤24.00	PASS		
				12		7	7.01	99.63	0.02	7.03	≤22.70	1.3	8.33	≤24.00	PASS		
		Ant13	6105	40M	1	7	8.16	99.63	0.02	8.18	≤26.20	-2.2	5.98	≤24.00	PASS		
							2	7	8.11	99.63	0.02	8.13	≤26.20	-2.2	5.93	≤24.00	PASS
							3	7	8.30	99.63	0.02	8.32	≤26.20	-2.2	6.12	≤24.00	PASS
							4	7	8.17	99.63	0.02	8.19	≤26.20	-2.2	5.99	≤24.00	PASS
							5	7	8.16	99.63	0.02	8.18	≤26.20	-2.2	5.98	≤24.00	PASS
							6	7	8.19	99.63	0.02	8.21	≤26.20	-2.2	6.01	≤24.00	PASS
							7	7	8.32	99.63	0.02	8.34	≤26.20	-2.2	6.14	≤24.00	PASS
							8	7	8.29	99.63	0.02	8.31	≤26.20	-2.2	6.11	≤24.00	PASS
				80M	1	7	8.12	99.63	0.02	8.14	≤26.20	-2.2	5.94	≤24.00	PASS		
					2	7	8.17	99.63	0.02	8.19	≤26.20	-2.2	5.99	≤24.00	PASS		
					3	7	8.15	99.63	0.02	8.17	≤26.20	-2.2	5.97	≤24.00	PASS		
					4	7	8.14	99.63	0.02	8.16	≤26.20	-2.2	5.96	≤24.00	PASS		
				80M+40M	1	7	8.25	99.63	0.02	8.27	≤26.20	-2.2	6.07	≤24.00	PASS		
					2	7	8.24	99.63	0.02	8.26	≤26.20	-2.2	6.06	≤24.00	PASS		
					3	7	8.24	99.63	0.02	8.26	≤26.20	-2.2	6.06	≤24.00	PASS		
					4	7	8.19	99.63	0.02	8.21	≤26.20	-2.2	6.01	≤24.00	PASS		
					5	7	8.27	99.63	0.02	8.29	≤26.20	-2.2	6.09	≤24.00	PASS		
					6	7	8.31	99.63	0.02	8.33	≤26.20	-2.2	6.13	≤24.00	PASS		
					7	7	8.28	99.63	0.02	8.3	≤26.20	-2.2	6.1	≤24.00	PASS		
					8	7	8.11	99.63	0.02	8.13	≤26.20	-2.2	5.93	≤24.00	PASS		
			9		7	8.16	99.63	0.02	8.18	≤26.20	-2.2	5.98	≤24.00	PASS			
			10		7	8.30	99.63	0.02	8.32	≤26.20	-2.2	6.12	≤24.00	PASS			
			11		7	8.35	99.63	0.02	8.37	≤26.20	-2.2	6.17	≤24.00	PASS			
			12		7	8.23	99.63	0.02	8.25	≤26.20	-2.2	6.05	≤24.00	PASS			



total	6105	40M	1	7	---	---	---	10.62	≤22.70	---	10.28	≤24.00	PASS			
			2	7	---	---	---	10.58	≤22.70	---	10.24	≤24.00	PASS			
			3	7	---	---	---	10.64	≤22.70	---	10.24	≤24.00	PASS			
			4	7	---	---	---	10.60	≤22.70	---	10.24	≤24.00	PASS			
			5	7	---	---	---	10.57	≤22.70	---	10.20	≤24.00	PASS			
			6	7	---	---	---	10.62	≤22.70	---	10.26	≤24.00	PASS			
			7	7	---	---	---	10.74	≤22.70	---	10.37	≤24.00	PASS			
			8	7	---	---	---	10.70	≤22.70	---	10.33	≤24.00	PASS			
		80M	1	7	---	---	---	10.57	≤22.70	---	10.23	≤24.00	PASS			
			2	7	---	---	---	10.56	≤22.70	---	10.18	≤24.00	PASS			
			3	7	---	---	---	10.60	≤22.70	---	10.25	≤24.00	PASS			
			4	7	---	---	---	10.56	≤22.70	---	10.20	≤24.00	PASS			
		80M+40M	1	7	---	---	---	10.67	≤22.70	---	10.30	≤24.00	PASS			
			2	7	---	---	---	10.70	≤22.70	---	10.35	≤24.00	PASS			
			3	7	---	---	---	10.69	≤22.70	---	10.35	≤24.00	PASS			
			4	7	---	---	---	10.61	≤22.70	---	10.25	≤24.00	PASS			
			5	7	---	---	---	10.63	≤22.70	---	10.24	≤24.00	PASS			
			6	7	---	---	---	10.72	≤22.70	---	10.35	≤24.00	PASS			
			7	7	---	---	---	10.70	≤22.70	---	10.34	≤24.00	PASS			
			8	7	---	---	---	10.61	≤22.70	---	10.28	≤24.00	PASS			
			9	7	---	---	---	10.67	≤22.70	---	10.34	≤24.00	PASS			
			10	7	---	---	---	10.72	≤22.70	---	10.36	≤24.00	PASS			
			11	7	---	---	---	10.78	≤22.70	---	10.42	≤24.00	PASS			
			12	7	---	---	---	10.69	≤22.70	---	10.35	≤24.00	PASS			
	Ant10	6905	40M	1	7	7.78	99.63	0.02	7.8	≤26.40	-2.4	5.4	≤24.00	PASS		
				2	7	7.93	99.63	0.02	7.95	≤26.40	-2.4	5.55	≤24.00	PASS		
				3	7	7.80	99.63	0.02	7.82	≤26.40	-2.4	5.42	≤24.00	PASS		
				4	7	7.89	99.63	0.02	7.91	≤26.40	-2.4	5.51	≤24.00	PASS		
				5	7	7.84	99.63	0.02	7.86	≤26.40	-2.4	5.46	≤24.00	PASS		
				6	7	7.82	99.63	0.02	7.84	≤26.40	-2.4	5.44	≤24.00	PASS		
				7	7	7.82	99.63	0.02	7.84	≤26.40	-2.4	5.44	≤24.00	PASS		
				8	7	7.79	99.63	0.02	7.81	≤26.40	-2.4	5.41	≤24.00	PASS		
			80M	1	7	7.75	99.63	0.02	7.77	≤26.40	-2.4	5.37	≤24.00	PASS		
				2	7	7.80	99.63	0.02	7.82	≤26.40	-2.4	5.42	≤24.00	PASS		
				3	7	7.68	99.63	0.02	7.7	≤26.40	-2.4	5.3	≤24.00	PASS		
				4	7	7.51	99.63	0.02	7.53	≤26.40	-2.4	5.13	≤24.00	PASS		
80M+40M			1	7	7.80	99.63	0.02	7.82	≤26.40	-2.4	5.42	≤24.00	PASS			
			2	7	7.93	99.63	0.02	7.95	≤26.40	-2.4	5.55	≤24.00	PASS			
			3	7	7.73	99.63	0.02	7.75	≤26.40	-2.4	5.35	≤24.00	PASS			
			4	7	7.71	99.63	0.02	7.73	≤26.40	-2.4	5.33	≤24.00	PASS			
			5	7	7.73	99.63	0.02	7.75	≤26.40	-2.4	5.35	≤24.00	PASS			
			6	7	7.71	99.63	0.02	7.73	≤26.40	-2.4	5.33	≤24.00	PASS			
			7	7	8.04	99.63	0.02	8.06	≤26.40	-2.4	5.66	≤24.00	PASS			
			8	7	7.97	99.63	0.02	7.99	≤26.40	-2.4	5.59	≤24.00	PASS			
			9	7	7.84	99.63	0.02	7.86	≤26.40	-2.4	5.46	≤24.00	PASS			
			10	7	7.95	99.63	0.02	7.97	≤26.40	-2.4	5.57	≤24.00	PASS			
			11	7	7.86	99.63	0.02	7.88	≤26.40	-2.4	5.48	≤24.00	PASS			
			12	7	7.88	99.63	0.02	7.9	≤26.40	-2.4	5.5	≤24.00	PASS			
			Ant13	6905	40M	1	7	7.70	99.63	0.02	7.72	≤22.10	1.9	9.62	≤24.00	PASS
						2	7	7.92	99.63	0.02	7.94	≤22.10	1.9	9.84	≤24.00	PASS
3						7	7.82	99.63	0.02	7.84	≤22.10	1.9	9.74	≤24.00	PASS	



				4	7	7.83	99.63	0.02	7.85	≤22.10	1.9	9.75	≤24.00	PASS			
				5	7	7.74	99.63	0.02	7.76	≤22.10	1.9	9.66	≤24.00	PASS			
				6	7	7.90	99.63	0.02	7.92	≤22.10	1.9	9.82	≤24.00	PASS			
				7	7	7.86	99.63	0.02	7.88	≤22.10	1.9	9.78	≤24.00	PASS			
				8	7	7.91	99.63	0.02	7.93	≤22.10	1.9	9.83	≤24.00	PASS			
				80M	1	7	7.69	99.63	0.02	7.71	≤22.10	1.9	9.61	≤24.00	PASS		
					2	7	7.96	99.63	0.02	7.98	≤22.10	1.9	9.88	≤24.00	PASS		
					3	7	7.77	99.63	0.02	7.79	≤22.10	1.9	9.69	≤24.00	PASS		
					4	7	7.94	99.63	0.02	7.96	≤22.10	1.9	9.86	≤24.00	PASS		
				80M+40M	1	7	7.99	99.63	0.02	8.01	≤22.10	1.9	9.91	≤24.00	PASS		
					2	7	7.96	99.63	0.02	7.98	≤22.10	1.9	9.88	≤24.00	PASS		
					3	7	8.06	99.63	0.02	8.08	≤22.10	1.9	9.98	≤24.00	PASS		
					4	7	7.94	99.63	0.02	7.96	≤22.10	1.9	9.86	≤24.00	PASS		
					5	7	7.97	99.63	0.02	7.99	≤22.10	1.9	9.89	≤24.00	PASS		
					6	7	7.99	99.63	0.02	8.01	≤22.10	1.9	9.91	≤24.00	PASS		
			7		7	7.79	99.63	0.02	7.81	≤22.10	1.9	9.71	≤24.00	PASS			
			8		7	7.67	99.63	0.02	7.69	≤22.10	1.9	9.59	≤24.00	PASS			
			total	6905	40M	1	---	---	---	---	---	10.77	≤22.10	---	11.01	≤24.00	PASS
						2	---	---	---	---	---	10.96	≤22.10	---	11.21	≤24.00	PASS
						3	---	---	---	---	---	10.84	≤22.10	---	11.11	≤24.00	PASS
4	---	---				---	---	---	10.89	≤22.10	---	11.14	≤24.00	PASS			
5	---	---				---	---	---	10.82	≤22.10	---	11.06	≤24.00	PASS			
6	---	---				---	---	---	10.89	≤22.10	---	11.17	≤24.00	PASS			
7	---	---				---	---	---	10.87	≤22.10	---	11.14	≤24.00	PASS			
8	---	---				---	---	---	10.88	≤22.10	---	11.17	≤24.00	PASS			
80M	1	---			---	---	---	---	10.75	≤22.10	---	11.00	≤24.00	PASS			
	2	---			---	---	---	---	10.91	≤22.10	---	11.21	≤24.00	PASS			
	3	---			---	---	---	---	10.76	≤22.10	---	11.04	≤24.00	PASS			
	4	---			---	---	---	---	10.76	≤22.10	---	11.12	≤24.00	PASS			
80M+40M	1	---			---	---	---	---	10.93	≤22.10	---	11.23	≤24.00	PASS			
	2	---			---	---	---	---	10.98	≤22.10	---	11.24	≤24.00	PASS			
	3	---			---	---	---	---	10.93	≤22.10	---	11.27	≤24.00	PASS			
	4	---			---	---	---	---	10.86	≤22.10	---	11.17	≤24.00	PASS			
	5	---			---	---	---	---	10.88	≤22.10	---	11.20	≤24.00	PASS			
	6	---			---	---	---	---	10.88	≤22.10	---	11.21	≤24.00	PASS			
	7	---			---	---	---	---	10.95	≤22.10	---	11.15	≤24.00	PASS			
	8	---			---	---	---	---	10.85	≤22.10	---	11.05	≤24.00	PASS			
9	---	---	---	---	---	10.87	≤22.10	---	11.12	≤24.00	PASS						
10	---	---	---	---	---	10.96	≤22.10	---	11.21	≤24.00	PASS						
11	---	---	---	---	---	10.90	≤22.10	---	11.16	≤24.00	PASS						
12	---	---	---	---	---	10.90	≤22.10	---	11.16	≤24.00	PASS						

Note: The Duty Cycle Factor is compensated in the graph.



Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru	configure	Result	Limit	Gain	EIRP	Limit	Verdict
			Size		[dBm/MHz]	[dBm/MHz]		[dBm/MHz]	[dBm/MHz]	
11BE80MIMO	Ant10	5985	Puncturing20M	1	-7.19	≤-2.30	1.30	-5.89	≤-1.00	PASS
				2	-7.26	≤-2.30	1.30	-5.96	≤-1.00	PASS
				3	-7.28	≤-2.30	1.30	-5.98	≤-1.00	PASS
				4	-7.39	≤-2.30	1.30	-6.09	≤-1.00	PASS
	Ant13	5985	Puncturing20M	1	-7.29	≤1.20	-2.20	-9.49	≤-1.00	PASS
				2	-7.26	≤1.20	-2.20	-9.46	≤-1.00	PASS
				3	-7.14	≤1.20	-2.20	-9.34	≤-1.00	PASS
				4	-7.35	≤1.20	-2.20	-9.55	≤-1.00	PASS
	total	5985	Puncturing20M	1	-4.23	≤-3.74	2.74	-1.49	≤-1.00	PASS
				2	-4.25	≤-3.74	2.74	-1.51	≤-1.00	PASS
				3	-4.20	≤-3.74	2.74	-1.46	≤-1.00	PASS
				4	-4.36	≤-3.74	2.74	-1.62	≤-1.00	PASS
	Ant10	7025	Puncturing20M	1	-8.71	≤1.40	-2.40	-11.11	≤-1.00	PASS
				2	-7.64	≤1.40	-2.40	-10.04	≤-1.00	PASS
				3	-7.66	≤1.40	-2.40	-10.06	≤-1.00	PASS
				4	-7.63	≤1.40	-2.40	-10.03	≤-1.00	PASS
	Ant13	7025	Puncturing20M	1	-8.54	≤-2.90	1.90	-6.64	≤-1.00	PASS
				2	-7.29	≤-2.90	1.90	-5.39	≤-1.00	PASS
				3	-7.30	≤-2.90	1.90	-5.40	≤-1.00	PASS
				4	-7.32	≤-2.90	1.90	-5.42	≤-1.00	PASS
	total	7025	Puncturing20M	1	-5.61	≤-4.02	3.02	-2.59	≤-1.00	PASS
				2	-4.45	≤-4.02	3.02	-1.43	≤-1.00	PASS
				3	-4.47	≤-4.02	3.02	-1.45	≤-1.00	PASS
				4	-4.46	≤-4.02	3.02	-1.44	≤-1.00	PASS
11BE160MIMO	Ant10	6025	Puncturing20M	1	-10.99	≤-2.30	1.30	-9.69	≤-1.00	PASS
				2	-11.00	≤-2.30	1.30	-9.70	≤-1.00	PASS
				3	-10.97	≤-2.30	1.30	-9.67	≤-1.00	PASS
				4	-10.97	≤-2.30	1.30	-9.67	≤-1.00	PASS
				5	-10.90	≤-2.30	1.30	-9.60	≤-1.00	PASS
				6	-10.95	≤-2.30	1.30	-9.65	≤-1.00	PASS
				7	-10.75	≤-2.30	1.30	-9.45	≤-1.00	PASS
				8	-10.96	≤-2.30	1.30	-9.66	≤-1.00	PASS
	Puncturing40M	1	-10.43	≤-2.30	1.30	-9.13	≤-1.00	PASS		
		2	-10.32	≤-2.30	1.30	-9.02	≤-1.00	PASS		
		3	-10.22	≤-2.30	1.30	-8.92	≤-1.00	PASS		
		4	-10.30	≤-2.30	1.30	-9.00	≤-1.00	PASS		
	Ant13	6025	Puncturing20M	1	-10.53	≤1.20	-2.20	-12.73	≤-1.00	PASS
				2	-10.55	≤1.20	-2.20	-12.75	≤-1.00	PASS
				3	-10.52	≤1.20	-2.20	-12.72	≤-1.00	PASS
				4	-10.54	≤1.20	-2.20	-12.74	≤-1.00	PASS
				5	-10.51	≤1.20	-2.20	-12.71	≤-1.00	PASS
				6	-10.53	≤1.20	-2.20	-12.73	≤-1.00	PASS
				7	-10.14	≤1.20	-2.20	-12.34	≤-1.00	PASS
				8	-10.64	≤1.20	-2.20	-12.84	≤-1.00	PASS



			Puncturing40M	1	-9.86	≤1.20	-2.20	-12.06	≤-1.00	PASS	
				2	-9.80	≤1.20	-2.20	-12.00	≤-1.00	PASS	
				3	-9.87	≤1.20	-2.20	-12.07	≤-1.00	PASS	
				4	-10.04	≤1.20	-2.20	-12.24	≤-1.00	PASS	
	total	6025		Puncturing20M	1	-7.74	≤-3.74	2.74	-5.00	≤-1.00	PASS
					2	-7.76	≤-3.74	2.74	-5.02	≤-1.00	PASS
					3	-7.73	≤-3.74	2.74	-4.99	≤-1.00	PASS
					4	-7.74	≤-3.74	2.74	-5.00	≤-1.00	PASS
					5	-7.69	≤-3.74	2.74	-4.95	≤-1.00	PASS
					6	-7.72	≤-3.74	2.74	-4.98	≤-1.00	PASS
					7	-7.42	≤-3.74	2.74	-4.68	≤-1.00	PASS
					8	-7.79	≤-3.74	2.74	-5.05	≤-1.00	PASS
				Puncturing40M	1	-7.13	≤-3.74	2.74	-4.39	≤-1.00	PASS
					2	-7.04	≤-3.74	2.74	-4.30	≤-1.00	PASS
					3	-7.03	≤-3.74	2.74	-4.29	≤-1.00	PASS
					4	-7.16	≤-3.74	2.74	-4.42	≤-1.00	PASS
	Ant10	6985		Puncturing20M	1	-11.31	≤1.40	-2.40	-13.71	≤-1.00	PASS
					2	-11.31	≤1.40	-2.40	-13.71	≤-1.00	PASS
					3	-11.24	≤1.40	-2.40	-13.64	≤-1.00	PASS
					4	-11.26	≤1.40	-2.40	-13.66	≤-1.00	PASS
					5	-11.36	≤1.40	-2.40	-13.76	≤-1.00	PASS
					6	-11.25	≤1.40	-2.40	-13.65	≤-1.00	PASS
					7	-11.29	≤1.40	-2.40	-13.69	≤-1.00	PASS
					8	-11.30	≤1.40	-2.40	-13.70	≤-1.00	PASS
				Puncturing40M	1	-10.55	≤1.40	-2.40	-12.95	≤-1.00	PASS
					2	-10.50	≤1.40	-2.40	-12.90	≤-1.00	PASS
					3	-10.66	≤1.40	-2.40	-13.06	≤-1.00	PASS
					4	-10.67	≤1.40	-2.40	-13.07	≤-1.00	PASS
	Ant13	6985		Puncturing20M	1	-10.83	≤-2.90	1.90	-8.93	≤-1.00	PASS
					2	-10.56	≤-2.90	1.90	-8.66	≤-1.00	PASS
					3	-10.86	≤-2.90	1.90	-8.96	≤-1.00	PASS
					4	-10.81	≤-2.90	1.90	-8.91	≤-1.00	PASS
5					-10.80	≤-2.90	1.90	-8.90	≤-1.00	PASS	
6					-10.82	≤-2.90	1.90	-8.92	≤-1.00	PASS	
7					-10.84	≤-2.90	1.90	-8.94	≤-1.00	PASS	
8					-10.87	≤-2.90	1.90	-8.97	≤-1.00	PASS	
			Puncturing40M	1	-10.22	≤-2.90	1.90	-8.32	≤-1.00	PASS	
				2	-9.95	≤-2.90	1.90	-8.05	≤-1.00	PASS	
				3	-10.12	≤-2.90	1.90	-8.22	≤-1.00	PASS	
				4	-10.24	≤-2.90	1.90	-8.34	≤-1.00	PASS	
total	6985		Puncturing20M	1	-8.05	≤-4.02	3.02	-5.03	≤-1.00	PASS	
				2	-7.91	≤-4.02	3.02	-4.89	≤-1.00	PASS	
				3	-8.04	≤-4.02	3.02	-5.02	≤-1.00	PASS	
				4	-8.02	≤-4.02	3.02	-5.00	≤-1.00	PASS	
				5	-8.06	≤-4.02	3.02	-5.04	≤-1.00	PASS	
				6	-8.02	≤-4.02	3.02	-5.00	≤-1.00	PASS	
				7	-8.05	≤-4.02	3.02	-5.03	≤-1.00	PASS	
				8	-8.07	≤-4.02	3.02	-5.05	≤-1.00	PASS	
				Puncturing40M	1	-7.37	≤-4.02	3.02	-4.35	≤-1.00	PASS
					2	-7.21	≤-4.02	3.02	-4.19	≤-1.00	PASS
					3	-7.37	≤-4.02	3.02	-4.35	≤-1.00	PASS



11BE320MIMO	Ant10	6105	Puncturing80M+40M	4	-7.44	≤-4.02	3.02	-4.42	≤-1.00	PASS
				1	-12.81	≤-2.30	1.30	-11.51	≤-1.00	PASS
				2	-12.70	≤-2.30	1.30	-11.40	≤-1.00	PASS
				3	-12.59	≤-2.30	1.30	-11.29	≤-1.00	PASS
				4	-12.60	≤-2.30	1.30	-11.30	≤-1.00	PASS
				5	-12.60	≤-2.30	1.30	-11.30	≤-1.00	PASS
				6	-12.61	≤-2.30	1.30	-11.31	≤-1.00	PASS
				7	-12.79	≤-2.30	1.30	-11.49	≤-1.00	PASS
				8	-12.82	≤-2.30	1.30	-11.52	≤-1.00	PASS
				9	-12.83	≤-2.30	1.30	-11.53	≤-1.00	PASS
				10	-12.74	≤-2.30	1.30	-11.44	≤-1.00	PASS
				11	-12.70	≤-2.30	1.30	-11.40	≤-1.00	PASS
			12	-12.87	≤-2.30	1.30	-11.57	≤-1.00	PASS	
			Puncturing40M	1	-14.27	≤-2.30	1.30	-12.97	≤-1.00	PASS
				2	-14.20	≤-2.30	1.30	-12.90	≤-1.00	PASS
				3	-14.08	≤-2.30	1.30	-12.78	≤-1.00	PASS
				4	-14.09	≤-2.30	1.30	-12.79	≤-1.00	PASS
				5	-14.09	≤-2.30	1.30	-12.79	≤-1.00	PASS
				6	-14.06	≤-2.30	1.30	-12.76	≤-1.00	PASS
				7	-13.80	≤-2.30	1.30	-12.50	≤-1.00	PASS
	8	-14.12		≤-2.30	1.30	-12.82	≤-1.00	PASS		
	Puncturing80M	1	-13.78	≤-2.30	1.30	-12.48	≤-1.00	PASS		
		2	-13.54	≤-2.30	1.30	-12.24	≤-1.00	PASS		
		3	-13.46	≤-2.30	1.30	-12.16	≤-1.00	PASS		
		4	-13.63	≤-2.30	1.30	-12.33	≤-1.00	PASS		
	Ant13	6105	Puncturing80M+40M	1	-11.88	≤1.20	-2.20	-14.08	≤-1.00	PASS
				2	-11.79	≤1.20	-2.20	-13.99	≤-1.00	PASS
				3	-11.74	≤1.20	-2.20	-13.94	≤-1.00	PASS
				4	-11.89	≤1.20	-2.20	-14.09	≤-1.00	PASS
				5	-11.83	≤1.20	-2.20	-14.03	≤-1.00	PASS
				6	-11.91	≤1.20	-2.20	-14.11	≤-1.00	PASS
				7	-11.36	≤1.20	-2.20	-13.56	≤-1.00	PASS
				8	-11.59	≤1.20	-2.20	-13.79	≤-1.00	PASS
				9	-11.41	≤1.20	-2.20	-13.61	≤-1.00	PASS
				10	-11.46	≤1.20	-2.20	-13.66	≤-1.00	PASS
				11	-11.41	≤1.20	-2.20	-13.61	≤-1.00	PASS
				12	-11.61	≤1.20	-2.20	-13.81	≤-1.00	PASS
			Puncturing40M	1	-13.08	≤1.20	-2.20	-15.28	≤-1.00	PASS
				2	-13.00	≤1.20	-2.20	-15.20	≤-1.00	PASS
				3	-12.93	≤1.20	-2.20	-15.13	≤-1.00	PASS
				4	-13.13	≤1.20	-2.20	-15.33	≤-1.00	PASS
				5	-12.98	≤1.20	-2.20	-15.18	≤-1.00	PASS
				6	-13.05	≤1.20	-2.20	-15.25	≤-1.00	PASS
				7	-12.86	≤1.20	-2.20	-15.06	≤-1.00	PASS
8				-13.21	≤1.20	-2.20	-15.41	≤-1.00	PASS	
Puncturing80M	1	-12.43	≤1.20	-2.20	-14.63	≤-1.00	PASS			
	2	-12.53	≤1.20	-2.20	-14.73	≤-1.00	PASS			
	3	-12.51	≤1.20	-2.20	-14.71	≤-1.00	PASS			
	4	-12.77	≤1.20	-2.20	-14.97	≤-1.00	PASS			
total	6105	Puncturing80M+40M	1	-9.31	≤-3.74	2.74	-6.57	≤-1.00	PASS	
			2	-9.21	≤-3.74	2.74	-6.47	≤-1.00	PASS	



				3	-9.13	≤-3.74	2.74	-6.39	≤-1.00	PASS		
				4	-9.22	≤-3.74	2.74	-6.48	≤-1.00	PASS		
				5	-9.19	≤-3.74	2.74	-6.45	≤-1.00	PASS		
				6	-9.24	≤-3.74	2.74	-6.50	≤-1.00	PASS		
				7	-9.01	≤-3.74	2.74	-6.27	≤-1.00	PASS		
				8	-9.15	≤-3.74	2.74	-6.41	≤-1.00	PASS		
				9	-9.05	≤-3.74	2.74	-6.31	≤-1.00	PASS		
				10	-9.04	≤-3.74	2.74	-6.30	≤-1.00	PASS		
				11	-9.00	≤-3.74	2.74	-6.26	≤-1.00	PASS		
				12	-9.18	≤-3.74	2.74	-6.44	≤-1.00	PASS		
				Puncturing40M	1	-10.62	≤-3.74	2.74	-7.88	≤-1.00	PASS	
					2	-10.55	≤-3.74	2.74	-7.81	≤-1.00	PASS	
			3		-10.46	≤-3.74	2.74	-7.72	≤-1.00	PASS		
			4		-10.57	≤-3.74	2.74	-7.83	≤-1.00	PASS		
			5		-10.49	≤-3.74	2.74	-7.75	≤-1.00	PASS		
			6		-10.52	≤-3.74	2.74	-7.78	≤-1.00	PASS		
			Puncturing80M	7	-10.29	≤-3.74	2.74	-7.55	≤-1.00	PASS		
				8	-10.63	≤-3.74	2.74	-7.89	≤-1.00	PASS		
				1	-10.04	≤-3.74	2.74	-7.30	≤-1.00	PASS		
				2	-10.00	≤-3.74	2.74	-7.26	≤-1.00	PASS		
			Ant10	6905	Puncturing80M+40M	3	-9.95	≤-3.74	2.74	-7.21	≤-1.00	PASS
						4	-10.17	≤-3.74	2.74	-7.43	≤-1.00	PASS
						1	-12.03	≤1.40	-2.40	-14.43	≤-1.00	PASS
						2	-11.58	≤1.40	-2.40	-13.98	≤-1.00	PASS
	3	-11.82				≤1.40	-2.40	-14.22	≤-1.00	PASS		
	4	-11.79				≤1.40	-2.40	-14.19	≤-1.00	PASS		
	5	-11.77				≤1.40	-2.40	-14.17	≤-1.00	PASS		
	6	-11.98				≤1.40	-2.40	-14.38	≤-1.00	PASS		
	7	-11.95				≤1.40	-2.40	-14.35	≤-1.00	PASS		
	8	-11.92				≤1.40	-2.40	-14.32	≤-1.00	PASS		
	9	-11.91				≤1.40	-2.40	-14.31	≤-1.00	PASS		
	10	-11.93				≤1.40	-2.40	-14.33	≤-1.00	PASS		
	Puncturing40M	11	-11.95	≤1.40	-2.40	-14.35	≤-1.00	PASS				
		12	-12.09	≤1.40	-2.40	-14.49	≤-1.00	PASS				
		1	-13.36	≤1.40	-2.40	-15.76	≤-1.00	PASS				
		2	-13.12	≤1.40	-2.40	-15.52	≤-1.00	PASS				
3		-13.19	≤1.40	-2.40	-15.59	≤-1.00	PASS					
4		-13.18	≤1.40	-2.40	-15.58	≤-1.00	PASS					
5		-13.18	≤1.40	-2.40	-15.58	≤-1.00	PASS					
6		-13.19	≤1.40	-2.40	-15.59	≤-1.00	PASS					
Puncturing80M	7	-13.24	≤1.40	-2.40	-15.64	≤-1.00	PASS					
	8	-13.32	≤1.40	-2.40	-15.72	≤-1.00	PASS					
	1	-12.88	≤1.40	-2.40	-15.28	≤-1.00	PASS					
	2	-12.65	≤1.40	-2.40	-15.05	≤-1.00	PASS					
Ant13	6905	Puncturing80M+40M	3	-12.58	≤1.40	-2.40	-14.98	≤-1.00	PASS			
			4	-12.81	≤1.40	-2.40	-15.21	≤-1.00	PASS			
			1	-11.70	≤-2.90	1.90	-9.80	≤-1.00	PASS			
			2	-11.57	≤-2.90	1.90	-9.67	≤-1.00	PASS			
			3	-11.50	≤-2.90	1.90	-9.60	≤-1.00	PASS			
4	-11.58	≤-2.90	1.90	-9.68	≤-1.00	PASS						
5	-11.63	≤-2.90	1.90	-9.73	≤-1.00	PASS						




				6	-11.64	≤ -2.90	1.90	-9.74	≤ -1.00	PASS		
				7	-11.84	≤ -2.90	1.90	-9.94	≤ -1.00	PASS		
				8	-11.67	≤ -2.90	1.90	-9.77	≤ -1.00	PASS		
				9	-11.70	≤ -2.90	1.90	-9.80	≤ -1.00	PASS		
				10	-11.77	≤ -2.90	1.90	-9.87	≤ -1.00	PASS		
				11	-11.78	≤ -2.90	1.90	-9.88	≤ -1.00	PASS		
				12	-11.86	≤ -2.90	1.90	-9.96	≤ -1.00	PASS		
				Puncturing40M	1	-12.94	≤ -2.90	1.90	-11.04	≤ -1.00	PASS	
					2	-12.64	≤ -2.90	1.90	-10.74	≤ -1.00	PASS	
					3	-12.76	≤ -2.90	1.90	-10.86	≤ -1.00	PASS	
					4	-12.78	≤ -2.90	1.90	-10.88	≤ -1.00	PASS	
					5	-12.83	≤ -2.90	1.90	-10.93	≤ -1.00	PASS	
			6		-12.85	≤ -2.90	1.90	-10.95	≤ -1.00	PASS		
			7		-12.88	≤ -2.90	1.90	-10.98	≤ -1.00	PASS		
			8		-12.98	≤ -2.90	1.90	-11.08	≤ -1.00	PASS		
			Puncturing80M	1	-12.71	≤ -2.90	1.90	-10.81	≤ -1.00	PASS		
				2	-12.19	≤ -2.90	1.90	-10.29	≤ -1.00	PASS		
				3	-12.34	≤ -2.90	1.90	-10.44	≤ -1.00	PASS		
				4	-12.56	≤ -2.90	1.90	-10.66	≤ -1.00	PASS		
			total	6905	Puncturing80M+40M	1	-8.85	≤ -4.02	3.02	-5.83	≤ -1.00	PASS
						2	-8.56	≤ -4.02	3.02	-5.54	≤ -1.00	PASS
						3	-8.65	≤ -4.02	3.02	-5.63	≤ -1.00	PASS
						4	-8.67	≤ -4.02	3.02	-5.65	≤ -1.00	PASS
						5	-8.69	≤ -4.02	3.02	-5.67	≤ -1.00	PASS
	6	-8.80				≤ -4.02	3.02	-5.78	≤ -1.00	PASS		
	7	-8.88				≤ -4.02	3.02	-5.86	≤ -1.00	PASS		
	8	-8.78				≤ -4.02	3.02	-5.76	≤ -1.00	PASS		
	9	-8.79				≤ -4.02	3.02	-5.77	≤ -1.00	PASS		
	10	-8.84				≤ -4.02	3.02	-5.82	≤ -1.00	PASS		
	11	-8.85				≤ -4.02	3.02	-5.83	≤ -1.00	PASS		
	12	-8.96				≤ -4.02	3.02	-5.94	≤ -1.00	PASS		
	Puncturing40M	1			-10.13	≤ -4.02	3.02	-7.11	≤ -1.00	PASS		
		2			-9.86	≤ -4.02	3.02	-6.84	≤ -1.00	PASS		
		3			-9.96	≤ -4.02	3.02	-6.94	≤ -1.00	PASS		
		4			-9.97	≤ -4.02	3.02	-6.95	≤ -1.00	PASS		
		5			-9.99	≤ -4.02	3.02	-6.97	≤ -1.00	PASS		
		6			-10.01	≤ -4.02	3.02	-6.99	≤ -1.00	PASS		
		7			-10.05	≤ -4.02	3.02	-7.03	≤ -1.00	PASS		
		8			-10.14	≤ -4.02	3.02	-7.12	≤ -1.00	PASS		
	Puncturing80M	1			-9.78	≤ -4.02	3.02	-6.76	≤ -1.00	PASS		
		2			-9.40	≤ -4.02	3.02	-6.38	≤ -1.00	PASS		
		3			-9.45	≤ -4.02	3.02	-6.43	≤ -1.00	PASS		
		4			-9.67	≤ -4.02	3.02	-6.65	≤ -1.00	PASS		

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs





11BE80MIMO_Ant10_5985_Puncturing20M_3



Date: 26.NOV.2022 01:07:00

11BE80MIMO_Ant10_5985_Puncturing20M_4



Date: 14.NOV.2022 02:47:07




11BE80MIMO_Ant13_5985_Puncturing20M_1



Date: 14.NOV.2022 02:41:08


11BE80MIMO_Ant13_5985_Puncturing20M_2



Date: 14.NOV.2022 02:43:37



11BE80MIMO_Ant13_5985_Puncturing20M_3



Date: 26.NOV.2022 01:07:11


11BE80MIMO_Ant13_5985_Puncturing20M_4




Date: 14.NOV.2022 02:47:19



11BE80MIMO_Ant10_7025_Puncturing20M_1




11BE80MIMO_Ant10_7025_Puncturing20M_2






11BE80MIMO_Ant10_7025_Puncturing20M_3



Date: 14.NOV.2022 15:58:01


11BE80MIMO_Ant10_7025_Puncturing20M_4



Date: 14.NOV.2022 15:59:41



11BE80MIMO_Ant13_7025_Puncturing20M_1





Date: 14.NOV.2022 12:31:42

11BE80MIMO_Ant13_7025_Puncturing20M_2



Date: 14.NOV.2022 15:57:07






11BE160MIMO_Ant10_6025_Puncturing20M_1




11BE160MIMO_Ant10_6025_Puncturing20M_2





11BE160MIMO_Ant10_6025_Puncturing20M_3



Date: 14.NOV.2022 03:07:17

11BE160MIMO_Ant10_6025_Puncturing20M_4



Date: 14.NOV.2022 03:08:12