



Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.13	11.57	48.70	74.00	-25.30	peak
2	11059.000	34.44	15.02	49.46	74.00	-24.54	peak
3	12236.000	30.95	18.66	49.61	74.00	-24.39	peak
4	12643.000	31.28	18.43	49.71	74.00	-24.29	peak
5	13677.000	27.88	21.80	49.68	74.00	-24.32	peak
6	18000.000	22.60	26.97	49.57	74.00	-24.43	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.70	11.57	48.27	74.00	-25.73	peak
2	10421.000	35.84	13.29	49.13	74.00	-24.87	peak
3	11840.000	32.66	17.76	50.42	74.00	-23.58	peak
4	13050.000	31.47	19.33	50.80	74.00	-23.20	peak
5	13853.000	28.03	22.46	50.49	74.00	-23.51	peak
6	17769.000	23.62	25.76	49.38	74.00	-24.62	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.01	11.73	47.74	74.00	-26.26	peak
2	11048.000	33.91	14.99	48.90	74.00	-25.10	peak
3	12291.000	30.46	18.77	49.23	74.00	-24.77	peak
4	13457.000	28.28	21.29	49.57	74.00	-24.43	peak
5	13930.000	27.26	22.50	49.76	74.00	-24.24	peak
6	17989.000	22.89	26.92	49.81	74.00	-24.19	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.70	10.91	48.61	74.00	-25.39	peak
2	11268.000	34.26	15.76	50.02	74.00	-23.98	peak
3	11862.000	32.74	17.88	50.62	74.00	-23.38	peak
4	12511.000	31.85	18.54	50.39	74.00	-23.61	peak
5	13919.000	28.04	22.49	50.53	74.00	-23.47	peak
6	17989.000	23.33	26.92	50.25	74.00	-23.75	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.21	11.57	47.78	74.00	-26.22	peak
2	10432.000	35.47	13.31	48.78	74.00	-25.22	peak
3	11059.000	34.57	15.02	49.59	74.00	-24.41	peak
4	12280.000	31.66	18.74	50.40	74.00	-23.60	peak
5	13523.000	28.54	21.41	49.95	74.00	-24.05	peak
6	17659.000	25.89	24.50	50.39	74.00	-23.61	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8914.000	37.51	10.58	48.09	74.00	-25.91	peak
2	10443.000	34.73	13.35	48.08	74.00	-25.92	peak
3	11785.000	32.40	17.52	49.92	74.00	-24.08	peak
4	12269.000	31.63	18.72	50.35	74.00	-23.65	peak
5	13963.000	27.60	22.51	50.11	74.00	-23.89	peak
6	17901.000	23.68	26.55	50.23	74.00	-23.77	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.51	10.91	48.42	74.00	-25.58	peak
2	10608.000	34.81	13.77	48.58	74.00	-25.42	peak
3	11312.000	33.56	16.03	49.59	74.00	-24.41	peak
4	12302.000	31.16	18.79	49.95	74.00	-24.05	peak
5	13864.000	27.13	22.45	49.58	74.00	-24.42	peak
6	17989.000	23.06	26.92	49.98	74.00	-24.02	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.30	11.73	48.03	74.00	-25.97	peak
2	10432.000	35.64	13.31	48.95	74.00	-25.05	peak
3	11851.000	32.37	17.83	50.20	74.00	-23.80	peak
4	12676.000	31.98	18.50	50.48	74.00	-23.52	peak
5	13523.000	28.70	21.41	50.11	74.00	-23.89	peak
6	17956.000	22.79	26.78	49.57	74.00	-24.43	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.02	10.91	47.93	74.00	-26.07	peak
2	10454.000	36.03	13.38	49.41	74.00	-24.59	peak
3	11048.000	34.75	14.99	49.74	74.00	-24.26	peak
4	12225.000	31.82	18.63	50.45	74.00	-23.55	peak
5	13952.000	27.75	22.51	50.26	74.00	-23.74	peak
6	17989.000	23.66	26.92	50.58	74.00	-23.42	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.69	10.91	47.60	74.00	-26.40	peak
2	11400.000	33.87	16.57	50.44	74.00	-23.56	peak
3	11785.000	33.19	17.52	50.71	74.00	-23.29	peak
4	12632.000	32.18	18.40	50.58	74.00	-23.42	peak
5	13919.000	28.24	22.49	50.73	74.00	-23.27	peak
6	17945.000	23.68	26.74	50.42	74.00	-23.58	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	35.99	11.24	47.23	74.00	-26.77	peak
2	10333.000	35.12	12.93	48.05	74.00	-25.95	peak
3	11268.000	33.12	15.76	48.88	74.00	-25.12	peak
4	12137.000	31.58	18.59	50.17	74.00	-23.83	peak
5	13633.000	28.84	21.59	50.43	74.00	-23.57	peak
6	18000.000	23.19	26.97	50.16	74.00	-23.84	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	35.91	11.73	47.64	74.00	-26.36	peak
2	10476.000	35.13	13.44	48.57	74.00	-25.43	peak
3	11697.000	32.56	17.29	49.85	74.00	-24.15	peak
4	12643.000	31.58	18.43	50.01	74.00	-23.99	peak
5	13809.000	27.75	22.43	50.18	74.00	-23.82	peak
6	17934.000	23.72	26.69	50.41	74.00	-23.59	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	38.41	10.75	49.16	74.00	-24.84	peak
2	10586.000	35.04	13.73	48.77	74.00	-25.23	peak
3	11378.000	32.94	16.43	49.37	74.00	-24.63	peak
4	12291.000	30.90	18.77	49.67	74.00	-24.33	peak
5	13589.000	28.86	21.41	50.27	74.00	-23.73	peak
6	17857.000	23.99	26.36	50.35	74.00	-23.65	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.06	10.91	47.97	74.00	-26.03	peak
2	10575.000	34.85	13.70	48.55	74.00	-25.45	peak
3	11917.000	32.40	18.16	50.56	74.00	-23.44	peak
4	12357.000	31.94	18.90	50.84	74.00	-23.16	peak
5	13919.000	27.94	22.49	50.43	74.00	-23.57	peak
6	18000.000	23.70	26.97	50.67	74.00	-23.33	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	35.89	11.57	47.46	74.00	-26.54	peak
2	11048.000	34.19	14.99	49.18	74.00	-24.82	peak
3	11884.000	32.56	18.00	50.56	74.00	-23.44	peak
4	12247.000	31.27	18.68	49.95	74.00	-24.05	peak
5	13776.000	27.82	22.30	50.12	74.00	-23.88	peak
6	17978.000	23.55	26.88	50.43	74.00	-23.57	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.40	11.24	47.64	74.00	-26.36	peak
2	10916.000	34.22	14.45	48.67	74.00	-25.33	peak
3	11862.000	31.41	17.88	49.29	74.00	-24.71	peak
4	13402.000	28.23	21.12	49.35	74.00	-24.65	peak
5	13919.000	26.87	22.49	49.36	74.00	-24.64	peak
6	17956.000	23.15	26.78	49.93	74.00	-24.07	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.79	10.91	47.70	74.00	-26.30	peak
2	10432.000	35.28	13.31	48.59	74.00	-25.41	peak
3	11323.000	33.52	16.10	49.62	74.00	-24.38	peak
4	12522.000	31.80	18.52	50.32	74.00	-23.68	peak
5	13336.000	29.72	20.77	50.49	74.00	-23.51	peak
6	17978.000	23.13	26.88	50.01	74.00	-23.99	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.17	10.91	48.08	74.00	-25.92	peak
2	10366.000	36.13	13.08	49.21	74.00	-24.79	peak
3	11411.000	32.96	16.60	49.56	74.00	-24.44	peak
4	12225.000	31.83	18.63	50.46	74.00	-23.54	peak
5	13875.000	28.13	22.46	50.59	74.00	-23.41	peak
6	17912.000	23.04	26.60	49.64	74.00	-24.36	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	35.98	11.57	47.55	74.00	-26.45	peak
2	10421.000	35.52	13.29	48.81	74.00	-25.19	peak
3	11444.000	32.60	16.71	49.31	74.00	-24.69	peak
4	12643.000	32.31	18.43	50.74	74.00	-23.26	peak
5	13974.000	27.56	22.53	50.09	74.00	-23.91	peak
6	17945.000	22.65	26.74	49.39	74.00	-24.61	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.50	11.57	48.07	74.00	-25.93	peak
2	10443.000	35.03	13.35	48.38	74.00	-25.62	peak
3	12247.000	31.31	18.68	49.99	74.00	-24.01	peak
4	12599.000	31.99	18.32	50.31	74.00	-23.69	peak
5	14238.000	28.71	21.72	50.43	74.00	-23.57	peak
6	17945.000	23.79	26.74	50.53	74.00	-23.47	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	37.23	11.25	48.48	74.00	-25.52	peak
2	10476.000	35.16	13.44	48.60	74.00	-25.40	peak
3	11004.000	34.85	14.90	49.75	74.00	-24.25	peak
4	12522.000	31.70	18.52	50.22	74.00	-23.78	peak
5	13600.000	29.22	21.42	50.64	74.00	-23.36	peak
6	17989.000	23.21	26.92	50.13	74.00	-23.87	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.24	11.24	47.48	74.00	-26.52	peak
2	10421.000	35.10	13.29	48.39	74.00	-25.61	peak
3	11411.000	32.67	16.60	49.27	74.00	-24.73	peak
4	12236.000	31.14	18.66	49.80	74.00	-24.20	peak
5	13864.000	27.44	22.45	49.89	74.00	-24.11	peak
6	17989.000	22.85	26.92	49.77	74.00	-24.23	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.69	10.91	48.60	74.00	-25.40	peak
2	11081.000	33.78	15.08	48.86	74.00	-25.14	peak
3	11796.000	32.47	17.55	50.02	74.00	-23.98	peak
4	12599.000	32.09	18.32	50.41	74.00	-23.59	peak
5	13974.000	27.69	22.53	50.22	74.00	-23.78	peak
6	18000.000	23.77	26.97	50.74	74.00	-23.26	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9387.000	37.05	10.63	47.68	74.00	-26.32	peak
2	11268.000	33.07	15.76	48.83	74.00	-25.17	peak
3	12544.000	31.26	18.46	49.72	74.00	-24.28	peak
4	13138.000	30.31	19.73	50.04	74.00	-23.96	peak
5	13875.000	27.88	22.46	50.34	74.00	-23.66	peak
6	17934.000	23.30	26.69	49.99	74.00	-24.01	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.91	11.57	48.48	74.00	-25.52	peak
2	10234.000	35.92	12.49	48.41	74.00	-25.59	peak
3	11851.000	32.00	17.83	49.83	74.00	-24.17	peak
4	12698.000	31.33	18.56	49.89	74.00	-24.11	peak
5	13622.000	28.89	21.53	50.42	74.00	-23.58	peak
6	18000.000	23.22	26.97	50.19	74.00	-23.81	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.23	11.57	47.80	74.00	-26.20	peak
2	10421.000	34.89	13.29	48.18	74.00	-25.82	peak
3	11400.000	32.48	16.57	49.05	74.00	-24.95	peak
4	12269.000	31.18	18.72	49.90	74.00	-24.10	peak
5	13138.000	30.00	19.73	49.73	74.00	-24.27	peak
6	17912.000	23.27	26.60	49.87	74.00	-24.13	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	35.87	11.73	47.60	74.00	-26.40	peak
2	10366.000	35.27	13.08	48.35	74.00	-25.65	peak
3	11389.000	32.58	16.51	49.09	74.00	-24.91	peak
4	12643.000	31.06	18.43	49.49	74.00	-24.51	peak
5	13996.000	26.79	22.54	49.33	74.00	-24.67	peak
6	17945.000	23.18	26.74	49.92	74.00	-24.08	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.36	10.91	47.27	74.00	-26.73	peak
2	11444.000	31.74	16.71	48.45	74.00	-25.55	peak
3	12093.000	31.67	18.59	50.26	74.00	-23.74	peak
4	12522.000	31.67	18.52	50.19	74.00	-23.81	peak
5	14084.000	27.32	22.28	49.60	74.00	-24.40	peak
6	17945.000	23.74	26.74	50.48	74.00	-23.52	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.59	11.24	47.83	74.00	-26.17	peak
2	11004.000	33.99	14.90	48.89	74.00	-25.11	peak
3	11433.000	32.74	16.68	49.42	74.00	-24.58	peak
4	12632.000	31.45	18.40	49.85	74.00	-24.15	peak
5	13842.000	27.91	22.44	50.35	74.00	-23.65	peak
6	18000.000	23.67	26.97	50.64	74.00	-23.36	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	35.81	11.57	47.38	74.00	-26.62	peak
2	10432.000	35.19	13.31	48.50	74.00	-25.50	peak
3	11323.000	32.86	16.10	48.96	74.00	-25.04	peak
4	12170.000	30.66	18.58	49.24	74.00	-24.76	peak
5	13864.000	27.70	22.45	50.15	74.00	-23.85	peak
6	18000.000	23.16	26.97	50.13	74.00	-23.87	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	35.36	11.73	47.09	74.00	-26.91	peak
2	10366.000	35.78	13.08	48.86	74.00	-25.14	peak
3	11400.000	32.98	16.57	49.55	74.00	-24.45	peak
4	12247.000	31.97	18.68	50.65	74.00	-23.35	peak
5	13105.000	30.58	19.58	50.16	74.00	-23.84	peak
6	17956.000	23.00	26.78	49.78	74.00	-24.22	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.18	11.73	48.91	74.00	-25.09	peak
2	11004.000	34.01	14.90	48.91	74.00	-25.09	peak
3	11752.000	32.35	17.43	49.78	74.00	-24.22	peak
4	12511.000	31.31	18.54	49.85	74.00	-24.15	peak
5	13622.000	28.57	21.53	50.10	74.00	-23.90	peak
6	17967.000	23.39	26.83	50.22	74.00	-23.78	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.59	11.35	47.94	74.00	-26.06	peak
2	10443.000	35.12	13.35	48.47	74.00	-25.53	peak
3	11048.000	34.39	14.99	49.38	74.00	-24.62	peak
4	12170.000	31.37	18.58	49.95	74.00	-24.05	peak
5	13644.000	28.68	21.64	50.32	74.00	-23.68	peak
6	17989.000	23.34	26.92	50.26	74.00	-23.74	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8947.000	36.49	11.08	47.57	74.00	-26.43	peak
2	10883.000	34.65	14.28	48.93	74.00	-25.07	peak
3	11884.000	31.10	18.00	49.10	74.00	-24.90	peak
4	12599.000	31.13	18.32	49.45	74.00	-24.55	peak
5	13468.000	28.42	21.31	49.73	74.00	-24.27	peak
6	17989.000	22.36	26.92	49.28	74.00	-24.72	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.32	11.57	47.89	74.00	-26.11	peak
2	10432.000	35.34	13.31	48.65	74.00	-25.35	peak
3	11389.000	33.42	16.51	49.93	74.00	-24.07	peak
4	12170.000	31.41	18.58	49.99	74.00	-24.01	peak
5	13919.000	27.85	22.49	50.34	74.00	-23.66	peak
6	17945.000	24.23	26.74	50.97	74.00	-23.03	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.89	10.91	47.80	74.00	-26.20	peak
2	11400.000	33.35	16.57	49.92	74.00	-24.08	peak
3	12236.000	31.60	18.66	50.26	74.00	-23.74	peak
4	12654.000	31.71	18.44	50.15	74.00	-23.85	peak
5	13809.000	27.19	22.43	49.62	74.00	-24.38	peak
6	18000.000	22.84	26.97	49.81	74.00	-24.19	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	38.02	10.91	48.93	74.00	-25.07	peak
2	10487.000	35.01	13.46	48.47	74.00	-25.53	peak
3	11400.000	33.65	16.57	50.22	74.00	-23.78	peak
4	12698.000	31.67	18.56	50.23	74.00	-23.77	peak
5	13545.000	29.33	21.41	50.74	74.00	-23.26	peak
6	17978.000	23.18	26.88	50.06	74.00	-23.94	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.67	11.73	48.40	74.00	-25.60	peak
2	11037.000	34.35	14.98	49.33	74.00	-24.67	peak
3	11873.000	32.04	17.94	49.98	74.00	-24.02	peak
4	12247.000	31.52	18.68	50.20	74.00	-23.80	peak
5	13809.000	27.87	22.43	50.30	74.00	-23.70	peak
6	18000.000	23.38	26.97	50.35	74.00	-23.65	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	36.26	10.75	47.01	74.00	-26.99	peak
2	10377.000	35.38	13.13	48.51	74.00	-25.49	peak
3	11400.000	33.66	16.57	50.23	74.00	-23.77	peak
4	12566.000	31.41	18.40	49.81	74.00	-24.19	peak
5	13974.000	26.64	22.53	49.17	74.00	-24.83	peak
6	17989.000	23.24	26.92	50.16	74.00	-23.84	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.29	11.73	48.02	74.00	-25.98	peak
2	10487.000	35.39	13.46	48.85	74.00	-25.15	peak
3	11268.000	33.53	15.76	49.29	74.00	-24.71	peak
4	12687.000	31.22	18.53	49.75	74.00	-24.25	peak
5	13622.000	28.52	21.53	50.05	74.00	-23.95	peak
6	17989.000	23.23	26.92	50.15	74.00	-23.85	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.20	11.57	47.77	74.00	-26.23	peak
2	10399.000	35.75	13.23	48.98	74.00	-25.02	peak
3	11433.000	33.11	16.68	49.79	74.00	-24.21	peak
4	12247.000	31.13	18.68	49.81	74.00	-24.19	peak
5	13864.000	27.77	22.45	50.22	74.00	-23.78	peak
6	17945.000	23.65	26.74	50.39	74.00	-23.61	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9024.000	36.75	11.65	48.40	74.00	-25.60	peak
2	10443.000	35.36	13.35	48.71	74.00	-25.29	peak
3	11059.000	34.48	15.02	49.50	74.00	-24.50	peak
4	12500.000	30.76	18.56	49.32	74.00	-24.68	peak
5	13798.000	27.35	22.41	49.76	74.00	-24.24	peak
6	17967.000	22.74	26.83	49.57	74.00	-24.43	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10432.000	35.48	13.31	48.79	74.00	-25.21	peak
2	11081.000	33.98	15.08	49.06	74.00	-24.94	peak
3	11884.000	31.69	18.00	49.69	74.00	-24.31	peak
4	12687.000	31.59	18.53	50.12	74.00	-23.88	peak
5	13545.000	28.91	21.41	50.32	74.00	-23.68	peak
6	17945.000	22.72	26.74	49.46	74.00	-24.54	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.98	10.91	47.89	74.00	-26.11	peak
2	10630.000	34.26	13.78	48.04	74.00	-25.96	peak
3	11048.000	34.41	14.99	49.40	74.00	-24.60	peak
4	11851.000	31.80	17.83	49.63	74.00	-24.37	peak
5	13457.000	28.70	21.29	49.99	74.00	-24.01	peak
6	17934.000	23.12	26.69	49.81	74.00	-24.19	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9024.000	36.26	11.65	47.91	74.00	-26.09	peak
2	11026.000	34.46	14.95	49.41	74.00	-24.59	peak
3	12247.000	31.18	18.68	49.86	74.00	-24.14	peak
4	13369.000	28.88	20.95	49.83	74.00	-24.17	peak
5	13930.000	27.08	22.50	49.58	74.00	-24.42	peak
6	18000.000	23.02	26.97	49.99	74.00	-24.01	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10443.000	35.68	13.35	49.03	74.00	-24.97	peak
2	11048.000	34.65	14.99	49.64	74.00	-24.36	peak
3	11433.000	33.13	16.68	49.81	74.00	-24.19	peak
4	12467.000	30.82	18.70	49.52	74.00	-24.48	peak
5	13567.000	29.00	21.41	50.41	74.00	-23.59	peak
6	17956.000	23.36	26.78	50.14	74.00	-23.86	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	36.92	11.15	48.07	74.00	-25.93	peak
2	10564.000	34.55	13.68	48.23	74.00	-25.77	peak
3	11642.000	31.72	17.13	48.85	74.00	-25.15	peak
4	12698.000	30.43	18.56	48.99	74.00	-25.01	peak
5	13446.000	27.67	21.25	48.92	74.00	-25.08	peak
6	17989.000	22.41	26.92	49.33	74.00	-24.67	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	35.79	11.73	47.52	74.00	-26.48	peak
2	10443.000	35.09	13.35	48.44	74.00	-25.56	peak
3	11389.000	32.45	16.51	48.96	74.00	-25.04	peak
4	13127.000	29.41	19.68	49.09	74.00	-24.91	peak
5	13919.000	27.18	22.49	49.67	74.00	-24.33	peak
6	17846.000	23.37	26.32	49.69	74.00	-24.31	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	38.14	10.75	48.89	74.00	-25.11	peak
2	10432.000	35.83	13.31	49.14	74.00	-24.86	peak
3	12643.000	31.64	18.43	50.07	74.00	-23.93	peak
4	13028.000	30.86	19.23	50.09	74.00	-23.91	peak
5	13941.000	27.64	22.50	50.14	74.00	-23.86	peak
6	17967.000	23.27	26.83	50.10	74.00	-23.90	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8903.000	38.18	10.41	48.59	74.00	-25.41	peak
2	10564.000	35.62	13.68	49.30	74.00	-24.70	peak
3	11059.000	34.41	15.02	49.43	74.00	-24.57	peak
4	12500.000	31.64	18.56	50.20	74.00	-23.80	peak
5	13611.000	28.65	21.48	50.13	74.00	-23.87	peak
6	17945.000	23.81	26.74	50.55	74.00	-23.45	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.09	11.57	47.66	74.00	-26.34	peak
2	10388.000	35.84	13.18	49.02	74.00	-24.98	peak
3	11048.000	34.46	14.99	49.45	74.00	-24.55	peak
4	12500.000	31.44	18.56	50.00	74.00	-24.00	peak
5	13831.000	28.31	22.44	50.75	74.00	-23.25	peak
6	17989.000	23.59	26.92	50.51	74.00	-23.49	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	35.68	11.73	47.41	74.00	-26.59	peak
2	11191.000	33.40	15.32	48.72	74.00	-25.28	peak
3	11829.000	31.50	17.71	49.21	74.00	-24.79	peak
4	12170.000	30.52	18.58	49.10	74.00	-24.90	peak
5	13468.000	27.91	21.31	49.22	74.00	-24.78	peak
6	17923.000	22.56	26.64	49.20	74.00	-24.80	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.03	10.91	47.94	74.00	-26.06	peak
2	11301.000	33.23	15.96	49.19	74.00	-24.81	peak
3	12709.000	30.90	18.59	49.49	74.00	-24.51	peak
4	13215.000	29.72	20.10	49.82	74.00	-24.18	peak
5	13864.000	27.69	22.45	50.14	74.00	-23.86	peak
6	17923.000	23.82	26.64	50.46	74.00	-23.54	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.06	11.57	47.63	74.00	-26.37	peak
2	10300.000	35.26	12.78	48.04	74.00	-25.96	peak
3	11268.000	33.75	15.76	49.51	74.00	-24.49	peak
4	12687.000	30.96	18.53	49.49	74.00	-24.51	peak
5	13589.000	28.61	21.41	50.02	74.00	-23.98	peak
6	17945.000	23.33	26.74	50.07	74.00	-23.93	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.66	11.57	48.23	74.00	-25.77	peak
2	10432.000	35.33	13.31	48.64	74.00	-25.36	peak
3	11840.000	32.37	17.76	50.13	74.00	-23.87	peak
4	12544.000	31.76	18.46	50.22	74.00	-23.78	peak
5	13578.000	28.58	21.42	50.00	74.00	-24.00	peak
6	17769.000	23.75	25.76	49.51	74.00	-24.49	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8914.000	37.83	10.58	48.41	74.00	-25.59	peak
2	11070.000	34.89	15.04	49.93	74.00	-24.07	peak
3	12302.000	31.76	18.79	50.55	74.00	-23.45	peak
4	13116.000	30.92	19.64	50.56	74.00	-23.44	peak
5	13864.000	28.30	22.45	50.75	74.00	-23.25	peak
6	17923.000	23.77	26.64	50.41	74.00	-23.59	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.06	10.91	47.97	74.00	-26.03	peak
2	10443.000	35.70	13.35	49.05	74.00	-24.95	peak
3	11862.000	31.59	17.88	49.47	74.00	-24.53	peak
4	12269.000	31.16	18.72	49.88	74.00	-24.12	peak
5	13534.000	28.24	21.41	49.65	74.00	-24.35	peak
6	17956.000	23.62	26.78	50.40	74.00	-23.60	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	36.99	10.85	47.84	74.00	-26.16	peak
2	10432.000	35.82	13.31	49.13	74.00	-24.87	peak
3	11070.000	34.44	15.04	49.48	74.00	-24.52	peak
4	12577.000	30.49	18.37	48.86	74.00	-25.14	peak
5	13919.000	26.81	22.49	49.30	74.00	-24.70	peak
6	17934.000	22.25	26.69	48.94	74.00	-25.06	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	36.78	10.75	47.53	74.00	-26.47	peak
2	10399.000	35.50	13.23	48.73	74.00	-25.27	peak
3	11048.000	33.79	14.99	48.78	74.00	-25.22	peak
4	12368.000	30.38	18.92	49.30	74.00	-24.70	peak
5	13105.000	30.23	19.58	49.81	74.00	-24.19	peak
6	17945.000	22.37	26.74	49.11	74.00	-24.89	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9365.000	37.62	10.55	48.17	74.00	-25.83	peak
2	10366.000	35.42	13.08	48.50	74.00	-25.50	peak
3	11202.000	33.31	15.35	48.66	74.00	-25.34	peak
4	12236.000	31.01	18.66	49.67	74.00	-24.33	peak
5	13512.000	28.26	21.41	49.67	74.00	-24.33	peak
6	17956.000	23.27	26.78	50.05	74.00	-23.95	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.72	10.91	47.63	74.00	-26.37	peak
2	11015.000	34.32	14.93	49.25	74.00	-24.75	peak
3	12247.000	31.84	18.68	50.52	74.00	-23.48	peak
4	13017.000	31.14	19.18	50.32	74.00	-23.68	peak
5	13842.000	27.56	22.44	50.00	74.00	-24.00	peak
6	17989.000	23.37	26.92	50.29	74.00	-23.71	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10388.000	35.67	13.18	48.85	74.00	-25.15	peak
2	11026.000	34.67	14.95	49.62	74.00	-24.38	peak
3	11323.000	33.33	16.10	49.43	74.00	-24.57	peak
4	12236.000	31.68	18.66	50.34	74.00	-23.66	peak
5	13776.000	27.17	22.30	49.47	74.00	-24.53	peak
6	17978.000	23.78	26.88	50.66	74.00	-23.34	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.77	11.57	48.34	74.00	-25.66	peak
2	10080.000	36.48	12.23	48.71	74.00	-25.29	peak
3	11048.000	34.44	14.99	49.43	74.00	-24.57	peak
4	12258.000	31.79	18.70	50.49	74.00	-23.51	peak
5	13820.000	27.53	22.43	49.96	74.00	-24.04	peak
6	17747.000	24.60	25.52	50.12	74.00	-23.88	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.80	11.57	48.37	74.00	-25.63	peak
2	10520.000	34.95	13.56	48.51	74.00	-25.49	peak
3	11433.000	33.01	16.68	49.69	74.00	-24.31	peak
4	12236.000	32.08	18.66	50.74	74.00	-23.26	peak
5	13908.000	27.77	22.49	50.26	74.00	-23.74	peak
6	18000.000	22.89	26.97	49.86	74.00	-24.14	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	35.87	11.73	47.60	74.00	-26.40	peak
2	11081.000	34.46	15.08	49.54	74.00	-24.46	peak
3	11389.000	33.16	16.51	49.67	74.00	-24.33	peak
4	12247.000	31.08	18.68	49.76	74.00	-24.24	peak
5	13864.000	27.16	22.45	49.61	74.00	-24.39	peak
6	17758.000	24.07	25.64	49.71	74.00	-24.29	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.82	11.57	48.39	74.00	-25.61	peak
2	10311.000	36.01	12.83	48.84	74.00	-25.16	peak
3	11059.000	34.53	15.02	49.55	74.00	-24.45	peak
4	11917.000	31.99	18.16	50.15	74.00	-23.85	peak
5	13622.000	28.85	21.53	50.38	74.00	-23.62	peak
6	17934.000	23.19	26.69	49.88	74.00	-24.12	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.77	11.24	48.01	74.00	-25.99	peak
2	11323.000	33.66	16.10	49.76	74.00	-24.24	peak
3	11697.000	33.27	17.29	50.56	74.00	-23.44	peak
4	12302.000	31.58	18.79	50.37	74.00	-23.63	peak
5	13556.000	29.58	21.41	50.99	74.00	-23.01	peak
6	18000.000	23.70	26.97	50.67	74.00	-23.33	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.91	10.91	47.82	74.00	-26.18	peak
2	10432.000	35.35	13.31	48.66	74.00	-25.34	peak
3	11345.000	33.07	16.24	49.31	74.00	-24.69	peak
4	12555.000	31.76	18.43	50.19	74.00	-23.81	peak
5	13534.000	28.79	21.41	50.20	74.00	-23.80	peak
6	17934.000	23.71	26.69	50.40	74.00	-23.60	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	37.07	11.25	48.32	74.00	-25.68	peak
2	10201.000	36.43	12.34	48.77	74.00	-25.23	peak
3	11048.000	33.75	14.99	48.74	74.00	-25.26	peak
4	12148.000	30.59	18.59	49.18	74.00	-24.82	peak
5	13820.000	27.20	22.43	49.63	74.00	-24.37	peak
6	17901.000	22.94	26.55	49.49	74.00	-24.51	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.03	11.57	47.60	74.00	-26.40	peak
2	11070.000	33.91	15.04	48.95	74.00	-25.05	peak
3	11422.000	32.57	16.64	49.21	74.00	-24.79	peak
4	12324.000	30.78	18.84	49.62	74.00	-24.38	peak
5	13523.000	27.92	21.41	49.33	74.00	-24.67	peak
6	18000.000	22.78	26.97	49.75	74.00	-24.25	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	37.50	10.75	48.25	74.00	-25.75	peak
2	10432.000	34.93	13.31	48.24	74.00	-25.76	peak
3	11433.000	32.57	16.68	49.25	74.00	-24.75	peak
4	12236.000	31.70	18.66	50.36	74.00	-23.64	peak
5	13754.000	27.51	22.19	49.70	74.00	-24.30	peak
6	17956.000	23.03	26.78	49.81	74.00	-24.19	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.09	11.73	47.82	74.00	-26.18	peak
2	10212.000	35.88	12.39	48.27	74.00	-25.73	peak
3	11334.000	33.94	16.16	50.10	74.00	-23.90	peak
4	12269.000	31.44	18.72	50.16	74.00	-23.84	peak
5	13633.000	28.85	21.59	50.44	74.00	-23.56	peak
6	17956.000	23.45	26.78	50.23	74.00	-23.77	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.72	11.24	47.96	74.00	-26.04	peak
2	10476.000	35.69	13.44	49.13	74.00	-24.87	peak
3	11048.000	34.64	14.99	49.63	74.00	-24.37	peak
4	12291.000	31.59	18.77	50.36	74.00	-23.64	peak
5	13930.000	27.64	22.50	50.14	74.00	-23.86	peak
6	17989.000	23.70	26.92	50.62	74.00	-23.38	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.52	10.91	47.43	74.00	-26.57	peak
2	10443.000	34.80	13.35	48.15	74.00	-25.85	peak
3	11323.000	33.50	16.10	49.60	74.00	-24.40	peak
4	12236.000	31.78	18.66	50.44	74.00	-23.56	peak
5	13116.000	30.58	19.64	50.22	74.00	-23.78	peak
6	17989.000	22.69	26.92	49.61	74.00	-24.39	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.26	11.24	47.50	74.00	-26.50	peak
2	10366.000	35.47	13.08	48.55	74.00	-25.45	peak
3	11884.000	32.17	18.00	50.17	74.00	-23.83	peak
4	12269.000	31.45	18.72	50.17	74.00	-23.83	peak
5	13358.000	29.09	20.89	49.98	74.00	-24.02	peak
6	17989.000	22.79	26.92	49.71	74.00	-24.29	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.35	10.91	48.26	74.00	-25.74	peak
2	10245.000	35.91	12.54	48.45	74.00	-25.55	peak
3	11048.000	34.63	14.99	49.62	74.00	-24.38	peak
4	12687.000	30.91	18.53	49.44	74.00	-24.56	peak
5	13534.000	28.37	21.41	49.78	74.00	-24.22	peak
6	17901.000	22.98	26.55	49.53	74.00	-24.47	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9387.000	36.68	10.63	47.31	74.00	-26.69	peak
2	11169.000	33.72	15.27	48.99	74.00	-25.01	peak
3	12016.000	31.45	18.60	50.05	74.00	-23.95	peak
4	12489.000	32.26	18.61	50.87	74.00	-23.13	peak
5	13919.000	28.07	22.49	50.56	74.00	-23.44	peak
6	17989.000	23.26	26.92	50.18	74.00	-23.82	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.03	11.57	48.60	74.00	-25.40	peak
2	11048.000	34.96	14.99	49.95	74.00	-24.05	peak
3	12280.000	31.41	18.74	50.15	74.00	-23.85	peak
4	13424.000	28.92	21.19	50.11	74.00	-23.89	peak
5	13864.000	27.23	22.45	49.68	74.00	-24.32	peak
6	17989.000	22.99	26.92	49.91	74.00	-24.09	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8914.000	36.99	10.58	47.57	74.00	-26.43	peak
2	10608.000	34.44	13.77	48.21	74.00	-25.79	peak
3	11664.000	31.68	17.19	48.87	74.00	-25.13	peak
4	12544.000	30.89	18.46	49.35	74.00	-24.65	peak
5	13413.000	28.68	21.16	49.84	74.00	-24.16	peak
6	17923.000	23.44	26.64	50.08	74.00	-23.92	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	37.33	11.15	48.48	74.00	-25.52	peak
2	11059.000	34.93	15.02	49.95	74.00	-24.05	peak
3	11796.000	32.73	17.55	50.28	74.00	-23.72	peak
4	12709.000	31.97	18.59	50.56	74.00	-23.44	peak
5	13061.000	31.27	19.38	50.65	74.00	-23.35	peak
6	17846.000	23.80	26.32	50.12	74.00	-23.88	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9024.000	36.14	11.65	47.79	74.00	-26.21	peak
2	11048.000	34.05	14.99	49.04	74.00	-24.96	peak
3	12247.000	31.92	18.68	50.60	74.00	-23.40	peak
4	12676.000	31.69	18.50	50.19	74.00	-23.81	peak
5	13435.000	28.64	21.22	49.86	74.00	-24.14	peak
6	17934.000	22.95	26.69	49.64	74.00	-24.36	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	38.04	10.22	48.26	74.00	-25.74	peak
2	10608.000	35.18	13.77	48.95	74.00	-25.05	peak
3	11719.000	33.09	17.34	50.43	74.00	-23.57	peak
4	12698.000	32.37	18.56	50.93	74.00	-23.07	peak
5	13919.000	28.43	22.49	50.92	74.00	-23.08	peak
6	17703.000	25.63	25.01	50.64	74.00	-23.36	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8947.000	36.67	11.08	47.75	74.00	-26.25	peak
2	11048.000	34.57	14.99	49.56	74.00	-24.44	peak
3	11818.000	32.52	17.65	50.17	74.00	-23.83	peak
4	13138.000	30.65	19.73	50.38	74.00	-23.62	peak
5	13523.000	28.79	21.41	50.20	74.00	-23.80	peak
6	17989.000	23.59	26.92	50.51	74.00	-23.49	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10410.000	35.61	13.25	48.86	74.00	-25.14	peak
2	11455.000	32.95	16.74	49.69	74.00	-24.31	peak
3	11862.000	32.32	17.88	50.20	74.00	-23.80	peak
4	12170.000	31.40	18.58	49.98	74.00	-24.02	peak
5	13457.000	28.81	21.29	50.10	74.00	-23.90	peak
6	17945.000	22.63	26.74	49.37	74.00	-24.63	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.74	11.57	48.31	74.00	-25.69	peak
2	10344.000	35.65	12.98	48.63	74.00	-25.37	peak
3	11785.000	32.15	17.52	49.67	74.00	-24.33	peak
4	12643.000	32.01	18.43	50.44	74.00	-23.56	peak
5	13622.000	28.31	21.53	49.84	74.00	-24.16	peak
6	17989.000	23.55	26.92	50.47	74.00	-23.53	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.22	10.91	48.13	74.00	-25.87	peak
2	10443.000	35.26	13.35	48.61	74.00	-25.39	peak
3	11796.000	32.47	17.55	50.02	74.00	-23.98	peak
4	12258.000	31.79	18.70	50.49	74.00	-23.51	peak
5	13512.000	28.85	21.41	50.26	74.00	-23.74	peak
6	17769.000	23.96	25.76	49.72	74.00	-24.28	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.94	10.91	47.85	74.00	-26.15	peak
2	11059.000	33.82	15.02	48.84	74.00	-25.16	peak
3	11895.000	31.17	18.05	49.22	74.00	-24.78	peak
4	13072.000	29.50	19.43	48.93	74.00	-25.07	peak
5	13908.000	26.28	22.49	48.77	74.00	-25.23	peak
6	18000.000	22.41	26.97	49.38	74.00	-24.62	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.95	10.22	48.17	74.00	-25.83	peak
2	10300.000	35.99	12.78	48.77	74.00	-25.23	peak
3	11048.000	34.28	14.99	49.27	74.00	-24.73	peak
4	12038.000	31.44	18.60	50.04	74.00	-23.96	peak
5	13985.000	27.52	22.53	50.05	74.00	-23.95	peak
6	17912.000	23.88	26.60	50.48	74.00	-23.52	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.67	11.57	48.24	74.00	-25.76	peak
2	11026.000	34.29	14.95	49.24	74.00	-24.76	peak
3	12258.000	31.67	18.70	50.37	74.00	-23.63	peak
4	12544.000	32.27	18.46	50.73	74.00	-23.27	peak
5	13864.000	28.26	22.45	50.71	74.00	-23.29	peak
6	18000.000	23.59	26.97	50.56	74.00	-23.44	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.62	11.57	48.19	74.00	-25.81	peak
2	10432.000	35.07	13.31	48.38	74.00	-25.62	peak
3	11785.000	32.63	17.52	50.15	74.00	-23.85	peak
4	13105.000	30.69	19.58	50.27	74.00	-23.73	peak
5	13875.000	27.98	22.46	50.44	74.00	-23.56	peak
6	18000.000	23.81	26.97	50.78	74.00	-23.22	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.11	11.57	47.68	74.00	-26.32	peak
2	10410.000	35.01	13.25	48.26	74.00	-25.74	peak
3	11422.000	32.74	16.64	49.38	74.00	-24.62	peak
4	12313.000	31.05	18.81	49.86	74.00	-24.14	peak
5	13809.000	28.39	22.43	50.82	74.00	-23.18	peak
6	17956.000	23.60	26.78	50.38	74.00	-23.62	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.30	11.57	47.87	74.00	-26.13	peak
2	11334.000	33.55	16.16	49.71	74.00	-24.29	peak
3	12500.000	32.10	18.56	50.66	74.00	-23.34	peak
4	13446.000	29.65	21.25	50.90	74.00	-23.10	peak
5	13787.000	28.25	22.36	50.61	74.00	-23.39	peak
6	17846.000	24.43	26.32	50.75	74.00	-23.25	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.87	10.91	47.78	74.00	-26.22	peak
2	10498.000	35.02	13.50	48.52	74.00	-25.48	peak
3	11279.000	33.37	15.83	49.20	74.00	-24.80	peak
4	12522.000	31.06	18.52	49.58	74.00	-24.42	peak
5	12951.000	30.44	19.02	49.46	74.00	-24.54	peak
6	17901.000	22.38	26.55	48.93	74.00	-25.07	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.12	11.73	48.85	74.00	-25.15	peak
2	10916.000	34.74	14.45	49.19	74.00	-24.81	peak
3	12555.000	31.62	18.43	50.05	74.00	-23.95	peak
4	13072.000	30.58	19.43	50.01	74.00	-23.99	peak
5	13897.000	27.51	22.47	49.98	74.00	-24.02	peak
6	17934.000	23.67	26.69	50.36	74.00	-23.64	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.37	10.91	48.28	74.00	-25.72	peak
2	10564.000	35.75	13.68	49.43	74.00	-24.57	peak
3	11411.000	32.66	16.60	49.26	74.00	-24.74	peak
4	12643.000	31.78	18.43	50.21	74.00	-23.79	peak
5	13919.000	27.91	22.49	50.40	74.00	-23.60	peak
6	17956.000	23.73	26.78	50.51	74.00	-23.49	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	35.98	11.57	47.55	74.00	-26.45	peak
2	10300.000	36.67	12.78	49.45	74.00	-24.55	peak
3	11323.000	33.17	16.10	49.27	74.00	-24.73	peak
4	12170.000	30.86	18.58	49.44	74.00	-24.56	peak
5	13985.000	27.91	22.53	50.44	74.00	-23.56	peak
6	18000.000	24.02	26.97	50.99	74.00	-23.01	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.31	11.57	47.88	74.00	-26.12	peak
2	10454.000	34.58	13.38	47.96	74.00	-26.04	peak
3	11345.000	33.45	16.24	49.69	74.00	-24.31	peak
4	12665.000	31.43	18.48	49.91	74.00	-24.09	peak
5	13611.000	29.36	21.48	50.84	74.00	-23.16	peak
6	17912.000	23.31	26.60	49.91	74.00	-24.09	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.14	11.35	48.49	74.00	-25.51	peak
2	11048.000	34.23	14.99	49.22	74.00	-24.78	peak
3	11884.000	32.13	18.00	50.13	74.00	-23.87	peak
4	12654.000	31.37	18.44	49.81	74.00	-24.19	peak
5	13853.000	27.40	22.46	49.86	74.00	-24.14	peak
6	17934.000	23.06	26.69	49.75	74.00	-24.25	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10091.000	36.05	12.25	48.30	74.00	-25.70	peak
2	11873.000	31.59	17.94	49.53	74.00	-24.47	peak
3	12302.000	31.43	18.79	50.22	74.00	-23.78	peak
4	12709.000	31.78	18.59	50.37	74.00	-23.63	peak
5	13886.000	27.61	22.48	50.09	74.00	-23.91	peak
6	17868.000	23.28	26.41	49.69	74.00	-24.31	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.40	11.73	48.13	74.00	-25.87	peak
2	11048.000	35.01	14.99	50.00	74.00	-24.00	peak
3	11873.000	32.94	17.94	50.88	74.00	-23.12	peak
4	13072.000	31.06	19.43	50.49	74.00	-23.51	peak
5	14106.000	28.07	22.22	50.29	74.00	-23.71	peak
6	17967.000	23.97	26.83	50.80	74.00	-23.20	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	37.39	11.24	48.63	74.00	-25.37	peak
2	11026.000	34.45	14.95	49.40	74.00	-24.60	peak
3	12225.000	32.15	18.63	50.78	74.00	-23.22	peak
4	12676.000	32.19	18.50	50.69	74.00	-23.31	peak
5	13435.000	28.96	21.22	50.18	74.00	-23.82	peak
6	17890.000	22.35	26.50	48.85	74.00	-25.15	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9563.000	36.39	10.96	47.35	74.00	-26.65	peak
2	10564.000	34.46	13.68	48.14	74.00	-25.86	peak
3	11367.000	33.50	16.37	49.87	74.00	-24.13	peak
4	11873.000	31.65	17.94	49.59	74.00	-24.41	peak
5	13677.000	27.75	21.80	49.55	74.00	-24.45	peak
6	18000.000	22.88	26.97	49.85	74.00	-24.15	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.15	11.57	47.72	74.00	-26.28	peak
2	11048.000	34.17	14.99	49.16	74.00	-24.84	peak
3	11664.000	32.48	17.19	49.67	74.00	-24.33	peak
4	12511.000	31.81	18.54	50.35	74.00	-23.65	peak
5	13919.000	27.28	22.49	49.77	74.00	-24.23	peak
6	17934.000	23.59	26.69	50.28	74.00	-23.72	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.54	10.91	47.45	74.00	-26.55	peak
2	10289.000	35.15	12.74	47.89	74.00	-26.11	peak
3	11048.000	33.97	14.99	48.96	74.00	-25.04	peak
4	12643.000	31.23	18.43	49.66	74.00	-24.34	peak
5	13512.000	28.31	21.41	49.72	74.00	-24.28	peak
6	17989.000	23.19	26.92	50.11	74.00	-23.89	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	36.85	10.94	47.79	74.00	-26.21	peak
2	10487.000	35.04	13.46	48.50	74.00	-25.50	peak
3	11840.000	31.67	17.76	49.43	74.00	-24.57	peak
4	12720.000	31.16	18.61	49.77	74.00	-24.23	peak
5	13842.000	27.46	22.44	49.90	74.00	-24.10	peak
6	17912.000	23.27	26.60	49.87	74.00	-24.13	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9365.000	37.43	10.55	47.98	74.00	-26.02	peak
2	11246.000	33.79	15.62	49.41	74.00	-24.59	peak
3	11829.000	32.74	17.71	50.45	74.00	-23.55	peak
4	13105.000	30.62	19.58	50.20	74.00	-23.80	peak
5	13776.000	28.36	22.30	50.66	74.00	-23.34	peak
6	17956.000	23.04	26.78	49.82	74.00	-24.18	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.22	11.73	47.95	74.00	-26.05	peak
2	10597.000	34.05	13.77	47.82	74.00	-26.18	peak
3	11345.000	32.71	16.24	48.95	74.00	-25.05	peak
4	11884.000	31.28	18.00	49.28	74.00	-24.72	peak
5	13853.000	26.80	22.46	49.26	74.00	-24.74	peak
6	17967.000	22.88	26.83	49.71	74.00	-24.29	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.05	11.73	47.78	74.00	-26.22	peak
2	10542.000	34.82	13.62	48.44	74.00	-25.56	peak
3	11477.000	33.18	16.81	49.99	74.00	-24.01	peak
4	12291.000	31.64	18.77	50.41	74.00	-23.59	peak
5	13501.000	28.64	21.40	50.04	74.00	-23.96	peak
6	18000.000	22.98	26.97	49.95	74.00	-24.05	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10564.000	34.52	13.68	48.20	74.00	-25.80	peak
2	11389.000	32.43	16.51	48.94	74.00	-25.06	peak
3	11884.000	31.05	18.00	49.05	74.00	-24.95	peak
4	13061.000	29.76	19.38	49.14	74.00	-24.86	peak
5	13809.000	26.89	22.43	49.32	74.00	-24.68	peak
6	17945.000	22.94	26.74	49.68	74.00	-24.32	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.07	11.24	47.31	74.00	-26.69	peak
2	11048.000	33.80	14.99	48.79	74.00	-25.21	peak
3	11906.000	31.12	18.11	49.23	74.00	-24.77	peak
4	12698.000	30.59	18.56	49.15	74.00	-24.85	peak
5	13534.000	28.00	21.41	49.41	74.00	-24.59	peak
6	17945.000	22.74	26.74	49.48	74.00	-24.52	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	35.98	11.35	47.33	74.00	-26.67	peak
2	11422.000	32.47	16.64	49.11	74.00	-24.89	peak
3	11851.000	31.94	17.83	49.77	74.00	-24.23	peak
4	12698.000	31.78	18.56	50.34	74.00	-23.66	peak
5	13864.000	27.95	22.45	50.40	74.00	-23.60	peak
6	17989.000	23.50	26.92	50.42	74.00	-23.58	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.21	11.73	48.94	74.00	-25.06	peak
2	11048.000	35.40	14.99	50.39	74.00	-23.61	peak
3	11400.000	33.86	16.57	50.43	74.00	-23.57	peak
4	12302.000	31.58	18.79	50.37	74.00	-23.63	peak
5	13644.000	29.10	21.64	50.74	74.00	-23.26	peak
6	17945.000	23.13	26.74	49.87	74.00	-24.13	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	36.81	10.75	47.56	74.00	-26.44	peak
2	10168.000	36.07	12.32	48.39	74.00	-25.61	peak
3	11411.000	33.21	16.60	49.81	74.00	-24.19	peak
4	12709.000	30.55	18.59	49.14	74.00	-24.86	peak
5	13875.000	27.12	22.46	49.58	74.00	-24.42	peak
6	17758.000	23.94	25.64	49.58	74.00	-24.42	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10300.000	35.45	12.78	48.23	74.00	-25.77	peak
2	11070.000	33.76	15.04	48.80	74.00	-25.20	peak
3	11323.000	32.84	16.10	48.94	74.00	-25.06	peak
4	12258.000	30.29	18.70	48.99	74.00	-25.01	peak
5	13424.000	28.24	21.19	49.43	74.00	-24.57	peak
6	17956.000	23.26	26.78	50.04	74.00	-23.96	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	36.45	10.75	47.20	74.00	-26.80	peak
2	11059.000	33.92	15.02	48.94	74.00	-25.06	peak
3	11323.000	32.85	16.10	48.95	74.00	-25.05	peak
4	12665.000	30.97	18.48	49.45	74.00	-24.55	peak
5	13446.000	28.49	21.25	49.74	74.00	-24.26	peak
6	17989.000	22.16	26.92	49.08	74.00	-24.92	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.68	10.91	47.59	74.00	-26.41	peak
2	11070.000	34.27	15.04	49.31	74.00	-24.69	peak
3	12258.000	31.91	18.70	50.61	74.00	-23.39	peak
4	12709.000	31.64	18.59	50.23	74.00	-23.77	peak
5	13468.000	28.79	21.31	50.10	74.00	-23.90	peak
6	17923.000	23.54	26.64	50.18	74.00	-23.82	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.29	10.91	48.20	74.00	-25.80	peak
2	10333.000	35.15	12.93	48.08	74.00	-25.92	peak
3	11048.000	34.03	14.99	49.02	74.00	-24.98	peak
4	12500.000	32.14	18.56	50.70	74.00	-23.30	peak
5	13512.000	29.19	21.41	50.60	74.00	-23.40	peak
6	17989.000	23.21	26.92	50.13	74.00	-23.87	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.21	11.24	47.45	74.00	-26.55	peak
2	10399.000	35.21	13.23	48.44	74.00	-25.56	peak
3	11917.000	31.26	18.16	49.42	74.00	-24.58	peak
4	12621.000	30.86	18.38	49.24	74.00	-24.76	peak
5	13985.000	26.90	22.53	49.43	74.00	-24.57	peak
6	17945.000	23.70	26.74	50.44	74.00	-23.56	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.88	10.91	47.79	74.00	-26.21	peak
2	10289.000	34.83	12.74	47.57	74.00	-26.43	peak
3	11532.000	32.12	16.93	49.05	74.00	-24.95	peak
4	12269.000	31.19	18.72	49.91	74.00	-24.09	peak
5	13864.000	27.53	22.45	49.98	74.00	-24.02	peak
6	18000.000	23.54	26.97	50.51	74.00	-23.49	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.03	11.24	47.27	74.00	-26.73	peak
2	10179.000	35.76	12.32	48.08	74.00	-25.92	peak
3	11741.000	33.37	17.39	50.76	74.00	-23.24	peak
4	12170.000	31.79	18.58	50.37	74.00	-23.63	peak
5	13611.000	28.77	21.48	50.25	74.00	-23.75	peak
6	17934.000	23.32	26.69	50.01	74.00	-23.99	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	35.75	11.73	47.48	74.00	-26.52	peak
2	10333.000	34.75	12.93	47.68	74.00	-26.32	peak
3	11059.000	33.08	15.02	48.10	74.00	-25.90	peak
4	12247.000	30.96	18.68	49.64	74.00	-24.36	peak
5	13567.000	28.31	21.41	49.72	74.00	-24.28	peak
6	17934.000	23.61	26.69	50.30	74.00	-23.70	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	35.64	11.57	47.21	74.00	-26.79	peak
2	10905.000	34.47	14.39	48.86	74.00	-25.14	peak
3	11741.000	32.21	17.39	49.60	74.00	-24.40	peak
4	12665.000	31.40	18.48	49.88	74.00	-24.12	peak
5	13908.000	27.44	22.49	49.93	74.00	-24.07	peak
6	18000.000	23.74	26.97	50.71	74.00	-23.29	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.06	11.73	47.79	74.00	-26.21	peak
2	10432.000	34.31	13.31	47.62	74.00	-26.38	peak
3	11323.000	32.77	16.10	48.87	74.00	-25.13	peak
4	12665.000	31.23	18.48	49.71	74.00	-24.29	peak
5	13864.000	27.99	22.45	50.44	74.00	-23.56	peak
6	17923.000	23.89	26.64	50.53	74.00	-23.47	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.44	11.57	48.01	74.00	-25.99	peak
2	11015.000	34.43	14.93	49.36	74.00	-24.64	peak
3	11587.000	32.79	17.00	49.79	74.00	-24.21	peak
4	12258.000	31.29	18.70	49.99	74.00	-24.01	peak
5	13776.000	27.44	22.30	49.74	74.00	-24.26	peak
6	17956.000	23.07	26.78	49.85	74.00	-24.15	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.12	11.24	47.36	74.00	-26.64	peak
2	9662.000	36.21	11.15	47.36	74.00	-26.64	peak
3	11422.000	32.20	16.64	48.84	74.00	-25.16	peak
4	12478.000	31.47	18.65	50.12	74.00	-23.88	peak
5	13919.000	27.91	22.49	50.40	74.00	-23.60	peak
6	17956.000	23.89	26.78	50.67	74.00	-23.33	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.57	10.91	47.48	74.00	-26.52	peak
2	11059.000	34.23	15.02	49.25	74.00	-24.75	peak
3	11708.000	32.55	17.31	49.86	74.00	-24.14	peak
4	12291.000	31.28	18.77	50.05	74.00	-23.95	peak
5	13006.000	30.86	19.12	49.98	74.00	-24.02	peak
6	17835.000	23.33	26.27	49.60	74.00	-24.40	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8947.000	37.75	11.08	48.83	74.00	-25.17	peak
2	11356.000	33.62	16.30	49.92	74.00	-24.08	peak
3	12313.000	31.30	18.81	50.11	74.00	-23.89	peak
4	13127.000	30.63	19.68	50.31	74.00	-23.69	peak
5	13919.000	28.18	22.49	50.67	74.00	-23.33	peak
6	17989.000	23.68	26.92	50.60	74.00	-23.40	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.43	11.73	49.16	74.00	-24.84	peak
2	10443.000	36.03	13.35	49.38	74.00	-24.62	peak
3	12236.000	31.88	18.66	50.54	74.00	-23.46	peak
4	13017.000	30.93	19.18	50.11	74.00	-23.89	peak
5	13919.000	28.22	22.49	50.71	74.00	-23.29	peak
6	18000.000	22.87	26.97	49.84	74.00	-24.16	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	35.98	11.57	47.55	74.00	-26.45	peak
2	11070.000	34.23	15.04	49.27	74.00	-24.73	peak
3	11906.000	31.83	18.11	49.94	74.00	-24.06	peak
4	13072.000	30.35	19.43	49.78	74.00	-24.22	peak
5	13963.000	27.65	22.51	50.16	74.00	-23.84	peak
6	17912.000	24.22	26.60	50.82	74.00	-23.18	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10223.000	36.39	12.44	48.83	74.00	-25.17	peak
2	11059.000	34.28	15.02	49.30	74.00	-24.70	peak
3	12148.000	31.23	18.59	49.82	74.00	-24.18	peak
4	12643.000	31.54	18.43	49.97	74.00	-24.03	peak
5	13457.000	29.09	21.29	50.38	74.00	-23.62	peak
6	17912.000	23.45	26.60	50.05	74.00	-23.95	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.38	11.57	47.95	74.00	-26.05	peak
2	10421.000	35.04	13.29	48.33	74.00	-25.67	peak
3	11411.000	33.39	16.60	49.99	74.00	-24.01	peak
4	12632.000	31.14	18.40	49.54	74.00	-24.46	peak
5	13600.000	28.77	21.42	50.19	74.00	-23.81	peak
6	17923.000	23.28	26.64	49.92	74.00	-24.08	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.29	10.91	48.20	74.00	-25.80	peak
2	11070.000	34.56	15.04	49.60	74.00	-24.40	peak
3	11829.000	32.10	17.71	49.81	74.00	-24.19	peak
4	12709.000	31.31	18.59	49.90	74.00	-24.10	peak
5	13919.000	28.00	22.49	50.49	74.00	-23.51	peak
6	17923.000	23.76	26.64	50.40	74.00	-23.60	peak


Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8914.000	37.37	10.58	47.95	74.00	-26.05	peak
2	11059.000	34.11	15.02	49.13	74.00	-24.87	peak
3	11356.000	33.37	16.30	49.67	74.00	-24.33	peak
4	12676.000	31.40	18.50	49.90	74.00	-24.10	peak
5	13369.000	28.75	20.95	49.70	74.00	-24.30	peak
6	17934.000	22.77	26.69	49.46	74.00	-24.54	peak


8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.0100	78.22	-101.40	-23.18	47.60	-74.68	-3.90	-70.78	peak
2	0.0131	74.47	-101.38	-26.91	45.25	-78.41	-6.25	-72.16	peak
3	0.0182	70.85	-101.36	-30.51	42.40	-82.01	-9.10	-72.91	peak
4	0.0252	68.32	-101.37	-33.05	39.57	-84.55	-11.93	-72.62	peak
5	0.0371	65.39	-101.42	-36.03	36.21	-87.53	-15.29	-72.24	peak
6	0.0724	60.56	-101.58	-41.02	30.41	-92.52	-21.09	-71.43	peak

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.1567	77.45	-101.65	-24.20	23.70	-75.70	-27.80	-47.90	peak
2	0.1794	74.77	-101.68	-26.91	22.53	-78.41	-28.97	-49.44	peak
3	0.1917	73.54	-101.70	-28.16	21.95	-79.66	-29.55	-50.11	peak
4	0.2053	72.29	-101.73	-29.44	21.35	-80.94	-30.15	-50.79	peak
5	0.2836	66.21	-101.83	-35.62	18.55	-87.12	-32.95	-54.17	peak
6	0.3251	64.21	-101.88	-37.67	17.36	-89.17	-34.14	-55.03	peak


Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.5039	64.43	-62.07	2.36	33.56	-49.14	-17.94	-31.20	peak
2	0.6671	63.25	-62.10	1.15	31.12	-50.35	-20.38	-29.97	peak
3	1.5564	58.18	-62.02	-3.84	23.76	-55.34	-27.74	-27.60	peak
4	3.7100	54.70	-61.41	-6.71	29.54	-58.21	-21.96	-36.25	peak
5	10.7299	51.98	-60.83	-8.85	29.54	-60.35	-21.96	-38.39	peak
6	13.8871	52.60	-60.97	-8.37	29.54	-59.87	-21.96	-37.91	peak


8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	19392.000	50.12	-5.57	44.55	74.00	-29.45	peak
2	20016.000	50.06	-5.47	44.59	74.00	-29.41	peak
3	21600.000	49.52	-4.54	44.98	74.00	-29.02	peak
4	23064.000	47.99	-3.42	44.57	74.00	-29.43	peak
5	23744.000	48.15	-3.20	44.95	74.00	-29.05	peak
6	25000.000	46.86	-2.10	44.76	74.00	-29.24	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18960.000	50.01	-5.25	44.76	74.00	-29.24	peak
2	20240.000	50.82	-5.61	45.21	74.00	-28.79	peak
3	21544.000	49.26	-4.63	44.63	74.00	-29.37	peak
4	22560.000	47.71	-3.83	43.88	74.00	-30.12	peak
5	24968.000	45.76	-2.14	43.62	74.00	-30.38	peak
6	25704.000	44.54	-0.83	43.71	74.00	-30.29	peak


8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	28786.000	47.49	-0.64	46.85	74.00	-27.15	peak
2	31670.000	48.86	-1.21	47.65	74.00	-26.35	peak
3	33644.000	47.81	0.42	48.23	74.00	-25.77	peak
4	34428.000	47.20	0.99	48.19	74.00	-25.81	peak
5	38180.000	44.14	3.69	47.83	74.00	-26.17	peak
6	39958.000	42.58	5.12	47.70	74.00	-26.30	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	28828.000	48.13	-0.79	47.34	74.00	-26.66	peak
2	31040.000	48.45	-0.72	47.73	74.00	-26.27	peak
3	32888.000	48.29	-0.91	47.38	74.00	-26.62	peak
4	36388.000	44.82	3.52	48.34	74.00	-25.66	peak
5	38278.000	44.32	3.82	48.14	74.00	-25.86	peak
6	39006.000	43.62	4.37	47.99	74.00	-26.01	peak


8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	33.8800	36.19	-13.99	22.20	40.00	-17.80	QP
2	263.7700	41.35	-13.94	27.41	46.00	-18.59	QP
3	331.6700	40.39	-10.37	30.02	46.00	-15.98	QP
4	359.8000	39.18	-9.56	29.62	46.00	-16.38	QP
5	480.0800	40.53	-8.04	32.49	46.00	-13.51	QP
6	959.2600	34.33	-1.67	32.66	46.00	-13.34	QP

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	75.5899	44.57	-15.96	28.61	40.00	-11.39	QP
2	94.0199	41.56	-16.95	24.61	43.50	-18.89	QP
3	359.8000	32.87	-9.56	23.31	46.00	-22.69	QP
4	480.0800	39.83	-8.04	31.79	46.00	-14.21	QP
5	830.2500	30.75	-2.83	27.92	46.00	-18.08	QP
6	995.1500	37.46	-1.28	36.18	54.00	-17.82	QP

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISED RSS-Gen Clause 8.8

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00

TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP

