



Annex A.2 Peak to Average Ratio

1. WCDMA_Band2


1.1. WCDMA Peak to Average Ratio(NTNV)(Channel:9262)



1.2. WCDMA Peak to Average Ratio(NTNV)(Channel:9400)




1.3. WCDMA Peak to Average Ratio(NTNV)(Channel:9538)




2. WCDMA_Band4


2.1. WCDMA Peak to Average Ratio(NTNV)(Channel:1312)



2.2. WCDMA Peak to Average Ratio(NTNV)(Channel:1412)




2.3. WCDMA Peak to Average Ratio(NTNV)(Channel:1513)



3. WCDMA_Band5

3.1. WCDMA Peak to Average Ratio(NTNV)(Channel:4132)



3.2. WCDMA Peak to Average Ratio(NTNV)(Channel:4182)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.4	0.1	2.77	13	Pass

General Purpose RF Measurement - V3.5.110 - Base V 3.5.137
Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS
 Frequency: 836.40000 Ref. Level: 30.00 Connector:RF2COM

GPRF

Statistic Count	
Sample Count	1023250
Sample Time	40.950 ms
Avg Power	24.071 dBm
Max Power	27.233 dBm
PAR	3.162 dB

Probability	
10,000%	1.594 dB
1,0000%	2.344 dB
0,1000%	2.766 dB
0,0100%	2.953 dB
0,0010%	3.047 dB
0,0001%	3.094 dB

Go To Local
Show Remote Screen

Power

RDY

RF Settings

Trigger

List Config.

Power

Statistic

Marker / Display

3.3. WCDMA Peak to Average Ratio(NTNV)(Channel:4233)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.6	0.1	2.67	13	Pass

General Purpose RF Measurement - V3.5.110 - Base V 3.5.137
Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS
 Frequency: **846.60000** Ref. Level: **30.00** Connector: **RF2COM**

GPRF

x: Off y: --- x: Off y: --- x: Off y: ---

Power

100
10
1
0.1
0.01
0.001
0.0001
0.00001
0.000001

dB

Statistic Count 1 / 1

Probability	
10,000%	1.547 dB
1,0000%	2.297 dB
0,1000%	2.672 dB
0,0100%	2.859 dB
0,0010%	2.953 dB
0,0001%	2.953 dB

Sample Count	1000312
Sample Time	40.032 ms
Avg Power	24.065 dBm
Max Power	27.082 dBm
PAR	3.017 dB


10,000%	1.547 dB
1,0000%	2.297 dB
0,1000%	2.672 dB
0,0100%	2.859 dB
0,0010%	2.953 dB
0,0001%	2.953 dB

Go To Local
Show Remote Screen


Marker / Display

4. LTE_Band2


4.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




4.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




4.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




4.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




4.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




4.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



4.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)



4.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



4.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	4.73	13	Pass

General Purpose RF Measurement - V3.5.110 - Base V 3.5.137
 Frequency: 1900.00000 Ref. Level: 30.00 Connector:RF2COM

GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS


Off y: ---
Off y: ---
Off y: ---

Statistic Count	1 / 1	Probability	
Sample Count	999512	10,000%	2.906 dB
Sample Time	10.000 ms	1,0000%	4.641 dB
Avg Power	22.803 dBm	0,1000%	4.734 dB
Max Power	27.619 dBm	0,0010%	4.734 dB
PAR	4.816 dB	0,0001%	4.781 dB

Go To Local
Show Remote Screen


Power
RDY
RF Settings
Trigger
List Config.
Power
Statistic
Marker / Display

4.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5. LTE_Band4


5.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




5.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




5.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



5.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




5.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




6. LTE_Band5


6.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




6.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




6.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




6.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




6.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




6.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



6.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




6.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




7. LTE_Band7


7.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




7.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




7.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




7.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




7.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




7.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



7.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




7.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




8. LTE_Band66


8.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)



8.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



8.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	6	13	Pass


The screenshot displays the 'General Purpose RF Measurement' interface. The main graph plots 'Probability[%]' on the y-axis (log scale from 0.000001 to 100) against 'dB' on the x-axis (linear scale from 0 to 20). Two curves are shown: 'AWGN' (red) and 'Current' (blue). The 'Current' curve shows a sharp drop-off around 7 dB, while the 'AWGN' curve is much flatter. Below the graph, a statistics table provides the following data:

Statistic	Value	Probability	Value (dB)
Sample Count	998712	10,000%	2.953 dB
Sample Time	9.992 ms	1,0000%	5.063 dB
Avg Power	21.967 dBm	0,1000%	6.000 dB
Max Power	29.055 dBm	0,0100%	6.516 dB
PAR	7.087 dB	0,0010%	6.844 dB
		0,0001%	6.938 dB


8.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




8.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




8.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



8.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




8.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




9. LTE_Band38


9.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




9.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




9.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




9.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




9.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




9.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




9.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




9.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




9.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




9.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



9.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




9.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




10. LTE_Band41 full


10.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




10.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




10.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




10.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




10.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



10.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




11. CA_7C


11.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:21006+21150, Bandwidth:10+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




11.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:21006+21150, Bandwidth:10+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




11.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




11.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




11.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:21025+21175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




11.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:21025+21175, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




11.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:21003+21174, Bandwidth:15+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)



11.8. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:21003+21174, Bandwidth:15+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)



11.9. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:21026+21197, Bandwidth:20+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)



11.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:21026+21197, Bandwidth:20+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.9	0.1	6.52	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.137
GPRF

Power | Spectrum | FFT Spectrum | IQ Recorder | IQ vs. Slot | EPS


Frequency: 2534.90000 Ref. Level: 30.00 Connector:RF4COM

x: Off y: --- x: Off y: --- x: Off y: ---


Statistic Count		Probability	
Sample Count	1023670	10,000%	3.422 dB
Sample Time	20.483 ms	1,0000%	5.531 dB
Avg Power	19.884 dBm	0,1000%	6.516 dB
Max Power	27.434 dBm	0,0100%	7.078 dB
PAR	7.551 dB	0,0010%	7.313 dB
		0,0001%	7.500 dB

Go To Local
Show Remote Screen

11.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




11.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




12. CA_38C


12.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




12.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)



12.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)



12.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




13. CA_41C_full

13.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:40528+40645, Bandwidth:5+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.4	0.1	9.61	13	Pass

Statistic Count		Probability	
Sample Count	999512	10,000%	5.813 dB
Sample Time	10.000 ms	1,0000%	8.484 dB
Avg Power	16.839 dBm	0,1000%	9.609 dB
Max Power	27.798 dBm	0,0100%	10.266 dB
PAR	10.959 dB	0,0010%	10.641 dB
		0,0001%	10.828 dB


13.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:40528+40645, Bandwidth:5+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




13.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




13.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




13.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:40526+40670, Bandwidth:10+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




13.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:40526+40670, Bandwidth:10+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




13.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:40571+40715, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




13.8. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:40571+40715, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




13.9. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:40545+40695, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




13.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:40545+40695, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




13.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:40523+40694, Bandwidth:15+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




13.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:40523+40694, Bandwidth:15+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)




13.13. CA Peak to Average Ratio(NTNV)(Subtest:13, Channel:40546+40717, Bandwidth:20+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)




13.14. CA Peak to Average Ratio(NTNV)(Subtest:14, Channel:40546+40717, Bandwidth:20+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)



13.15. CA Peak to Average Ratio(NTNV)(Subtest:15, Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)



13.16. CA Peak to Average Ratio(NTNV)(Subtest:16, Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)



END