


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.02	-13	Pass	401
0.15	30	0.01	Peak	0.27	-55.73	-13	Pass	2985
30	500	0.1	Peak	484.497	-44.81	-13	Pass	4700
500	1000	0.1	Peak	824.165	32.35	-13	N/A	5000
1000	10000	1	Peak	7209.758	-23.05	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.07	-13	Pass	401
0.15	30	0.01	Peak	0.26	-55.2	-13	Pass	2985
30	500	0.1	Peak	468.193	-43.73	-13	Pass	4700
500	1000	0.1	Peak	836.467	32.11	-13	N/A	5000
1000	10000	1	Peak	7201.757	-22.62	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.82	-13	Pass	401
0.15	30	0.01	Peak	0.17	-55.51	-13	Pass	2985
30	500	0.1	Peak	386.776	-43.85	-13	Pass	4700
500	1000	0.1	Peak	848.77	32.9	-13	N/A	5000
1000	10000	1	Peak	7885.841	-23	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.97	-13	Pass	401
0.15	30	0.01	Peak	0.27	-60.72	-13	Pass	2985
30	1000	0.1	Peak	838.099	-49.97	-13	Pass	9699
1000	3000	1	Peak	1850.425	28.8	-13	N/A	2000
3000	20000	1	Peak	19840.741	-44.11	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-64.15	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.67	-13	Pass	2985
30	1000	0.1	Peak	860.415	-49.82	-13	Pass	9699
1000	3000	1	Peak	1880.44	28.58	-13	N/A	2000
3000	20000	1	Peak	19893.828	-45.24	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.64	-13	Pass	401
0.15	30	0.01	Peak	0.19	-61.11	-13	Pass	2985
30	1000	0.1	Peak	808.295	-49.34	-13	Pass	9699
1000	3000	1	Peak	1909.455	25.22	-13	N/A	2000
3000	20000	1	Peak	19847.753	-44.62	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-59.1	-13	Pass	401
0.15	30	0.01	Peak	0.15	-55.06	-13	Pass	2985
30	500	0.1	Peak	475.195	-43.79	-13	Pass	4700
500	1000	0.1	Peak	824.065	24.46	-13	N/A	5000
1000	10000	1	Peak	6958.727	-22.77	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.7	-13	Pass	401
0.15	30	0.01	Peak	0.38	-54.57	-13	Pass	2985
30	500	0.1	Peak	486.897	-44.46	-13	Pass	4700
500	1000	0.1	Peak	836.667	27.04	-13	N/A	5000
1000	10000	1	Peak	7644.811	-22.82	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-58.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.72	-13	Pass	2985
30	500	0.1	Peak	465.493	-44.51	-13	Pass	4700
500	1000	0.1	Peak	848.87	24.87	-13	N/A	5000
1000	10000	1	Peak	7199.757	-22.61	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.5	-13	Pass	401
0.15	30	0.01	Peak	0.3	-60.59	-13	Pass	2985
30	1000	0.1	Peak	387.844	-49.66	-13	Pass	9699
1000	3000	1	Peak	1850.425	26.44	-13	N/A	2000
3000	20000	1	Peak	19685.489	-45.04	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.74	-13	Pass	401
0.15	30	0.01	Peak	0.15	-60.06	-13	Pass	2985
30	1000	0.1	Peak	809.195	-49.19	-13	Pass	9699
1000	3000	1	Peak	1880.44	28.42	-13	N/A	2000
3000	20000	1	Peak	18902.941	-44.93	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.4	-13	Pass	401
0.15	30	0.01	Peak	0.18	-61.6	-13	Pass	2985
30	1000	0.1	Peak	927.304	-50.34	-13	Pass	9699
1000	3000	1	Peak	1910.455	23.66	-13	N/A	2000
3000	20000	1	Peak	19719.545	-44.82	-13	Pass	17000



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.33	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.86	-13	Pass	2985
30	1000	0.1	Peak	986.782	-53.64	-13	Pass	9699
1000	3000	1	Peak	1853.427	23.96	-13	N/A	2000
3000	20000	1	Peak	19780.644	-24.23	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.58	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.76	-13	Pass	2985
30	1000	0.1	Peak	815.996	-53.44	-13	Pass	9699
1000	3000	1	Peak	1878.439	24.4	-13	N/A	2000
3000	20000	1	Peak	19840.741	-23.83	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.84	-13	Pass	401
0.15	30	0.01	Peak	0.23	-65.47	-13	Pass	2985
30	1000	0.1	Peak	966.456	-53.49	-13	Pass	9699
1000	3000	1	Peak	1906.453	24.31	-13	N/A	2000
3000	20000	1	Peak	19883.811	-24.12	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.93	-13	Pass	401
0.15	30	0.01	Peak	0.79	-64.63	-13	Pass	2985
30	1000	0.1	Peak	890.054	-53.68	-13	Pass	9699
1000	3000	1	Peak	1713.357	24.13	-13	N/A	2000
3000	20000	1	Peak	19380	-23.64	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.41	-13	Pass	401
0.15	30	0.01	Peak	0.19	-65.23	-13	Pass	2985
30	1000	0.1	Peak	860.315	-54.31	-13	Pass	9699
1000	3000	1	Peak	1731.366	24.01	-13	N/A	2000
3000	20000	1	Peak	19812.696	-24.45	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.066	-68.59	-13	Pass	401
0.15	30	0.01	Peak	0.21	-65.62	-13	Pass	2985
30	1000	0.1	Peak	418.447	-54.05	-13	Pass	9699
1000	3000	1	Peak	1753.377	24.19	-13	N/A	2000
3000	20000	1	Peak	19846.751	-24.17	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.6	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.68	-13	Pass	2985
30	500	0.1	Peak	495.599	-54.91	-13	Pass	4700
500	1000	0.1	Peak	827.666	18.86	-13	N/A	5000
1000	10000	1	Peak	6949.726	-32.78	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.066	-67.32	-13	Pass	401
0.15	30	0.01	Peak	0.43	-63.59	-13	Pass	2985
30	500	0.1	Peak	454.59	-54.91	-13	Pass	4700
500	1000	0.1	Peak	835.667	19.38	-13	N/A	5000
1000	10000	1	Peak	7015.734	-32.31	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.66	-13	Pass	401
0.15	30	0.01	Peak	0.28	-65.86	-13	Pass	2985
30	500	0.1	Peak	365.171	-54.13	-13	Pass	4700
500	1000	0.1	Peak	847.87	18.78	-13	N/A	5000
1000	10000	1	Peak	7924.845	-32.92	-13	Pass	9000



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-13	Pass	2985
30	1000	0.1	RMS	846.6	-64.8	-13	Pass	9699
1000	1840	1	RMS	1840	-51.84	-13	Pass	840
1840	1920	1	RMS	1850.2	23.63	60	Pass	401
1920	3000	1	RMS	2949.954	-50.41	-13	Pass	1080
3000	12000	1	RMS	11787.737	-43.62	-13	Pass	9000
12000	20000	1	RMS	19716.965	-35.82	-13	Pass	8000




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.54	-13	Pass	2985
30	1000	0.1	RMS	862.918	-64.82	-13	Pass	9699
1000	1840	1	RMS	1840	-52.08	-13	Pass	840
1840	1920	1	RMS	1850.2	22.63	60	Pass	401
1920	3000	1	RMS	2944.949	-50.45	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.69	-13	Pass	9000
12000	20000	1	RMS	19713.964	-35.83	-13	Pass	8000




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.19	-13	Pass	2985
30	1000	0.1	RMS	810.595	-64.99	-13	Pass	9699
1000	1840	1	RMS	1840	-53.47	-13	Pass	840
1840	1920	1	RMS	1879.4	24.05	60	Pass	401
1920	3000	1	RMS	2946.951	-50.46	-13	Pass	1080
3000	12000	1	RMS	11796.748	-43.68	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.8	-13	Pass	8000




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-13	Pass	2985
30	1000	0.1	RMS	871.229	-64.75	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.49	-13	Pass	840
1840	1920	1	RMS	1879.4	23.08	60	Pass	401
1920	3000	1	RMS	2945.95	-50.47	-13	Pass	1080
3000	12000	1	RMS	11788.739	-43.69	-13	Pass	9000
12000	20000	1	RMS	19707.963	-35.75	-13	Pass	8000




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.48	-13	Pass	2985
30	1000	0.1	RMS	838.799	-64.94	-13	Pass	9699
1000	1840	1	RMS	1840	-53.51	-13	Pass	840
1840	1920	1	RMS	1908.8	23.03	60	Pass	401
1920	3000	1	RMS	2949.954	-50.45	-13	Pass	1080
3000	12000	1	RMS	12000	-43.68	-13	Pass	9000
12000	20000	1	RMS	19732.967	-35.85	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-13	Pass	2985
30	1000	0.1	RMS	844.999	-64.88	-13	Pass	9699
1000	1840	1	RMS	1840	-53.49	-13	Pass	840
1840	1920	1	RMS	1908.8	22.43	60	Pass	401
1920	3000	1	RMS	2944.949	-50.41	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.69	-13	Pass	9000
12000	20000	1	RMS	19719.965	-35.79	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-13	Pass	2985
30	1000	0.1	RMS	848.9	-64.87	-13	Pass	9699
1000	1840	1	RMS	1840	-51.88	-13	Pass	840
1840	1920	1	RMS	1850.2	23.58	60	Pass	401
1920	3000	1	RMS	2948.953	-50.46	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.68	-13	Pass	9000
12000	20000	1	RMS	19710.964	-35.8	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	Pass	2985
30	1000	0.1	RMS	841.499	-64.9	-13	Pass	9699
1000	1840	1	RMS	1840	-52.15	-13	Pass	840
1840	1920	1	RMS	1850.2	22.8	60	Pass	401
1920	3000	1	RMS	2949.954	-50.39	-13	Pass	1080
3000	12000	1	RMS	12000	-43.69	-13	Pass	9000
12000	20000	1	RMS	19759.97	-35.81	-13	Pass	8000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.79	-13	Pass	2985
30	1000	0.1	RMS	836.398	-64.79	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.5	-13	Pass	840
1840	1920	1	RMS	1878.6	24.1	60	Pass	401
1920	3000	1	RMS	2956.96	-50.5	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.66	-13	Pass	9000
12000	20000	1	RMS	19703.963	-35.82	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2985
30	1000	0.1	RMS	861.917	-64.89	-13	Pass	9699
1000	1840	1	RMS	1840	-53.49	-13	Pass	840
1840	1920	1	RMS	1878.6	23.1	60	Pass	401
1920	3000	1	RMS	2948.953	-50.47	-13	Pass	1080
3000	12000	1	RMS	11794.746	-43.72	-13	Pass	9000
12000	20000	1	RMS	19779.972	-35.8	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	Pass	2985
30	1000	0.1	RMS	858.112	-64.74	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.51	-13	Pass	840
1840	1920	1	RMS	1907.2	23.71	60	Pass	401
1920	3000	1	RMS	2946.951	-50.44	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.6	-13	Pass	9000
12000	20000	1	RMS	19716.965	-35.8	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.01	-13	Pass	2985
30	1000	0.1	RMS	851.904	-64.86	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.52	-13	Pass	840
1840	1920	1	RMS	1907.2	22.68	60	Pass	401
1920	3000	1	RMS	2947.952	-50.47	-13	Pass	1080
3000	12000	1	RMS	12000	-43.64	-13	Pass	9000
12000	20000	1	RMS	19700.963	-35.77	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2985
30	1000	0.1	RMS	862.418	-64.84	-13	Pass	9699
1000	1840	1	RMS	1840	-51.53	-13	Pass	840
1840	1920	1	RMS	1850.2	23.67	60	Pass	401
1920	3000	1	RMS	2947.952	-50.45	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.68	-13	Pass	9000
12000	20000	1	RMS	19721.965	-35.83	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.84	-13	Pass	2985
30	1000	0.1	RMS	834.998	-64.81	-13	Pass	9699
1000	1840	1	RMS	1840	-51.9	-13	Pass	840
1840	1920	1	RMS	1850.2	22.67	60	Pass	401
1920	3000	1	RMS	2947.952	-50.45	-13	Pass	1080
3000	12000	1	RMS	11800.753	-43.69	-13	Pass	9000
12000	20000	1	RMS	19757.97	-35.83	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	Pass	2985
30	1000	0.1	RMS	841.199	-64.93	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.52	-13	Pass	840
1840	1920	1	RMS	1877.8	24.07	60	Pass	401
1920	3000	1	RMS	2949.954	-50.47	-13	Pass	1080
3000	12000	1	RMS	11788.739	-43.66	-13	Pass	9000
12000	20000	1	RMS	19708.964	-35.83	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2985
30	1000	0.1	RMS	837.499	-64.85	-13	Pass	9699
1000	1840	1	RMS	1840	-53.52	-13	Pass	840
1840	1920	1	RMS	1877.8	23.24	60	Pass	401
1920	3000	1	RMS	2949.954	-50.44	-13	Pass	1080
3000	12000	1	RMS	11795.747	-43.65	-13	Pass	9000
12000	20000	1	RMS	19735.967	-35.75	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.58	-13	Pass	2985
30	1000	0.1	RMS	873.833	-64.82	-13	Pass	9699
1000	1840	1	RMS	1840	-53.55	-13	Pass	840
1840	1920	1	RMS	1905.2	23.69	60	Pass	401
1920	3000	1	RMS	2941.946	-50.46	-13	Pass	1080
3000	12000	1	RMS	11995.995	-43.7	-13	Pass	9000
12000	20000	1	RMS	19742.968	-35.77	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	Pass	2985
30	1000	0.1	RMS	875.034	-64.9	-13	Pass	9699
1000	1840	1	RMS	1840	-53.53	-13	Pass	840
1840	1920	1	RMS	1905.2	22.95	60	Pass	401
1920	3000	1	RMS	2944.949	-50.44	-13	Pass	1080
3000	12000	1	RMS	11795.747	-43.68	-13	Pass	9000
12000	20000	1	RMS	19723.965	-35.76	-13	Pass	8000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	Pass	2985
30	1000	0.1	RMS	834.898	-64.8	-13	Pass	9699
1000	1840	1	RMS	1832.992	-50.26	-13	Pass	840
1840	1920	1	RMS	1850.4	23.69	60	Pass	401
1920	3000	1	RMS	2949.954	-50.43	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.55	-13	Pass	9000
12000	20000	1	RMS	19816.977	-35.81	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.94	-13	Pass	2985
30	1000	0.1	RMS	855.108	-64.83	-13	Pass	9699
1000	1840	1	RMS	1832.992	-50.19	-13	Pass	840
1840	1920	1	RMS	1850.4	22.94	60	Pass	401
1920	3000	1	RMS	2951.956	-50.45	-13	Pass	1080
3000	12000	1	RMS	11792.743	-43.67	-13	Pass	9000
12000	20000	1	RMS	19735.967	-35.8	-13	Pass	8000




8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	Pass	2985
30	1000	0.1	RMS	821.097	-64.86	-13	Pass	9699
1000	1840	1	RMS	1835.995	-53.52	-13	Pass	840
1840	1920	1	RMS	1875.4	24.1	60	Pass	401
1920	3000	1	RMS	2944.949	-50.44	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.62	-13	Pass	9000
12000	20000	1	RMS	19699.962	-35.83	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.28	-13	Pass	2985
30	1000	0.1	RMS	850.402	-64.83	-13	Pass	9699
1000	1840	1	RMS	1840	-53.53	-13	Pass	840
1840	1920	1	RMS	1875.4	23.14	60	Pass	401
1920	3000	1	RMS	2947.952	-50.47	-13	Pass	1080
3000	12000	1	RMS	11786.736	-43.65	-13	Pass	9000
12000	20000	1	RMS	19723.965	-35.81	-13	Pass	8000




8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2985
30	1000	0.1	RMS	848.3	-64.88	-13	Pass	9699
1000	1840	1	RMS	1840	-53.53	-13	Pass	840
1840	1920	1	RMS	1900.4	23.9	60	Pass	401
1920	3000	1	RMS	2948.953	-50.46	-13	Pass	1080
3000	12000	1	RMS	11793.745	-43.72	-13	Pass	9000
12000	20000	1	RMS	19749.969	-35.8	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-13	Pass	2985
30	1000	0.1	RMS	895.361	-64.78	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.53	-13	Pass	840
1840	1920	1	RMS	1900.4	22.9	60	Pass	401
1920	3000	1	RMS	2946.951	-50.41	-13	Pass	1080
3000	12000	1	RMS	12000	-43.66	-13	Pass	9000
12000	20000	1	RMS	19702.963	-35.75	-13	Pass	8000




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-13	Pass	2985
30	1000	0.1	RMS	833.798	-64.78	-13	Pass	9699
1000	1840	1	RMS	1837.998	-47.73	-13	Pass	840
1840	1920	1	RMS	1850.8	23.62	60	Pass	401
1920	3000	1	RMS	2946.951	-50.36	-13	Pass	1080
3000	12000	1	RMS	11792.743	-43.7	-13	Pass	9000
12000	20000	1	RMS	19722.965	-35.8	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-13	Pass	2985
30	1000	0.1	RMS	855.008	-64.77	-13	Pass	9699
1000	1840	1	RMS	1837.998	-48.6	-13	Pass	840
1840	1920	1	RMS	1850.8	22.74	60	Pass	401
1920	3000	1	RMS	2946.951	-50.46	-13	Pass	1080
3000	12000	1	RMS	11794.746	-43.58	-13	Pass	9000
12000	20000	1	RMS	19747.968	-35.81	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2985
30	1000	0.1	RMS	848.7	-64.92	-13	Pass	9699
1000	1840	1	RMS	1840	-53.41	-13	Pass	840
1840	1920	1	RMS	1873.2	24.03	60	Pass	401
1920	3000	1	RMS	2949.954	-50.45	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.67	-13	Pass	9000
12000	20000	1	RMS	19781.973	-35.83	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.53	-13	Pass	2985
30	1000	0.1	RMS	834.898	-64.94	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.43	-13	Pass	840
1840	1920	1	RMS	1873.2	23.14	60	Pass	401
1920	3000	1	RMS	2946.951	-50.47	-13	Pass	1080
3000	12000	1	RMS	12000	-43.67	-13	Pass	9000
12000	20000	1	RMS	19751.969	-35.78	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.55	-13	Pass	2985
30	1000	0.1	RMS	865.121	-64.87	-13	Pass	9699
1000	1840	1	RMS	1840	-53.47	-13	Pass	840
1840	1920	1	RMS	1895.8	23.76	60	Pass	401
1920	3000	1	RMS	2948.953	-50.46	-13	Pass	1080
3000	12000	1	RMS	12000	-43.65	-13	Pass	9000
12000	20000	1	RMS	19725.966	-35.81	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	Pass	2985
30	1000	0.1	RMS	896.863	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-53.47	-13	Pass	840
1840	1920	1	RMS	1895.8	22.96	60	Pass	401
1920	3000	1	RMS	2944.949	-50.42	-13	Pass	1080
3000	12000	1	RMS	11796.748	-43.65	-13	Pass	9000
12000	20000	1	RMS	19700.963	-35.76	-13	Pass	8000




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2985
30	1000	0.1	RMS	852.004	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-48.52	-13	Pass	840
1840	1920	1	RMS	1851	23.65	60	Pass	401
1920	3000	1	RMS	2948.953	-50.41	-13	Pass	1080
3000	12000	1	RMS	11788.739	-43.7	-13	Pass	9000
12000	20000	1	RMS	19705.963	-35.85	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2985
30	1000	0.1	RMS	854.307	-64.9	-13	Pass	9699
1000	1840	1	RMS	1832.992	-50.81	-13	Pass	840
1840	1920	1	RMS	1851	22.85	60	Pass	401
1920	3000	1	RMS	2950.955	-50.44	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.69	-13	Pass	9000
12000	20000	1	RMS	19721.965	-35.81	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	Pass	2985
30	1000	0.1	RMS	841.699	-64.85	-13	Pass	9699
1000	1840	1	RMS	1835.995	-51.42	-13	Pass	840
1840	1920	1	RMS	1871	23.93	60	Pass	401
1920	3000	1	RMS	2948.953	-50.43	-13	Pass	1080
3000	12000	1	RMS	11791.742	-43.66	-13	Pass	9000
12000	20000	1	RMS	19754.969	-35.76	-13	Pass	8000




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2985
30	1000	0.1	RMS	975.267	-64.83	-13	Pass	9699
1000	1840	1	RMS	1834.994	-52.54	-13	Pass	840
1840	1920	1	RMS	1871	23.05	60	Pass	401
1920	3000	1	RMS	2941.946	-50.48	-13	Pass	1080
3000	12000	1	RMS	11994.994	-43.64	-13	Pass	9000
12000	20000	1	RMS	19714.964	-35.79	-13	Pass	8000




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2985
30	1000	0.1	RMS	837.399	-64.85	-13	Pass	9699
1000	1840	1	RMS	1835.995	-53.56	-13	Pass	840
1840	1920	1	RMS	1891	23.65	60	Pass	401
1920	3000	1	RMS	2945.95	-50.48	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.63	-13	Pass	9000
12000	20000	1	RMS	19741.968	-35.74	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-13	Pass	2985
30	1000	0.1	RMS	838.099	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-53.51	-13	Pass	840
1840	1920	1	RMS	1891	22.86	60	Pass	401
1920	3000	1	RMS	2945.95	-50.46	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.66	-13	Pass	9000
12000	20000	1	RMS	19761.97	-35.81	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	Pass	2985
30	1000	0.1	RMS	850.001	-64.88	-13	Pass	9699
1000	1700	1	RMS	1700	-52.13	-13	Pass	700
1700	1765	1	RMS	1710.238	23.57	60	Pass	401
1765	3000	1	RMS	2953.963	-50.46	-13	Pass	1235
3000	12000	1	RMS	12000	-43.64	-13	Pass	9000
12000	20000	1	RMS	19804.976	-35.79	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2985
30	1000	0.1	RMS	834.398	-64.9	-13	Pass	9699
1000	1700	1	RMS	1700	-52.38	-13	Pass	700
1700	1765	1	RMS	1710.238	22.74	60	Pass	401
1765	3000	1	RMS	2943.955	-50.44	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.7	-13	Pass	9000
12000	20000	1	RMS	19762.97	-35.79	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2985
30	1000	0.1	RMS	843.899	-65.02	-13	Pass	9699
1000	1700	1	RMS	1700	-53.83	-13	Pass	700
1700	1765	1	RMS	1732.013	23.81	60	Pass	401
1765	3000	1	RMS	2949.959	-50.43	-13	Pass	1235
3000	12000	1	RMS	11799.752	-43.65	-13	Pass	9000
12000	20000	1	RMS	19767.971	-35.73	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2985
30	1000	0.1	RMS	845.5	-64.86	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.88	-13	Pass	700
1700	1765	1	RMS	1732.013	22.9	60	Pass	401
1765	3000	1	RMS	2949.959	-50.43	-13	Pass	1235
3000	12000	1	RMS	12000	-43.68	-13	Pass	9000
12000	20000	1	RMS	19794.974	-35.8	-13	Pass	8000




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-13	Pass	2985
30	1000	0.1	RMS	832.298	-64.87	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.81	-13	Pass	700
1700	1765	1	RMS	1753.788	23.78	60	Pass	401
1765	3000	1	RMS	2946.957	-50.43	-13	Pass	1235
3000	12000	1	RMS	11992.991	-43.63	-13	Pass	9000
12000	20000	1	RMS	19768.971	-35.77	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.61	-13	Pass	2985
30	1000	0.1	RMS	852.905	-64.76	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.86	-13	Pass	700
1700	1765	1	RMS	1753.788	22.94	60	Pass	401
1765	3000	1	RMS	2948.959	-50.45	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.67	-13	Pass	9000
12000	20000	1	RMS	19751.969	-35.81	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	Pass	2985
30	1000	0.1	RMS	839.399	-64.86	-13	Pass	9699
1000	1700	1	RMS	1700	-52.07	-13	Pass	700
1700	1765	1	RMS	1710.075	23.62	60	Pass	401
1765	3000	1	RMS	2942.954	-50.45	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.66	-13	Pass	9000
12000	20000	1	RMS	19732.967	-35.8	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	Pass	2985
30	1000	0.1	RMS	842.199	-64.87	-13	Pass	9699
1000	1700	1	RMS	1700	-52.32	-13	Pass	700
1700	1765	1	RMS	1710.238	22.91	60	Pass	401
1765	3000	1	RMS	2949.959	-50.38	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.69	-13	Pass	9000
12000	20000	1	RMS	19771.971	-35.77	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.74	-13	Pass	2985
30	1000	0.1	RMS	843.999	-64.89	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.81	-13	Pass	700
1700	1765	1	RMS	1731.2	23.86	60	Pass	401
1765	3000	1	RMS	2947.958	-50.44	-13	Pass	1235
3000	12000	1	RMS	11792.743	-43.65	-13	Pass	9000
12000	20000	1	RMS	19752.969	-35.79	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.35	-13	Pass	2985
30	1000	0.1	RMS	836.398	-64.7	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.83	-13	Pass	700
1700	1765	1	RMS	1731.2	22.99	60	Pass	401
1765	3000	1	RMS	2948.959	-50.43	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.59	-13	Pass	9000
12000	20000	1	RMS	19740.968	-35.83	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2985
30	1000	0.1	RMS	848.6	-64.76	-13	Pass	9699
1000	1700	1	RMS	1700	-53.81	-13	Pass	700
1700	1765	1	RMS	1752.163	23.76	60	Pass	401
1765	3000	1	RMS	2949.959	-50.48	-13	Pass	1235
3000	12000	1	RMS	12000	-43.6	-13	Pass	9000
12000	20000	1	RMS	19735.967	-35.82	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2985
30	1000	0.1	RMS	828.898	-64.91	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.85	-13	Pass	700
1700	1765	1	RMS	1752.163	23.05	60	Pass	401
1765	3000	1	RMS	2947.958	-50.42	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.7	-13	Pass	9000
12000	20000	1	RMS	19833.979	-35.78	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-13	Pass	2985
30	1000	0.1	RMS	853.806	-64.92	-13	Pass	9699
1000	1700	1	RMS	1700	-51.88	-13	Pass	700
1700	1765	1	RMS	1710.238	23.62	60	Pass	401
1765	3000	1	RMS	2950.96	-50.48	-13	Pass	1235
3000	12000	1	RMS	11791.742	-43.68	-13	Pass	9000
12000	20000	1	RMS	19781.973	-35.77	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2985
30	1000	0.1	RMS	852.004	-64.83	-13	Pass	9699
1000	1700	1	RMS	1700	-52.04	-13	Pass	700
1700	1765	1	RMS	1710.238	22.93	60	Pass	401
1765	3000	1	RMS	2948.959	-50.44	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.64	-13	Pass	9000
12000	20000	1	RMS	19700.963	-35.8	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2985
30	1000	0.1	RMS	858.713	-64.85	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.87	-13	Pass	700
1700	1765	1	RMS	1730.225	23.97	60	Pass	401
1765	3000	1	RMS	2952.962	-50.46	-13	Pass	1235
3000	12000	1	RMS	11792.743	-43.69	-13	Pass	9000
12000	20000	1	RMS	19774.972	-35.81	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	Pass	2985
30	1000	0.1	RMS	841.699	-64.92	-13	Pass	9699
1000	1700	1	RMS	1700	-53.86	-13	Pass	700
1700	1765	1	RMS	1730.225	23.16	60	Pass	401
1765	3000	1	RMS	2942.954	-50.43	-13	Pass	1235
3000	12000	1	RMS	11790.741	-43.61	-13	Pass	9000
12000	20000	1	RMS	19748.969	-35.78	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.85	-13	Pass	2985
30	1000	0.1	RMS	845.099	-64.94	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.87	-13	Pass	700
1700	1765	1	RMS	1750.213	23.81	60	Pass	401
1765	3000	1	RMS	2951.961	-50.46	-13	Pass	1235
3000	12000	1	RMS	12000	-43.6	-13	Pass	9000
12000	20000	1	RMS	19732.967	-35.77	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.31	-13	Pass	2985
30	1000	0.1	RMS	838.399	-64.86	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.87	-13	Pass	700
1700	1765	1	RMS	1750.213	23.2	60	Pass	401
1765	3000	1	RMS	2947.958	-50.43	-13	Pass	1235
3000	12000	1	RMS	11993.993	-43.73	-13	Pass	9000
12000	20000	1	RMS	19786.973	-35.79	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	Pass	2985
30	1000	0.1	RMS	840.299	-64.86	-13	Pass	9699
1000	1700	1	RMS	1692.99	-47.24	-13	Pass	700
1700	1765	1	RMS	1710.563	23.74	60	Pass	401
1765	3000	1	RMS	2947.958	-50.47	-13	Pass	1235
3000	12000	1	RMS	12000	-43.66	-13	Pass	9000
12000	20000	1	RMS	19740.968	-35.76	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	Pass	2985
30	1000	0.1	RMS	848.1	-64.84	-13	Pass	9699
1000	1700	1	RMS	1692.99	-46.85	-13	Pass	700
1700	1765	1	RMS	1710.563	23.09	60	Pass	401
1765	3000	1	RMS	2944.955	-50.4	-13	Pass	1235
3000	12000	1	RMS	11792.743	-43.72	-13	Pass	9000
12000	20000	1	RMS	19801.975	-35.79	-13	Pass	8000




9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	Pass	2985
30	1000	0.1	RMS	851.904	-64.69	-13	Pass	9699
1000	1700	1	RMS	1700	-53.85	-13	Pass	700
1700	1765	1	RMS	1727.95	23.92	60	Pass	401
1765	3000	1	RMS	2950.96	-50.46	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.73	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.79	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	Pass	2985
30	1000	0.1	RMS	841.599	-64.85	-13	Pass	9699
1000	1700	1	RMS	1700	-53.85	-13	Pass	700
1700	1765	1	RMS	1727.95	22.99	60	Pass	401
1765	3000	1	RMS	2942.954	-50.48	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.72	-13	Pass	9000
12000	20000	1	RMS	19706.963	-35.81	-13	Pass	8000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2985
30	1000	0.1	RMS	846.3	-64.86	-13	Pass	9699
1000	1700	1	RMS	1700	-53.78	-13	Pass	700
1700	1765	1	RMS	1745.5	23.81	60	Pass	401
1765	3000	1	RMS	2951.961	-50.36	-13	Pass	1235
3000	12000	1	RMS	12000	-43.66	-13	Pass	9000
12000	20000	1	RMS	19718.965	-35.79	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.45	-13	Pass	2985
30	1000	0.1	RMS	838.999	-64.67	-13	Pass	9699
1000	1700	1	RMS	1700	-53.86	-13	Pass	700
1700	1765	1	RMS	1745.5	23.01	60	Pass	401
1765	3000	1	RMS	2948.959	-50.38	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.71	-13	Pass	9000
12000	20000	1	RMS	19711.964	-35.75	-13	Pass	8000




9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	Pass	2985
30	1000	0.1	RMS	850.802	-64.84	-13	Pass	9699
1000	1700	1	RMS	1696.996	-50.88	-13	Pass	700
1700	1765	1	RMS	1710.725	23.7	60	Pass	401
1765	3000	1	RMS	2951.961	-50.46	-13	Pass	1235
3000	12000	1	RMS	11790.741	-43.67	-13	Pass	9000
12000	20000	1	RMS	19733.967	-35.81	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-13	Pass	2985
30	1000	0.1	RMS	843.799	-65.02	-13	Pass	9699
1000	1700	1	RMS	1696.996	-50.1	-13	Pass	700
1700	1765	1	RMS	1710.725	23	60	Pass	401
1765	3000	1	RMS	2950.96	-50.43	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.69	-13	Pass	9000
12000	20000	1	RMS	19704.963	-35.83	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.82	-13	Pass	2985
30	1000	0.1	RMS	853.105	-64.87	-13	Pass	9699
1000	1700	1	RMS	1698.999	-47.01	-13	Pass	700
1700	1765	1	RMS	1725.838	23.92	60	Pass	401
1765	3000	1	RMS	2943.955	-50.38	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.68	-13	Pass	9000
12000	20000	1	RMS	19759.97	-35.81	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2985
30	1000	0.1	RMS	850.902	-64.84	-13	Pass	9699
1000	1700	1	RMS	1698.999	-48.17	-13	Pass	700
1700	1765	1	RMS	1725.838	23.05	60	Pass	401
1765	3000	1	RMS	2947.958	-50.47	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.68	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.82	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2985
30	1000	0.1	RMS	857.511	-64.95	-13	Pass	9699
1000	1700	1	RMS	1700	-53.85	-13	Pass	700
1700	1765	1	RMS	1740.788	23.86	60	Pass	401
1765	3000	1	RMS	1767.002	-33.92	-13	Pass	1235
3000	12000	1	RMS	12000	-43.59	-13	Pass	9000
12000	20000	1	RMS	19721.965	-35.75	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2985
30	1000	0.1	RMS	836.798	-64.89	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.88	-13	Pass	700
1700	1765	1	RMS	1740.788	23.06	60	Pass	401
1765	3000	1	RMS	1767.002	-35.4	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.72	-13	Pass	9000
12000	20000	1	RMS	19713.964	-35.75	-13	Pass	8000




9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.97	-13	Pass	2985
30	1000	0.1	RMS	842.899	-64.67	-13	Pass	9699
1000	1700	1	RMS	1700	-50.53	-13	Pass	700
1700	1765	1	RMS	1711.05	23.71	60	Pass	401
1765	3000	1	RMS	2949.959	-50.38	-13	Pass	1235
3000	12000	1	RMS	11792.743	-43.62	-13	Pass	9000
12000	20000	1	RMS	19711.964	-35.83	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	Pass	2985
30	1000	0.1	RMS	868.125	-64.89	-13	Pass	9699
1000	1700	1	RMS	1692.99	-50.5	-13	Pass	700
1700	1765	1	RMS	1711.05	23.11	60	Pass	401
1765	3000	1	RMS	2942.954	-50.48	-13	Pass	1235
3000	12000	1	RMS	12000	-43.67	-13	Pass	9000
12000	20000	1	RMS	19772.972	-35.85	-13	Pass	8000




9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.08	-13	Pass	2985
30	1000	0.1	RMS	864.52	-64.91	-13	Pass	9699
1000	1700	1	RMS	1687.983	-53.04	-13	Pass	700
1700	1765	1	RMS	1723.563	23.98	60	Pass	401
1765	3000	1	RMS	2951.961	-50.43	-13	Pass	1235
3000	12000	1	RMS	12000	-43.67	-13	Pass	9000
12000	20000	1	RMS	19729.966	-35.8	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	Pass	2985
30	1000	0.1	RMS	839.099	-64.9	-13	Pass	9699
1000	1700	1	RMS	1687.983	-53.53	-13	Pass	700
1700	1765	1	RMS	1723.563	23.08	60	Pass	401
1765	3000	1	RMS	2943.955	-50.43	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.66	-13	Pass	9000
12000	20000	1	RMS	19717.965	-35.8	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2985
30	1000	0.1	RMS	845.6	-64.95	-13	Pass	9699
1000	1700	1	RMS	1700	-47.57	-13	Pass	700
1700	1765	1	RMS	1736.075	23.69	60	Pass	401
1765	3000	1	RMS	1772.006	-32.63	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.7	-13	Pass	9000
12000	20000	1	RMS	19731.966	-35.79	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71	-13	Pass	2985
30	1000	0.1	RMS	848.3	-64.87	-13	Pass	9699
1000	1700	1	RMS	1700	-48	-13	Pass	700
1700	1765	1	RMS	1736.075	22.77	60	Pass	401
1765	3000	1	RMS	1772.006	-34.3	-13	Pass	1235
3000	12000	1	RMS	11787.737	-43.65	-13	Pass	9000
12000	20000	1	RMS	19736.967	-35.82	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.35	-72.62	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.21	-13	Pass	7840
814	860	0.1	RMS	824.222	21.49	60	Pass	460
860	1000	0.1	RMS	864.403	-64.89	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.86	-13	Pass	2000
3000	10000	1	RMS	6958.566	-44.2	-13	Pass	7000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.18	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.73	-13	Pass	7840
814	860	0.1	RMS	824.222	20.28	60	Pass	460
860	1000	0.1	RMS	878.013	-65.03	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.05	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.21	-13	Pass	7000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.67	-13	Pass	2985
30	814	0.1	RMS	722.088	-65.19	-13	Pass	7840
814	860	0.1	RMS	836.048	21.67	60	Pass	460
860	1000	0.1	RMS	862.402	-65.08	-13	Pass	1400
1000	3000	1	RMS	1671.336	-46.64	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.17	-13	Pass	7000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2985
30	814	0.1	RMS	811.6	-65.26	-13	Pass	7840
814	860	0.1	RMS	836.048	20.71	60	Pass	460
860	1000	0.1	RMS	960.372	-65.03	-13	Pass	1400
1000	3000	1	RMS	1671.336	-47.86	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.14	-13	Pass	7000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.86	-13	Pass	2985
30	814	0.1	RMS	720.788	-65.31	-13	Pass	7840
814	860	0.1	RMS	847.874	21.72	60	Pass	460
860	1000	0.1	RMS	864.303	-65.04	-13	Pass	1400
1000	3000	1	RMS	1695.348	-45.71	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.2	-13	Pass	7000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.29	-13	Pass	2985
30	814	0.1	RMS	719.788	-65.23	-13	Pass	7840
814	860	0.1	RMS	847.874	20.64	60	Pass	460
860	1000	0.1	RMS	879.714	-65.12	-13	Pass	1400
1000	3000	1	RMS	1695.348	-47	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.21	-13	Pass	7000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.22	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.77	-13	Pass	7840
814	860	0.1	RMS	824.222	21.63	60	Pass	460
860	1000	0.1	RMS	865.304	-64.97	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.92	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.25	-13	Pass	7000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.43	-13	Pass	7840
814	860	0.1	RMS	824.222	20.71	60	Pass	460
860	1000	0.1	RMS	861.401	-65.07	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.85	-13	Pass	2000
3000	10000	1	RMS	6958.566	-44.19	-13	Pass	7000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2985
30	814	0.1	RMS	741.891	-65.22	-13	Pass	7840
814	860	0.1	RMS	835.246	21.85	60	Pass	460
860	1000	0.1	RMS	868.306	-65.08	-13	Pass	1400
1000	3000	1	RMS	1670.335	-46.92	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.2	-13	Pass	7000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.78	-13	Pass	2985
30	814	0.1	RMS	809.299	-65.07	-13	Pass	7840
814	860	0.1	RMS	835.246	20.76	60	Pass	460
860	1000	0.1	RMS	875.411	-64.99	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.1	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.2	-13	Pass	7000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2985
30	814	0.1	RMS	745.491	-65.32	-13	Pass	7840
814	860	0.1	RMS	846.27	21.49	60	Pass	460
860	1000	0.1	RMS	861.601	-65.09	-13	Pass	1400
1000	3000	1	RMS	1692.346	-46.46	-13	Pass	2000
3000	10000	1	RMS	6965.567	-44.16	-13	Pass	7000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-13	Pass	2985
30	814	0.1	RMS	807.599	-65.2	-13	Pass	7840
814	860	0.1	RMS	846.27	20.61	60	Pass	460
860	1000	0.1	RMS	863.503	-65.08	-13	Pass	1400
1000	3000	1	RMS	1692.346	-47.38	-13	Pass	2000
3000	10000	1	RMS	6958.566	-44.26	-13	Pass	7000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.32	-13	Pass	7840
814	860	0.1	RMS	824.322	21.49	60	Pass	460
860	1000	0.1	RMS	929.149	-65.03	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.25	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.24	-13	Pass	7000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.4	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.63	-13	Pass	7840
814	860	0.1	RMS	824.322	20.64	60	Pass	460
860	1000	0.1	RMS	927.648	-65.08	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.48	-13	Pass	2000
3000	10000	1	RMS	6958.566	-44.18	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.51	-13	Pass	2985
30	814	0.1	RMS	808.599	-65.29	-13	Pass	7840
814	860	0.1	RMS	834.344	21.63	60	Pass	460
860	1000	0.1	RMS	872.309	-65	-13	Pass	1400
1000	3000	1	RMS	1668.334	-46.37	-13	Pass	2000
3000	10000	1	RMS	6967.567	-44.18	-13	Pass	7000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2985
30	814	0.1	RMS	757.793	-65.26	-13	Pass	7840
814	860	0.1	RMS	834.344	20.85	60	Pass	460
860	1000	0.1	RMS	926.247	-65.07	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.34	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.22	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.03	-13	Pass	2985
30	814	0.1	RMS	813.9	-65.27	-13	Pass	7840
814	860	0.1	RMS	844.366	21.43	60	Pass	460
860	1000	0.1	RMS	862.902	-65.06	-13	Pass	1400
1000	3000	1	RMS	1688.344	-45.76	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.2	-13	Pass	7000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.06	-13	Pass	2985
30	814	0.1	RMS	806.399	-65.21	-13	Pass	7840
814	860	0.1	RMS	844.366	20.66	60	Pass	460
860	1000	0.1	RMS	872.309	-65.04	-13	Pass	1400
1000	3000	1	RMS	1688.344	-46.75	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.19	-13	Pass	7000




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.49	-13	Pass	7840
814	860	0.1	RMS	824.623	21.38	60	Pass	460
860	1000	0.1	RMS	887.119	-65.04	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.95	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.26	-13	Pass	7000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.85	-13	Pass	7840
814	860	0.1	RMS	824.623	20.51	60	Pass	460
860	1000	0.1	RMS	863.703	-65.14	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.84	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.22	-13	Pass	7000




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	Pass	2985
30	814	0.1	RMS	805.299	-65.26	-13	Pass	7840
814	860	0.1	RMS	832.139	21.03	60	Pass	460
860	1000	0.1	RMS	867.205	-64.95	-13	Pass	1400
1000	3000	1	RMS	1663.332	-47.02	-13	Pass	2000
3000	10000	1	RMS	6965.567	-44.26	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2985
30	814	0.1	RMS	791.197	-65.3	-13	Pass	7840
814	860	0.1	RMS	832.139	20	60	Pass	460
860	1000	0.1	RMS	861.001	-65.05	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.16	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.19	-13	Pass	7000




10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.32	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.48	-13	Pass	2985
30	814	0.1	RMS	401.647	-65.23	-13	Pass	7840
814	860	0.1	RMS	839.556	21.51	60	Pass	460
860	1000	0.1	RMS	870.007	-65.07	-13	Pass	1400
1000	3000	1	RMS	1678.339	-46.51	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.21	-13	Pass	7000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.45	-13	Pass	2985
30	814	0.1	RMS	793.797	-65.32	-13	Pass	7840
814	860	0.1	RMS	839.556	20.48	60	Pass	460
860	1000	0.1	RMS	981.387	-65.17	-13	Pass	1400
1000	3000	1	RMS	1678.339	-47.45	-13	Pass	2000
3000	10000	1	RMS	6965.567	-44.27	-13	Pass	7000



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-25	Pass	2985
30	1000	0.1	RMS	847.5	-64.99	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.12	-25	Pass	1480
2480	2590	1	RMS	2500.075	23.38	60	Pass	401
2590	3000	1	RMS	2945.868	-50.48	-25	Pass	410
3000	12000	1	RMS	11796.748	-53.79	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.44	-25	Pass	14000




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.48	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.59	-25	Pass	2985
30	1000	0.1	RMS	856.309	-64.72	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52.07	-25	Pass	1480
2480	2590	1	RMS	2500.075	22.49	60	Pass	401
2590	3000	1	RMS	2949.878	-50.5	-25	Pass	410
3000	12000	1	RMS	11805.76	-53.72	-25	Pass	9000
12000	26000	1	RMS	25981.997	-39.45	-25	Pass	14000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-25	Pass	2985
30	1000	0.1	RMS	572.166	-62.44	-25	Pass	9699
1000	2480	1	RMS	2476.998	-52.19	-25	Pass	1480
2480	2590	1	RMS	2532.8	23.67	60	Pass	401
2590	3000	1	RMS	2945.868	-50.46	-25	Pass	410
3000	12000	1	RMS	11787.737	-53.69	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.46	-25	Pass	14000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.05	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-25	Pass	2985
30	1000	0.1	RMS	572.166	-63.34	-25	Pass	9699
1000	2480	1	RMS	2480	-52.21	-25	Pass	1480
2480	2590	1	RMS	2532.8	22.81	60	Pass	401
2590	3000	1	RMS	2948.875	-50.49	-25	Pass	410
3000	12000	1	RMS	11807.762	-53.7	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.48	-25	Pass	14000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-25	Pass	2985
30	1000	0.1	RMS	604.67	-61.11	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.16	-25	Pass	1480
2480	2590	1	RMS	2565.25	23.48	60	Pass	401
2590	3000	1	RMS	2949.878	-50.48	-25	Pass	410
3000	12000	1	RMS	11817.774	-53.71	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.55	-25	Pass	14000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-25	Pass	2985
30	1000	0.1	RMS	604.67	-61.72	-25	Pass	9699
1000	2480	1	RMS	2480	-52.19	-25	Pass	1480
2480	2590	1	RMS	2565.25	22.78	60	Pass	401
2590	3000	1	RMS	2946.87	-50.47	-25	Pass	410
3000	12000	1	RMS	11792.743	-53.65	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.45	-25	Pass	14000




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.92	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-25	Pass	2985
30	1000	0.1	RMS	875.535	-64.94	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52	-25	Pass	1480
2480	2590	1	RMS	2500.35	23.44	60	Pass	401
2590	3000	1	RMS	2944.866	-50.49	-25	Pass	410
3000	12000	1	RMS	11998.999	-53.63	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.48	-25	Pass	14000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72	-25	Pass	2985
30	1000	0.1	RMS	842.499	-64.88	-25	Pass	9699
1000	2480	1	RMS	2480	-52.06	-25	Pass	1480
2480	2590	1	RMS	2500.35	22.71	60	Pass	401
2590	3000	1	RMS	2943.863	-50.46	-25	Pass	410
3000	12000	1	RMS	11788.739	-53.67	-25	Pass	9000
12000	26000	1	RMS	25999	-39.46	-25	Pass	14000




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.99	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.75	-25	Pass	2985
30	1000	0.1	RMS	569.866	-63.42	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52.12	-25	Pass	1480
2480	2590	1	RMS	2530.325	23.66	60	Pass	401
2590	3000	1	RMS	2947.873	-50.48	-25	Pass	410
3000	12000	1	RMS	11789.74	-53.65	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.43	-25	Pass	14000




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.8	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.38	-25	Pass	2985
30	1000	0.1	RMS	569.866	-64.23	-25	Pass	9699
1000	2480	1	RMS	2480	-52.16	-25	Pass	1480
2480	2590	1	RMS	2530.325	22.67	60	Pass	401
2590	3000	1	RMS	2945.868	-50.43	-25	Pass	410
3000	12000	1	RMS	11943.931	-53.68	-25	Pass	9000
12000	26000	1	RMS	25974.996	-39.55	-25	Pass	14000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.47	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-25	Pass	2985
30	1000	0.1	RMS	599.87	-60.39	-25	Pass	9699
1000	2480	1	RMS	2480	-52.09	-25	Pass	1480
2480	2590	1	RMS	2560.575	23.46	60	Pass	401
2590	3000	1	RMS	2951.883	-50.49	-25	Pass	410
3000	12000	1	RMS	11801.755	-53.66	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.39	-25	Pass	14000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.7	-25	Pass	2985
30	1000	0.1	RMS	599.87	-60.41	-25	Pass	9699
1000	2480	1	RMS	2476.998	-52.23	-25	Pass	1480
2480	2590	1	RMS	2560.575	22.63	60	Pass	401
2590	3000	1	RMS	2949.878	-50.48	-25	Pass	410
3000	12000	1	RMS	12000	-53.67	-25	Pass	9000
12000	26000	1	RMS	25998	-39.49	-25	Pass	14000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-25	Pass	2985
30	1000	0.1	RMS	835.898	-64.89	-25	Pass	9699
1000	2480	1	RMS	2480	-51.92	-25	Pass	1480
2480	2590	1	RMS	2500.625	23.5	60	Pass	401
2590	3000	1	RMS	2950.88	-50.51	-25	Pass	410
3000	12000	1	RMS	11788.739	-53.69	-25	Pass	9000
12000	26000	1	RMS	25998	-39.54	-25	Pass	14000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-25	Pass	2985
30	1000	0.1	RMS	845.099	-64.92	-25	Pass	9699
1000	2480	1	RMS	2480	-52.06	-25	Pass	1480
2480	2590	1	RMS	2500.625	22.65	60	Pass	401
2590	3000	1	RMS	2942.861	-50.54	-25	Pass	410
3000	12000	1	RMS	11791.742	-53.76	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.51	-25	Pass	14000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-25	Pass	2985
30	1000	0.1	RMS	567.666	-63.47	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52.17	-25	Pass	1480
2480	2590	1	RMS	2528.125	23.75	60	Pass	401
2590	3000	1	RMS	2949.878	-50.49	-25	Pass	410
3000	12000	1	RMS	12000	-53.76	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.54	-25	Pass	14000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-25	Pass	2985
30	1000	0.1	RMS	567.666	-63.73	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.24	-25	Pass	1480
2480	2590	1	RMS	2528.125	22.74	60	Pass	401
2590	3000	1	RMS	2947.873	-50.54	-25	Pass	410
3000	12000	1	RMS	11804.758	-53.78	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.57	-25	Pass	14000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.61	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-25	Pass	2985
30	1000	0.1	RMS	595.169	-60.41	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.17	-25	Pass	1480
2480	2590	1	RMS	2555.625	23.57	60	Pass	401
2590	3000	1	RMS	2945.868	-50.54	-25	Pass	410
3000	12000	1	RMS	11787.737	-53.8	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.48	-25	Pass	14000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.93	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.4	-25	Pass	2985
30	1000	0.1	RMS	595.169	-60.59	-25	Pass	9699
1000	2480	1	RMS	2480	-52.25	-25	Pass	1480
2480	2590	1	RMS	2555.625	22.79	60	Pass	401
2590	3000	1	RMS	2947.873	-50.52	-25	Pass	410
3000	12000	1	RMS	11805.76	-53.78	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.54	-25	Pass	14000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.87	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.62	-25	Pass	2985
30	1000	0.1	RMS	845.3	-64.84	-25	Pass	9699
1000	2480	1	RMS	2480	-52.16	-25	Pass	1480
2480	2590	1	RMS	2500.9	23.58	60	Pass	401
2590	3000	1	RMS	2947.873	-50.52	-25	Pass	410
3000	12000	1	RMS	11795.747	-53.76	-25	Pass	9000
12000	26000	1	RMS	25980.997	-39.53	-25	Pass	14000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.89	-25	Pass	2985
30	1000	0.1	RMS	853.105	-64.93	-25	Pass	9699
1000	2480	1	RMS	2480	-52	-25	Pass	1480
2480	2590	1	RMS	2500.9	22.8	60	Pass	401
2590	3000	1	RMS	2948.875	-50.57	-25	Pass	410
3000	12000	1	RMS	11994.994	-53.75	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.6	-25	Pass	14000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-25	Pass	2985
30	1000	0.1	RMS	565.365	-64.11	-25	Pass	9699
1000	2480	1	RMS	2480	-52.28	-25	Pass	1480
2480	2590	1	RMS	2525.925	23.72	60	Pass	401
2590	3000	1	RMS	2944.866	-50.53	-25	Pass	410
3000	12000	1	RMS	11998.999	-53.74	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.53	-25	Pass	14000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.31	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.78	-25	Pass	2985
30	1000	0.1	RMS	565.365	-64.55	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.23	-25	Pass	1480
2480	2590	1	RMS	2525.925	22.82	60	Pass	401
2590	3000	1	RMS	2946.87	-50.52	-25	Pass	410
3000	12000	1	RMS	11998.999	-53.74	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.54	-25	Pass	14000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-25	Pass	2985
30	1000	0.1	RMS	590.368	-60.23	-25	Pass	9699
1000	2480	1	RMS	2480	-52.25	-25	Pass	1480
2480	2590	1	RMS	2550.95	23.67	60	Pass	401
2590	3000	1	RMS	2948.875	-50.54	-25	Pass	410
3000	12000	1	RMS	11993.993	-53.8	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.61	-25	Pass	14000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.23	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-25	Pass	2985
30	1000	0.1	RMS	590.368	-60.74	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.29	-25	Pass	1480
2480	2590	1	RMS	2550.95	22.85	60	Pass	401
2590	3000	1	RMS	2947.873	-50.53	-25	Pass	410
3000	12000	1	RMS	11809.765	-53.76	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.48	-25	Pass	14000



12. LTE_Band66


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	Pass	2985
30	1000	0.1	RMS	859.013	-64.9	-13	Pass	9699
1000	1700	1	RMS	1700	-52.03	-13	Pass	700
1700	1790	1	RMS	1710.125	23.72	60	Pass	401
1790	3000	1	RMS	2947.957	-50.51	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.74	-13	Pass	9000
12000	20000	1	RMS	19763.97	-35.86	-13	Pass	8000




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2985
30	1000	0.1	RMS	840.999	-64.97	-13	Pass	9699
1000	1700	1	RMS	1700	-52.33	-13	Pass	700
1700	1790	1	RMS	1710.125	22.8	60	Pass	401
1790	3000	1	RMS	2946.956	-50.55	-13	Pass	1210
3000	12000	1	RMS	11793.745	-43.76	-13	Pass	9000
12000	20000	1	RMS	19717.965	-35.9	-13	Pass	8000




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	1000	0.1	RMS	824.197	-64.9	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.89	-13	Pass	700
1700	1790	1	RMS	1744.325	23.68	60	Pass	401
1790	3000	1	RMS	2941.952	-50.48	-13	Pass	1210
3000	12000	1	RMS	12000	-43.66	-13	Pass	9000
12000	20000	1	RMS	19715.964	-35.85	-13	Pass	8000




12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2985
30	1000	0.1	RMS	864.62	-64.87	-13	Pass	9699
1000	1700	1	RMS	1700	-53.9	-13	Pass	700
1700	1790	1	RMS	1744.55	22.79	60	Pass	401
1790	3000	1	RMS	2952.961	-50.52	-13	Pass	1210
3000	12000	1	RMS	11791.742	-43.7	-13	Pass	9000
12000	20000	1	RMS	19764.971	-35.87	-13	Pass	8000




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	1000	0.1	RMS	835.198	-64.93	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.9	-13	Pass	700
1700	1790	1	RMS	1778.75	23.81	60	Pass	401
1790	3000	1	RMS	2946.956	-50.49	-13	Pass	1210
3000	12000	1	RMS	11995.995	-43.7	-13	Pass	9000
12000	20000	1	RMS	19705.963	-35.89	-13	Pass	8000




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.61	-13	Pass	2985
30	1000	0.1	RMS	872.631	-64.93	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.95	-13	Pass	700
1700	1790	1	RMS	1778.75	22.93	60	Pass	401
1790	3000	1	RMS	2939.95	-50.52	-13	Pass	1210
3000	12000	1	RMS	11790.741	-43.77	-13	Pass	9000
12000	20000	1	RMS	19721.965	-35.86	-13	Pass	8000




12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-13	Pass	2985
30	1000	0.1	RMS	839.299	-65.01	-13	Pass	9699
1000	1700	1	RMS	1700	-52.01	-13	Pass	700
1700	1790	1	RMS	1710.125	23.74	60	Pass	401
1790	3000	1	RMS	2944.955	-50.49	-13	Pass	1210
3000	12000	1	RMS	11991.99	-43.71	-13	Pass	9000
12000	20000	1	RMS	19718.965	-35.83	-13	Pass	8000




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	Pass	2985
30	1000	0.1	RMS	861.216	-65	-13	Pass	9699
1000	1700	1	RMS	1700	-52.28	-13	Pass	700
1700	1790	1	RMS	1710.125	23.06	60	Pass	401
1790	3000	1	RMS	2941.952	-50.52	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.71	-13	Pass	9000
12000	20000	1	RMS	19745.968	-35.82	-13	Pass	8000




12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2985
30	1000	0.1	RMS	840.699	-64.87	-13	Pass	9699
1000	1700	1	RMS	1700	-53.95	-13	Pass	700
1700	1790	1	RMS	1743.65	23.9	60	Pass	401
1790	3000	1	RMS	2945.955	-50.55	-13	Pass	1210
3000	12000	1	RMS	11994.994	-43.77	-13	Pass	9000
12000	20000	1	RMS	19698.962	-35.83	-13	Pass	8000




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	Pass	2985
30	1000	0.1	RMS	833.898	-64.98	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.96	-13	Pass	700
1700	1790	1	RMS	1743.65	22.96	60	Pass	401
1790	3000	1	RMS	2947.957	-50.51	-13	Pass	1210
3000	12000	1	RMS	11799.752	-43.73	-13	Pass	9000
12000	20000	1	RMS	19720.965	-35.83	-13	Pass	8000




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-13	Pass	2985
30	1000	0.1	RMS	850.001	-64.95	-13	Pass	9699
1000	1700	1	RMS	1700	-53.91	-13	Pass	700
1700	1790	1	RMS	1777.175	23.76	60	Pass	401
1790	3000	1	RMS	2948.958	-50.51	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.71	-13	Pass	9000
12000	20000	1	RMS	19702.963	-35.76	-13	Pass	8000




**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2985
30	1000	0.1	RMS	834.398	-64.95	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.99	-13	Pass	700
1700	1790	1	RMS	1777.175	22.91	60	Pass	401
1790	3000	1	RMS	2952.961	-50.55	-13	Pass	1210
3000	12000	1	RMS	11791.742	-43.74	-13	Pass	9000
12000	20000	1	RMS	19838.98	-35.83	-13	Pass	8000




12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	Pass	2985
30	1000	0.1	RMS	987.483	-64.88	-13	Pass	9699
1000	1700	1	RMS	1700	-51.66	-13	Pass	700
1700	1790	1	RMS	1710.125	23.59	60	Pass	401
1790	3000	1	RMS	2944.955	-50.45	-13	Pass	1210
3000	12000	1	RMS	11789.74	-43.68	-13	Pass	9000
12000	20000	1	RMS	19744.968	-35.85	-13	Pass	8000




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.97	-13	Pass	2985
30	1000	0.1	RMS	836.298	-64.96	-13	Pass	9699
1000	1700	1	RMS	1700	-52.03	-13	Pass	700
1700	1790	1	RMS	1710.125	22.81	60	Pass	401
1790	3000	1	RMS	2944.955	-50.56	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.75	-13	Pass	9000
12000	20000	1	RMS	19737.967	-35.85	-13	Pass	8000




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.42	-13	Pass	2985
30	1000	0.1	RMS	841.399	-65	-13	Pass	9699
1000	1700	1	RMS	1700	-53.91	-13	Pass	700
1700	1790	1	RMS	1742.75	23.93	60	Pass	401
1790	3000	1	RMS	2948.958	-50.55	-13	Pass	1210
3000	12000	1	RMS	11791.742	-43.69	-13	Pass	9000
12000	20000	1	RMS	19700.963	-35.84	-13	Pass	8000




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2985
30	1000	0.1	RMS	847.4	-64.99	-13	Pass	9699
1000	1700	1	RMS	1700	-53.88	-13	Pass	700
1700	1790	1	RMS	1742.75	23.16	60	Pass	401
1790	3000	1	RMS	2947.957	-50.54	-13	Pass	1210
3000	12000	1	RMS	11792.743	-43.72	-13	Pass	9000
12000	20000	1	RMS	19701.963	-35.87	-13	Pass	8000




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-13	Pass	2985
30	1000	0.1	RMS	842.699	-64.86	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.94	-13	Pass	700
1700	1790	1	RMS	1775.15	23.71	60	Pass	401
1790	3000	1	RMS	2953.962	-50.53	-13	Pass	1210
3000	12000	1	RMS	11792.743	-43.71	-13	Pass	9000
12000	20000	1	RMS	19701.963	-35.79	-13	Pass	8000




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2985
30	1000	0.1	RMS	839.399	-65.02	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.95	-13	Pass	700
1700	1790	1	RMS	1775.15	22.95	60	Pass	401
1790	3000	1	RMS	2943.954	-50.51	-13	Pass	1210
3000	12000	1	RMS	12000	-43.74	-13	Pass	9000
12000	20000	1	RMS	19704.963	-35.79	-13	Pass	8000




12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.45	-13	Pass	2985
30	1000	0.1	RMS	827.397	-64.98	-13	Pass	9699
1000	1700	1	RMS	1692.99	-47.05	-13	Pass	700
1700	1790	1	RMS	1710.575	23.75	60	Pass	401
1790	3000	1	RMS	2945.955	-50.52	-13	Pass	1210
3000	12000	1	RMS	12000	-43.62	-13	Pass	9000
12000	20000	1	RMS	19738.967	-35.87	-13	Pass	8000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2985
30	1000	0.1	RMS	844.899	-64.97	-13	Pass	9699
1000	1700	1	RMS	1692.99	-47.34	-13	Pass	700
1700	1790	1	RMS	1710.575	23.01	60	Pass	401
1790	3000	1	RMS	2941.952	-50.52	-13	Pass	1210
3000	12000	1	RMS	11787.737	-43.7	-13	Pass	9000
12000	20000	1	RMS	19697.962	-35.79	-13	Pass	8000




12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2985
30	1000	0.1	RMS	833.698	-64.96	-13	Pass	9699
1000	1700	1	RMS	1700	-53.92	-13	Pass	700
1700	1790	1	RMS	1740.5	23.9	60	Pass	401
1790	3000	1	RMS	2943.954	-50.56	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.7	-13	Pass	9000
12000	20000	1	RMS	19780.973	-35.87	-13	Pass	8000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2985
30	1000	0.1	RMS	823.097	-65.04	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.93	-13	Pass	700
1700	1790	1	RMS	1740.5	22.95	60	Pass	401
1790	3000	1	RMS	2944.955	-50.51	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.74	-13	Pass	9000
12000	20000	1	RMS	19782.973	-35.84	-13	Pass	8000




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.3	-13	Pass	2985
30	1000	0.1	RMS	855.008	-64.92	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.95	-13	Pass	700
1700	1790	1	RMS	1770.425	23.59	60	Pass	401
1790	3000	1	RMS	2943.954	-50.58	-13	Pass	1210
3000	12000	1	RMS	11791.742	-43.75	-13	Pass	9000
12000	20000	1	RMS	19736.967	-35.83	-13	Pass	8000




**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2985
30	1000	0.1	RMS	819.296	-64.98	-13	Pass	9699
1000	1700	1	RMS	1700	-53.96	-13	Pass	700
1700	1790	1	RMS	1770.425	22.77	60	Pass	401
1790	3000	1	RMS	2949.959	-50.48	-13	Pass	1210
3000	12000	1	RMS	11791.742	-43.77	-13	Pass	9000
12000	20000	1	RMS	19773.972	-35.91	-13	Pass	8000




12.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.37	-13	Pass	2985
30	1000	0.1	RMS	841.699	-64.96	-13	Pass	9699
1000	1700	1	RMS	1697.997	-50.19	-13	Pass	700
1700	1790	1	RMS	1710.8	23.75	60	Pass	401
1790	3000	1	RMS	2950.959	-50.52	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.67	-13	Pass	9000
12000	20000	1	RMS	19771.971	-35.88	-13	Pass	8000




**12.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.36	-13	Pass	2985
30	1000	0.1	RMS	854.107	-65.03	-13	Pass	9699
1000	1700	1	RMS	1697.997	-50.06	-13	Pass	700
1700	1790	1	RMS	1710.8	23.08	60	Pass	401
1790	3000	1	RMS	2944.955	-50.56	-13	Pass	1210
3000	12000	1	RMS	11791.742	-43.65	-13	Pass	9000
12000	20000	1	RMS	19741.968	-35.78	-13	Pass	8000




**12.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2985
30	1000	0.1	RMS	830.798	-64.94	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.89	-13	Pass	700
1700	1790	1	RMS	1738.25	23.94	60	Pass	401
1790	3000	1	RMS	2945.955	-50.57	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.79	-13	Pass	9000
12000	20000	1	RMS	19766.971	-35.86	-13	Pass	8000




**12.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	Pass	2985
30	1000	0.1	RMS	843.999	-65.06	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.93	-13	Pass	700
1700	1790	1	RMS	1738.25	22.96	60	Pass	401
1790	3000	1	RMS	2945.955	-50.52	-13	Pass	1210
3000	12000	1	RMS	11791.742	-43.75	-13	Pass	9000
12000	20000	1	RMS	19721.965	-35.87	-13	Pass	8000




**12.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-13	Pass	2985
30	1000	0.1	RMS	859.013	-65.07	-13	Pass	9699
1000	1700	1	RMS	1690.987	-53.97	-13	Pass	700
1700	1790	1	RMS	1765.7	23.5	60	Pass	401
1790	3000	1	RMS	1792.002	-38.3	-13	Pass	1210
3000	12000	1	RMS	11795.747	-43.65	-13	Pass	9000
12000	20000	1	RMS	19733.967	-35.84	-13	Pass	8000




**12.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2985
30	1000	0.1	RMS	845.4	-64.92	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.96	-13	Pass	700
1700	1790	1	RMS	1765.7	22.82	60	Pass	401
1790	3000	1	RMS	1792.002	-39.11	-13	Pass	1210
3000	12000	1	RMS	11790.741	-43.75	-13	Pass	9000
12000	20000	1	RMS	19714.964	-35.81	-13	Pass	8000




12.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-13	Pass	2985
30	1000	0.1	RMS	836.198	-64.97	-13	Pass	9699
1000	1700	1	RMS	1700	-50.24	-13	Pass	700
1700	1790	1	RMS	1711.025	23.8	60	Pass	401
1790	3000	1	RMS	2948.958	-50.54	-13	Pass	1210
3000	12000	1	RMS	11795.747	-43.8	-13	Pass	9000
12000	20000	1	RMS	19762.97	-35.85	-13	Pass	8000




**12.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	Pass	2985
30	1000	0.1	RMS	843.599	-64.89	-13	Pass	9699
1000	1700	1	RMS	1692.99	-50.17	-13	Pass	700
1700	1790	1	RMS	1711.025	23.14	60	Pass	401
1790	3000	1	RMS	2950.959	-50.52	-13	Pass	1210
3000	12000	1	RMS	11791.742	-43.71	-13	Pass	9000
12000	20000	1	RMS	19707.963	-35.86	-13	Pass	8000




**12.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.18	-13	Pass	2985
30	1000	0.1	RMS	846.8	-64.9	-13	Pass	9699
1000	1700	1	RMS	1700	-47.25	-13	Pass	700
1700	1790	1	RMS	1736	23.88	60	Pass	401
1790	3000	1	RMS	2949.959	-50.46	-13	Pass	1210
3000	12000	1	RMS	11789.74	-43.77	-13	Pass	9000
12000	20000	1	RMS	19701.963	-35.84	-13	Pass	8000




**12.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-13	Pass	2985
30	1000	0.1	RMS	841.199	-64.89	-13	Pass	9699
1000	1700	1	RMS	1700	-48.69	-13	Pass	700
1700	1790	1	RMS	1736	22.97	60	Pass	401
1790	3000	1	RMS	2949.959	-50.54	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.66	-13	Pass	9000
12000	20000	1	RMS	19737.967	-35.81	-13	Pass	8000




12.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	Pass	2985
30	1000	0.1	RMS	851.103	-64.93	-13	Pass	9699
1000	1700	1	RMS	1700	-53.91	-13	Pass	700
1700	1790	1	RMS	1760.975	23.58	60	Pass	401
1790	3000	1	RMS	1797.006	-38.77	-13	Pass	1210
3000	12000	1	RMS	11994.994	-43.7	-13	Pass	9000
12000	20000	1	RMS	19769.971	-35.86	-13	Pass	8000



**12.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2985
30	1000	0.1	RMS	842.199	-64.91	-13	Pass	9699
1000	1700	1	RMS	1700	-53.94	-13	Pass	700
1700	1790	1	RMS	1760.975	22.7	60	Pass	401
1790	3000	1	RMS	1797.006	-39.65	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.79	-13	Pass	9000
12000	20000	1	RMS	19797.975	-35.9	-13	Pass	8000



13. LTE_Band38


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.05	-25	Pass	2985
30	1000	0.1	RMS	609.571	-61.47	-25	Pass	9699
1000	2550	1	RMS	2546.998	-48.95	-25	Pass	1550
2550	2640	1	RMS	2570.025	22.7	60	Pass	401
2640	3000	1	RMS	2948.7	-47.51	-25	Pass	401
3000	12000	1	RMS	12000	-50.77	-25	Pass	9000
12000	26500	1	RMS	26008.922	-36.46	-25	Pass	14500




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.34	-25	Pass	2985
30	1000	0.1	RMS	609.571	-60.77	-25	Pass	9699
1000	2550	1	RMS	2550	-48.86	-25	Pass	1550
2550	2640	1	RMS	2570.025	21.87	60	Pass	401
2640	3000	1	RMS	2947.8	-47.5	-25	Pass	401
3000	12000	1	RMS	11795.747	-50.74	-25	Pass	9000
12000	26500	1	RMS	25999.921	-36.53	-25	Pass	14500




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.98	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.14	-25	Pass	2985
30	1000	0.1	RMS	844.699	-61.91	-25	Pass	9699
1000	2550	1	RMS	2493.964	-49.07	-25	Pass	1550
2550	2640	1	RMS	2592.75	23.08	60	Pass	401
2640	3000	1	RMS	2943.3	-47.51	-25	Pass	401
3000	12000	1	RMS	11992.991	-50.69	-25	Pass	9000
12000	26500	1	RMS	26006.922	-36.47	-25	Pass	14500




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-69.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.18	-25	Pass	2985
30	1000	0.1	RMS	837.999	-61.68	-25	Pass	9699
1000	2550	1	RMS	2495.965	-49.03	-25	Pass	1550
2550	2640	1	RMS	2592.75	22.56	60	Pass	401
2640	3000	1	RMS	2945.1	-47.5	-25	Pass	401
3000	12000	1	RMS	11790.741	-50.73	-25	Pass	9000
12000	26500	1	RMS	26011.923	-36.48	-25	Pass	14500




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.26	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.16	-25	Pass	2985
30	1000	0.1	RMS	837.699	-61.96	-25	Pass	9699
1000	2550	1	RMS	2492.963	-49.06	-25	Pass	1550
2550	2640	1	RMS	2615.025	22.52	60	Pass	401
2640	3000	1	RMS	2947.8	-47.5	-25	Pass	401
3000	12000	1	RMS	11815.772	-50.67	-25	Pass	9000
12000	26500	1	RMS	25998.921	-36.44	-25	Pass	14500




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.3	-25	Pass	2985
30	1000	0.1	RMS	850.201	-61.87	-25	Pass	9699
1000	2550	1	RMS	2485.959	-49.03	-25	Pass	1550
2550	2640	1	RMS	2615.25	22.52	60	Pass	401
2640	3000	1	RMS	2950.5	-47.51	-25	Pass	401
3000	12000	1	RMS	11803.757	-50.73	-25	Pass	9000
12000	26500	1	RMS	26013.923	-36.56	-25	Pass	14500




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.67	-25	Pass	2985
30	1000	0.1	RMS	609.871	-59.3	-25	Pass	9699
1000	2550	1	RMS	2547.999	-48.88	-25	Pass	1550
2550	2640	1	RMS	2570.475	22.92	60	Pass	401
2640	3000	1	RMS	2948.7	-47.5	-25	Pass	401
3000	12000	1	RMS	11813.77	-50.76	-25	Pass	9000
12000	26500	1	RMS	25998.921	-36.53	-25	Pass	14500




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.9	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.7	-25	Pass	2985
30	1000	0.1	RMS	609.871	-59.66	-25	Pass	9699
1000	2550	1	RMS	2547.999	-49	-25	Pass	1550
2550	2640	1	RMS	2570.7	21.66	60	Pass	401
2640	3000	1	RMS	2950.5	-47.51	-25	Pass	401
3000	12000	1	RMS	11995.995	-50.71	-25	Pass	9000
12000	26500	1	RMS	26005.922	-36.45	-25	Pass	14500




13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.97	-25	Pass	2985
30	1000	0.1	RMS	828.297	-61.91	-25	Pass	9699
1000	2550	1	RMS	2489.961	-49.03	-25	Pass	1550
2550	2640	1	RMS	2590.5	22.78	60	Pass	401
2640	3000	1	RMS	2947.8	-47.48	-25	Pass	401
3000	12000	1	RMS	11802.756	-50.71	-25	Pass	9000
12000	26500	1	RMS	25993.92	-36.47	-25	Pass	14500




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.7	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.21	-25	Pass	2985
30	1000	0.1	RMS	855.408	-61.89	-25	Pass	9699
1000	2550	1	RMS	2495.965	-48.99	-25	Pass	1550
2550	2640	1	RMS	2590.5	22.63	60	Pass	401
2640	3000	1	RMS	2949.6	-47.52	-25	Pass	401
3000	12000	1	RMS	11994.994	-50.68	-25	Pass	9000
12000	26500	1	RMS	25988.919	-36.46	-25	Pass	14500




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70.36	-25	Pass	401
0.15	30	0.01	RMS	0.33	-70.08	-25	Pass	2985
30	1000	0.1	RMS	835.498	-61.72	-25	Pass	9699
1000	2550	1	RMS	2487.96	-49.09	-25	Pass	1550
2550	2640	1	RMS	2610.3	23.19	60	Pass	401
2640	3000	1	RMS	2948.7	-47.51	-25	Pass	401
3000	12000	1	RMS	12000	-50.7	-25	Pass	9000
12000	26500	1	RMS	26007.922	-36.45	-25	Pass	14500




**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.67	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.12	-25	Pass	2985
30	1000	0.1	RMS	847.2	-61.8	-25	Pass	9699
1000	2550	1	RMS	2480.955	-49.1	-25	Pass	1550
2550	2640	1	RMS	2610.3	22.26	60	Pass	401
2640	3000	1	RMS	2947.8	-47.51	-25	Pass	401
3000	12000	1	RMS	11808.763	-50.73	-25	Pass	9000
12000	26500	1	RMS	26001.921	-36.46	-25	Pass	14500




13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.92	-25	Pass	2985
30	1000	0.1	RMS	610.171	-60.46	-25	Pass	9699
1000	2550	1	RMS	2550	-48.98	-25	Pass	1550
2550	2640	1	RMS	2570.7	22.73	60	Pass	401
2640	3000	1	RMS	2944.2	-47.5	-25	Pass	401
3000	12000	1	RMS	11985.983	-50.7	-25	Pass	9000
12000	26500	1	RMS	25998.921	-36.49	-25	Pass	14500




**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.05	-25	Pass	2985
30	1000	0.1	RMS	610.171	-60.95	-25	Pass	9699
1000	2550	1	RMS	2486.959	-49.05	-25	Pass	1550
2550	2640	1	RMS	2570.925	22.22	60	Pass	401
2640	3000	1	RMS	2947.8	-47.53	-25	Pass	401
3000	12000	1	RMS	11793.745	-50.74	-25	Pass	9000
12000	26500	1	RMS	25981.918	-36.5	-25	Pass	14500




**13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.34	-25	Pass	2985
30	1000	0.1	RMS	847.8	-61.94	-25	Pass	9699
1000	2550	1	RMS	2491.963	-49.08	-25	Pass	1550
2550	2640	1	RMS	2588.25	23.25	60	Pass	401
2640	3000	1	RMS	2946.9	-47.54	-25	Pass	401
3000	12000	1	RMS	11787.737	-50.71	-25	Pass	9000
12000	26500	1	RMS	26004.922	-36.4	-25	Pass	14500




**13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.37	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.22	-25	Pass	2985
30	1000	0.1	RMS	833.898	-61.91	-25	Pass	9699
1000	2550	1	RMS	2493.964	-49.12	-25	Pass	1550
2550	2640	1	RMS	2588.25	22.33	60	Pass	401
2640	3000	1	RMS	2949.6	-47.5	-25	Pass	401
3000	12000	1	RMS	11991.99	-50.71	-25	Pass	9000
12000	26500	1	RMS	26002.921	-36.47	-25	Pass	14500




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.75	-25	Pass	401
0.15	30	0.01	RMS	0.33	-69.93	-25	Pass	2985
30	1000	0.1	RMS	844.799	-61.95	-25	Pass	9699
1000	2550	1	RMS	2496.966	-49.1	-25	Pass	1550
2550	2640	1	RMS	2605.575	22.68	60	Pass	401
2640	3000	1	RMS	2945.1	-47.47	-25	Pass	401
3000	12000	1	RMS	11814.771	-50.69	-25	Pass	9000
12000	26500	1	RMS	26004.922	-36.48	-25	Pass	14500




**13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.49	-25	Pass	2985
30	1000	0.1	RMS	828.097	-61.91	-25	Pass	9699
1000	2550	1	RMS	2494.964	-49.11	-25	Pass	1550
2550	2640	1	RMS	2605.8	22.2	60	Pass	401
2640	3000	1	RMS	2949.6	-47.52	-25	Pass	401
3000	12000	1	RMS	11795.747	-50.76	-25	Pass	9000
12000	26500	1	RMS	26036.927	-36.45	-25	Pass	14500




**13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.77	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.63	-25	Pass	2985
30	1000	0.1	RMS	610.371	-61.43	-25	Pass	9699
1000	2550	1	RMS	2543.996	-48.76	-25	Pass	1550
2550	2640	1	RMS	2570.925	23.19	60	Pass	401
2640	3000	1	RMS	2949.6	-47.51	-25	Pass	401
3000	12000	1	RMS	11807.762	-50.74	-25	Pass	9000
12000	26500	1	RMS	25998.921	-36.47	-25	Pass	14500




**13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.52	-25	Pass	401
0.15	30	0.01	RMS	0.52	-70.03	-25	Pass	2985
30	1000	0.1	RMS	610.371	-60.09	-25	Pass	9699
1000	2550	1	RMS	2544.997	-48.96	-25	Pass	1550
2550	2640	1	RMS	2571.15	22.41	60	Pass	401
2640	3000	1	RMS	2946	-47.51	-25	Pass	401
3000	12000	1	RMS	11792.743	-50.67	-25	Pass	9000
12000	26500	1	RMS	25994.92	-36.46	-25	Pass	14500




**13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.43	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.08	-25	Pass	2985
30	1000	0.1	RMS	625.373	-61.7	-25	Pass	9699
1000	2550	1	RMS	2533.99	-49.09	-25	Pass	1550
2550	2640	1	RMS	2585.775	22.63	60	Pass	401
2640	3000	1	RMS	2944.2	-47.5	-25	Pass	401
3000	12000	1	RMS	11787.737	-50.76	-25	Pass	9000
12000	26500	1	RMS	25979.918	-36.55	-25	Pass	14500




**13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.12	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.94	-25	Pass	2985
30	1000	0.1	RMS	625.373	-61.93	-25	Pass	9699
1000	2550	1	RMS	2489.961	-49.06	-25	Pass	1550
2550	2640	1	RMS	2585.775	22.22	60	Pass	401
2640	3000	1	RMS	2946.9	-47.52	-25	Pass	401
3000	12000	1	RMS	11801.755	-50.75	-25	Pass	9000
12000	26500	1	RMS	26012.923	-36.51	-25	Pass	14500




13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.35	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.02	-25	Pass	2985
30	1000	0.1	RMS	847	-61.85	-25	Pass	9699
1000	2550	1	RMS	2488.961	-49.06	-25	Pass	1550
2550	2640	1	RMS	2600.85	23.39	60	Pass	401
2640	3000	1	RMS	2944.2	-47.5	-25	Pass	401
3000	12000	1	RMS	11998.999	-50.73	-25	Pass	9000
12000	26500	1	RMS	25992.92	-36.41	-25	Pass	14500



**13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.27	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.77	-25	Pass	2985
30	1000	0.1	RMS	846.6	-61.84	-25	Pass	9699
1000	2550	1	RMS	2489.961	-49.08	-25	Pass	1550
2550	2640	1	RMS	2601.075	22.57	60	Pass	401
2640	3000	1	RMS	2943.3	-47.54	-25	Pass	401
3000	12000	1	RMS	11799.752	-50.73	-25	Pass	9000
12000	26500	1	RMS	25994.92	-36.45	-25	Pass	14500



14. LTE_Band41 full


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.81	-25	Pass	401
0.15	30	0.01	RMS	0.26	-70.01	-25	Pass	2985
30	1000	0.1	RMS	846.3	-61.97	-25	Pass	9699
1000	2476	1	RMS	2476	-49.19	-25	Pass	1476
2476	2710	1	RMS	2495.89	22.21	60	Pass	401
2710	3000	1	RMS	2944.9	-47.51	-25	Pass	401
3000	12000	1	RMS	11810.766	-50.74	-25	Pass	9000
12000	27000	1	RMS	26006.854	-36.58	-25	Pass	15000




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.93	-25	Pass	2985
30	1000	0.1	RMS	848.8	-61.84	-25	Pass	9699
1000	2476	1	RMS	2476	-49.24	-25	Pass	1476
2476	2710	1	RMS	2495.89	21.89	60	Pass	401
2710	3000	1	RMS	2947.075	-47.5	-25	Pass	401
3000	12000	1	RMS	11989.988	-50.73	-25	Pass	9000
12000	27000	1	RMS	25987.851	-36.57	-25	Pass	15000




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.39	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.16	-25	Pass	2985
30	1000	0.1	RMS	836.198	-61.84	-25	Pass	9699
1000	2476	1	RMS	2476	-49.2	-25	Pass	1476
2476	2710	1	RMS	2590.66	22.88	60	Pass	401
2710	3000	1	RMS	2948.525	-47.51	-25	Pass	401
3000	12000	1	RMS	11795.747	-50.71	-25	Pass	9000
12000	27000	1	RMS	26006.854	-36.49	-25	Pass	15000




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.24	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.44	-25	Pass	2985
30	1000	0.1	RMS	841.799	-61.85	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.27	-25	Pass	1476
2476	2710	1	RMS	2590.66	21.63	60	Pass	401
2710	3000	1	RMS	2945.625	-47.53	-25	Pass	401
3000	12000	1	RMS	11800.753	-50.71	-25	Pass	9000
12000	27000	1	RMS	25999.853	-36.43	-25	Pass	15000




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.68	-25	Pass	2985
30	1000	0.1	RMS	724.585	-60.11	-25	Pass	9699
1000	2476	1	RMS	2476	-49.19	-25	Pass	1476
2476	2710	1	RMS	2684.845	22.51	60	Pass	401
2710	3000	1	RMS	2947.075	-47.51	-25	Pass	401
3000	12000	1	RMS	11805.76	-50.68	-25	Pass	9000
12000	27000	1	RMS	26009.855	-36.48	-25	Pass	15000




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.14	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.28	-25	Pass	2985
30	1000	0.1	RMS	724.685	-60.19	-25	Pass	9699
1000	2476	1	RMS	2464.993	-49.27	-25	Pass	1476
2476	2710	1	RMS	2684.845	21.95	60	Pass	401
2710	3000	1	RMS	2947.075	-47.49	-25	Pass	401
3000	12000	1	RMS	11798.751	-50.69	-25	Pass	9000
12000	27000	1	RMS	25992.852	-36.54	-25	Pass	15000




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.72	-25	Pass	2985
30	1000	0.1	RMS	843.499	-61.97	-25	Pass	9699
1000	2476	1	RMS	2473.999	-49.18	-25	Pass	1476
2476	2710	1	RMS	2496.475	22.62	60	Pass	401
2710	3000	1	RMS	2949.25	-47.46	-25	Pass	401
3000	12000	1	RMS	11807.762	-50.67	-25	Pass	9000
12000	27000	1	RMS	26978.997	-36.47	-25	Pass	15000




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.72	-25	Pass	2985
30	1000	0.1	RMS	849.3	-61.95	-25	Pass	9699
1000	2476	1	RMS	2476	-49.23	-25	Pass	1476
2476	2710	1	RMS	2496.475	21.64	60	Pass	401
2710	3000	1	RMS	2947.8	-47.47	-25	Pass	401
3000	12000	1	RMS	11807.762	-50.7	-25	Pass	9000
12000	27000	1	RMS	26015.855	-36.45	-25	Pass	15000




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70.55	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.31	-25	Pass	2985
30	1000	0.1	RMS	627.873	-61.13	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.27	-25	Pass	1476
2476	2710	1	RMS	2588.32	22.08	60	Pass	401
2710	3000	1	RMS	2946.35	-47.45	-25	Pass	401
3000	12000	1	RMS	11802.756	-50.69	-25	Pass	9000
12000	27000	1	RMS	26005.854	-36.52	-25	Pass	15000




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.22	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.69	-25	Pass	2985
30	1000	0.1	RMS	849.2	-61.85	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.22	-25	Pass	1476
2476	2710	1	RMS	2588.32	22.04	60	Pass	401
2710	3000	1	RMS	2947.075	-47.49	-25	Pass	401
3000	12000	1	RMS	12000	-50.68	-25	Pass	9000
12000	27000	1	RMS	25995.853	-36.46	-25	Pass	15000




**14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.65	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.7	-25	Pass	2985
30	1000	0.1	RMS	719.884	-59.43	-25	Pass	9699
1000	2476	1	RMS	2462.991	-49.29	-25	Pass	1476
2476	2710	1	RMS	2680.165	22.31	60	Pass	401
2710	3000	1	RMS	2947.075	-47.48	-25	Pass	401
3000	12000	1	RMS	11801.755	-50.69	-25	Pass	9000
12000	27000	1	RMS	26003.854	-36.47	-25	Pass	15000




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.48	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.57	-25	Pass	2985
30	1000	0.1	RMS	719.884	-59.93	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.23	-25	Pass	1476
2476	2710	1	RMS	2680.165	21.96	60	Pass	401
2710	3000	1	RMS	2949.25	-47.44	-25	Pass	401
3000	12000	1	RMS	11987.985	-50.65	-25	Pass	9000
12000	27000	1	RMS	26011.855	-36.48	-25	Pass	15000




14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.48	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.74	-25	Pass	2985
30	1000	0.1	RMS	851.904	-61.87	-25	Pass	9699
1000	2476	1	RMS	2476	-49.22	-25	Pass	1476
2476	2710	1	RMS	2496.475	21.75	60	Pass	401
2710	3000	1	RMS	2949.25	-47.45	-25	Pass	401
3000	12000	1	RMS	11992.991	-50.69	-25	Pass	9000
12000	27000	1	RMS	26014.855	-36.49	-25	Pass	15000




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.52	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70	-25	Pass	2985
30	1000	0.1	RMS	869.627	-61.83	-25	Pass	9699
1000	2476	1	RMS	2465.993	-49.21	-25	Pass	1476
2476	2710	1	RMS	2496.475	22.03	60	Pass	401
2710	3000	1	RMS	2949.25	-47.5	-25	Pass	401
3000	12000	1	RMS	11792.743	-50.68	-25	Pass	9000
12000	27000	1	RMS	26015.855	-36.52	-25	Pass	15000




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.5	-25	Pass	2985
30	1000	0.1	RMS	625.673	-60.76	-25	Pass	9699
1000	2476	1	RMS	2476	-49.27	-25	Pass	1476
2476	2710	1	RMS	2585.98	22.57	60	Pass	401
2710	3000	1	RMS	2944.175	-47.46	-25	Pass	401
3000	12000	1	RMS	11819.777	-50.69	-25	Pass	9000
12000	27000	1	RMS	25992.852	-36.43	-25	Pass	15000




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.17	-25	Pass	2985
30	1000	0.1	RMS	836.598	-61.84	-25	Pass	9699
1000	2476	1	RMS	2476	-49.25	-25	Pass	1476
2476	2710	1	RMS	2585.98	21.07	60	Pass	401
2710	3000	1	RMS	2945.625	-47.49	-25	Pass	401
3000	12000	1	RMS	11950.939	-50.72	-25	Pass	9000
12000	27000	1	RMS	26010.855	-36.48	-25	Pass	15000




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.36	-25	Pass	2985
30	1000	0.1	RMS	715.184	-60.77	-25	Pass	9699
1000	2476	1	RMS	2470.997	-49.26	-25	Pass	1476
2476	2710	1	RMS	2675.485	21.99	60	Pass	401
2710	3000	1	RMS	2943.45	-47.49	-25	Pass	401
3000	12000	1	RMS	11818.776	-50.67	-25	Pass	9000
12000	27000	1	RMS	26002.854	-36.49	-25	Pass	15000




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.58	-25	Pass	2985
30	1000	0.1	RMS	715.184	-61.32	-25	Pass	9699
1000	2476	1	RMS	2464.993	-49.29	-25	Pass	1476
2476	2710	1	RMS	2675.485	21.98	60	Pass	401
2710	3000	1	RMS	2945.625	-47.48	-25	Pass	401
3000	12000	1	RMS	11803.757	-50.69	-25	Pass	9000
12000	27000	1	RMS	26010.855	-36.47	-25	Pass	15000




14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.62	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.16	-25	Pass	2985
30	1000	0.1	RMS	935.615	-61.94	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.24	-25	Pass	1476
2476	2710	1	RMS	2497.06	22.04	60	Pass	401
2710	3000	1	RMS	2945.625	-47.48	-25	Pass	401
3000	12000	1	RMS	11800.753	-50.68	-25	Pass	9000
12000	27000	1	RMS	26000.853	-36.49	-25	Pass	15000




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.77	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.28	-25	Pass	2985
30	1000	0.1	RMS	839.599	-61.72	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.22	-25	Pass	1476
2476	2710	1	RMS	2497.06	20.8	60	Pass	401
2710	3000	1	RMS	2942.725	-47.46	-25	Pass	401
3000	12000	1	RMS	11790.741	-50.7	-25	Pass	9000
12000	27000	1	RMS	26017.856	-36.45	-25	Pass	15000




**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.71	-25	Pass	2985
30	1000	0.1	RMS	623.372	-61.79	-25	Pass	9699
1000	2476	1	RMS	2455.986	-49.25	-25	Pass	1476
2476	2710	1	RMS	2583.64	23.01	60	Pass	401
2710	3000	1	RMS	2945.625	-47.5	-25	Pass	401
3000	12000	1	RMS	11797.75	-50.66	-25	Pass	9000
12000	27000	1	RMS	26022.856	-36.43	-25	Pass	15000




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.84	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.1	-25	Pass	2985
30	1000	0.1	RMS	832.298	-61.81	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.26	-25	Pass	1476
2476	2710	1	RMS	2583.64	21.25	60	Pass	401
2710	3000	1	RMS	2949.975	-47.49	-25	Pass	401
3000	12000	1	RMS	11796.748	-50.67	-25	Pass	9000
12000	27000	1	RMS	26007.854	-36.47	-25	Pass	15000




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.78	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.73	-25	Pass	2985
30	1000	0.1	RMS	710.383	-60.9	-25	Pass	9699
1000	2476	1	RMS	2476	-49.26	-25	Pass	1476
2476	2710	1	RMS	2670.805	21.68	60	Pass	401
2710	3000	1	RMS	2942.725	-47.5	-25	Pass	401
3000	12000	1	RMS	11813.77	-50.7	-25	Pass	9000
12000	27000	1	RMS	26011.855	-36.43	-25	Pass	15000



**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.76	-25	Pass	2985
30	1000	0.1	RMS	710.383	-61.36	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.26	-25	Pass	1476
2476	2710	1	RMS	2670.805	22.02	60	Pass	401
2710	3000	1	RMS	2950.7	-47.49	-25	Pass	401
3000	12000	1	RMS	11943.931	-50.75	-25	Pass	9000
12000	27000	1	RMS	26027.857	-36.51	-25	Pass	15000



15. CA_7C


**15.1. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:1,
Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.75	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.08	-25	Pass	2985
30	1000	0.1	RMS	846.3	-64.85	-25	Pass	9699
1000	2475	1	RMS	2472.999	-40.27	-25	Pass	1475
2475	2735	1	RMS	2528.3	11.53	60	Pass	401
2735	3000	1	RMS	2946.338	-50.58	-25	Pass	401
3000	12000	1	RMS	11799.752	-53.75	-25	Pass	9000
12000	26000	1	RMS	25998	-39.56	-25	Pass	14000




**15.2. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.86	-25	Pass	2985
30	1000	0.1	RMS	869.527	-65.01	-25	Pass	9699
1000	2475	1	RMS	2475	-45.58	-25	Pass	1475
2475	2735	1	RMS	2525.7	9.64	60	Pass	401
2735	3000	1	RMS	2945.013	-50.47	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.77	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.48	-25	Pass	14000




**15.3. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:3,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-25	Pass	2985
30	1000	0.1	RMS	830.598	-64.95	-25	Pass	9699
1000	2475	1	RMS	2472.999	-40.21	-25	Pass	1475
2475	2735	1	RMS	2528.3	11.54	60	Pass	401
2735	3000	1	RMS	2945.675	-50.55	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.79	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.5	-25	Pass	14000




**15.4. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:4,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.63	-25	Pass	401
0.15	30	0.01	RMS	0.32	-73.11	-25	Pass	2985
30	1000	0.1	RMS	851.904	-64.96	-25	Pass	9699
1000	2475	1	RMS	2475	-46.5	-25	Pass	1475
2475	2735	1	RMS	2526.35	8.7	60	Pass	401
2735	3000	1	RMS	2945.675	-50.55	-25	Pass	401
3000	12000	1	RMS	11993.993	-53.76	-25	Pass	9000
12000	26000	1	RMS	26000	-39.48	-25	Pass	14000




**15.5. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:5,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.97	-25	Pass	401
0.15	30	0.01	RMS	0.18	-73.22	-25	Pass	2985
30	1000	0.1	RMS	835.498	-65.07	-25	Pass	9699
1000	2475	1	RMS	2465.994	-52.26	-25	Pass	1475
2475	2735	1	RMS	2548.45	11.69	60	Pass	401
2735	3000	1	RMS	2947	-50.56	-25	Pass	401
3000	12000	1	RMS	11788.739	-53.79	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.54	-25	Pass	14000




**15.6. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:6,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.67	-25	Pass	401
0.15	30	0.01	RMS	0.27	-72.92	-25	Pass	2985
30	1000	0.1	RMS	843.199	-65.02	-25	Pass	9699
1000	2475	1	RMS	2475	-49.29	-25	Pass	1475
2475	2735	1	RMS	2542.6	9.83	60	Pass	401
2735	3000	1	RMS	2944.35	-50.56	-25	Pass	401
3000	12000	1	RMS	11998.999	-53.76	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.61	-25	Pass	14000




**15.7. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:7,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.9	-25	Pass	2985
30	1000	0.1	RMS	827.297	-65.02	-25	Pass	9699
1000	2475	1	RMS	2465.994	-52.19	-25	Pass	1475
2475	2735	1	RMS	2548.45	11.54	60	Pass	401
2735	3000	1	RMS	2943.688	-50.55	-25	Pass	401
3000	12000	1	RMS	11817.774	-53.73	-25	Pass	9000
12000	26000	1	RMS	25998	-39.36	-25	Pass	14000




**15.8. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:8,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.96	-25	Pass	401
0.15	30	0.01	RMS	0.26	-73.09	-25	Pass	2985
30	1000	0.1	RMS	830.098	-64.94	-25	Pass	9699
1000	2475	1	RMS	2475	-50.12	-25	Pass	1475
2475	2735	1	RMS	2541.3	9.04	60	Pass	401
2735	3000	1	RMS	2948.988	-50.58	-25	Pass	401
3000	12000	1	RMS	11805.76	-53.79	-25	Pass	9000
12000	26000	1	RMS	25982.997	-39.52	-25	Pass	14000




**15.9. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:9,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.76	-25	Pass	2985
30	1000	0.1	RMS	823.397	-64.94	-25	Pass	9699
1000	2475	1	RMS	2473.999	-52.3	-25	Pass	1475
2475	2735	1	RMS	2568.6	11.73	60	Pass	401
2735	3000	1	RMS	2947	-50.52	-25	Pass	401
3000	12000	1	RMS	11998.999	-53.76	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.48	-25	Pass	14000




**15.10. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:10,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.25	-25	Pass	2985
30	1000	0.1	RMS	837.299	-64.78	-25	Pass	9699
1000	2475	1	RMS	2475	-51.31	-25	Pass	1475
2475	2735	1	RMS	2561.45	9.68	60	Pass	401
2735	3000	1	RMS	2950.313	-50.54	-25	Pass	401
3000	12000	1	RMS	11976.971	-53.8	-25	Pass	9000
12000	26000	1	RMS	25998	-39.57	-25	Pass	14000




15.11. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:11, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.28	-73.28	-25	Pass	2985
30	1000	0.1	RMS	827.797	-65.01	-25	Pass	9699
1000	2475	1	RMS	2465.994	-52.37	-25	Pass	1475
2475	2735	1	RMS	2568.6	11.8	60	Pass	401
2735	3000	1	RMS	2947	-50.55	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.76	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.51	-25	Pass	14000




**15.12. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:12,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.73	-25	Pass	401
0.15	30	0.01	RMS	0.5	-73	-25	Pass	2985
30	1000	0.1	RMS	841.599	-64.95	-25	Pass	9699
1000	2475	1	RMS	2475	-51.87	-25	Pass	1475
2475	2735	1	RMS	2561.45	8.72	60	Pass	401
2735	3000	1	RMS	2950.975	-50.53	-25	Pass	401
3000	12000	1	RMS	11798.751	-53.8	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.55	-25	Pass	14000




**15.13. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:13,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.94	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.75	-25	Pass	2985
30	1000	0.1	RMS	847.4	-64.97	-25	Pass	9699
1000	2475	1	RMS	2462.992	-51.69	-25	Pass	1475
2475	2735	1	RMS	2501	11.1	60	Pass	401
2735	3000	1	RMS	2945.013	-50.53	-25	Pass	401
3000	12000	1	RMS	11997.998	-53.74	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.48	-25	Pass	14000




**15.14. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:14,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.67	-25	Pass	401
0.15	30	0.01	RMS	0.19	-73.1	-25	Pass	2985
30	1000	0.1	RMS	855.308	-64.82	-25	Pass	9699
1000	2475	1	RMS	2475	-43.42	-25	Pass	1475
2475	2735	1	RMS	2532.85	6.62	60	Pass	401
2735	3000	1	RMS	2946.338	-50.53	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.73	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.49	-25	Pass	14000




**15.15. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:15,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.28	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.81	-25	Pass	2985
30	1000	0.1	RMS	838.699	-64.89	-25	Pass	9699
1000	2475	1	RMS	2462.992	-51.76	-25	Pass	1475
2475	2735	1	RMS	2501	11.11	60	Pass	401
2735	3000	1	RMS	2945.013	-50.54	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.77	-25	Pass	9000
12000	26000	1	RMS	25971.995	-39.6	-25	Pass	14000




**15.16. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:16,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.95	-25	Pass	401
0.15	30	0.01	RMS	0.18	-73.3	-25	Pass	2985
30	1000	0.1	RMS	858.012	-64.94	-25	Pass	9699
1000	2475	1	RMS	2475	-44.85	-25	Pass	1475
2475	2735	1	RMS	2536.75	5.65	60	Pass	401
2735	3000	1	RMS	2947	-50.51	-25	Pass	401
3000	12000	1	RMS	11987.985	-53.72	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.47	-25	Pass	14000




**15.17. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:17,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.65	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.48	-25	Pass	2985
30	1000	0.1	RMS	825.397	-64.85	-25	Pass	9699
1000	2475	1	RMS	2475	-52.22	-25	Pass	1475
2475	2735	1	RMS	2515.95	11.75	60	Pass	401
2735	3000	1	RMS	2944.35	-50.53	-25	Pass	401
3000	12000	1	RMS	11819.777	-53.8	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.44	-25	Pass	14000




**15.18. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:18,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.54	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.4	-25	Pass	2985
30	1000	0.1	RMS	855.809	-64.84	-25	Pass	9699
1000	2475	1	RMS	2475	-46.76	-25	Pass	1475
2475	2735	1	RMS	2537.4	7.07	60	Pass	401
2735	3000	1	RMS	2947.663	-50.54	-25	Pass	401
3000	12000	1	RMS	11788.739	-53.63	-25	Pass	9000
12000	26000	1	RMS	25972.995	-39.58	-25	Pass	14000




**15.19. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:19,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-25	Pass	2985
30	1000	0.1	RMS	825.997	-64.98	-25	Pass	9699
1000	2475	1	RMS	2475	-51.99	-25	Pass	1475
2475	2735	1	RMS	2515.95	11.84	60	Pass	401
2735	3000	1	RMS	2948.325	-50.54	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.77	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.56	-25	Pass	14000




**15.20. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:20,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.25	-25	Pass	2985
30	1000	0.1	RMS	838.799	-64.96	-25	Pass	9699
1000	2475	1	RMS	2475	-47.89	-25	Pass	1475
2475	2735	1	RMS	2537.4	6.2	60	Pass	401
2735	3000	1	RMS	2950.313	-50.52	-25	Pass	401
3000	12000	1	RMS	11986.984	-53.77	-25	Pass	9000
12000	26000	1	RMS	26000	-39.54	-25	Pass	14000




**15.21. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:21,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.51	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.69	-25	Pass	2985
30	1000	0.1	RMS	861.917	-64.98	-25	Pass	9699
1000	2475	1	RMS	2473.999	-52.29	-25	Pass	1475
2475	2735	1	RMS	2530.9	11.83	60	Pass	401
2735	3000	1	RMS	2950.313	-50.52	-25	Pass	401
3000	12000	1	RMS	11798.751	-53.78	-25	Pass	9000
12000	26000	1	RMS	25999	-39.53	-25	Pass	14000




**15.22. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:22,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.66	-25	Pass	2985
30	1000	0.1	RMS	847.1	-64.92	-25	Pass	9699
1000	2475	1	RMS	2475	-49.08	-25	Pass	1475
2475	2735	1	RMS	2552.35	6.9	60	Pass	401
2735	3000	1	RMS	2946.338	-50.51	-25	Pass	401
3000	12000	1	RMS	11787.737	-53.75	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.44	-25	Pass	14000




**15.23. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:23,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.67	-25	Pass	401
0.15	30	0.01	RMS	0.25	-73.26	-25	Pass	2985
30	1000	0.1	RMS	823.997	-65.03	-25	Pass	9699
1000	2475	1	RMS	2475	-52.34	-25	Pass	1475
2475	2735	1	RMS	2530.9	11.81	60	Pass	401
2735	3000	1	RMS	2950.313	-50.54	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.68	-25	Pass	9000
12000	26000	1	RMS	25983.997	-39.47	-25	Pass	14000



**15.24. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:24,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.56	-25	Pass	2985
30	1000	0.1	RMS	838.199	-65.01	-25	Pass	9699
1000	2475	1	RMS	2475	-49.94	-25	Pass	1475
2475	2735	1	RMS	2551.7	5.99	60	Pass	401
2735	3000	1	RMS	2944.35	-50.53	-25	Pass	401
3000	12000	1	RMS	11981.978	-53.77	-25	Pass	9000
12000	26000	1	RMS	25998	-39.55	-25	Pass	14000



16. CA_38C


16.1. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.79	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.34	-25	Pass	2985
30	1000	0.1	RMS	841.699	-60.96	-25	Pass	9699
1000	2525	1	RMS	2514.993	-30.91	-25	Pass	1525
2525	2665	1	RMS	2570.5	12.11	60	Pass	401
2665	3000	1	RMS	2683.425	-39.77	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.78	-25	Pass	9000
12000	26500	1	RMS	26006.922	-39.29	-25	Pass	14500




**16.2. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.14	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.1	-25	Pass	2985
30	1000	0.1	RMS	834.698	-60.98	-25	Pass	9699
1000	2525	1	RMS	2523.999	-38.03	-25	Pass	1525
2525	2665	1	RMS	2593.6	8.16	60	Pass	401
2665	3000	1	RMS	2665.838	-43.94	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.7	-25	Pass	9000
12000	26500	1	RMS	26018.924	-39.4	-25	Pass	14500




**16.3. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:3,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.44	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.38	-25	Pass	2985
30	1000	0.1	RMS	826.297	-60.76	-25	Pass	9699
1000	2525	1	RMS	2513.993	-30.49	-25	Pass	1525
2525	2665	1	RMS	2570.5	12.23	60	Pass	401
2665	3000	1	RMS	2683.425	-39.19	-25	Pass	401
3000	12000	1	RMS	11993.993	-53.68	-25	Pass	9000
12000	26500	1	RMS	25993.92	-39.36	-25	Pass	14500




**16.4. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:4,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.93	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.5	-25	Pass	2985
30	1000	0.1	RMS	842.699	-60.92	-25	Pass	9699
1000	2525	1	RMS	2523.999	-39.84	-25	Pass	1525
2525	2665	1	RMS	2594.65	7.55	60	Pass	401
2665	3000	1	RMS	2665	-45.24	-25	Pass	401
3000	12000	1	RMS	11994.994	-53.73	-25	Pass	9000
12000	26500	1	RMS	26006.922	-39.41	-25	Pass	14500




**16.5. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:5,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.45	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.46	-25	Pass	2985
30	1000	0.1	RMS	853.305	-60.94	-25	Pass	9699
1000	2525	1	RMS	2523.999	-27.82	-25	Pass	1525
2525	2665	1	RMS	2580.65	12.77	60	Pass	401
2665	3000	1	RMS	2665	-31.84	-25	Pass	401
3000	12000	1	RMS	11979.975	-53.73	-25	Pass	9000
12000	26500	1	RMS	26001.921	-39.36	-25	Pass	14500




**16.6. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:6,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.34	-25	Pass	2985
30	1000	0.1	RMS	880.441	-61.05	-25	Pass	9699
1000	2525	1	RMS	2525	-40.25	-25	Pass	1525
2525	2665	1	RMS	2588.7	8.82	60	Pass	401
2665	3000	1	RMS	2665	-42.23	-25	Pass	401
3000	12000	1	RMS	11988.986	-53.73	-25	Pass	9000
12000	26500	1	RMS	26013.923	-39.38	-25	Pass	14500




**16.7. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:7,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.91	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.32	-25	Pass	2985
30	1000	0.1	RMS	838.599	-60.93	-25	Pass	9699
1000	2525	1	RMS	2523.999	-30.24	-25	Pass	1525
2525	2665	1	RMS	2580.65	12.84	60	Pass	401
2665	3000	1	RMS	2665	-32.46	-25	Pass	401
3000	12000	1	RMS	11805.76	-53.74	-25	Pass	9000
12000	26500	1	RMS	26008.922	-39.4	-25	Pass	14500




**16.8. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:8,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.39	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.22	-25	Pass	2985
30	1000	0.1	RMS	831.298	-60.94	-25	Pass	9699
1000	2525	1	RMS	2525	-41.92	-25	Pass	1525
2525	2665	1	RMS	2592.55	7.58	60	Pass	401
2665	3000	1	RMS	2665	-43.3	-25	Pass	401
3000	12000	1	RMS	11998.999	-53.67	-25	Pass	9000
12000	26500	1	RMS	25980.918	-39.42	-25	Pass	14500




**16.9. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:9,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.2	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.45	-25	Pass	2985
30	1000	0.1	RMS	861.717	-60.88	-25	Pass	9699
1000	2525	1	RMS	2504.987	-42.07	-25	Pass	1525
2525	2665	1	RMS	2619.15	12.41	60	Pass	401
2665	3000	1	RMS	2675.05	-33.31	-25	Pass	401
3000	12000	1	RMS	11799.752	-53.65	-25	Pass	9000
12000	26500	1	RMS	26005.922	-39.42	-25	Pass	14500




**16.10. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:10,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.83	-25	Pass	2985
30	1000	0.1	RMS	853.305	-61.03	-25	Pass	9699
1000	2525	1	RMS	2522.999	-43.06	-25	Pass	1525
2525	2665	1	RMS	2600.6	8.45	60	Pass	401
2665	3000	1	RMS	2665	-40.24	-25	Pass	401
3000	12000	1	RMS	11989.988	-53.74	-25	Pass	9000
12000	26500	1	RMS	26000.921	-39.41	-25	Pass	14500




**16.11. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:11,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.31	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.9	-25	Pass	2985
30	1000	0.1	RMS	845.7	-60.85	-25	Pass	9699
1000	2525	1	RMS	2505.988	-39.92	-25	Pass	1525
2525	2665	1	RMS	2590.8	12.39	60	Pass	401
2665	3000	1	RMS	2675.888	-33.6	-25	Pass	401
3000	12000	1	RMS	11986.984	-53.75	-25	Pass	9000
12000	26500	1	RMS	25993.92	-39.36	-25	Pass	14500




**16.12. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:12,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.44	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.69	-25	Pass	2985
30	1000	0.1	RMS	857.01	-60.69	-25	Pass	9699
1000	2525	1	RMS	2522.999	-44.72	-25	Pass	1525
2525	2665	1	RMS	2603.05	7.75	60	Pass	401
2665	3000	1	RMS	2665	-41.68	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.64	-25	Pass	9000
12000	26500	1	RMS	26007.922	-39.39	-25	Pass	14500




**16.13. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:13,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.88	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.23	-25	Pass	2985
30	1000	0.1	RMS	860.515	-60.95	-25	Pass	9699
1000	2525	1	RMS	2494.98	-33.61	-25	Pass	1525
2525	2665	1	RMS	2570.85	12.43	60	Pass	401
2665	3000	1	RMS	2683.425	-31.8	-25	Pass	401
3000	12000	1	RMS	12000	-53.74	-25	Pass	9000
12000	26500	1	RMS	26396.984	-39.46	-25	Pass	14500




**16.14. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:14,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.67	-25	Pass	2985
30	1000	0.1	RMS	817.196	-60.99	-25	Pass	9699
1000	2525	1	RMS	2522.999	-37.56	-25	Pass	1525
2525	2665	1	RMS	2603.4	6.85	60	Pass	401
2665	3000	1	RMS	2665.838	-40.83	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.71	-25	Pass	9000
12000	26500	1	RMS	25991.919	-39.41	-25	Pass	14500




**16.15. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:15,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.77	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.81	-25	Pass	2985
30	1000	0.1	RMS	854.006	-60.83	-25	Pass	9699
1000	2525	1	RMS	2495.981	-33.73	-25	Pass	1525
2525	2665	1	RMS	2570.85	12.96	60	Pass	401
2665	3000	1	RMS	2683.425	-32.02	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.73	-25	Pass	9000
12000	26500	1	RMS	26006.922	-39.46	-25	Pass	14500




**16.16. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:16,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.5	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.17	-25	Pass	2985
30	1000	0.1	RMS	954.64	-60.93	-25	Pass	9699
1000	2525	1	RMS	2523.999	-38.6	-25	Pass	1525
2525	2665	1	RMS	2583.1	6.17	60	Pass	401
2665	3000	1	RMS	2665.838	-41.71	-25	Pass	401
3000	12000	1	RMS	11792.743	-53.68	-25	Pass	9000
12000	26500	1	RMS	25999.921	-39.37	-25	Pass	14500




**16.17. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:17,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.7	-25	Pass	2985
30	1000	0.1	RMS	858.012	-60.83	-25	Pass	9699
1000	2525	1	RMS	2500.984	-29.67	-25	Pass	1525
2525	2665	1	RMS	2576.1	12.64	60	Pass	401
2665	3000	1	RMS	2688.45	-32.2	-25	Pass	401
3000	12000	1	RMS	11813.77	-53.69	-25	Pass	9000
12000	26500	1	RMS	26002.921	-39.3	-25	Pass	14500




**16.18. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:18,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.55	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.17	-25	Pass	2985
30	1000	0.1	RMS	847.2	-60.82	-25	Pass	9699
1000	2525	1	RMS	2523.999	-38.24	-25	Pass	1525
2525	2665	1	RMS	2587.65	7.1	60	Pass	401
2665	3000	1	RMS	2665.838	-39.78	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.75	-25	Pass	9000
12000	26500	1	RMS	26015.923	-39.41	-25	Pass	14500




**16.19. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:19,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.28	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.52	-25	Pass	2985
30	1000	0.1	RMS	839.499	-60.99	-25	Pass	9699
1000	2525	1	RMS	2500.984	-29.52	-25	Pass	1525
2525	2665	1	RMS	2613.55	12.93	60	Pass	401
2665	3000	1	RMS	2688.45	-32.41	-25	Pass	401
3000	12000	1	RMS	11995.995	-53.68	-25	Pass	9000
12000	26500	1	RMS	25998.921	-39.45	-25	Pass	14500




**16.20. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:20,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.05	-25	Pass	401
0.15	30	0.01	RMS	0.34	-69.46	-25	Pass	2985
30	1000	0.1	RMS	855.308	-60.87	-25	Pass	9699
1000	2525	1	RMS	2523.999	-39.45	-25	Pass	1525
2525	2665	1	RMS	2588	6.36	60	Pass	401
2665	3000	1	RMS	2665	-40.92	-25	Pass	401
3000	12000	1	RMS	11787.737	-53.71	-25	Pass	9000
12000	26500	1	RMS	25999.921	-39.34	-25	Pass	14500




**16.21. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:21,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.34	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.27	-25	Pass	2985
30	1000	0.1	RMS	851.603	-61.01	-25	Pass	9699
1000	2525	1	RMS	2505.988	-34.72	-25	Pass	1525
2525	2665	1	RMS	2581	12.43	60	Pass	401
2665	3000	1	RMS	2693.475	-33.68	-25	Pass	401
3000	12000	1	RMS	11794.746	-53.75	-25	Pass	9000
12000	26500	1	RMS	26011.923	-39.39	-25	Pass	14500




**16.22. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:22,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-68.92	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.85	-25	Pass	2985
30	1000	0.1	RMS	861.616	-60.97	-25	Pass	9699
1000	2525	1	RMS	2525	-38.8	-25	Pass	1525
2525	2665	1	RMS	2591.15	7.6	60	Pass	401
2665	3000	1	RMS	2665.838	-39.04	-25	Pass	401
3000	12000	1	RMS	11805.76	-53.66	-25	Pass	9000
12000	26500	1	RMS	25991.919	-39.38	-25	Pass	14500




**16.23. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:23,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.18	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.83	-25	Pass	2985
30	1000	0.1	RMS	826.097	-60.88	-25	Pass	9699
1000	2525	1	RMS	2505.988	-31.88	-25	Pass	1525
2525	2665	1	RMS	2581	11.94	60	Pass	401
2665	3000	1	RMS	2693.475	-33.9	-25	Pass	401
3000	12000	1	RMS	11792.743	-53.68	-25	Pass	9000
12000	26500	1	RMS	26002.921	-39.35	-25	Pass	14500



**16.24. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:24,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.39	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.09	-25	Pass	2985
30	1000	0.1	RMS	858.012	-61.03	-25	Pass	9699
1000	2525	1	RMS	2523.999	-40.28	-25	Pass	1525
2525	2665	1	RMS	2595.35	6.05	60	Pass	401
2665	3000	1	RMS	2665	-40.49	-25	Pass	401
3000	12000	1	RMS	11996.996	-53.71	-25	Pass	9000
12000	26500	1	RMS	25995.92	-39.39	-25	Pass	14500



17. CA_41C_full


**17.1. CA Spurious Emission at Antenna Terminals(NTLV)(Subtest:1,
Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.96	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.67	-25	Pass	2985
30	1000	0.1	RMS	847.9	-60.92	-25	Pass	9699
1000	2475	1	RMS	2475	-43.09	-25	Pass	1475
2475	2735	1	RMS	2497.1	11.35	60	Pass	401
2735	3000	1	RMS	2945.013	-46.54	-25	Pass	401
3000	12000	1	RMS	11998.999	-53.67	-25	Pass	9000
12000	27000	1	RMS	26003.854	-39.46	-25	Pass	15000




**17.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.62	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.38	-25	Pass	2985
30	1000	0.1	RMS	860.615	-60.94	-25	Pass	9699
1000	2475	1	RMS	2475	-47.41	-25	Pass	1475
2475	2735	1	RMS	2517.9	12.48	60	Pass	401
2735	3000	1	RMS	2946.338	-46.52	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.72	-25	Pass	9000
12000	27000	1	RMS	26010.855	-39.39	-25	Pass	15000




**17.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.88	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.38	-25	Pass	2985
30	1000	0.1	RMS	840.899	-61	-25	Pass	9699
1000	2475	1	RMS	2473.999	-44.22	-25	Pass	1475
2475	2735	1	RMS	2497.1	10.85	60	Pass	401
2735	3000	1	RMS	2950.313	-46.54	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.68	-25	Pass	9000
12000	27000	1	RMS	25982.851	-39.34	-25	Pass	15000




**17.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.72	-25	Pass	2985
30	1000	0.1	RMS	840.199	-60.95	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47.93	-25	Pass	1475
2475	2735	1	RMS	2517.9	11.74	60	Pass	401
2735	3000	1	RMS	2945.013	-46.54	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.68	-25	Pass	9000
12000	27000	1	RMS	25999.853	-39.34	-25	Pass	15000




**17.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.69	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.82	-25	Pass	2985
30	1000	0.1	RMS	848.9	-61.03	-25	Pass	9699
1000	2475	1	RMS	2475	-48.35	-25	Pass	1475
2475	2735	1	RMS	2581.6	11.46	60	Pass	401
2735	3000	1	RMS	2945.013	-46.58	-25	Pass	401
3000	12000	1	RMS	11805.76	-53.73	-25	Pass	9000
12000	27000	1	RMS	26006.854	-39.39	-25	Pass	15000




**17.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.04	-25	Pass	2985
30	1000	0.1	RMS	848.4	-61	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48.38	-25	Pass	1475
2475	2735	1	RMS	2601.75	13.08	60	Pass	401
2735	3000	1	RMS	2949.65	-46.53	-25	Pass	401
3000	12000	1	RMS	11807.762	-53.66	-25	Pass	9000
12000	27000	1	RMS	26014.855	-39.33	-25	Pass	15000




**17.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.87	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.64	-25	Pass	2985
30	1000	0.1	RMS	826.797	-60.97	-25	Pass	9699
1000	2475	1	RMS	2472.999	-48.34	-25	Pass	1475
2475	2735	1	RMS	2604.35	11.11	60	Pass	401
2735	3000	1	RMS	2945.013	-46.53	-25	Pass	401
3000	12000	1	RMS	12000	-53.73	-25	Pass	9000
12000	27000	1	RMS	26004.854	-39.36	-25	Pass	15000




**17.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.05	-25	Pass	2985
30	1000	0.1	RMS	866.623	-61.06	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48.22	-25	Pass	1475
2475	2735	1	RMS	2602.4	11.76	60	Pass	401
2735	3000	1	RMS	2946.338	-46.52	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.71	-25	Pass	9000
12000	27000	1	RMS	26000.853	-39.29	-25	Pass	15000




**17.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.09	-25	Pass	401
0.15	30	0.01	RMS	0.34	-69.33	-25	Pass	2985
30	1000	0.1	RMS	966.355	-60.9	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48.26	-25	Pass	1475
2475	2735	1	RMS	2665.45	11.71	60	Pass	401
2735	3000	1	RMS	2735	-42.61	-25	Pass	401
3000	12000	1	RMS	11789.74	-53.71	-25	Pass	9000
12000	27000	1	RMS	26005.854	-39.4	-25	Pass	15000




**17.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.4	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.25	-25	Pass	2985
30	1000	0.1	RMS	861.216	-60.98	-25	Pass	9699
1000	2475	1	RMS	2463.993	-48.38	-25	Pass	1475
2475	2735	1	RMS	2685.6	12.97	60	Pass	401
2735	3000	1	RMS	2735	-45.87	-25	Pass	401
3000	12000	1	RMS	11807.762	-53.75	-25	Pass	9000
12000	27000	1	RMS	26016.856	-39.47	-25	Pass	15000




**17.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.17	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.36	-25	Pass	2985
30	1000	0.1	RMS	840.499	-60.86	-25	Pass	9699
1000	2475	1	RMS	2475	-48.27	-25	Pass	1475
2475	2735	1	RMS	2665.45	11.39	60	Pass	401
2735	3000	1	RMS	2735	-43.62	-25	Pass	401
3000	12000	1	RMS	11993.993	-53.71	-25	Pass	9000
12000	27000	1	RMS	26005.854	-39.4	-25	Pass	15000




**17.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.22	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.12	-25	Pass	2985
30	1000	0.1	RMS	865.822	-60.98	-25	Pass	9699
1000	2475	1	RMS	2471.998	-48.37	-25	Pass	1475
2475	2735	1	RMS	2685.6	12.38	60	Pass	401
2735	3000	1	RMS	2947	-46.55	-25	Pass	401
3000	12000	1	RMS	11813.77	-53.66	-25	Pass	9000
12000	27000	1	RMS	25997.853	-39.47	-25	Pass	15000




**17.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-69.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.64	-25	Pass	2985
30	1000	0.1	RMS	835.898	-60.96	-25	Pass	9699
1000	2475	1	RMS	2464.993	-48.37	-25	Pass	1475
2475	2735	1	RMS	2534.15	11.86	60	Pass	401
2735	3000	1	RMS	2946.338	-46.58	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.7	-25	Pass	9000
12000	27000	1	RMS	26008.854	-39.39	-25	Pass	15000




**17.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.07	-25	Pass	2985
30	1000	0.1	RMS	868.225	-60.77	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47.41	-25	Pass	1475
2475	2735	1	RMS	2513.35	7.39	60	Pass	401
2735	3000	1	RMS	2948.988	-46.55	-25	Pass	401
3000	12000	1	RMS	11796.748	-53.73	-25	Pass	9000
12000	27000	1	RMS	26006.854	-39.43	-25	Pass	15000




**17.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.92	-25	Pass	2985
30	1000	0.1	RMS	843.499	-60.89	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48.34	-25	Pass	1475
2475	2735	1	RMS	2534.15	11.24	60	Pass	401
2735	3000	1	RMS	2948.988	-46.54	-25	Pass	401
3000	12000	1	RMS	11806.761	-53.68	-25	Pass	9000
12000	27000	1	RMS	26001.853	-39.34	-25	Pass	15000




**17.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.68	-25	Pass	2985
30	1000	0.1	RMS	847.2	-60.8	-25	Pass	9699
1000	2475	1	RMS	2475	-47.63	-25	Pass	1475
2475	2735	1	RMS	2513.35	6.7	60	Pass	401
2735	3000	1	RMS	2945.013	-46.53	-25	Pass	401
3000	12000	1	RMS	11798.751	-53.7	-25	Pass	9000
12000	27000	1	RMS	25997.853	-39.41	-25	Pass	15000




**17.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.45	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.42	-25	Pass	2985
30	1000	0.1	RMS	853.305	-60.91	-25	Pass	9699
1000	2475	1	RMS	2457.988	-48.36	-25	Pass	1475
2475	2735	1	RMS	2611.5	11.66	60	Pass	401
2735	3000	1	RMS	2946.338	-46.55	-25	Pass	401
3000	12000	1	RMS	11799.752	-53.74	-25	Pass	9000
12000	27000	1	RMS	26000.853	-39.3	-25	Pass	15000




**17.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.62	-25	Pass	2985
30	1000	0.1	RMS	840.199	-60.92	-25	Pass	9699
1000	2475	1	RMS	2475	-48.28	-25	Pass	1475
2475	2735	1	RMS	2590.05	7.72	60	Pass	401
2735	3000	1	RMS	2945.675	-46.53	-25	Pass	401
3000	12000	1	RMS	11818.776	-53.71	-25	Pass	9000
12000	27000	1	RMS	26022.856	-39.45	-25	Pass	15000




**17.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.48	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.72	-25	Pass	2985
30	1000	0.1	RMS	846.4	-60.94	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48.32	-25	Pass	1475
2475	2735	1	RMS	2611.5	11.19	60	Pass	401
2735	3000	1	RMS	2945.675	-46.53	-25	Pass	401
3000	12000	1	RMS	11806.761	-53.76	-25	Pass	9000
12000	27000	1	RMS	26004.854	-39.4	-25	Pass	15000




**17.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-69.08	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.36	-25	Pass	2985
30	1000	0.1	RMS	838.899	-61.03	-25	Pass	9699
1000	2475	1	RMS	2472.999	-48.37	-25	Pass	1475
2475	2735	1	RMS	2590.7	6.88	60	Pass	401
2735	3000	1	RMS	2941.7	-46.53	-25	Pass	401
3000	12000	1	RMS	12000	-53.76	-25	Pass	9000
12000	27000	1	RMS	25987.851	-39.42	-25	Pass	15000




**17.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.09	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.29	-25	Pass	2985
30	1000	0.1	RMS	847.4	-60.88	-25	Pass	9699
1000	2475	1	RMS	2464.993	-48.38	-25	Pass	1475
2475	2735	1	RMS	2688.2	11.02	60	Pass	401
2735	3000	1	RMS	2945.675	-46.54	-25	Pass	401
3000	12000	1	RMS	11816.773	-53.7	-25	Pass	9000
12000	27000	1	RMS	26004.854	-39.45	-25	Pass	15000




**17.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.87	-25	Pass	2985
30	1000	0.1	RMS	828.397	-60.87	-25	Pass	9699
1000	2475	1	RMS	2471.998	-48.36	-25	Pass	1475
2475	2735	1	RMS	2666.75	7.43	60	Pass	401
2735	3000	1	RMS	2735	-45.15	-25	Pass	401
3000	12000	1	RMS	11809.765	-53.68	-25	Pass	9000
12000	27000	1	RMS	25997.853	-39.39	-25	Pass	15000




**17.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.92	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.14	-25	Pass	2985
30	1000	0.1	RMS	844.199	-61.03	-25	Pass	9699
1000	2475	1	RMS	2475	-48.31	-25	Pass	1475
2475	2735	1	RMS	2651.15	11.86	60	Pass	401
2735	3000	1	RMS	2942.363	-46.56	-25	Pass	401
3000	12000	1	RMS	12000	-53.71	-25	Pass	9000
12000	27000	1	RMS	25987.851	-39.37	-25	Pass	15000



**17.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.37	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.69	-25	Pass	2985
30	1000	0.1	RMS	840.599	-60.75	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48.4	-25	Pass	1475
2475	2735	1	RMS	2665.45	6.69	60	Pass	401
2735	3000	1	RMS	2735.663	-45.76	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.73	-25	Pass	9000
12000	27000	1	RMS	26005.854	-39.44	-25	Pass	15000



END