




1. External Photograph of EUT

Brand Name: Lenovo / Model Name: TP00129A

Sample 1 and Sample 2




















2. Photograph of Accessory

Brand Name: Lenovo / Model Name: TP00129A

Specification of Accessory		
AC Adapter	Brand Name	Lenovo
	Model Name	ADLX65YDC2D
Battery (for Sample 1)	Brand Name	Lenovo
	Model Name	L20L4P71
Battery (for Sample 2)	Brand Name	Lenovo
	Model Name	L20C4P71

Remark: For accessories equipped with this EUT, please refer to the following photos.



Sample 1



Sample 2




AC Adapter





Battery (for Sample 1)



Lenovo

LOG: CP4541-ASB1 451P 15.48V/57Wh
 MFLP/EN/USA/16 SIT 58096
 Customer Part Number Connector Source Director Owner
 HW 2002 FW 2030
 Date 2020/04/18 Qty 302
 Model Name 型号/型號: L20L4P71
 ASM P/N : SB10T83215
 FRU P/N : 5B10W13972
 41CP5/41/109
 15.48V Typical Capacity 3685mAh / 57Wh, Rated Capacity 3585mAh / 56Wh
 額定容量: 3585mAh 充電限制電壓 (limited charging voltage): 17.8V
 For use with Lenovo personal computer
 制造商: 株式会社LG化學
 Rechargeable Li-Ion Battery / 锂离子电池組
 Made in China 製造地: 中國

CAUTION: Replace with same type only.
 Use of another battery may present a fire or explosion.
 PLEASE REFER TO USER MANUAL OR FOLLOW LOCAL ORDINANCES AND/OR REGULATIONS FOR DISPOSAL.
 注意: 用錯誤型號電池更換會有爆炸危險, 務必按照說明書處理用過的電池。
 注意: 用錯誤型號電池更換會有爆炸危險, 務必按照說明書處理用過的電池。
 EU contact: Lenovo (Slovakia), Landererova 12, 811 09 Bratislava, Slovakia
 UK contact: Lenovo, Redwood, Crookford Lane, Basingstoke, RG24 8WQ, UK.

PS E 15.48V 3585mAh
 レノボ・ジャパン合同会社

TIS 2217-2548
 Lenovo (Thailand) Limited

IS 16046(Part 2)/IEC 62133-2

R-XXXXXXXX
 www.bis.gov.in

BSH 888-016 (Battery)
 REG: Nanjing Hicon Electronics Co., Ltd
 EN14: 1619-088

Li-ion 00
 使用後はリサイクルへ

RECYCLE
 800 822 885

ICT

R39088
 15.48V/3585mAh
 二次電池組

MH2551 LNN

888B10T83215L1NX09H007F
 2020.09

DANGER DO NOT OPEN OR EXPOSE TO HEAT ABOVE 100°C
DANGER! NE PAS OUVRIRE NI EXPOSER A PLUS DE 100°C
FARE MÅ IKKE ÅPNE ELLER UTSETTES FOR VÅRME OVER 100°C
PERIGO NÃO ABRA OU EXPOHA A AQUECIMENTO ACIMA DE 100°C
VORSICHT! NICHT REPARIEREN ODER ZERLEGEN, MIT WASSER IN BERÜHRUNG BRINGEN ODER ÜBER 100°C ERHITZEN

PERIGO NÃO ABRIR NEM EXPOR A TEMPERATURAS SUPERIORES A 100°C
PERIGRO NO ABRIR O EXPONER A TEMPERATURAS SUPERIORES A 100°C
FARA ÖPPNA INTE BATTERIET OCH UTSÄTT DET INTE FÖR VÄRME ÖVER 100°C
GEVAAR! NIET OPENEN, NIET BLOOTSTELLEN AAN TEMPERATUREN BOVEN 100°C
FARLIG! MÅ IKKE ÅPNE ELLER UDSÆTTES FOR TEMPERATUREN OVER 100°C

ATTENZIONE! NON APRIRE O RISCALDARE AD UNA TEMPERATURA SUPERIORE AI 100°C
VAARA ÄLÄ AVAAKUKKIA ÄLÄKÄ KUJUMENNA SITÄ YLÄ 100 ASTEEN LÄMPÖTILAAN
危險 禁止拆解、撞擊、擠壓或投入火中, 若出現嚴重鼓脹, 請勿繼續使用。
 請勿置于高溫環境中, 電池浸水後禁止使用!
위험 분해하거나 100°C 이상 가열 하지 마십시오.

危險 發熱、起火、破裂的恐れがあるため。
 ● 開封をしないでください。衝撃を与えたリチウムイオン電池は、使用をやめてください。
 ● 膨張がひどくなったリチウムイオン電池は新しいものと交換してください。
 ● 分解、改造、火中への投入、100°C以上の加熱、および高温での使用・保管をしないでください。
 ● 指定の充電方法以外で充電しないでください。
 ● リチウムイオン電池の金属端子をショート(短絡)させないでください。

Battery (for Sample 2)

