




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0



Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band71 16QAM BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 16QAM BW=10MHz Channel=133422 RB Size=50 Position=#0




Band71 16QAM BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 16QAM BW=15MHz Channel=133397 RB Size=75 Position=#0



Band71 16QAM BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 16QAM BW=20MHz Channel=133372 RB Size=100 Position=#0




Band71 16QAM BW=5MHz Channel=133147 RB Size=25 Position=#0




Band71 16QAM BW=5MHz Channel=133447 RB Size=25 Position=#0



Band71 QPSK BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 QPSK BW=10MHz Channel=133422 RB Size=50 Position=#0



Band71 QPSK BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 QPSK BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 QPSK BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 QPSK BW=20MHz Channel=133372 RB Size=100 Position=#0



Band71 QPSK BW=5MHz Channel=133147 RB Size=25 Position=#0




Band71 QPSK BW=5MHz Channel=133447 RB Size=25 Position=#0




RADIATED SPURIOUS EMISSION

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 2 Lower	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.0038	-78.34	-13.00	-65.34	PK	Hor
2*	110.0250	-80.59	-13.00	-67.59	PK	Hor
3*	165.1938	-76.99	-13.00	-63.99	PK	Hor
4*	319.4238	-77.58	-13.00	-64.58	PK	Hor
5*	605.8163	-67.49	-13.00	-54.49	PK	Hor
6*	963.7463	-60.56	-13.00	-47.56	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.6700	-77.35	-13.00	-64.35	PK	Ver
2*	153.3113	-76.19	-13.00	-63.19	PK	Ver
3*	174.2875	-78.06	-13.00	-65.06	PK	Ver
4*	485.4150	-72.08	-13.00	-59.08	PK	Ver
5*	649.8300	-64.91	-13.00	-51.91	PK	Ver
6*	990.3000	-61.04	-13.00	-48.04	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.9125	-78.34	-13.00	-65.34	PK	Hor
2*	58.2513	-78.38	-13.00	-65.38	PK	Hor
3*	123.2413	-80.04	-13.00	-67.04	PK	Hor
4*	267.6500	-78.14	-13.00	-65.14	PK	Hor
5*	504.6938	-72.95	-13.00	-59.95	PK	Hor
6*	989.6938	-60.52	-13.00	-47.52	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.6100	-77.13	-13.00	-64.13	PK	Ver
2*	189.3225	-78.30	-13.00	-65.30	PK	Ver
3*	355.0713	-76.42	-13.00	-63.42	PK	Ver
4*	454.8600	-72.69	-13.00	-59.69	PK	Ver
5*	723.1863	-64.24	-13.00	-51.24	PK	Ver
6*	974.2950	-61.08	-13.00	-48.08	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 2 Upper	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.3363	-79.25	-13.00	-66.25	PK	Hor
2*	43.3375	-78.88	-13.00	-65.88	PK	Hor
3*	70.8613	-80.99	-13.00	-67.99	PK	Hor
4*	155.7363	-77.17	-13.00	-64.17	PK	Hor
5*	436.3088	-73.14	-13.00	-60.14	PK	Hor
6*	792.0563	-64.77	-13.00	-51.77	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.1538	-77.74	-13.00	-64.74	PK	Ver
2*	54.6138	-77.99	-13.00	-64.99	PK	Ver
3*	139.1250	-78.37	-13.00	-65.37	PK	Ver
4*	152.5838	-75.41	-13.00	-62.41	PK	Ver
5*	714.0925	-65.00	-13.00	-52.00	PK	Ver
6*	980.7213	-60.99	-13.00	-47.99	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 4 Lower	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.6088	-77.32	-13.00	-64.32	PK	Hor
2*	53.2800	-77.55	-13.00	-64.55	PK	Hor
3*	152.4625	-76.67	-13.00	-63.67	PK	Hor
4*	362.8313	-75.82	-13.00	-62.82	PK	Hor
5*	545.6763	-70.72	-13.00	-57.72	PK	Hor
6*	873.0513	-61.92	-13.00	-48.92	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.7300	-78.64	-13.00	-65.64	PK	Ver
2*	72.5588	-80.24	-13.00	-67.24	PK	Ver
3*	153.3113	-76.56	-13.00	-63.56	PK	Ver
4*	427.7000	-74.18	-13.00	-61.18	PK	Ver
5*	682.8100	-65.57	-13.00	-52.57	PK	Ver
6*	987.3900	-61.20	-13.00	-48.20	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.7300	-78.59	-13.00	-65.59	PK	Hor
2*	49.5213	-78.03	-13.00	-65.03	PK	Hor
3*	65.2838	-77.83	-13.00	-64.83	PK	Hor
4*	159.6163	-76.88	-13.00	-63.88	PK	Hor
5*	332.8825	-76.04	-13.00	-63.04	PK	Hor
6*	999.1513	-60.83	-13.00	-47.83	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	36.7900	-78.86	-13.00	-65.86	PK	Ver
2*	152.8263	-77.80	-13.00	-64.80	PK	Ver
3*	301.2363	-76.34	-13.00	-63.34	PK	Ver
4*	449.8888	-72.09	-13.00	-59.09	PK	Ver
5*	603.7550	-66.90	-13.00	-53.90	PK	Ver
6*	961.9275	-61.56	-13.00	-48.56	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 4 Upper	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.0938	-78.63	-13.00	-65.63	PK	Hor
2*	153.5538	-75.46	-13.00	-62.46	PK	Hor
3*	176.7125	-76.51	-13.00	-63.51	PK	Hor
4*	490.6288	-73.01	-13.00	-60.01	PK	Hor
5*	692.3888	-66.01	-13.00	-53.01	PK	Hor
6*	993.8163	-59.38	-13.00	-46.38	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.2150	-77.93	-13.00	-64.93	PK	Ver
2*	45.3988	-76.87	-13.00	-63.87	PK	Ver
3*	64.7988	-78.37	-13.00	-65.37	PK	Ver
4*	152.5838	-76.93	-13.00	-63.93	PK	Ver
5*	434.0050	-73.38	-13.00	-60.38	PK	Ver
6*	995.7563	-60.00	-13.00	-47.00	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 5 Lower	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	53.8863	-77.78	-13.00	-64.78	PK	Hor
2*	128.6975	-78.34	-13.00	-65.34	PK	Hor
3*	165.8000	-77.10	-13.00	-64.10	PK	Hor
4*	523.6088	-71.15	-13.00	-58.15	PK	Hor
5*	557.3163	-69.67	-13.00	-56.67	PK	Hor
6*	991.8763	-60.94	-13.00	-47.94	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.3675	-78.09	-13.00	-65.09	PK	Ver
2*	65.5263	-79.40	-13.00	-66.40	PK	Ver
3*	150.5225	-76.58	-13.00	-63.58	PK	Ver
4*	284.7463	-76.84	-13.00	-63.84	PK	Ver
5*	579.2625	-70.05	-13.00	-57.05	PK	Ver
6*	964.5950	-59.48	-13.00	-46.48	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	60.0700	-77.71	-13.00	-64.71	PK	Hor
2*	124.8175	-78.56	-13.00	-65.56	PK	Hor
3*	146.7638	-77.52	-13.00	-64.52	PK	Hor
4*	447.5850	-73.18	-13.00	-60.18	PK	Hor
5*	652.1338	-65.99	-13.00	-52.99	PK	Hor
6*	977.4475	-60.06	-13.00	-47.06	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.4588	-77.40	-13.00	-64.40	PK	Ver
2*	64.9200	-78.03	-13.00	-65.03	PK	Ver
3*	157.7975	-76.21	-13.00	-63.21	PK	Ver
4*	461.4075	-71.39	-13.00	-58.39	PK	Ver
5*	612.3638	-66.22	-13.00	-53.22	PK	Ver
6*	999.3938	-59.58	-13.00	-46.58	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 5 Upper	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	57.6450	-76.88	-13.00	-63.88	PK	Hor
2*	150.0375	-77.45	-13.00	-64.45	PK	Hor
3*	166.4063	-76.59	-13.00	-63.59	PK	Hor
4*	420.4250	-73.37	-13.00	-60.37	PK	Hor
5*	663.1675	-65.87	-13.00	-52.87	PK	Hor
6*	991.9975	-60.38	-13.00	-47.38	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.7925	-76.02	-13.00	-63.02	PK	Ver
2*	65.6475	-78.18	-13.00	-65.18	PK	Ver
3*	149.9163	-76.46	-13.00	-63.46	PK	Ver
4*	338.5813	-75.99	-13.00	-62.99	PK	Ver
5*	539.4925	-71.20	-13.00	-58.20	PK	Ver
6*	990.4213	-59.71	-13.00	-46.71	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 7 Lower	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.6100	-77.94	-13.00	-64.94	PK	Hor
2*	61.6463	-78.14	-13.00	-65.14	PK	Hor
3*	154.1600	-76.32	-13.00	-63.32	PK	Hor
4*	395.6900	-74.18	-13.00	-61.18	PK	Hor
5*	655.5288	-65.33	-13.00	-52.33	PK	Hor
6*	974.5375	-60.65	-13.00	-47.65	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	58.2513	-77.87	-13.00	-64.87	PK	Ver
2*	149.0675	-76.95	-13.00	-63.95	PK	Ver
3*	328.0325	-76.80	-13.00	-63.80	PK	Ver
4*	439.5825	-72.96	-13.00	-59.96	PK	Ver
5*	656.2563	-64.22	-13.00	-51.22	PK	Ver
6*	1000.0000	-60.97	-13.00	-47.97	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	31.2125	-80.26	-13.00	-67.26	PK	Hor
2*	41.8825	-78.29	-13.00	-65.29	PK	Hor
3*	149.3100	-77.17	-13.00	-64.17	PK	Hor
4*	336.2775	-75.36	-13.00	-62.36	PK	Hor
5*	750.9525	-64.72	-13.00	-51.72	PK	Hor
6*	989.4513	-60.30	-13.00	-47.30	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	55.4625	-78.30	-13.00	-65.30	PK	Ver
2*	147.1275	-77.25	-13.00	-64.25	PK	Ver
3*	253.1000	-77.84	-13.00	-64.84	PK	Ver
4*	402.3588	-74.98	-13.00	-61.98	PK	Ver
5*	670.2000	-64.95	-13.00	-51.95	PK	Ver
6*	938.1625	-60.15	-13.00	-47.15	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 7 Upper	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	30.6063	-79.73	-13.00	-66.73	PK	Hor
2*	57.4025	-77.77	-13.00	-64.77	PK	Hor
3*	155.6150	-76.83	-13.00	-63.83	PK	Hor
4*	269.8325	-78.57	-13.00	-65.57	PK	Hor
5*	541.4325	-71.28	-13.00	-58.28	PK	Hor
6*	995.0288	-60.35	-13.00	-47.35	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.9150	-78.57	-13.00	-65.57	PK	Ver
2*	168.3463	-77.53	-13.00	-64.53	PK	Ver
3*	310.3300	-76.45	-13.00	-63.45	PK	Ver
4*	545.0700	-71.16	-13.00	-58.16	PK	Ver
5*	698.3300	-65.32	-13.00	-52.32	PK	Ver
6*	984.1163	-60.96	-13.00	-47.96	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 12 Lower	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	36.0625	-78.01	-13.00	-65.01	PK	Hor
2*	50.2488	-78.08	-13.00	-65.08	PK	Hor
3*	156.8275	-76.38	-13.00	-63.38	PK	Hor
4*	484.3238	-72.92	-13.00	-59.92	PK	Hor
5*	698.6938	-65.20	-13.00	-52.20	PK	Hor
6*	983.1463	-61.03	-13.00	-48.03	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.3075	-78.10	-13.00	-65.10	PK	Ver
2*	151.3713	-76.24	-13.00	-63.24	PK	Ver
3*	254.0700	-77.68	-13.00	-64.68	PK	Ver
4*	411.5738	-73.15	-13.00	-60.15	PK	Ver
5*	660.1363	-66.05	-13.00	-53.05	PK	Ver
6*	961.9275	-60.69	-13.00	-47.69	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	35.0925	-78.07	-13.00	-65.07	PK	Hor
2*	66.8600	-78.83	-13.00	-65.83	PK	Hor
3*	181.5625	-78.99	-13.00	-65.99	PK	Hor
4*	489.1738	-72.88	-13.00	-59.88	PK	Hor
5*	659.2875	-66.07	-13.00	-53.07	PK	Hor
6*	993.4525	-61.06	-13.00	-48.06	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.1875	-77.91	-13.00	-64.91	PK	Ver
2*	66.2538	-78.85	-13.00	-65.85	PK	Ver
3*	152.4625	-76.77	-13.00	-63.77	PK	Ver
4*	401.2675	-75.09	-13.00	-62.09	PK	Ver
5*	551.2538	-71.03	-13.00	-58.03	PK	Ver
6*	963.0188	-60.66	-13.00	-47.66	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 12 Upper	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	62.7375	-78.25	-13.00	-65.25	PK	Hor
2*	168.1038	-75.98	-13.00	-62.98	PK	Hor
3*	319.7875	-76.69	-13.00	-63.69	PK	Hor
4*	428.6700	-74.40	-13.00	-61.40	PK	Hor
5*	542.8875	-70.58	-13.00	-57.58	PK	Hor
6*	963.8675	-61.08	-13.00	-48.08	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.3063	-77.46	-13.00	-64.46	PK	Ver
2*	60.7975	-77.85	-13.00	-64.85	PK	Ver
3*	171.8625	-76.65	-13.00	-63.65	PK	Ver
4*	340.7638	-75.14	-13.00	-62.14	PK	Ver
5*	514.5150	-70.96	-13.00	-57.96	PK	Ver
6*	984.9650	-59.85	-13.00	-46.85	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 17 Lower	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.7000	-78.53	-13.00	-65.53	PK	Hor
2*	69.8913	-80.24	-13.00	-67.24	PK	Hor
3*	166.8913	-76.79	-13.00	-63.79	PK	Hor
4*	487.4763	-72.58	-13.00	-59.58	PK	Hor
5*	675.7775	-66.08	-13.00	-53.08	PK	Hor
6*	986.6625	-60.49	-13.00	-47.49	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.0663	-77.63	-13.00	-64.63	PK	Ver
2*	65.8900	-78.57	-13.00	-65.57	PK	Ver
3*	165.5575	-75.55	-13.00	-62.55	PK	Ver
4*	391.8100	-74.78	-13.00	-61.78	PK	Ver
5*	696.8750	-64.29	-13.00	-51.29	PK	Ver
6*	997.8175	-60.79	-13.00	-47.79	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	33.5163	-78.37	-13.00	-65.37	PK	Hor
2*	46.4900	-78.17	-13.00	-65.17	PK	Hor
3*	152.0988	-75.78	-13.00	-62.78	PK	Hor
4*	394.5988	-75.18	-13.00	-62.18	PK	Hor
5*	796.1788	-63.37	-13.00	-50.37	PK	Hor
6*	982.4188	-59.54	-13.00	-46.54	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	57.7663	-77.61	-13.00	-64.61	PK	Ver
2*	61.1613	-78.86	-13.00	-65.86	PK	Ver
3*	158.0400	-76.04	-13.00	-63.04	PK	Ver
4*	474.2600	-72.51	-13.00	-59.51	PK	Ver
5*	633.0975	-65.66	-13.00	-52.66	PK	Ver
6*	994.0588	-59.43	-13.00	-46.43	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 17 Upper	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.8825	-78.14	-13.00	-65.14	PK	Hor
2*	126.8788	-78.93	-13.00	-65.93	PK	Hor
3*	172.2263	-77.98	-13.00	-64.98	PK	Hor
4*	389.9913	-75.53	-13.00	-62.53	PK	Hor
5*	750.2250	-64.70	-13.00	-51.70	PK	Hor
6*	993.2100	-59.84	-13.00	-46.84	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.5188	-77.19	-13.00	-64.19	PK	Ver
2*	59.7063	-76.31	-13.00	-63.31	PK	Ver
3*	136.7000	-78.27	-13.00	-65.27	PK	Ver
4*	167.0125	-76.74	-13.00	-63.74	PK	Ver
5*	553.3150	-70.33	-13.00	-57.33	PK	Ver
6*	981.8125	-59.39	-13.00	-46.39	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 41 Lower	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.1238	-79.05	-13.00	-66.05	PK	Hor
2*	46.7325	-77.62	-13.00	-64.62	PK	Hor
3*	65.7688	-78.63	-13.00	-65.63	PK	Hor
4*	173.1963	-75.97	-13.00	-62.97	PK	Hor
5*	423.8200	-74.76	-13.00	-61.76	PK	Hor
6*	987.7538	-60.74	-13.00	-47.74	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	57.8875	-77.95	-13.00	-64.95	PK	Ver
2*	169.8013	-76.86	-13.00	-63.86	PK	Ver
3*	339.3088	-76.53	-13.00	-63.53	PK	Ver
4*	448.0700	-73.64	-13.00	-60.64	PK	Ver
5*	678.0813	-64.95	-13.00	-51.95	PK	Ver
6*	996.4838	-60.40	-13.00	-47.40	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.1875	-76.07	-13.00	-63.07	PK	Hor
2*	153.7963	-76.54	-13.00	-63.54	PK	Hor
3*	269.1050	-77.53	-13.00	-64.53	PK	Hor
4*	399.0850	-73.86	-13.00	-60.86	PK	Hor
5*	575.9888	-69.44	-13.00	-56.44	PK	Hor
6*	991.9975	-60.09	-13.00	-47.09	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	36.6688	-78.29	-13.00	-65.29	PK	Ver
2*	59.2213	-78.12	-13.00	-65.12	PK	Ver
3*	125.1813	-79.56	-13.00	-66.56	PK	Ver
4*	173.3175	-77.63	-13.00	-64.63	PK	Ver
5*	367.1963	-75.21	-13.00	-62.21	PK	Ver
6*	957.9263	-60.43	-13.00	-47.43	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 41 Upper	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.7925	-77.21	-13.00	-64.21	PK	Hor
2*	147.8550	-76.53	-13.00	-63.53	PK	Hor
3*	163.4963	-76.48	-13.00	-63.48	PK	Hor
4*	480.6863	-72.26	-13.00	-59.26	PK	Hor
5*	639.1600	-66.62	-13.00	-53.62	PK	Hor
6*	988.6025	-60.44	-13.00	-47.44	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.6088	-77.01	-13.00	-64.01	PK	Ver
2*	69.6488	-77.59	-13.00	-64.59	PK	Ver
3*	139.8525	-76.78	-13.00	-63.78	PK	Ver
4*	280.1388	-76.34	-13.00	-63.34	PK	Ver
5*	403.5713	-73.50	-13.00	-60.50	PK	Ver
6*	985.2075	-58.72	-13.00	-45.72	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 66 Lower	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	45.8838	-77.47	-13.00	-64.47	PK	Hor
2*	137.7913	-78.39	-13.00	-65.39	PK	Hor
3*	261.7088	-79.00	-13.00	-66.00	PK	Hor
4*	409.9975	-72.90	-13.00	-59.90	PK	Hor
5*	697.3600	-65.13	-13.00	-52.13	PK	Hor
6*	995.1500	-59.64	-13.00	-46.64	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.3088	-77.63	-13.00	-64.63	PK	Ver
2*	66.8600	-79.30	-13.00	-66.30	PK	Ver
3*	133.3050	-79.77	-13.00	-66.77	PK	Ver
4*	290.5663	-77.16	-13.00	-64.16	PK	Ver
5*	533.5513	-70.21	-13.00	-57.21	PK	Ver
6*	978.6600	-61.57	-13.00	-48.57	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	54.6138	-78.84	-13.00	-65.84	PK	Hor
2*	154.7663	-76.98	-13.00	-63.98	PK	Hor
3*	271.7725	-77.42	-13.00	-64.42	PK	Hor
4*	476.5638	-73.59	-13.00	-60.59	PK	Hor
5*	828.0675	-63.51	-13.00	-50.51	PK	Hor
6*	995.3925	-60.32	-13.00	-47.32	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.0938	-78.49	-13.00	-65.49	PK	Ver
2*	51.2188	-78.31	-13.00	-65.31	PK	Ver
3*	77.8938	-81.68	-13.00	-68.68	PK	Ver
4*	262.0725	-78.28	-13.00	-65.28	PK	Ver
5*	517.9100	-71.60	-13.00	-58.60	PK	Ver
6*	971.8700	-60.97	-13.00	-47.97	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 66 Upper	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.1850	-78.01	-13.00	-65.01	PK	Hor
2*	66.8600	-78.34	-13.00	-65.34	PK	Hor
3*	154.4025	-76.74	-13.00	-63.74	PK	Hor
4*	389.8700	-75.30	-13.00	-62.30	PK	Hor
5*	543.2513	-71.74	-13.00	-58.74	PK	Hor
6*	991.5125	-60.68	-13.00	-47.68	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.4888	-77.39	-13.00	-64.39	PK	Ver
2*	64.5563	-79.00	-13.00	-66.00	PK	Ver
3*	146.4000	-78.59	-13.00	-65.59	PK	Ver
4*	265.9525	-78.34	-13.00	-65.34	PK	Ver
5*	402.7225	-74.29	-13.00	-61.29	PK	Ver
6*	966.1713	-60.73	-13.00	-47.73	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 71 Lower	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.3963	-77.08	-13.00	-64.08	PK	Hor
2*	153.4325	-75.92	-13.00	-62.92	PK	Hor
3*	311.6638	-76.98	-13.00	-63.98	PK	Hor
4*	489.7800	-72.31	-13.00	-59.31	PK	Hor
5*	766.1088	-65.12	-13.00	-52.12	PK	Hor
6*	986.2988	-60.59	-13.00	-47.59	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.5175	-77.89	-13.00	-64.89	PK	Ver
2*	141.0650	-77.88	-13.00	-64.88	PK	Ver
3*	259.0413	-78.33	-13.00	-65.33	PK	Ver
4*	401.5100	-74.19	-13.00	-61.19	PK	Ver
5*	638.9175	-66.93	-13.00	-53.93	PK	Ver
6*	999.8788	-61.11	-13.00	-48.11	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 71 Middle	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	36.5475	-77.55	-13.00	-64.55	PK	Hor
2*	102.1438	-81.69	-13.00	-68.69	PK	Hor
3*	162.6475	-76.78	-13.00	-63.78	PK	Hor
4*	249.2200	-77.60	-13.00	-64.60	PK	Hor
5*	758.2275	-64.56	-13.00	-51.56	PK	Hor
6*	947.2563	-61.11	-13.00	-48.11	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.1538	-78.33	-13.00	-65.33	PK	Ver
2*	124.8175	-78.83	-13.00	-65.83	PK	Ver
3*	151.2500	-76.83	-13.00	-63.83	PK	Ver
4*	386.5963	-73.84	-13.00	-60.84	PK	Ver
5*	705.2413	-64.24	-13.00	-51.24	PK	Ver
6*	946.0438	-59.80	-13.00	-46.80	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 28.6°C
M/N: A55	Humidity: 50%RH
Test Voltage: Battery	Test Data: 2023-10-12
Test Mode: LTE Band 71 Upper	
Note:	




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.5213	-77.77	-13.00	-64.77	PK	Hor
2*	70.4975	-80.46	-13.00	-67.46	PK	Hor
3*	152.0988	-77.45	-13.00	-64.45	PK	Hor
4*	274.9250	-77.14	-13.00	-64.14	PK	Hor
5*	627.6413	-66.36	-13.00	-53.36	PK	Hor
6*	986.7838	-60.47	-13.00	-47.47	PK	Hor




No.	Frequency MHz	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.7338	-78.06	-13.00	-65.06	PK	Ver
2*	67.7088	-79.54	-13.00	-66.54	PK	Ver
3*	157.1913	-77.99	-13.00	-64.99	PK	Ver
4*	328.7600	-76.26	-13.00	-63.26	PK	Ver
5*	765.5025	-64.56	-13.00	-51.56	PK	Ver
6*	978.5388	-60.28	-13.00	-47.28	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.782GHz	-54.50	-13.00	-41.50	PK	Hor
2*	3.195GHz	-48.81	-13.00	-35.81	PK	Hor
3*	4.324GHz	-48.69	-13.00	-35.69	PK	Hor
4*	7.199GHz	-46.30	-13.00	-33.30	PK	Hor
5*	11.028GHz	-42.11	-13.00	-29.11	PK	Hor
6*	17.955GHz	-38.58	-13.00	-25.58	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.512GHz	-55.15	-13.00	-42.15	PK	Ver
2*	1.827GHz	-54.43	-13.00	-41.43	PK	Ver
3*	2.934GHz	-49.76	-13.00	-36.76	PK	Ver
4*	6.663GHz	-47.23	-13.00	-34.23	PK	Ver
5*	11.897GHz	-41.67	-13.00	-28.67	PK	Ver
6*	17.875GHz	-37.80	-13.00	-24.80	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.765GHz	-54.33	-13.00	-41.33	PK	Hor
2*	2.549GHz	-50.46	-13.00	-37.46	PK	Hor
3*	3.391GHz	-49.97	-13.00	-36.97	PK	Hor
4*	6.627GHz	-46.74	-13.00	-33.74	PK	Hor
5*	9.326GHz	-42.42	-13.00	-29.42	PK	Hor
6*	17.921GHz	-39.08	-13.00	-26.08	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.519GHz	-55.16	-13.00	-42.16	PK	Ver
2*	2.728GHz	-50.13	-13.00	-37.13	PK	Ver
3*	4.300GHz	-49.57	-13.00	-36.57	PK	Ver
4*	6.597GHz	-46.99	-13.00	-33.99	PK	Ver
5*	8.990GHz	-42.86	-13.00	-29.86	PK	Ver
6*	17.883GHz	-38.63	-13.00	-25.63	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.470GHz	-55.97	-13.00	-42.97	PK	Hor
2*	3.176GHz	-49.64	-13.00	-36.64	PK	Hor
3*	4.706GHz	-48.32	-13.00	-35.32	PK	Hor
4*	8.066GHz	-45.19	-13.00	-32.19	PK	Hor
5*	11.357GHz	-42.27	-13.00	-29.27	PK	Hor
6*	17.883GHz	-37.55	-13.00	-24.55	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.476GHz	-55.45	-13.00	-42.45	PK	Ver
2*	2.836GHz	-50.70	-13.00	-37.70	PK	Ver
3*	3.255GHz	-49.76	-13.00	-36.76	PK	Ver
4*	7.084GHz	-47.35	-13.00	-34.35	PK	Ver
5*	11.398GHz	-42.27	-13.00	-29.27	PK	Ver
6*	17.711GHz	-39.23	-13.00	-26.23	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.772GHz	-53.19	-13.00	-40.19	PK	Hor
2*	2.498GHz	-50.80	-13.00	-37.80	PK	Hor
3*	3.216GHz	-50.03	-13.00	-37.03	PK	Hor
4*	6.604GHz	-47.30	-13.00	-34.30	PK	Hor
5*	8.876GHz	-42.87	-13.00	-29.87	PK	Hor
6*	14.860GHz	-39.21	-13.00	-26.21	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.290GHz	-55.91	-13.00	-42.91	PK	Ver
2*	1.914GHz	-53.17	-13.00	-40.17	PK	Ver
3*	2.908GHz	-49.39	-13.00	-36.39	PK	Ver
4*	4.678GHz	-49.01	-13.00	-36.01	PK	Ver
5*	8.522GHz	-44.44	-13.00	-31.44	PK	Ver
6*	14.426GHz	-39.02	-13.00	-26.02	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.310GHz	-55.82	-13.00	-42.82	PK	Hor
2*	1.752GHz	-53.86	-13.00	-40.86	PK	Hor
3*	2.506GHz	-49.59	-13.00	-36.59	PK	Hor
4*	4.622GHz	-48.51	-13.00	-35.51	PK	Hor
5*	8.130GHz	-44.20	-13.00	-31.20	PK	Hor
6*	15.892GHz	-38.73	-13.00	-25.73	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.350GHz	-55.03	-13.00	-42.03	PK	Ver
2*	3.220GHz	-49.55	-13.00	-36.55	PK	Ver
3*	4.766GHz	-48.71	-13.00	-35.71	PK	Ver
4*	6.560GHz	-46.84	-13.00	-33.84	PK	Ver
5*	11.930GHz	-42.60	-13.00	-29.60	PK	Ver
6*	15.904GHz	-39.52	-13.00	-26.52	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.330GHz	-56.24	-13.00	-43.24	PK	Hor
2*	1.456GHz	-56.06	-13.00	-43.06	PK	Hor
3*	1.928GHz	-54.56	-13.00	-41.56	PK	Hor
4*	2.958GHz	-49.14	-13.00	-36.14	PK	Hor
5*	7.174GHz	-46.57	-13.00	-33.57	PK	Hor
6*	15.894GHz	-40.02	-13.00	-27.02	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.538GHz	-55.15	-13.00	-42.15	PK	Ver
2*	2.002GHz	-53.69	-13.00	-40.69	PK	Ver
3*	2.550GHz	-48.61	-13.00	-35.61	PK	Ver
4*	5.702GHz	-46.98	-13.00	-33.98	PK	Ver
5*	8.364GHz	-44.96	-13.00	-31.96	PK	Ver
6*	14.358GHz	-39.79	-13.00	-26.79	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 5 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.507GHz	-55.10	-13.00	-42.10	PK	Hor
2*	2.224GHz	-52.21	-13.00	-39.21	PK	Hor
3*	2.663GHz	-48.99	-13.00	-35.99	PK	Hor
4*	4.501GHz	-49.22	-13.00	-36.22	PK	Hor
5*	6.659GHz	-46.60	-13.00	-33.60	PK	Hor
6*	8.926GHz	-42.11	-13.00	-29.11	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.154GHz	-57.22	-13.00	-44.22	PK	Ver
2*	1.835GHz	-54.79	-13.00	-41.79	PK	Ver
3*	2.953GHz	-48.92	-13.00	-35.92	PK	Ver
4*	3.406GHz	-49.93	-13.00	-36.93	PK	Ver
5*	5.751GHz	-47.76	-13.00	-34.76	PK	Ver
6*	8.869GHz	-41.75	-13.00	-28.75	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.344GHz	-55.39	-13.00	-42.39	PK	Hor
2*	1.635GHz	-55.31	-13.00	-42.31	PK	Hor
3*	2.908GHz	-49.00	-13.00	-36.00	PK	Hor
4*	6.150GHz	-47.43	-13.00	-34.43	PK	Hor
5*	8.472GHz	-43.43	-13.00	-30.43	PK	Hor
6*	8.869GHz	-42.37	-13.00	-29.37	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.093GHz	-56.03	-13.00	-43.03	PK	Ver
2*	1.457GHz	-55.29	-13.00	-42.29	PK	Ver
3*	2.500GHz	-50.54	-13.00	-37.54	PK	Ver
4*	2.799GHz	-49.60	-13.00	-36.60	PK	Ver
5*	5.130GHz	-48.48	-13.00	-35.48	PK	Ver
6*	8.991GHz	-42.35	-13.00	-29.35	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 5 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.180GHz	-56.13	-13.00	-43.13	PK	Hor
2*	1.754GHz	-55.07	-13.00	-42.07	PK	Hor
3*	2.498GHz	-50.32	-13.00	-37.32	PK	Hor
4*	3.181GHz	-48.90	-13.00	-35.90	PK	Hor
5*	6.137GHz	-47.38	-13.00	-34.38	PK	Hor
6*	8.992GHz	-42.99	-13.00	-29.99	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.147GHz	-56.16	-13.00	-43.16	PK	Ver
2*	2.241GHz	-52.38	-13.00	-39.38	PK	Ver
3*	3.196GHz	-48.89	-13.00	-35.89	PK	Ver
4*	5.253GHz	-47.38	-13.00	-34.38	PK	Ver
5*	7.218GHz	-45.02	-13.00	-32.02	PK	Ver
6*	8.588GHz	-42.24	-13.00	-29.24	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 7 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.646GHz	-55.64	-13.00	-42.64	PK	Hor
2*	2.940GHz	-48.24	-13.00	-35.24	PK	Hor
3*	4.232GHz	-49.22	-13.00	-36.22	PK	Hor
4*	8.081GHz	-43.50	-13.00	-30.50	PK	Hor
5*	11.374GHz	-41.63	-13.00	-28.63	PK	Hor
6*	17.928GHz	-38.40	-13.00	-25.40	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.359GHz	-55.84	-13.00	-42.84	PK	Ver
2*	2.494GHz	-49.58	-13.00	-36.58	PK	Ver
3*	4.496GHz	-49.26	-13.00	-36.26	PK	Ver
4*	8.761GHz	-43.91	-13.00	-30.91	PK	Ver
5*	11.954GHz	-41.68	-13.00	-28.68	PK	Ver
6*	17.715GHz	-38.09	-13.00	-25.09	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.191GHz	-56.67	-13.00	-43.67	PK	Hor
2*	1.689GHz	-55.16	-13.00	-42.16	PK	Hor
3*	2.813GHz	-48.67	-13.00	-35.67	PK	Hor
4*	4.787GHz	-48.15	-13.00	-35.15	PK	Hor
5*	6.593GHz	-46.47	-13.00	-33.47	PK	Hor
6*	17.936GHz	-37.94	-13.00	-24.94	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.380GHz	-55.26	-13.00	-42.26	PK	Ver
2*	2.959GHz	-49.22	-13.00	-36.22	PK	Ver
3*	4.721GHz	-48.14	-13.00	-35.14	PK	Ver
4*	8.873GHz	-43.34	-13.00	-30.34	PK	Ver
5*	14.409GHz	-39.79	-13.00	-26.79	PK	Ver
6*	17.885GHz	-37.73	-13.00	-24.73	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 7 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.497GHz	-55.37	-13.00	-42.37	PK	Hor
2*	3.106GHz	-49.81	-13.00	-36.81	PK	Hor
3*	4.351GHz	-49.14	-13.00	-36.14	PK	Hor
4*	7.126GHz	-46.56	-13.00	-33.56	PK	Hor
5*	11.946GHz	-41.76	-13.00	-28.76	PK	Hor
6*	17.907GHz	-38.32	-13.00	-25.32	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.746GHz	-53.93	-13.00	-40.93	PK	Ver
2*	2.043GHz	-53.44	-13.00	-40.44	PK	Ver
3*	2.753GHz	-48.40	-13.00	-35.40	PK	Ver
4*	7.233GHz	-45.94	-13.00	-32.94	PK	Ver
5*	13.892GHz	-41.63	-13.00	-28.63	PK	Ver
6*	17.883GHz	-38.96	-13.00	-25.96	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 12 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.762GHz	-54.12	-13.00	-41.12	PK	Hor
2*	2.091GHz	-51.98	-13.00	-38.98	PK	Hor
3*	2.721GHz	-49.50	-13.00	-36.50	PK	Hor
4*	3.353GHz	-50.01	-13.00	-37.01	PK	Hor
5*	5.205GHz	-47.78	-13.00	-34.78	PK	Hor
6*	6.719GHz	-46.96	-13.00	-33.96	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.287GHz	-54.82	-13.00	-41.82	PK	Ver
2*	1.726GHz	-55.06	-13.00	-42.06	PK	Ver
3*	2.093GHz	-51.68	-13.00	-38.68	PK	Ver
4*	2.943GHz	-49.25	-13.00	-36.25	PK	Ver
5*	4.648GHz	-48.91	-13.00	-35.91	PK	Ver
6*	6.655GHz	-46.83	-13.00	-33.83	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.631GHz	-55.31	-13.00	-42.31	PK	Hor
2*	2.463GHz	-49.99	-13.00	-36.99	PK	Hor
3*	2.664GHz	-49.12	-13.00	-36.12	PK	Hor
4*	4.599GHz	-49.27	-13.00	-36.27	PK	Hor
5*	5.154GHz	-47.95	-13.00	-34.95	PK	Hor
6*	6.611GHz	-46.91	-13.00	-33.91	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.308GHz	-55.87	-13.00	-42.87	PK	Ver
2*	1.742GHz	-54.16	-13.00	-41.16	PK	Ver
3*	2.649GHz	-50.52	-13.00	-37.52	PK	Ver
4*	3.392GHz	-50.44	-13.00	-37.44	PK	Ver
5*	5.656GHz	-47.67	-13.00	-34.67	PK	Ver
6*	6.641GHz	-46.37	-13.00	-33.37	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 12 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.074GHz	-56.40	-13.00	-43.40	PK	Hor
2*	1.615GHz	-55.32	-13.00	-42.32	PK	Hor
3*	2.044GHz	-52.66	-13.00	-39.66	PK	Hor
4*	2.952GHz	-48.55	-13.00	-35.55	PK	Hor
5*	3.594GHz	-50.54	-13.00	-37.54	PK	Hor
6*	6.717GHz	-45.41	-13.00	-32.41	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.356GHz	-55.62	-13.00	-42.62	PK	Ver
2*	1.924GHz	-52.57	-13.00	-39.57	PK	Ver
3*	2.487GHz	-50.43	-13.00	-37.43	PK	Ver
4*	2.910GHz	-49.19	-13.00	-36.19	PK	Ver
5*	4.800GHz	-48.72	-13.00	-35.72	PK	Ver
6*	6.645GHz	-46.47	-13.00	-33.47	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 17 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.515GHz	-54.95	-13.00	-41.95	PK	Hor
2*	2.232GHz	-51.92	-13.00	-38.92	PK	Hor
3*	2.672GHz	-49.71	-13.00	-36.71	PK	Hor
4*	3.354GHz	-50.02	-13.00	-37.02	PK	Hor
5*	4.695GHz	-48.32	-13.00	-35.32	PK	Hor
6*	6.643GHz	-45.64	-13.00	-32.64	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.558GHz	-54.93	-13.00	-41.93	PK	Ver
2*	1.822GHz	-53.92	-13.00	-40.92	PK	Ver
3*	2.768GHz	-49.54	-13.00	-36.54	PK	Ver
4*	3.104GHz	-49.30	-13.00	-36.30	PK	Ver
5*	4.698GHz	-48.70	-13.00	-35.70	PK	Ver
6*	6.646GHz	-46.45	-13.00	-33.45	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.170GHz	-55.71	-13.00	-42.71	PK	Hor
2*	1.748GHz	-54.23	-13.00	-41.23	PK	Hor
3*	2.255GHz	-51.72	-13.00	-38.72	PK	Hor
4*	2.694GHz	-49.17	-13.00	-36.17	PK	Hor
5*	5.233GHz	-48.68	-13.00	-35.68	PK	Hor
6*	6.151GHz	-46.98	-13.00	-33.98	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.578GHz	-55.14	-13.00	-42.14	PK	Ver
2*	2.057GHz	-52.75	-13.00	-39.75	PK	Ver
3*	2.491GHz	-50.48	-13.00	-37.48	PK	Ver
4*	3.066GHz	-49.00	-13.00	-36.00	PK	Ver
5*	4.718GHz	-47.82	-13.00	-34.82	PK	Ver
6*	6.625GHz	-46.60	-13.00	-33.60	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 17 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.308GHz	-55.74	-13.00	-42.74	PK	Hor
2*	2.016GHz	-52.95	-13.00	-39.95	PK	Hor
3*	2.379GHz	-51.56	-13.00	-38.56	PK	Hor
4*	2.737GHz	-49.84	-13.00	-36.84	PK	Hor
5*	4.917GHz	-47.97	-13.00	-34.97	PK	Hor
6*	6.136GHz	-46.97	-13.00	-33.97	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.271GHz	-56.03	-13.00	-43.03	PK	Ver
2*	2.085GHz	-53.25	-13.00	-40.25	PK	Ver
3*	2.708GHz	-50.07	-13.00	-37.07	PK	Ver
4*	3.283GHz	-50.14	-13.00	-37.14	PK	Ver
5*	4.712GHz	-48.10	-13.00	-35.10	PK	Ver
6*	6.657GHz	-47.02	-13.00	-34.02	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 41 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.191GHz	-55.12	-13.00	-42.12	PK	Hor
2*	2.993GHz	-49.73	-13.00	-36.73	PK	Hor
3*	4.744GHz	-48.13	-13.00	-35.13	PK	Hor
4*	7.626GHz	-44.98	-13.00	-31.98	PK	Hor
5*	9.428GHz	-42.10	-13.00	-29.10	PK	Hor
6*	17.879GHz	-37.45	-13.00	-24.45	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.431GHz	-56.10	-13.00	-43.10	PK	Ver
2*	2.483GHz	-50.37	-13.00	-37.37	PK	Ver
3*	4.706GHz	-48.35	-13.00	-35.35	PK	Ver
4*	8.193GHz	-44.31	-13.00	-31.31	PK	Ver
5*	8.988GHz	-42.07	-13.00	-29.07	PK	Ver
6*	17.885GHz	-38.36	-13.00	-25.36	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.997GHz	-54.02	-13.00	-41.02	PK	Hor
2*	2.547GHz	-49.30	-13.00	-36.30	PK	Hor
3*	4.691GHz	-48.66	-13.00	-35.66	PK	Hor
4*	8.990GHz	-42.96	-13.00	-29.96	PK	Hor
5*	10.416GHz	-42.00	-13.00	-29.00	PK	Hor
6*	17.989GHz	-37.89	-13.00	-24.89	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.368GHz	-55.10	-13.00	-42.10	PK	Ver
2*	2.785GHz	-49.23	-13.00	-36.23	PK	Ver
3*	4.689GHz	-49.31	-13.00	-36.31	PK	Ver
4*	8.295GHz	-43.28	-13.00	-30.28	PK	Ver
5*	11.438GHz	-41.38	-13.00	-28.38	PK	Ver
6*	17.987GHz	-37.54	-13.00	-24.54	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 41 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.487GHz	-55.39	-13.00	-42.39	PK	Hor
2*	2.664GHz	-49.61	-13.00	-36.61	PK	Hor
3*	5.259GHz	-48.61	-13.00	-35.61	PK	Hor
4*	9.436GHz	-42.65	-13.00	-29.65	PK	Hor
5*	14.640GHz	-39.82	-13.00	-26.82	PK	Hor
6*	17.881GHz	-37.32	-13.00	-24.32	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.278GHz	-55.72	-13.00	-42.72	PK	Ver
2*	2.840GHz	-49.52	-13.00	-36.52	PK	Ver
3*	4.706GHz	-48.35	-13.00	-35.35	PK	Ver
4*	6.665GHz	-46.71	-13.00	-33.71	PK	Ver
5*	11.253GHz	-42.26	-13.00	-29.26	PK	Ver
6*	16.336GHz	-37.89	-13.00	-24.89	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 66 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.958GHz	-53.85	-13.00	-40.85	PK	Hor
2*	3.348GHz	-48.82	-13.00	-35.82	PK	Hor
3*	4.636GHz	-48.57	-13.00	-35.57	PK	Hor
4*	7.580GHz	-45.25	-13.00	-32.25	PK	Hor
5*	11.230GHz	-41.38	-13.00	-28.38	PK	Hor
6*	16.798GHz	-39.39	-13.00	-26.39	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.094GHz	-51.97	-13.00	-38.97	PK	Ver
2*	2.544GHz	-50.79	-13.00	-37.79	PK	Ver
3*	3.066GHz	-49.22	-13.00	-36.22	PK	Ver
4*	8.474GHz	-43.29	-13.00	-30.29	PK	Ver
5*	10.466GHz	-41.46	-13.00	-28.46	PK	Ver
6*	14.336GHz	-39.32	-13.00	-26.32	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.196GHz	-56.86	-13.00	-43.86	PK	Hor
2*	3.234GHz	-49.13	-13.00	-36.13	PK	Hor
3*	4.780GHz	-48.42	-13.00	-35.42	PK	Hor
4*	7.110GHz	-45.88	-13.00	-32.88	PK	Hor
5*	11.142GHz	-41.82	-13.00	-28.82	PK	Hor
6*	16.362GHz	-38.22	-13.00	-25.22	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.454GHz	-55.29	-13.00	-42.29	PK	Ver
2*	2.638GHz	-50.31	-13.00	-37.31	PK	Ver
3*	3.196GHz	-49.95	-13.00	-36.95	PK	Ver
4*	5.754GHz	-48.48	-13.00	-35.48	PK	Ver
5*	8.864GHz	-42.75	-13.00	-29.75	PK	Ver
6*	16.346GHz	-39.51	-13.00	-26.51	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 66 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.142GHz	-55.83	-13.00	-42.83	PK	Hor
2*	1.950GHz	-53.94	-13.00	-40.94	PK	Hor
3*	3.384GHz	-49.90	-13.00	-36.90	PK	Hor
4*	4.686GHz	-48.21	-13.00	-35.21	PK	Hor
5*	11.376GHz	-41.15	-13.00	-28.15	PK	Hor
6*	16.340GHz	-39.61	-13.00	-26.61	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.490GHz	-55.23	-13.00	-42.23	PK	Ver
2*	3.102GHz	-48.91	-13.00	-35.91	PK	Ver
3*	5.712GHz	-48.36	-13.00	-35.36	PK	Ver
4*	6.654GHz	-47.10	-13.00	-34.10	PK	Ver
5*	10.000GHz	-42.81	-13.00	-29.81	PK	Ver
6*	16.470GHz	-39.09	-13.00	-26.09	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 71 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.192GHz	-56.63	-13.00	-43.63	PK	Hor
2*	1.287GHz	-55.87	-13.00	-42.87	PK	Hor
3*	1.721GHz	-53.94	-13.00	-40.94	PK	Hor
4*	2.455GHz	-50.96	-13.00	-37.96	PK	Hor
5*	2.845GHz	-48.76	-13.00	-35.76	PK	Hor
6*	5.227GHz	-48.30	-13.00	-35.30	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.415GHz	-55.71	-13.00	-42.71	PK	Ver
2*	1.709GHz	-54.59	-13.00	-41.59	PK	Ver
3*	2.494GHz	-50.34	-13.00	-37.34	PK	Ver
4*	2.782GHz	-48.60	-13.00	-35.60	PK	Ver
5*	4.520GHz	-49.50	-13.00	-36.50	PK	Ver
6*	5.700GHz	-47.77	-13.00	-34.77	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 71 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.477GHz	-55.40	-13.00	-42.40	PK	Hor
2*	1.818GHz	-53.19	-13.00	-40.19	PK	Hor
3*	2.450GHz	-50.41	-13.00	-37.41	PK	Hor
4*	3.026GHz	-49.25	-13.00	-36.25	PK	Hor
5*	3.369GHz	-49.33	-13.00	-36.33	PK	Hor
6*	5.175GHz	-48.59	-13.00	-35.59	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.319GHz	-55.89	-13.00	-42.89	PK	Ver
2*	1.968GHz	-52.88	-13.00	-39.88	PK	Ver
3*	2.397GHz	-50.89	-13.00	-37.89	PK	Ver
4*	2.771GHz	-48.77	-13.00	-35.77	PK	Ver
5*	3.842GHz	-50.51	-13.00	-37.51	PK	Ver
6*	5.683GHz	-47.66	-13.00	-34.66	PK	Ver

Project: LGT23I049	Test Engineer: Xiangdong Ma
EUT: Smart phone	Temperature: 27°C
M/N: A55	Humidity: 57%RH
Test Voltage: Battery	Test Data: 2023-10-11
Test Mode: LTE Band 71 Upper	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.291GHz	-55.96	-13.00	-42.96	PK	Hor
2*	1.744GHz	-54.09	-13.00	-41.09	PK	Hor
3*	2.258GHz	-51.47	-13.00	-38.47	PK	Hor
4*	2.856GHz	-49.74	-13.00	-36.74	PK	Hor
5*	3.158GHz	-49.31	-13.00	-36.31	PK	Hor
6*	4.671GHz	-47.86	-13.00	-34.86	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.200GHz	-55.06	-13.00	-42.06	PK	Ver
2*	1.936GHz	-52.80	-13.00	-39.80	PK	Ver
3*	2.008GHz	-52.15	-13.00	-39.15	PK	Ver
4*	2.664GHz	-49.04	-13.00	-36.04	PK	Ver
5*	3.236GHz	-49.75	-13.00	-36.75	PK	Ver
6*	4.690GHz	-47.73	-13.00	-34.73	PK	Ver

※※※※※END OF THE REPORT※※※※※