




WCDMA Band2 Channel=9262




WCDMA Band2 Channel=9400




WCDMA Band2 Channel=9538




WCDMA Band4 Channel=1312




WCDMA Band4 Channel=1450




WCDMA Band4 Channel=1513




WCDMA Band5 Channel=4132



WCDMA Band5 Channel=4182




WCDMA Band5 Channel=4233




Occupied bandwidth

Band	Channel	Frequency (MHz)	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
WCDMA Band2	9262	1852.4	4.155	4.668	PASS
WCDMA Band2	9400	1880	4.167	4.681	PASS
WCDMA Band2	9538	1907.6	4.157	4.666	PASS
WCDMA Band4	1312	1712.4	4.157	4.669	PASS
WCDMA Band4	1450	1740	4.144	4.686	PASS
WCDMA Band4	1513	1752.6	4.168	4.685	PASS
WCDMA Band5	4132	826.4	4.160	4.664	PASS
WCDMA Band5	4182	836.4	4.144	4.663	PASS
WCDMA Band5	4233	846.6	4.155	4.662	PASS


WCDMA Band2 Channel=9262




WCDMA Band2 Channel=9400




WCDMA Band2 Channel=9538




WCDMA Band4 Channel=1312




WCDMA Band4 Channel=1450




WCDMA Band4 Channel=1513




WCDMA Band5 Channel=4132



WCDMA Band5 Channel=4182




WCDMA Band5 Channel=4233



Band edge

Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
WCDMA Band2	9262	1852.4	1850.00	-28.10	-13	PASS
WCDMA Band2	9538	1907.6	1910.00	-27.52	-13	PASS
WCDMA Band4	1312	1712.4	1710.00	-24.50	-13	PASS
WCDMA Band4	1513	1752.6	1755.00	-25.29	-13	PASS
WCDMA Band5	4132	826.4	824.00	-28.81	-13	PASS
WCDMA Band5	4233	846.6	849.00	-27.35	-13	PASS


WCDMA Band2 Channel=9262



WCDMA Band2 Channel=9538




WCDMA Band4 Channel=1312



WCDMA Band4 Channel=1513



WCDMA Band5 Channel=4132




WCDMA Band5 Channel=4233




Out-of-band emissions

Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
WCDMA Band2	9262	1852.4	16419.88	-21.89	-13	PASS
WCDMA Band2	9400	1880	19680.98	-21.77	-13	PASS
WCDMA Band2	9538	1907.6	19658.51	-22.77	-13	PASS
WCDMA Band4	1312	1712.4	19339.49	-21.59	-13	PASS
WCDMA Band4	1450	1740	19973.54	-20.97	-13	PASS
WCDMA Band4	1513	1752.6	16455.82	-21.53	-13	PASS
WCDMA Band5	4132	826.4	7455.91	-29.75	-13	PASS
WCDMA Band5	4182	836.4	5600.24	-29.58	-13	PASS
WCDMA Band5	4233	846.6	5935.73	-28.68	-13	PASS


WCDMA Band2 Channel=9262




WCDMA Band2 Channel=9400




WCDMA Band2 Channel=9538




WCDMA Band4 Channel=1312




WCDMA Band4 Channel=1450




WCDMA Band4 Channel=1513




WCDMA Band5 Channel=4132



WCDMA Band5 Channel=4182



WCDMA Band5 Channel=4233



RADIATED SPURIOUS EMISSION

WCDMA Band 2: (30-20000)MHz							
The Worst Test Results for Channel 9262/1852.4MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3704.40	-57.19	7.00	12.93	-63.12	-13.00	-50.12	H
5557.57	-59.84	8.20	17.11	-68.75	-13.00	-55.75	H
7409.84	-55.34	8.10	22.20	-69.44	-13.00	-56.44	H
3704.22	-56.07	7.00	12.93	-62.00	-13.00	-49.00	V
5557.20	-58.34	8.20	17.11	-67.25	-13.00	-54.25	V
7409.65	-58.11	8.10	22.20	-72.21	-13.00	-59.21	V
The Worst Test Results for Channel 9400/1880MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.08	-58.29	7.00	12.93	-64.22	-13.00	-51.22	H
5640.17	-58.79	8.20	17.11	-67.70	-13.00	-54.70	H
7519.89	-56.01	8.10	22.20	-70.11	-13.00	-57.11	H
3760.24	-57.14	7.00	12.93	-63.07	-13.00	-50.07	V
5640.13	-58.49	8.20	17.11	-67.40	-13.00	-54.40	V
7520.30	-54.38	8.10	22.20	-68.48	-13.00	-55.48	V
The Worst Test Results for Channel 9538/1907.6MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.46	-57.32	7.00	12.93	-63.25	-13.00	-50.25	H
5722.19	-56.89	8.20	17.11	-65.80	-13.00	-52.80	H
7630.15	-53.73	8.10	22.20	-67.83	-13.00	-54.83	H
3815.65	-58.70	7.00	12.93	-64.63	-13.00	-51.63	V
5722.27	-57.13	8.20	17.11	-66.04	-13.00	-53.04	V
7630.16	-53.66	8.10	22.20	-67.76	-13.00	-54.76	V

HSUPA Band 2: (30-20000)MHz

The Worst Test Results for Channel 9262/1852.4MHz

Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3704.09	-55.62	7.00	12.93	-61.55	-13.00	-48.55	H
5557.18	-57.84	8.20	17.11	-66.75	-13.00	-53.75	H
7409.61	-54.93	8.10	22.20	-69.03	-13.00	-56.03	H
3704.12	-58.00	7.00	12.93	-63.93	-13.00	-50.93	V
5557.50	-58.68	8.20	17.11	-67.59	-13.00	-54.59	V
7409.80	-56.92	8.10	22.20	-71.02	-13.00	-58.02	V

The Worst Test Results for Channel 9400/1880MHz

Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.12	-55.91	7.00	12.93	-61.84	-13.00	-48.84	H
5640.21	-57.24	8.20	17.11	-66.15	-13.00	-53.15	H
7519.84	-58.06	8.10	22.20	-72.16	-13.00	-59.16	H
3759.89	-55.07	7.00	12.93	-61.00	-13.00	-48.00	V
5640.14	-55.93	8.20	17.11	-64.84	-13.00	-51.84	V
7519.99	-55.92	8.10	22.20	-70.02	-13.00	-57.02	V

The Worst Test Results for Channel 9538/1907.6MHz

Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.72	-55.72	7.00	12.93	-61.65	-13.00	-48.65	H
5722.23	-60.14	8.20	17.11	-69.05	-13.00	-56.05	H
7630.16	-54.38	8.10	22.20	-68.48	-13.00	-55.48	H
3815.34	-55.83	7.00	12.93	-61.76	-13.00	-48.76	V
5722.27	-57.87	8.20	17.11	-66.78	-13.00	-53.78	V
7629.89	-56.28	8.10	22.20	-70.38	-13.00	-57.38	V

HSDPA Band 2: (30-20000)MHz							
The Worst Test Results for Channel 9262/1852.4MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3704.33	-57.29	7.00	12.93	-63.22	-13.00	-50.22	H
5557.40	-57.62	8.20	17.11	-66.53	-13.00	-53.53	H
7409.72	-57.00	8.10	22.20	-71.10	-13.00	-58.10	H
3704.09	-58.48	7.00	12.93	-64.41	-13.00	-51.41	V
5557.27	-60.13	8.20	17.11	-69.04	-13.00	-56.04	V
7409.91	-56.13	8.10	22.20	-70.23	-13.00	-57.23	V
The Worst Test Results for Channel 9400/1880MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.03	-58.12	7.00	12.93	-64.05	-13.00	-51.05	H
5640.26	-57.49	8.20	17.11	-66.40	-13.00	-53.40	H
7520.18	-57.29	8.10	22.20	-71.39	-13.00	-58.39	H
3760.05	-57.92	7.00	12.93	-63.85	-13.00	-50.85	V
5640.27	-59.10	8.20	17.11	-68.01	-13.00	-55.01	V
7520.23	-57.27	8.10	22.20	-71.37	-13.00	-58.37	V
The Worst Test Results for Channel 9538/1907.6MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.23	-56.23	7.00	12.93	-62.16	-13.00	-49.16	H
5722.38	-59.41	8.20	17.11	-68.32	-13.00	-55.32	H
7630.33	-53.96	8.10	22.20	-68.06	-13.00	-55.06	H
3815.65	-57.24	7.00	12.93	-63.17	-13.00	-50.17	V
5722.45	-58.95	8.20	17.11	-67.86	-13.00	-54.86	V
7630.27	-53.67	8.10	22.20	-67.77	-13.00	-54.77	V

WCDMA Band 4: (30-18000)MHz							
The Worst Test Results for Channel 1313/1712.6MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.78	-53.75	7.20	12.05	-58.60	-13.00	-45.60	H
5137.31	-51.45	7.90	16.27	-59.82	-13.00	-46.82	H
6850.15	-51.63	8.30	20.13	-63.46	-13.00	-50.46	H
3424.98	-54.72	7.20	12.05	-59.57	-13.00	-46.57	V
5137.47	-51.61	7.90	16.27	-59.98	-13.00	-46.98	V
6850.03	-49.47	8.30	20.13	-61.30	-13.00	-48.30	V
The Worst Test Results for Channel 1450/1740.0MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3479.81	-51.70	7.20	12.05	-56.55	-13.00	-43.55	H
5219.59	-50.86	7.90	16.27	-59.23	-13.00	-46.23	H
6959.55	-49.58	8.30	20.13	-61.41	-13.00	-48.41	H
3479.52	-52.51	7.20	12.05	-57.36	-13.00	-44.36	V
5219.68	-53.88	7.90	16.27	-62.25	-13.00	-49.25	V
6959.77	-51.71	8.30	20.13	-63.54	-13.00	-50.54	V
The Worst Test Results for Channel 1512/1752.4MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3504.57	-52.98	7.20	12.05	-57.83	-13.00	-44.83	H
5256.87	-53.55	7.90	16.27	-61.92	-13.00	-48.92	H
7009.18	-51.66	8.30	20.13	-63.49	-13.00	-50.49	H
3504.48	-51.23	7.20	12.05	-56.08	-13.00	-43.08	V
5256.90	-52.58	7.90	16.27	-60.95	-13.00	-47.95	V
7009.21	-49.47	8.30	20.13	-61.30	-13.00	-48.30	V

HSUPA Band 4: (30-18000)MHz							
The Worst Test Results for Channel 1313/1712.6MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.81	-52.82	7.20	12.05	-57.67	-13.00	-44.67	H
5137.52	-53.75	7.90	16.27	-62.12	-13.00	-49.12	H
6850.07	-48.85	8.30	20.13	-60.68	-13.00	-47.68	H
3425.16	-53.49	7.20	12.05	-58.34	-13.00	-45.34	V
5137.30	-51.99	7.90	16.27	-60.36	-13.00	-47.36	V
6850.00	-50.08	8.30	20.13	-61.91	-13.00	-48.91	V
The Worst Test Results for Channel 1450/1740.0MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3479.93	-49.97	7.20	12.05	-54.82	-13.00	-41.82	H
5219.58	-55.31	7.90	16.27	-63.68	-13.00	-50.68	H
6959.62	-50.58	8.30	20.13	-62.41	-13.00	-49.41	H
3479.78	-54.88	7.20	12.05	-59.73	-13.00	-46.73	V
5219.54	-53.10	7.90	16.27	-61.47	-13.00	-48.47	V
6959.57	-48.29	8.30	20.13	-60.12	-13.00	-47.12	V
The Worst Test Results for Channel 1512/1752.4MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3504.74	-50.40	7.20	12.05	-55.25	-13.00	-42.25	H
5257.19	-53.27	7.90	16.27	-61.64	-13.00	-48.64	H
7009.60	-50.12	8.30	20.13	-61.95	-13.00	-48.95	H
3504.75	-55.00	7.20	12.05	-59.85	-13.00	-46.85	V
5256.74	-53.90	7.90	16.27	-62.27	-13.00	-49.27	V
7009.39	-52.23	8.30	20.13	-64.06	-13.00	-51.06	V

HSDPA Band 4: (30-18000)MHz							
The Worst Test Results for Channel 1313/1712.6MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.95	-53.06	7.20	12.05	-57.91	-13.00	-44.91	H
5137.45	-53.39	7.90	16.27	-61.76	-13.00	-48.76	H
6850.08	-49.49	8.30	20.13	-61.32	-13.00	-48.32	H
3424.73	-52.99	7.20	12.05	-57.84	-13.00	-44.84	V
5137.40	-53.39	7.90	16.27	-61.76	-13.00	-48.76	V
6850.08	-52.02	8.30	20.13	-63.85	-13.00	-50.85	V
The Worst Test Results for Channel 1450/1740.0MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3479.61	-52.30	7.20	12.05	-57.15	-13.00	-44.15	H
5219.79	-52.30	7.90	16.27	-60.67	-13.00	-47.67	H
6959.58	-52.21	8.30	20.13	-64.04	-13.00	-51.04	H
3479.51	-55.53	7.20	12.05	-60.38	-13.00	-47.38	V
5219.98	-54.47	7.90	16.27	-62.84	-13.00	-49.84	V
6959.65	-52.03	8.30	20.13	-63.86	-13.00	-50.86	V
The Worst Test Results for Channel 1512/1752.4MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3504.37	-51.65	7.20	12.05	-56.50	-13.00	-43.50	H
5257.00	-52.01	7.90	16.27	-60.38	-13.00	-47.38	H
7009.53	-52.41	8.30	20.13	-64.24	-13.00	-51.24	H
3504.62	-53.19	7.20	12.05	-58.04	-13.00	-45.04	V
5256.78	-52.02	7.90	16.27	-60.39	-13.00	-47.39	V
7009.56	-51.35	8.30	20.13	-63.18	-13.00	-50.18	V

WCDMA Band 5: (30-9000)MHz							
The most testresults channel 4132/826.4MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.42	-58.24	7.40	4.75	-55.59	-13.00	-42.59	H
2479.42	-51.77	8.30	8.39	-51.86	-13.00	-38.86	H
3305.84	-57.18	7.20	11.79	-61.77	-13.00	-48.77	H
1652.19	-53.29	7.40	4.75	-50.64	-13.00	-37.64	V
2479.58	-57.09	8.30	8.39	-57.18	-13.00	-44.18	V
3305.90	-56.35	7.20	11.79	-60.94	-13.00	-47.94	V
The Worst Test Results Channel 4183/836.6MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.85	-59.20	7.40	4.75	-56.55	-13.00	-43.55	H
2509.52	-53.63	8.30	8.39	-53.72	-13.00	-40.72	H
3346.09	-56.81	7.20	11.79	-61.40	-13.00	-48.40	H
1672.98	-53.06	7.40	4.75	-50.41	-13.00	-37.41	V
2509.71	-56.81	8.30	8.39	-56.90	-13.00	-43.90	V
3346.24	-56.04	7.20	11.79	-60.63	-13.00	-47.63	V
The Worst Test Results Channel 4233/846.6MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1693.43	-56.58	7.40	4.75	-53.93	-13.00	-40.93	H
2539.12	-54.03	8.30	8.39	-54.12	-13.00	-41.12	H
3386.09	-55.31	7.20	11.79	-59.90	-13.00	-46.90	H
1693.62	-53.87	7.40	4.75	-51.22	-13.00	-38.22	V
2539.08	-57.02	8.30	8.39	-57.11	-13.00	-44.11	V
3386.09	-57.49	7.20	11.79	-62.08	-13.00	-49.08	V

HSUPA Band 5: (30-9000)MHz							
The most testresults channel 4132/826.4MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.11	-58.68	7.40	4.75	-56.03	-13.00	-43.03	H
2479.40	-54.13	8.30	8.39	-54.22	-13.00	-41.22	H
3305.87	-56.68	7.20	11.79	-61.27	-13.00	-48.27	H
1652.15	-53.76	7.40	4.75	-51.11	-13.00	-38.11	V
2479.45	-55.83	8.30	8.39	-55.92	-13.00	-42.92	V
3305.60	-58.20	7.20	11.79	-62.79	-13.00	-49.79	V
The Worst Test Results Channel 4183/836.6MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.22	-55.33	7.40	4.75	-52.68	-13.00	-39.68	H
2509.54	-52.55	8.30	8.39	-52.64	-13.00	-39.64	H
3346.30	-55.79	7.20	11.79	-60.38	-13.00	-47.38	H
1672.98	-54.92	7.40	4.75	-52.27	-13.00	-39.27	V
2509.52	-54.86	8.30	8.39	-54.95	-13.00	-41.95	V
3346.19	-54.26	7.20	11.79	-58.85	-13.00	-45.85	V
The Worst Test Results Channel 4233/846.6MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1693.34	-57.62	7.40	4.75	-54.97	-13.00	-41.97	H
2539.47	-51.77	8.30	8.39	-51.86	-13.00	-38.86	H
3386.21	-53.29	7.20	11.79	-57.88	-13.00	-44.88	H
1693.22	-52.73	7.40	4.75	-50.08	-13.00	-37.08	V
2539.29	-52.78	8.30	8.39	-52.87	-13.00	-39.87	V
3386.08	-58.82	7.20	11.79	-63.41	-13.00	-50.41	V

HSDPA Band 5: (30-9000)MHz							
The most testresults channel 4132/826.4MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.20	-55.92	7.40	4.75	-53.27	-13.00	-40.27	H
2479.25	-54.43	8.30	8.39	-54.52	-13.00	-41.52	H
3305.78	-55.67	7.20	11.79	-60.26	-13.00	-47.26	H
1652.06	-53.10	7.40	4.75	-50.45	-13.00	-37.45	V
2479.46	-57.12	8.30	8.39	-57.21	-13.00	-44.21	V
3305.64	-54.41	7.20	11.79	-59.00	-13.00	-46.00	V
The Worst Test Results Channel 4183/836.6MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.07	-57.62	7.40	4.75	-54.97	-13.00	-41.97	H
2509.88	-54.49	8.30	8.39	-54.58	-13.00	-41.58	H
3346.20	-57.20	7.20	11.79	-61.79	-13.00	-48.79	H
1673.04	-54.53	7.40	4.75	-51.88	-13.00	-38.88	V
2509.55	-57.40	8.30	8.39	-57.49	-13.00	-44.49	V
3346.17	-55.67	7.20	11.79	-60.26	-13.00	-47.26	V
The Worst Test Results Channel 4233/846.6MHz							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1693.36	-57.08	7.40	4.75	-54.43	-13.00	-41.43	H
2539.22	-51.77	8.30	8.39	-51.86	-13.00	-38.86	H
3385.91	-55.38	7.20	11.79	-59.97	-13.00	-46.97	H
1693.47	-57.32	7.40	4.75	-54.67	-13.00	-41.67	V
2539.16	-55.59	8.30	8.39	-55.68	-13.00	-42.68	V
3386.24	-55.24	7.20	11.79	-59.83	-13.00	-46.83	V

APPENDIX II- PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

APPENDIX III - PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS

Note: Please see the attached Tab A55_EUT Photos.

※※※※END OF THE REPORT※※※※※