

1. Effective (Isotropic) Radiated Power Output Data

1.1 Band5_ERP

1.1.1 Test Result

Band: 5									
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
	Network	Subset				Result	Limit		
NTNV	RMC	12.2kbps RMC	826.4	23.64	-0.36	21.13	<=38.45	Pass	
			836.6	22.52	-0.36	20.01	<=38.45	Pass	
			846.6	21.28	-0.36	18.77	<=38.45	Pass	
	HSDPA	Subtest 1	826.4	21.46	-0.36	18.95	<=38.45	Pass	
		Subtest 2	826.4	21.43	-0.36	18.92	<=38.45	Pass	
		Subtest 3	826.4	21.46	-0.36	18.95	<=38.45	Pass	
		Subtest 4	826.4	21.47	-0.36	18.96	<=38.45	Pass	
		Subtest 1	836.6	20.32	-0.36	17.81	<=38.45	Pass	
		Subtest 2	836.6	20.32	-0.36	17.81	<=38.45	Pass	
		Subtest 3	836.6	20.34	-0.36	17.83	<=38.45	Pass	
		Subtest 4	836.6	20.33	-0.36	17.82	<=38.45	Pass	
		Subtest 1	846.6	19.03	-0.36	16.52	<=38.45	Pass	
		Subtest 2	846.6	19.01	-0.36	16.50	<=38.45	Pass	
		Subtest 3	846.6	19.02	-0.36	16.51	<=38.45	Pass	
		Subtest 4	846.6	19.00	-0.36	16.49	<=38.45	Pass	
		HSUPA	Subtest 1	826.4	19.42	-0.36	16.91	<=38.45	Pass
			Subtest 2	826.4	19.22	-0.36	16.71	<=38.45	Pass
	Subtest 3		826.4	19.17	-0.36	16.66	<=38.45	Pass	
	Subtest 4		826.4	19.23	-0.36	16.72	<=38.45	Pass	
	Subtest 5		826.4	19.18	-0.36	16.67	<=38.45	Pass	
	Subtest 1		836.6	18.26	-0.36	15.75	<=38.45	Pass	
	Subtest 2		836.6	18.08	-0.36	15.57	<=38.45	Pass	
	Subtest 3		836.6	17.74	-0.36	15.23	<=38.45	Pass	
	Subtest 4		836.6	18.25	-0.36	15.74	<=38.45	Pass	
	Subtest 5		836.6	18.08	-0.36	15.57	<=38.45	Pass	
	Subtest 1		846.6	17.01	-0.36	14.50	<=38.45	Pass	
	Subtest 2		846.6	16.51	-0.36	14.00	<=38.45	Pass	
	Subtest 3		846.6	16.53	-0.36	14.02	<=38.45	Pass	
	Subtest 4	846.6	17.02	-0.36	14.51	<=38.45	Pass		
	Subtest 5	846.6	16.77	-0.36	14.26	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Band5

2.1.1 Test Result

Band: 5							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	826.4	20	3.27	-9.470	-0.0115	-2.5 to 2.5	Pass
			3.85	-10.579	-0.0128	-2.5 to 2.5	Pass
			4.43	-8.547	-0.0103	-2.5 to 2.5	Pass
		-30	3.85	-6.495	-0.0079	-2.5 to 2.5	Pass
		-20	3.85	-9.234	-0.0112	-2.5 to 2.5	Pass

	836.6	-10	3.85	-15.585	-0.0189	-2.5 to 2.5	Pass		
		0	3.85	-11.337	-0.0137	-2.5 to 2.5	Pass		
		10	3.85	-7.682	-0.0093	-2.5 to 2.5	Pass		
		30	3.85	-11.787	-0.0143	-2.5 to 2.5	Pass		
		40	3.85	-11.108	-0.0134	-2.5 to 2.5	Pass		
	836.6	20	50	3.85	-11.830	-0.0143	-2.5 to 2.5	Pass	
			20	3.27	-9.513	-0.0114	-2.5 to 2.5	Pass	
				3.85	-5.658	-0.0068	-2.5 to 2.5	Pass	
		4.43		-7.060	-0.0084	-2.5 to 2.5	Pass		
		-30	3.85	-7.968	-0.0095	-2.5 to 2.5	Pass		
		-20	3.85	-7.331	-0.0088	-2.5 to 2.5	Pass		
		-10	3.85	-7.710	-0.0092	-2.5 to 2.5	Pass		
		0	3.85	-8.283	-0.0099	-2.5 to 2.5	Pass		
		10	3.85	-8.919	-0.0107	-2.5 to 2.5	Pass		
		30	3.85	-9.785	-0.0117	-2.5 to 2.5	Pass		
		40	3.85	-9.320	-0.0111	-2.5 to 2.5	Pass		
		50	3.85	-10.536	-0.0126	-2.5 to 2.5	Pass		
		846.6	20	3.27	-11.315	-0.0134	-2.5 to 2.5	Pass	
				3.85	-12.531	-0.0148	-2.5 to 2.5	Pass	
				4.43	-10.872	-0.0128	-2.5 to 2.5	Pass	
	-30		3.85	-10.371	-0.0123	-2.5 to 2.5	Pass		
	-20		3.85	-9.856	-0.0116	-2.5 to 2.5	Pass		
	-10		3.85	-7.946	-0.0094	-2.5 to 2.5	Pass		
	0		3.85	-6.738	-0.0080	-2.5 to 2.5	Pass		
	10		3.85	-6.216	-0.0073	-2.5 to 2.5	Pass		
	30		3.85	-5.021	-0.0059	-2.5 to 2.5	Pass		
	40		3.85	-11.222	-0.0133	-2.5 to 2.5	Pass		
	50		3.85	-9.077	-0.0107	-2.5 to 2.5	Pass		
	HSDPA		826.4	20	3.27	-7.668	-0.0093	-2.5 to 2.5	Pass
					3.85	-4.721	-0.0057	-2.5 to 2.5	Pass
4.43					-8.190	-0.0099	-2.5 to 2.5	Pass	
-30				3.85	-6.351	-0.0077	-2.5 to 2.5	Pass	
-20		3.85		-4.456	-0.0054	-2.5 to 2.5	Pass		
-10		3.85		-9.184	-0.0111	-2.5 to 2.5	Pass		
0		3.85		-3.340	-0.0040	-2.5 to 2.5	Pass		
10		3.85		-7.102	-0.0086	-2.5 to 2.5	Pass		
30		3.85		-9.027	-0.0109	-2.5 to 2.5	Pass		
40		3.85		-3.269	-0.0040	-2.5 to 2.5	Pass		
50		3.85	-5.980	-0.0072	-2.5 to 2.5	Pass			
836.6		20	3.27	-11.952	-0.0143	-2.5 to 2.5	Pass		
			3.85	-15.986	-0.0191	-2.5 to 2.5	Pass		
			4.43	-11.516	-0.0138	-2.5 to 2.5	Pass		
		-30	3.85	-15.035	-0.0180	-2.5 to 2.5	Pass		
	-20	3.85	-7.889	-0.0094	-2.5 to 2.5	Pass			
	-10	3.85	-6.974	-0.0083	-2.5 to 2.5	Pass			
	0	3.85	-15.271	-0.0183	-2.5 to 2.5	Pass			
	10	3.85	-9.270	-0.0111	-2.5 to 2.5	Pass			
	30	3.85	-8.161	-0.0098	-2.5 to 2.5	Pass			
	40	3.85	-10.986	-0.0131	-2.5 to 2.5	Pass			
50	3.85	-7.367	-0.0088	-2.5 to 2.5	Pass				
846.6	20	3.27	-9.120	-0.0108	-2.5 to 2.5	Pass			
		3.85	-8.225	-0.0097	-2.5 to 2.5	Pass			
		4.43	-12.310	-0.0145	-2.5 to 2.5	Pass			
	-30	3.85	-5.851	-0.0069	-2.5 to 2.5	Pass			
	-20	3.85	-13.726	-0.0162	-2.5 to 2.5	Pass			
	-10	3.85	-11.837	-0.0140	-2.5 to 2.5	Pass			
	0	3.85	-15.013	-0.0177	-2.5 to 2.5	Pass			
	10	3.85	-6.852	-0.0081	-2.5 to 2.5	Pass			
30	3.85	-13.340	-0.0158	-2.5 to 2.5	Pass				

		40	3.85	-8.497	-0.0100	-2.5 to 2.5	Pass
		50	3.85	-11.537	-0.0136	-2.5 to 2.5	Pass
HSUPA	826.4	20	3.27	-10.307	-0.0125	-2.5 to 2.5	Pass
			3.85	-8.097	-0.0098	-2.5 to 2.5	Pass
			4.43	-12.403	-0.0150	-2.5 to 2.5	Pass
		-30	3.85	-10.164	-0.0123	-2.5 to 2.5	Pass
		-20	3.85	-12.825	-0.0155	-2.5 to 2.5	Pass
		-10	3.85	-11.973	-0.0145	-2.5 to 2.5	Pass
		0	3.85	-8.061	-0.0098	-2.5 to 2.5	Pass
		10	3.85	-8.440	-0.0102	-2.5 to 2.5	Pass
		30	3.85	-8.118	-0.0098	-2.5 to 2.5	Pass
		40	3.85	-11.830	-0.0143	-2.5 to 2.5	Pass
	50	3.85	-8.519	-0.0103	-2.5 to 2.5	Pass	
	836.6	20	3.27	-9.148	-0.0109	-2.5 to 2.5	Pass
			3.85	-14.141	-0.0169	-2.5 to 2.5	Pass
			4.43	-14.613	-0.0175	-2.5 to 2.5	Pass
		-30	3.85	-12.989	-0.0155	-2.5 to 2.5	Pass
		-20	3.85	-10.571	-0.0126	-2.5 to 2.5	Pass
		-10	3.85	-12.267	-0.0147	-2.5 to 2.5	Pass
		0	3.85	-13.425	-0.0160	-2.5 to 2.5	Pass
		10	3.85	-8.261	-0.0099	-2.5 to 2.5	Pass
		30	3.85	-12.317	-0.0147	-2.5 to 2.5	Pass
		40	3.85	-14.913	-0.0178	-2.5 to 2.5	Pass
	50	3.85	-11.401	-0.0136	-2.5 to 2.5	Pass	
	846.6	20	3.27	-12.839	-0.0152	-2.5 to 2.5	Pass
			3.85	-10.214	-0.0121	-2.5 to 2.5	Pass
			4.43	-15.013	-0.0177	-2.5 to 2.5	Pass
		-30	3.85	-11.866	-0.0140	-2.5 to 2.5	Pass
		-20	3.85	-12.703	-0.0150	-2.5 to 2.5	Pass
		-10	3.85	-13.032	-0.0154	-2.5 to 2.5	Pass
		0	3.85	-8.762	-0.0103	-2.5 to 2.5	Pass
		10	3.85	-12.259	-0.0145	-2.5 to 2.5	Pass
30		3.85	-10.893	-0.0129	-2.5 to 2.5	Pass	
40		3.85	-6.509	-0.0077	-2.5 to 2.5	Pass	
50	3.85	-10.350	-0.0122	-2.5 to 2.5	Pass		



3. Modulation Characteristics

3.1 Band5

3.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	836.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	836.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	836.6	Refer To Test Graph		Pass

3.1.2 Test Graph



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV

WCDMA UE TX Measurement 1 - V3.7.21 - Base V 3.7.22

Multi Evaluation
 TPC Measurement
 PRACH
 DPCCH Open Loop Power
 Out-of-Sync Handling

UL Frequency: 836.600000 MHz Ref. Level: 34.00 dBm Connector: RF1COM Meas. Period: Full Slot

WCDMA

Multi Evaluation

RDY

RF Settings


Trigger

Display

Signaling Parameter

WCDMA 1 Signaling ON

IQ



Statistic Count: 20 / 20

1st Measured Slot No	0	CurrentStdDev
Power [dBm]	NCAP	NCAP
Power Steps [dB]	NCAP	NCAP
EVM RMS [%]	NCAP	NCAP
EVM Peak [%]	NCAP	NCAP
Magn. Error RMS [%]	NCAP	NCAP
Magn. Error Peak [%]	NCAP	NCAP
Phase Error RMS [°]	NCAP	NCAP
Phase Error Peak [°]	NCAP	NCAP
IQ Origin Offset [dB]	NCAP	NCAP
IQ Imbalance [dB]	NCAP	NCAP
CF Error [Hz]	NCAP	NCAP
Phase Disc. [°]	NCAP	NCAP

HSDPA+ <input type="radio"/> Circuit Switched	Packet Switched	Power: ON
HSUPA <input type="radio"/> CM Registered	Connection Established	Sync: ON

Go To Local
Show Remote Screen



4. 99% & 26dB Bandwidth

4.1 Band5_OBW


4.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.204	/	Pass
			836.6	4.199	/	Pass
			846.6	4.197	/	Pass
	HSDPA	Subtest 1	826.4	4.215	/	Pass
			836.6	4.218	/	Pass
			846.6	4.200	/	Pass
	HSUPA	Subtest 1	826.4	4.235	/	Pass
			836.6	4.220	/	Pass
			846.6	4.203	/	Pass


4.1.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV





4.2 Band5_XDB


4.2.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.820	/	Pass
			836.6	4.775	/	Pass
			846.6	4.772	/	Pass
	HSDPA	Subtest 1	826.4	5.468	/	Pass
			836.6	5.121	/	Pass
			846.6	4.923	/	Pass
	HSUPA	Subtest 1	826.4	5.418	/	Pass
			836.6	5.095	/	Pass
			846.6	5.326	/	Pass


4.2.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV





5. Peak-Average Ratio

5.1 Band5


5.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	2.87	<=13	Pass
			836.6	2.45	<=13	Pass
			846.6	2.23	<=13	Pass
	HSDPA	Subtest 1	826.4	5.90	<=13	Pass
			836.6	5.78	<=13	Pass
			846.6	5.73	<=13	Pass
	HSUPA	Subtest 1	826.4	5.78	<=13	Pass
			836.6	5.68	<=13	Pass
			846.6	5.65	<=13	Pass

5.1.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV




2024-06-07 14:04:14

Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




2024-06-07 14:04:40

Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




2024-06-07 14:04:53

Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




2024-06-07 14:05:06

Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




2024-06-07 14:05:20

Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



2024-06-07 14:05:33

Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



2024-06-07 14:05:46



6. Spurious Emission

6.1 Band5


6.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	Refer To Test Graph	Pass	
			836.6	Refer To Test Graph	Pass	
			846.6	Refer To Test Graph	Pass	
	HSDPA	Subtest 1	826.4	Refer To Test Graph	Pass	
			836.6	Refer To Test Graph	Pass	
			846.6	Refer To Test Graph	Pass	
	HSUPA	Subtest 1	826.4	Refer To Test Graph	Pass	
			836.6	Refer To Test Graph	Pass	
			846.6	Refer To Test Graph	Pass	


6.1.2 Test Graph




Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV




Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.2312	0.0191	ppm	4M24F9W	22H	23.64

7.2 Form731_ERP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.1297	0.0191	ppm	4M24F9W	22H	21.13