

<b>LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3429.99	-25.55	7.20	12.56	<b>-30.91</b>	-13.00	-17.91	H
5145.05	-26.37	8.10	16.32	-34.59	-13.00	-21.59	H
6860.18	-26.13	8.30	21.13	-38.96	-13.00	-25.96	H
3429.99	-29.78	7.20	12.56	-35.14	-13.00	-22.14	V
5145.05	-26.34	8.10	16.32	-34.56	-13.00	-21.56	V
6860.18	-23.87	8.30	21.13	-36.70	-13.00	-23.70	V
<b>LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.76	-24.35	7.20	12.56	<b>-29.71</b>	-13.00	-16.71	H
5196.54	-27.23	8.10	16.32	-35.45	-13.00	-22.45	H
6929.55	-24.94	8.30	21.13	-37.77	-13.00	-24.77	H
3464.76	-29.83	7.20	12.56	-35.19	-13.00	-22.19	V
5196.54	-28.65	8.10	16.32	-36.87	-13.00	-23.87	V
6929.55	-25.08	8.30	21.13	-37.91	-13.00	-24.91	V
<b>LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3500.13	-27.83	7.20	12.56	-33.19	-13.00	-20.19	H
5250.04	-28.95	8.10	16.32	-37.17	-13.00	-24.17	H
6999.75	-26.42	8.30	21.13	-39.25	-13.00	-26.25	H
3500.13	-27.78	7.20	12.56	<b>-33.14</b>	-13.00	-20.14	V
5250.04	-28.54	8.10	16.32	-36.76	-13.00	-23.76	V
6999.75	-23.30	8.30	21.13	-36.13	-13.00	-23.13	V

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3434.67	-27.20	7.20	12.56	-32.56	-13.00	-19.56	H
5152.18	-29.36	8.10	16.32	-37.58	-13.00	-24.58	H
6870.69	-26.80	8.30	21.13	-39.63	-13.00	-26.63	H
3434.67	-29.67	7.20	12.56	-35.03	-13.00	-22.03	V
5152.18	-27.69	8.10	16.32	-35.91	-13.00	-22.91	V
6870.69	-24.79	8.30	21.13	-37.62	-13.00	-24.62	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.75	-28.53	7.20	12.56	-33.89	-13.00	-20.89	H
5196.68	-25.10	8.10	16.32	-33.32	-13.00	-20.32	H
6929.78	-22.73	8.30	21.13	-35.56	-13.00	-22.56	H
3464.75	-27.60	7.20	12.56	-32.96	-13.00	-19.96	V
5196.68	-25.53	8.10	16.32	-33.75	-13.00	-20.75	V
6929.78	-26.25	8.30	21.13	-39.08	-13.00	-26.08	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3495.42	-26.53	7.20	12.56	-31.89	-13.00	-18.89	H
5241.94	-27.50	8.10	16.32	-35.72	-13.00	-22.72	H
6990.29	-22.83	8.30	21.13	-35.66	-13.00	-22.66	H
3495.42	-27.39	7.20	12.56	-32.75	-13.00	-19.75	V
5241.94	-25.19	8.10	16.32	-33.41	-13.00	-20.41	V
6990.29	-24.73	8.30	21.13	-37.56	-13.00	-24.56	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.20	-28.28	7.20	12.56	-33.64	-13.00	-20.64	H
5160.33	-26.82	8.10	16.32	-35.04	-13.00	-22.04	H
6880.48	-27.12	8.30	21.13	-39.95	-13.00	-26.95	H
3440.20	-27.89	7.20	12.56	<b>-33.25</b>	-13.00	-20.25	V
5160.33	-26.78	8.10	16.32	-35.00	-13.00	-22.00	V
6880.48	-24.31	8.30	21.13	-37.14	-13.00	-24.14	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.87	-27.14	7.20	12.56	-32.50	-13.00	-19.50	H
5196.60	-26.10	8.10	16.32	-34.32	-13.00	-21.32	H
6929.96	-23.02	8.30	21.13	-35.85	-13.00	-22.85	H
3464.87	-26.36	7.20	12.56	<b>-31.72</b>	-13.00	-18.72	V
5196.60	-28.52	8.10	16.32	-36.74	-13.00	-23.74	V
6929.96	-26.51	8.30	21.13	-39.34	-13.00	-26.34	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.25	-27.66	7.20	12.56	-33.02	-13.00	-20.02	H
5235.20	-28.89	8.10	16.32	-37.11	-13.00	-24.11	H
6979.37	-27.42	8.30	21.13	-40.25	-13.00	-27.25	H
3490.25	-25.68	7.20	12.56	<b>-31.04</b>	-13.00	-18.04	V
5235.20	-24.35	8.10	16.32	-32.57	-13.00	-19.57	V
6979.37	-24.00	8.30	21.13	-36.83	-13.00	-23.83	V

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1648.90	-27.52	7.40	9.72	-29.84	-13.00	-16.84	H
2473.69	-29.66	8.30	10.86	-32.22	-13.00	-19.22	H
3298.47	-23.93	7.20	11.57	-28.30	-13.00	-15.30	H
1648.90	-28.10	7.40	9.72	-30.42	-13.00	-17.42	V
2473.69	-25.68	8.30	10.86	<b>-28.24</b>	-13.00	-15.24	V
3298.47	-28.77	7.20	11.57	-33.14	-13.00	-20.14	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.51	-25.69	7.40	9.72	<b>-28.01</b>	-13.00	-15.01	H
2508.92	-30.03	8.30	10.86	-32.59	-13.00	-19.59	H
3345.38	-25.45	7.20	11.57	-29.82	-13.00	-16.82	H
1672.51	-29.33	7.40	9.72	-31.65	-13.00	-18.65	V
2508.92	-29.70	8.30	10.86	-32.26	-13.00	-19.26	V
3345.38	-25.04	7.20	11.57	-29.41	-13.00	-16.41	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.16	-27.77	7.40	9.72	-30.09	-13.00	-17.09	H
2544.30	-29.10	8.30	10.86	-31.66	-13.00	-18.66	H
3392.80	-25.36	7.20	11.57	-29.73	-13.00	-16.73	H
1696.16	-29.04	7.40	9.72	-31.36	-13.00	-18.36	V
2544.30	-26.53	8.30	10.86	<b>-29.09</b>	-13.00	-16.09	V
3392.80	-28.45	7.20	11.57	-32.82	-13.00	-19.82	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.19	-28.99	7.40	9.72	-31.31	-13.00	-18.31	H
2475.85	-25.80	8.30	10.86	<b>-28.36</b>	-13.00	-15.36	H
3301.31	-24.81	7.20	11.57	-29.18	-13.00	-16.18	H
1650.19	-28.23	7.40	9.72	-30.55	-13.00	-17.55	V
2475.85	-30.07	8.30	10.86	-32.63	-13.00	-19.63	V
3301.31	-25.28	7.20	11.57	-29.65	-13.00	-16.65	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.56	-25.28	7.40	9.72	<b>-27.60</b>	-13.00	-14.60	H
2508.92	-27.68	8.30	10.86	-30.24	-13.00	-17.24	H
3345.57	-24.01	7.20	11.57	-28.38	-13.00	-15.38	H
1672.56	-26.27	7.40	9.72	-28.59	-13.00	-15.59	V
2508.92	-25.37	8.30	10.86	-27.93	-13.00	-14.93	V
3345.57	-25.10	7.20	11.57	-29.47	-13.00	-16.47	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.46	-27.08	7.40	9.72	-29.40	-13.00	-16.40	H
2541.86	-26.96	8.30	10.86	-29.52	-13.00	-16.52	H
3389.16	-25.42	7.20	11.57	-29.79	-13.00	-16.79	H
1694.46	-29.56	7.40	9.72	-31.88	-13.00	-18.88	V
2541.86	-25.55	8.30	10.86	<b>-28.11</b>	-13.00	-15.11	V
3389.16	-28.05	7.20	11.57	-32.42	-13.00	-19.42	V

LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.38	-27.39	7.40	9.72	-29.71	-13.00	-16.71	H
2478.75	-29.65	8.30	10.86	-32.21	-13.00	-19.21	H
3305.78	-23.89	7.20	11.57	<b>-28.26</b>	-13.00	-15.26	H
1652.38	-26.80	7.40	9.72	-29.12	-13.00	-16.12	V
2478.75	-28.91	8.30	10.86	-31.47	-13.00	-18.47	V
3305.78	-27.50	7.20	11.57	-31.87	-13.00	-18.87	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.34	-28.72	7.40	9.72	-31.04	-13.00	-18.04	H
2508.59	-25.70	8.30	10.86	-28.26	-13.00	-15.26	H
3345.41	-23.66	7.20	11.57	<b>-28.03</b>	-13.00	-15.03	H
1672.34	-27.52	7.40	9.72	-29.84	-13.00	-16.84	V
2508.59	-29.44	8.30	10.86	-32.00	-13.00	-19.00	V
3345.41	-28.39	7.20	11.57	-32.76	-13.00	-19.76	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.56	-27.72	7.40	9.72	-30.04	-13.00	-17.04	H
2538.81	-26.08	8.30	10.86	<b>-28.64</b>	-13.00	-15.64	H
3385.73	-26.62	7.20	11.57	-30.99	-13.00	-17.99	H
1692.56	-29.80	7.40	9.72	-32.12	-13.00	-19.12	V
2538.81	-28.45	8.30	10.86	-31.01	-13.00	-18.01	V
3385.73	-27.73	7.20	11.57	-32.10	-13.00	-19.10	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.63	-26.33	7.40	9.72	-28.65	-13.00	-15.65	H
2486.17	-26.68	8.30	10.86	-29.24	-13.00	-16.24	H
3315.10	-26.37	7.20	11.57	-30.74	-13.00	-17.74	H
1657.63	-30.17	7.40	9.72	-32.49	-13.00	-19.49	V
2486.17	-29.17	8.30	10.86	-31.73	-13.00	-18.73	V
3315.10	-27.67	7.20	11.57	-32.04	-13.00	-19.04	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.17	-27.39	7.40	9.72	-29.71	-13.00	-16.71	H
2508.76	-26.74	8.30	10.86	-29.30	-13.00	-16.30	H
3345.16	-27.81	7.20	11.57	-32.18	-13.00	-19.18	H
1672.17	-26.61	7.40	9.72	-28.93	-13.00	-15.93	V
2508.76	-26.69	8.30	10.86	-29.25	-13.00	-16.25	V
3345.16	-24.33	7.20	11.57	-28.70	-13.00	-15.70	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.43	-27.41	7.40	9.72	-29.73	-13.00	-16.73	H
2531.18	-29.59	8.30	10.86	-32.15	-13.00	-19.15	H
3375.45	-26.27	7.20	11.57	-30.64	-13.00	-17.64	H
1687.43	-26.48	7.40	9.72	-28.80	-13.00	-15.80	V
2531.18	-27.47	8.30	10.86	-30.03	-13.00	-17.03	V
3375.45	-27.46	7.20	11.57	-31.83	-13.00	-18.83	V

LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1399.00	-27.63	6.70	9.34	-30.27	-13.00	-17.27	H
2099.10	-27.72	7.80	10.42	-30.34	-13.00	-17.34	H
2798.33	-27.76	8.00	11.12	-30.88	-13.00	-17.88	H
1399.00	-27.05	6.70	9.34	<b>-29.69</b>	-13.00	-16.69	V
2099.10	-27.16	7.80	10.42	-29.78	-13.00	-16.78	V
2798.33	-29.11	8.00	11.12	-32.23	-13.00	-19.23	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.84	-29.05	6.70	9.34	-31.69	-13.00	-18.69	H
2122.11	-26.01	7.80	10.42	-28.63	-13.00	-15.63	H
2829.63	-24.72	8.00	11.12	<b>-27.84</b>	-13.00	-14.84	H
1414.84	-28.75	6.70	9.34	-31.39	-13.00	-18.39	V
2122.11	-28.91	7.80	10.42	-31.53	-13.00	-18.53	V
2829.63	-27.02	8.00	11.12	-30.14	-13.00	-17.14	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1430.58	-27.29	6.70	9.34	-29.93	-13.00	-16.93	H
2145.53	-30.46	7.80	10.42	-33.08	-13.00	-20.08	H
2860.96	-24.47	8.00	11.12	<b>-27.59</b>	-13.00	-14.59	H
1430.58	-28.34	6.70	9.34	-30.98	-13.00	-17.98	V
2145.53	-28.26	7.80	10.42	-30.88	-13.00	-17.88	V
2860.96	-24.78	8.00	11.12	-27.90	-13.00	-14.90	V



LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1400.61	-28.60	6.70	9.34	-31.24	-13.00	-18.24	H
2101.19	-25.63	7.80	10.42	<b>-28.25</b>	-13.00	-15.25	H
2801.93	-26.44	8.00	11.12	-29.56	-13.00	-16.56	H
1400.61	-27.07	6.70	9.34	-29.71	-13.00	-16.71	V
2101.19	-27.86	7.80	10.42	-30.48	-13.00	-17.48	V
2801.93	-25.15	8.00	11.12	-28.27	-13.00	-15.27	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.86	-29.76	6.70	9.34	-32.40	-13.00	-19.40	H
2122.40	-28.41	7.80	10.42	-31.03	-13.00	-18.03	H
2829.99	-23.78	8.00	11.12	<b>-26.90</b>	-13.00	-13.90	H
1414.86	-29.26	6.70	9.34	-31.90	-13.00	-18.90	V
2122.40	-29.66	7.80	10.42	-32.28	-13.00	-19.28	V
2829.99	-25.01	8.00	11.12	-28.13	-13.00	-15.13	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1428.58	-29.27	6.70	9.34	-31.91	-13.00	-18.91	H
2143.01	-28.71	7.80	10.42	-31.33	-13.00	-18.33	H
2857.61	-24.15	8.00	11.12	<b>-27.27</b>	-13.00	-14.27	H
1428.58	-26.85	6.70	9.34	-29.49	-13.00	-16.49	V
2143.01	-26.56	7.80	10.42	-29.18	-13.00	-16.18	V
2857.61	-25.46	8.00	11.12	-28.58	-13.00	-15.58	V

LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1402.73	-27.63	6.70	9.34	-30.27	-13.00	-17.27	H
2104.34	-29.99	7.80	10.42	-32.61	-13.00	-19.61	H
2805.90	-26.07	8.00	11.12	-29.19	-13.00	-16.19	H
1402.73	-30.15	6.70	9.34	-32.79	-13.00	-19.79	V
2104.34	-25.81	7.80	10.42	<b>-28.43</b>	-13.00	-15.43	V
2805.90	-25.82	8.00	11.12	-28.94	-13.00	-15.94	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.50	-25.94	6.70	9.34	<b>-28.58</b>	-13.00	-15.58	H
2122.48	-30.46	7.80	10.42	-33.08	-13.00	-20.08	H
2829.54	-25.97	8.00	11.12	-29.09	-13.00	-16.09	H
1414.50	-28.79	6.70	9.34	-31.43	-13.00	-18.43	V
2122.48	-28.43	7.80	10.42	-31.05	-13.00	-18.05	V
2829.54	-28.85	8.00	11.12	-31.97	-13.00	-18.97	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.95	-27.82	6.70	9.34	-30.46	-13.00	-17.46	H
2140.11	-26.32	7.80	10.42	-28.94	-13.00	-15.94	H
2853.52	-25.65	8.00	11.12	<b>-28.77</b>	-13.00	-15.77	H
1426.95	-26.75	6.70	9.34	-29.39	-13.00	-16.39	V
2140.11	-27.45	7.80	10.42	-30.07	-13.00	-17.07	V
2853.52	-28.36	8.00	11.12	-31.48	-13.00	-18.48	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.97	-26.84	6.70	9.34	-29.48	-13.00	-16.48	H
2111.97	-28.98	7.80	10.42	-31.60	-13.00	-18.60	H
2815.97	-25.14	8.00	11.12	<b>-28.26</b>	-13.00	-15.26	H
1407.97	-26.57	6.70	9.34	-29.21	-13.00	-16.21	V
2111.97	-29.72	7.80	10.42	-32.34	-13.00	-19.34	V
2815.97	-27.48	8.00	11.12	-30.60	-13.00	-17.60	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.61	-27.32	6.70	9.34	-29.96	-13.00	-16.96	H
2122.09	-26.57	7.80	10.42	-29.19	-13.00	-16.19	H
2829.81	-24.87	8.00	11.12	<b>-27.99</b>	-13.00	-14.99	H
1414.61	-29.75	6.70	9.34	-32.39	-13.00	-19.39	V
2122.09	-28.07	7.80	10.42	-30.69	-13.00	-17.69	V
2829.81	-27.81	8.00	11.12	-30.93	-13.00	-17.93	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.93	-25.65	6.70	9.34	<b>-28.29</b>	-13.00	-15.29	H
2132.72	-30.26	7.80	10.42	-32.88	-13.00	-19.88	H
2843.73	-26.32	8.00	11.12	-29.44	-13.00	-16.44	H
1421.93	-29.16	6.70	9.34	-31.80	-13.00	-18.80	V
2132.72	-30.10	7.80	10.42	-32.72	-13.00	-19.72	V
2843.73	-29.20	8.00	11.12	-32.32	-13.00	-19.32	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1559.25	-48.73	7.40	9.72	-51.05	-40.00	-11.05	H
2338.36	-35.91	8.30	10.86	<b>-38.47</b>	-13.00	-25.47	H
3117.91	-34.89	7.70	11.57	-38.76	-13.00	-25.76	H
1559.25	-46.51	7.40	9.72	-48.83	-40.00	-8.83	V
2338.36	-36.56	8.30	10.86	-39.12	-13.00	-26.12	V
3117.91	-34.76	7.70	11.57	-38.63	-13.00	-25.63	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1564.27	-46.12	7.40	9.72	-48.44	-40.00	-8.44	H
2345.63	-35.87	8.30	10.86	<b>-38.43</b>	-13.00	-25.43	H
3127.76	-34.72	7.70	11.57	-38.59	-13.00	-25.59	H
1564.27	-44.61	7.40	9.72	-46.93	-40.00	-6.93	V
2345.63	-39.85	8.30	10.86	-42.41	-13.00	-29.41	V
3127.76	-38.09	7.70	11.57	-41.96	-13.00	-28.96	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1568.93	-45.29	7.40	9.72	-47.61	-40.00	-7.61	H
2353.42	-35.95	8.30	10.86	-38.51	-13.00	-25.51	H
3138.41	-36.10	7.70	11.57	-39.97	-13.00	-26.97	H
1568.93	-45.21	7.40	9.72	-47.53	-40.00	-7.53	V
2353.42	-35.78	8.30	10.86	<b>-38.34</b>	-13.00	-25.34	V
3138.41	-38.36	7.70	11.57	-42.23	-13.00	-29.23	V

LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1563.74	-46.76	7.40	9.72	-49.08	-40.00	-9.08	H
2345.81	-38.22	8.30	10.86	-40.78	-13.00	-27.78	H
3127.97	-35.00	7.70	11.57	<b>-38.87</b>	-13.00	-25.87	H
1563.74	-47.34	7.40	9.72	-49.66	-40.00	-9.66	V
2345.81	-37.12	8.30	10.86	-39.68	-13.00	-26.68	V
3127.97	-37.07	7.70	11.57	-40.94	-13.00	-27.94	V

LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	( dBm )	(dBm)	
4996.92	-31.87	7.90	15.86	-39.83	-25.00	-14.83	H
7495.46	-33.21	9.00	19.28	-43.49	-25.00	-18.49	H
9994.18	-32.71	8.70	23.19	-47.20	-25.00	-22.20	H
4996.92	-35.94	7.90	15.86	-43.90	-25.00	-18.90	V
7495.46	-34.49	9.00	19.28	-44.77	-25.00	-19.77	V
9994.18	-29.09	8.70	23.19	-43.58	-25.00	-18.58	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	( dBm )	(dBm)	
5186.19	-31.01	7.90	15.86	-38.97	-25.00	-13.97	H
7779.37	-34.87	9.00	19.28	-45.15	-25.00	-20.15	H
10372.17	-28.72	8.70	23.19	-43.21	-25.00	-18.21	H
5186.19	-34.34	7.90	15.86	-42.30	-25.00	-17.30	V
7779.37	-33.83	9.00	19.28	-44.11	-25.00	-19.11	V
10372.17	-28.55	8.70	23.19	-43.04	-25.00	-18.04	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	( dBm )	(dBm)	
5375.15	-34.17	7.90	15.86	-42.13	-25.00	-17.13	H
8062.77	-33.90	9.00	19.28	-44.18	-25.00	-19.18	H
10750.18	-28.67	8.70	23.19	-43.16	-25.00	-18.16	H
5375.15	-31.62	7.90	15.86	-39.58	-25.00	-14.58	V
8062.77	-32.68	9.00	19.28	-42.96	-25.00	-17.96	V
10750.18	-30.92	8.70	23.19	-45.41	-25.00	-20.41	V

<b>LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5002.22	-31.99	7.90	15.86	<b>-39.95</b>	-25.00	-14.95	H
7502.81	-33.34	9.00	19.28	-43.62	-25.00	-18.62	H
10004.24	-29.56	8.70	23.19	-44.05	-25.00	-19.05	H
5002.22	-35.24	7.90	15.86	-43.20	-25.00	-18.20	V
7502.81	-31.29	9.00	19.28	-41.57	-25.00	-16.57	V
10004.24	-29.99	8.70	23.19	-44.48	-25.00	-19.48	V
<b>LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5186.14	-30.44	7.90	15.86	<b>-38.40</b>	-25.00	-13.40	H
7779.05	-31.08	9.00	19.28	-41.36	-25.00	-16.36	H
10372.00	-32.38	8.70	23.19	-46.87	-25.00	-21.87	H
5186.14	-35.33	7.90	15.86	-43.29	-25.00	-18.29	V
7779.05	-34.76	9.00	19.28	-45.04	-25.00	-20.04	V
10372.00	-29.99	8.70	23.19	-44.48	-25.00	-19.48	V
<b>LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5370.19	-33.44	7.90	15.86	-41.40	-25.00	-16.40	H
8054.95	-30.77	9.00	19.28	<b>-41.05</b>	-25.00	-16.05	H
10740.03	-31.93	8.70	23.19	-46.42	-25.00	-21.42	H
5370.19	-33.96	7.90	15.86	-41.92	-25.00	-16.92	V
8054.95	-34.20	9.00	19.28	-44.48	-25.00	-19.48	V
10740.03	-31.53	8.70	23.19	-46.02	-25.00	-21.02	V

<b>LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5007.22	-33.11	7.90	15.86	<b>-41.07</b>	-25.00	-16.07	H
7510.56	-30.87	9.00	19.28	-41.15	-25.00	-16.15	H
10014.37	-29.69	8.70	23.19	-44.18	-25.00	-19.18	H
5007.22	-34.17	7.90	15.86	-42.13	-25.00	-17.13	V
7510.56	-32.44	9.00	19.28	-42.72	-25.00	-17.72	V
10014.37	-29.34	8.70	23.19	-43.83	-25.00	-18.83	V
<b>LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5186.27	-30.07	7.90	15.86	<b>-38.03</b>	-25.00	-13.03	H
7779.17	-31.52	9.00	19.28	-41.80	-25.00	-16.80	H
10372.33	-32.29	8.70	23.19	-46.78	-25.00	-21.78	H
5186.27	-31.39	7.90	15.86	-39.35	-25.00	-14.35	V
7779.17	-33.07	9.00	19.28	-43.35	-25.00	-18.35	V
10372.33	-31.86	8.70	23.19	-46.35	-25.00	-21.35	V
<b>LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5364.98	-33.32	7.90	15.86	<b>-41.28</b>	-25.00	-16.28	H
8047.40	-34.66	9.00	19.28	-44.94	-25.00	-19.94	H
10730.21	-29.42	8.70	23.19	-43.91	-25.00	-18.91	H
5364.98	-33.48	7.90	15.86	-41.44	-25.00	-16.44	V
8047.40	-34.99	9.00	19.28	-45.27	-25.00	-20.27	V
10730.21	-33.00	8.70	23.19	-47.49	-25.00	-22.49	V

<b>LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5011.96	-31.23	7.90	15.86	<b>-39.19</b>	-25.00	-14.19	H
7517.89	-32.15	9.00	19.28	-42.43	-25.00	-17.43	H
10024.15	-32.16	8.70	23.19	-46.65	-25.00	-21.65	H
5011.96	-34.47	7.90	15.86	-42.43	-25.00	-17.43	V
7517.89	-31.25	9.00	19.28	-41.53	-25.00	-16.53	V
10024.15	-28.56	8.70	23.19	-43.05	-25.00	-18.05	V
<b>LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5186.17	-30.78	7.90	15.86	<b>-38.74</b>	-25.00	-13.74	H
7778.96	-32.19	9.00	19.28	-42.47	-25.00	-17.47	H
10371.93	-33.41	8.70	23.19	-47.90	-25.00	-22.90	H
5186.17	-33.03	7.90	15.86	-40.99	-25.00	-15.99	V
7778.96	-33.63	9.00	19.28	-43.91	-25.00	-18.91	V
10371.93	-32.27	8.70	23.19	-46.76	-25.00	-21.76	V
<b>LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5359.80	-33.45	7.90	15.86	<b>-41.41</b>	-25.00	-16.41	H
8040.26	-31.88	9.00	19.28	-42.16	-25.00	-17.16	H
10720.16	-29.70	8.70	23.19	-44.19	-25.00	-19.19	H
5359.80	-35.60	7.90	15.86	-43.56	-25.00	-18.56	V
8040.26	-35.03	9.00	19.28	-45.31	-25.00	-20.31	V
10720.16	-31.91	8.70	23.19	-46.40	-25.00	-21.40	V



<b>LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.37	-25.56	7.20	12.56	<b>-30.92</b>	-13.00	-17.92	H
5131.94	-24.74	8.10	16.32	-32.96	-13.00	-19.96	H
6842.71	-23.85	8.30	21.13	-36.68	-13.00	-23.68	H
3421.37	-26.16	7.20	12.56	-31.52	-13.00	-18.52	V
5131.94	-28.21	8.10	16.32	-36.43	-13.00	-23.43	V
6842.71	-27.27	8.30	21.13	-40.10	-13.00	-27.10	V
<b>LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.16	-26.94	7.20	12.56	<b>-32.30</b>	-13.00	-19.30	H
5234.86	-27.40	8.10	16.32	-35.62	-13.00	-22.62	H
6979.90	-26.19	8.30	21.13	-39.02	-13.00	-26.02	H
3490.16	-27.12	7.20	12.56	-32.48	-13.00	-19.48	V
5234.86	-24.54	8.10	16.32	-32.76	-13.00	-19.76	V
6979.90	-23.72	8.30	21.13	-36.55	-13.00	-23.55	V
<b>LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3558.02	-26.45	7.20	12.56	-31.81	-13.00	-18.81	H
5337.18	-28.91	8.10	16.32	-37.13	-13.00	-24.13	H
7117.10	-24.90	8.30	21.13	-37.73	-13.00	-24.73	H
3558.02	-26.38	7.20	12.56	<b>-31.74</b>	-13.00	-18.74	V
5337.18	-28.64	8.10	16.32	-36.86	-13.00	-23.86	V
7117.10	-26.31	8.30	21.13	-39.14	-13.00	-26.14	V

LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3423.04	-25.58	7.20	12.56	-30.94	-13.00	-17.94	H
5134.40	-25.19	8.10	16.32	-33.41	-13.00	-20.41	H
6845.81	-25.73	8.30	21.13	-38.56	-13.00	-25.56	H
3423.04	-29.27	7.20	12.56	-34.63	-13.00	-21.63	V
5134.40	-24.30	8.10	16.32	-32.52	-13.00	-19.52	V
6845.81	-27.53	8.30	21.13	-40.36	-13.00	-27.36	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.14	-28.34	7.20	12.56	-33.70	-13.00	-20.70	H
5235.12	-24.53	8.10	16.32	-32.75	-13.00	-19.75	H
6980.21	-22.89	8.30	21.13	-35.72	-13.00	-22.72	H
3490.14	-29.94	7.20	12.56	-35.30	-13.00	-22.30	V
5235.12	-26.42	8.10	16.32	-34.64	-13.00	-21.64	V
6980.21	-24.49	8.30	21.13	-37.32	-13.00	-24.32	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3556.80	-28.29	7.20	12.56	-33.65	-13.00	-20.65	H
5262.36	-28.56	8.10	16.32	-36.78	-13.00	-23.78	H
7114.20	-23.95	8.30	21.13	-36.78	-13.00	-23.78	H
3556.80	-28.04	7.20	12.56	-33.40	-13.00	-20.40	V
5262.36	-28.07	8.10	16.32	-36.29	-13.00	-23.29	V
7114.20	-28.08	8.30	21.13	-40.91	-13.00	-27.91	V

LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3425.47	-28.56	7.20	12.56	-33.92	-13.00	-20.92	H
5137.34	-26.18	8.10	16.32	-34.40	-13.00	-21.40	H
6850.33	-25.66	8.30	21.13	-38.49	-13.00	-25.49	H
3425.47	-25.10	7.20	12.56	<b>-30.46</b>	-13.00	-17.46	V
5137.34	-28.71	8.10	16.32	-36.93	-13.00	-23.93	V
6850.33	-27.11	8.30	21.13	-39.94	-13.00	-26.94	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.80	-28.28	7.20	12.56	<b>-33.64</b>	-13.00	-20.64	H
5235.13	-26.62	8.10	16.32	-34.84	-13.00	-21.84	H
6980.26	-25.37	8.30	21.13	-38.20	-13.00	-25.20	H
3489.80	-29.31	7.20	12.56	-34.67	-13.00	-21.67	V
5235.13	-28.83	8.10	16.32	-37.05	-13.00	-24.05	V
6980.26	-25.07	8.30	21.13	-37.90	-13.00	-24.90	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3558.03	-28.16	7.20	12.56	-33.52	-13.00	-20.52	H
5235.15	-25.20	8.10	16.32	<b>-33.42</b>	-13.00	-20.42	H
7110.17	-23.39	8.30	21.13	-36.22	-13.00	-23.22	H
3558.03	-28.58	7.20	12.56	-33.94	-13.00	-20.94	V
5235.15	-25.55	8.10	16.32	-33.77	-13.00	-20.77	V
7110.17	-27.68	8.30	21.13	-40.51	-13.00	-27.51	V

LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3429.85	-28.06	7.20	12.56	-33.42	-13.00	-20.42	H
5145.25	-25.58	8.10	16.32	-33.80	-13.00	-20.80	H
6880.12	-26.53	8.30	21.13	-39.36	-13.00	-26.36	H
3429.85	-26.00	7.20	12.56	<b>-31.36</b>	-13.00	-18.36	V
5145.25	-25.30	8.10	16.32	-33.52	-13.00	-20.52	V
6880.12	-28.01	8.30	21.13	-40.84	-13.00	-27.84	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.04	-23.99	7.20	12.56	<b>-29.35</b>	-13.00	-16.35	H
5234.92	-27.95	8.10	16.32	-36.17	-13.00	-23.17	H
6980.24	-24.55	8.30	21.13	-37.38	-13.00	-24.38	H
3490.04	-27.40	7.20	12.56	-32.76	-13.00	-19.76	V
5234.92	-27.31	8.10	16.32	-35.53	-13.00	-22.53	V
6980.24	-27.01	8.30	21.13	-39.84	-13.00	-26.84	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3550.70	-25.65	7.20	12.56	<b>-31.01</b>	-13.00	-18.01	H
5235.11	-26.15	8.10	16.32	-34.37	-13.00	-21.37	H
7099.83	-24.39	8.30	21.13	-37.22	-13.00	-24.22	H
3550.70	-27.38	7.20	12.56	-32.74	-13.00	-19.74	V
5235.11	-27.53	8.10	16.32	-35.75	-13.00	-22.75	V
7099.83	-24.07	8.30	21.13	-36.90	-13.00	-23.90	V

LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3435.03	-24.17	7.20	12.56	-29.53	-13.00	-16.53	H
5152.62	-25.73	8.10	16.32	-33.95	-13.00	-20.95	H
6869.87	-23.24	8.30	21.13	-36.07	-13.00	-23.07	H
3435.03	-25.37	7.20	12.56	-30.73	-13.00	-17.73	V
5152.62	-26.39	8.10	16.32	-34.61	-13.00	-21.61	V
6869.87	-23.47	8.30	21.13	-36.30	-13.00	-23.30	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.06	-27.93	7.20	12.56	-33.29	-13.00	-20.29	H
5235.02	-24.76	8.10	16.32	-32.98	-13.00	-19.98	H
6980.25	-24.31	8.30	21.13	-37.14	-13.00	-24.14	H
3490.06	-26.47	7.20	12.56	-31.83	-13.00	-18.83	V
5235.02	-27.10	8.10	16.32	-35.32	-13.00	-22.32	V
6980.25	-24.44	8.30	21.13	-37.27	-13.00	-24.27	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3544.85	-27.02	7.20	12.56	-32.38	-13.00	-19.38	H
5332.39	-28.45	8.10	16.32	-36.67	-13.00	-23.67	H
7090.11	-23.48	8.30	21.13	-36.31	-13.00	-23.31	H
3544.85	-29.90	7.20	12.56	-35.26	-13.00	-22.26	V
5332.39	-29.12	8.10	16.32	-37.34	-13.00	-24.34	V
7090.11	-27.76	8.30	21.13	-40.59	-13.00	-27.59	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3439.98	-27.22	7.20	12.56	-32.58	-13.00	-19.58	H
5160.16	-26.02	8.10	16.32	-34.24	-13.00	-21.24	H
6879.80	-26.34	8.30	21.13	-39.17	-13.00	-26.17	H
3439.98	-29.56	7.20	12.56	-34.92	-13.00	-21.92	V
5160.16	-27.78	8.10	16.32	-36.00	-13.00	-23.00	V
6879.80	-26.79	8.30	21.13	-39.62	-13.00	-26.62	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.11	-26.80	7.20	12.56	-32.16	-13.00	-19.16	H
5235.10	-28.23	8.10	16.32	-36.45	-13.00	-23.45	H
6980.12	-24.57	8.30	21.13	-37.40	-13.00	-24.40	H
3490.11	-28.36	7.20	12.56	-33.72	-13.00	-20.72	V
5235.10	-24.54	8.10	16.32	-32.76	-13.00	-19.76	V
6980.12	-27.56	8.30	21.13	-40.39	-13.00	-27.39	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3540.28	-26.90	7.20	12.56	-32.26	-13.00	-19.26	H
5310.17	-24.79	8.10	16.32	-33.01	-13.00	-20.01	H
7080.96	-23.90	8.30	21.13	-36.73	-13.00	-23.73	H
3540.28	-26.83	7.20	12.56	-32.19	-13.00	-19.19	V
5310.17	-24.80	8.10	16.32	-33.02	-13.00	-20.02	V
7080.96	-23.82	8.30	21.13	-36.65	-13.00	-23.65	V

LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1331.17	-26.21	6.50	9.34	-29.05	-13.00	-16.05	H
1966.32	-28.29	7.70	10.42	-31.01	-13.00	-18.01	H
2661.83	-28.46	7.90	11.12	-31.68	-13.00	-18.68	H
1331.17	-30.63	6.50	9.34	-33.47	-13.00	-20.47	V
1966.32	-28.05	7.70	10.42	-30.77	-13.00	-17.77	V
2661.83	-25.55	7.90	11.12	<b>-28.77</b>	-13.00	-15.77	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.10	-30.05	6.50	9.34	-32.89	-13.00	-19.89	H
2041.52	-27.93	7.70	10.42	<b>-30.65</b>	-13.00	-17.65	H
2721.82	-27.90	7.90	11.12	-31.12	-13.00	-18.12	H
1361.10	-28.86	6.50	9.34	-31.70	-13.00	-18.70	V
2041.52	-29.12	7.70	10.42	-31.84	-13.00	-18.84	V
2721.82	-28.08	7.90	11.12	-31.30	-13.00	-18.30	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1390.71	-30.07	6.50	9.34	-32.91	-13.00	-19.91	H
2085.88	-29.92	7.70	10.42	-32.64	-13.00	-19.64	H
2782.03	-24.90	7.90	11.12	<b>-28.12</b>	-13.00	-15.12	H
1390.71	-29.04	6.50	9.34	-31.88	-13.00	-18.88	V
2085.88	-26.91	7.70	10.42	-29.63	-13.00	-16.63	V
2782.03	-29.97	7.90	11.12	-33.19	-13.00	-20.19	V

LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1336.14	-29.29	6.50	9.34	-32.13	-13.00	-19.13	H
2004.00	-28.69	7.70	10.42	<b>-31.41</b>	-13.00	-18.41	H
2671.99	-28.83	7.90	11.12	-32.05	-13.00	-19.05	H
1336.14	-30.88	6.50	9.34	-33.72	-13.00	-20.72	V
2004.00	-29.72	7.70	10.42	-32.44	-13.00	-19.44	V
2671.99	-28.56	7.90	11.12	-31.78	-13.00	-18.78	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.08	-30.13	6.50	9.34	-32.97	-13.00	-19.97	H
2041.68	-27.11	7.70	10.42	-29.83	-13.00	-16.83	H
2721.82	-26.71	7.90	11.12	-29.93	-13.00	-16.93	H
1361.08	-31.34	6.50	9.34	-34.18	-13.00	-21.18	V
2041.68	-27.43	7.70	10.42	-30.15	-13.00	-17.15	V
2721.82	-26.47	7.90	11.12	<b>-29.69</b>	-13.00	-16.69	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1385.73	-29.78	6.50	9.34	-32.62	-13.00	-19.62	H
2078.94	-26.63	7.70	10.42	-29.35	-13.00	-16.35	H
2722.15	-26.12	7.90	11.12	-29.34	-13.00	-16.34	H
1385.73	-28.63	6.50	9.34	-31.47	-13.00	-18.47	V
2078.94	-30.03	7.70	10.42	-32.75	-13.00	-19.75	V
2722.15	-25.87	7.90	11.12	<b>-29.09</b>	-13.00	-16.09	V



LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1340.89	-28.89	6.50	9.34	-31.73	-13.00	-18.73	H
2010.83	-27.98	7.70	10.42	<b>-30.70</b>	-13.00	-17.70	H
2681.84	-29.26	7.90	11.12	-32.48	-13.00	-19.48	H
1340.89	-30.11	6.50	9.34	-32.95	-13.00	-19.95	V
2010.83	-29.36	7.70	10.42	-32.08	-13.00	-19.08	V
2681.84	-29.35	7.90	11.12	-32.57	-13.00	-19.57	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1360.98	-29.09	6.50	9.34	-31.93	-13.00	-18.93	H
2041.35	-28.33	7.70	10.42	-31.05	-13.00	-18.05	H
2721.89	-27.72	7.90	11.12	-30.94	-13.00	-17.94	H
1360.98	-31.55	6.50	9.34	-34.39	-13.00	-21.39	V
2041.35	-29.27	7.70	10.42	-31.99	-13.00	-18.99	V
2721.89	-25.31	7.90	11.12	<b>-28.53</b>	-13.00	-15.53	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1381.11	-27.85	6.50	9.34	-30.69	-13.00	-17.69	H
2071.08	-31.29	7.70	10.42	-34.01	-13.00	-21.01	H
2761.73	-26.95	7.90	11.12	<b>-30.17</b>	-13.00	-17.17	H
1381.11	-28.72	6.50	9.34	-31.56	-13.00	-18.56	V
2071.08	-29.96	7.70	10.42	-32.68	-13.00	-19.68	V
2761.73	-28.39	7.90	11.12	-31.61	-13.00	-18.61	V

LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1345.73	-27.50	6.50	9.34	-30.34	-13.00	-17.34	H
2018.92	-29.13	7.70	10.42	-31.85	-13.00	-18.85	H
2692.16	-25.42	7.90	11.12	<b>-28.64</b>	-13.00	-15.64	H
1345.73	-27.19	6.50	9.34	-30.03	-13.00	-17.03	V
2018.92	-28.53	7.70	10.42	-31.25	-13.00	-18.25	V
2692.16	-26.24	7.90	11.12	-29.46	-13.00	-16.46	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1360.97	-30.62	6.50	9.34	-33.46	-13.00	-20.46	H
2041.32	-26.59	7.70	10.42	<b>-29.31</b>	-13.00	-16.31	H
2722.04	-28.05	7.90	11.12	-31.27	-13.00	-18.27	H
1360.97	-27.14	6.50	9.34	-29.98	-13.00	-16.98	V
2041.32	-26.99	7.70	10.42	-29.71	-13.00	-16.71	V
2722.04	-27.90	7.90	11.12	-31.12	-13.00	-18.12	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1375.80	-26.97	6.50	9.34	<b>-29.81</b>	-13.00	-16.81	H
2063.83	-27.62	7.70	10.42	-30.34	-13.00	-17.34	H
2752.18	-27.97	7.90	11.12	-31.19	-13.00	-18.19	H
1375.80	-30.99	6.50	9.34	-33.83	-13.00	-20.83	V
2063.83	-29.65	7.70	10.42	-32.37	-13.00	-19.37	V
2752.18	-28.78	7.90	11.12	-32.00	-13.00	-19.00	V

※※※※※END OF THE REPORT※※※※※