



Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT20)

Full Spectrum




Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT20)

Carrier frequency (MHz): 5230

Channel No.:46




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11 ac(HT40)

Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54


Comment

Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11 ac(HT40)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT40)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT40)


Full Spectrum




Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT40)

Carrier frequency (MHz): 5210
Channel No.:42




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11 ac(HT80)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11ac(HT80)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT80)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT80)

Full Spectrum



Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT80)

5250MHz-5350MHz

For 802.11a

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
81.236000	16.90	-23.5	40.40	Horizon	40.00
130.900000	25.93	-21.4	47.33	Horizon	43.50
250.016000	25.09	-16.3	41.39	Horizon	46.00
399.986500	32.33	-11.7	44.03	Horizon	46.00
527.969500	32.26	-8.6	40.86	Horizon	46.00
950.025000	31.08	-0.9	31.98	Horizon	46.00

For 802.11n(HT20)

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
40.633000	16.46	-18.1	34.56	Vertical	40.00
130.891500	25.95	-21.4	47.35	Horizon	43.50
250.016000	25.23	-16.3	41.53	Horizon	46.00
399.986500	32.48	-11.7	44.18	Horizon	46.00
527.978000	32.40	-8.6	41.00	Horizon	46.00
950.025000	31.14	-0.9	32.04	Horizon	46.00

For 802.11n(HT40)

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
81.236000	17.33	-23.5	40.83	Vertical	40.00
132.597500	25.74	-21.5	47.24	Horizon	43.50
250.016000	25.12	-16.3	41.42	Horizon	46.00
399.986500	32.40	-11.7	44.10	Horizon	46.00
527.978000	32.37	-8.6	40.97	Horizon	46.00
950.025000	31.12	-0.9	32.02	Horizon	46.00

For 802.11ac(HT20)

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
81.236000	17.27	-23.5	40.77	Vertical	40.00
132.015500	26.20	-21.4	47.60	Horizon	43.50
250.016000	25.10	-16.3	41.40	Horizon	46.00
399.986500	32.37	-11.7	44.07	Horizon	46.00
527.978000	32.37	-8.6	40.97	Horizon	46.00
950.025000	31.09	-0.9	31.99	Horizon	46.00


For 802.11ac(HT40)

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
81.236000	16.92	-23.5	40.42	Horizon	40.00
132.557500	25.60	-21.5	47.10	Horizon	43.50
250.007500	25.44	-16.3	41.74	Horizon	46.00
399.986500	32.38	-11.7	44.08	Horizon	46.00
527.978000	32.37	-8.6	40.97	Horizon	46.00
950.025000	31.02	-0.9	31.92	Horizon	46.00

For 802.11ac(HT80)


Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
81.236000	17.02	-23.5	40.52	Vertical	40.00
132.597500	25.85	-21.5	47.35	Horizon	43.50
250.007500	25.46	-16.3	41.76	Horizon	46.00
399.986500	32.38	-11.7	44.08	Horizon	46.00
527.978000	32.38	-8.6	40.98	Horizon	46.00
950.025000	31.07	-0.9	31.97	Horizon	46.00

Carrier frequency (MHz): 5260
Channel No.:52



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Carrier frequency (MHz): 5260

Channel No.:52




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11n(HT20)

Full Spectrum




Comment

Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Carrier frequency (MHz): 5270
Channel No.:54



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT40)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT40)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT40)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT40)

Full Spectrum




Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT40)

Carrier frequency (MHz): 5300

Channel No.:60




Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11ac(HT20)

Full Spectrum




Comment

Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11 ac(HT20)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT20)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT20)


Full Spectrum



Comment


Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT20)

Carrier frequency (MHz): 5310
Channel No.:62



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11 ac(HT40)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT40)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT40)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT40)

Full Spectrum




Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT40)

Carrier frequency (MHz): 5290


Channel No.:58



Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11 ac(HT80)




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11 ac(HT80)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT80)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT80)

Full Spectrum



Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT80)

5475MHz-5725MHz

For 802.11a

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
81.236000	16.92	-23.5	40.42	Horizon	40.00
132.015500	26.26	-21.4	47.66	Horizon	43.50
250.007500	25.46	-16.3	41.76	Horizon	46.00
399.986500	32.43	-11.7	44.13	Horizon	46.00
527.978000	32.36	-8.6	40.96	Horizon	46.00
950.016500	31.31	-0.9	32.21	Horizon	46.00

For 802.11n(HT20)

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
81.236000	16.91	-23.5	40.41	Horizon	40.00
131.442000	25.89	-21.4	47.29	Horizon	43.50
250.016000	25.24	-16.3	41.54	Horizon	46.00
400.018000	32.62	-11.7	44.32	Horizon	46.00
527.978000	32.36	-8.6	40.96	Horizon	46.00
950.025000	31.06	-0.9	31.96	Horizon	46.00

For 802.11n(HT40)

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
40.633000	16.48	-18.1	34.58	Vertical	40.00
130.900000	26.07	-21.4	47.47	Horizon	43.50
250.016000	25.52	-16.3	41.82	Horizon	46.00
399.986500	32.42	-11.7	44.12	Horizon	46.00
527.978000	32.35	-8.6	40.95	Horizon	46.00
937.512000	29.90	-1.0	30.90	Horizon	46.00

For 802.11ac(HT20)

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
40.633000	16.49	-18.1	34.59	Vertical	40.00
131.482000	26.10	-21.4	47.50	Horizon	43.50
250.016000	25.54	-16.3	41.84	Horizon	46.00
399.986500	32.47	-11.7	44.17	Horizon	46.00
527.978000	32.35	-8.6	40.95	Horizon	46.00
950.025000	31.06	-0.9	31.96	Horizon	46.00


For 802.11ac(HT40)

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
81.236000	17.23	-23.5	40.73	Vertical	40.00
132.055500	26.11	-21.4	47.51	Horizon	43.50
250.007500	25.66	-16.3	41.96	Horizon	46.00
399.986500	32.46	-11.7	44.16	Horizon	46.00
527.978000	32.33	-8.6	40.93	Horizon	46.00
950.025000	31.06	-0.9	31.96	Horizon	46.00


For 802.11ac(HT80)

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
81.236000	17.39	-23.5	40.89	Vertical	40.00
130.908500	25.86	-21.4	47.26	Horizon	43.50
250.016000	25.23	-16.3	41.53	Horizon	46.00
399.986500	32.47	-11.7	44.17	Horizon	46.00
527.969500	32.22	-8.6	40.82	Horizon	46.00
950.025000	31.05	-0.9	31.95	Horizon	46.00

Carrier frequency (MHz): 5500
Channel No.:100




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum




Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Carrier frequency (MHz): 5520
Channel No.:104




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11 n(HT20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT20)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT20)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT20)

Full Spectrum




Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT20)

Carrier frequency (MHz): 5510


Channel No.:102



Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11 n(HT40)




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11 n(HT40)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT40)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT40)


Full Spectrum




Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Carrier frequency (MHz): 5560
Channel No.:112




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11 ac(HT20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT20)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT20)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT20)

Full Spectrum




Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT20)

Carrier frequency (MHz): 5590


Channel No.:118



Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11 ac(HT40)




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11 ac(HT40)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT40)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT40)


Full Spectrum




Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT40)

Carrier frequency (MHz): 5530
Channel No.:106




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(HT80)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11ac(HT80)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ac(HT80)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11ac(HT80)

Full Spectrum



Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11ac(HT80)

5725MHz-5850MHz

For 802.11a

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
49.074500	10.34	-17.2	27.54	Vertical	40.00
132.047000	26.18	-21.4	47.58	Horizon	43.50
250.016000	25.49	-16.3	41.79	Horizon	46.00
399.986500	32.51	-11.7	44.21	Horizon	46.00
527.978000	32.33	-8.6	40.93	Horizon	46.00
950.025000	31.02	-0.9	31.92	Horizon	46.00

For 802.11n(HT20)

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
40.601500	16.57	-18.1	34.67	Vertical	40.00
130.900000	26.13	-21.4	47.53	Horizon	43.50
250.016000	25.50	-16.3	41.80	Horizon	46.00
399.986500	32.45	-11.7	44.15	Horizon	46.00
527.978000	32.30	-8.6	40.90	Horizon	46.00
950.025000	31.01	-0.9	31.91	Horizon	46.00

For 802.11n(HT40)

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
153.461000	22.59	-21.5	44.09	Vertical	40.00
236.444500	26.31	-16.8	43.11	Horizon	43.50
250.016000	25.49	-16.3	41.79	Horizon	46.00
400.026500	29.83	-11.7	41.53	Horizon	46.00
527.978000	33.53	-8.6	42.13	Horizon	46.00
850.018000	31.73	-2.4	34.13	Horizon	46.00

For 802.11ac(HT20)

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
153.492500	22.31	-21.5	43.81	Horizon	43.50
235.312000	27.28	-16.9	44.18	Horizon	46.00
250.016000	25.97	-16.3	42.27	Horizon	46.00
350.014500	29.47	-13.4	42.87	Vertical	46.00
527.978000	33.38	-8.6	41.98	Horizon	46.00
950.025000	30.50	-0.9	31.40	Horizon	46.00


For 802.11ac(HT40)

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
152.385500	22.66	-21.5	44.16	Vertical	43.50
233.663000	26.69	-17.0	43.69	Horizon	46.00
250.016000	26.37	-16.3	42.67	Horizon	46.00
349.983000	28.63	-13.4	42.03	Vertical	46.00
527.978000	33.30	-8.6	41.90	Horizon	46.00
950.025000	30.41	-0.9	31.31	Horizon	46.00


For 802.11ac(HT80)

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
152.927500	22.60	-21.5	44.10	Vertical	43.50
235.329000	27.46	-16.9	44.36	Horizon	46.00
250.016000	26.46	-16.3	42.76	Vertical	46.00
349.983000	28.89	-13.4	42.29	Vertical	46.00
527.978000	33.28	-8.6	41.88	Horizon	46.00
950.025000	30.43	-0.9	31.33	Horizon	46.00

Carrier frequency (MHz): 5785
Channel No.:157




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum




Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Carrier frequency (MHz): 5785
Channel No.:157




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT20)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT20)

Full Spectrum




Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT20)

Carrier frequency (MHz): 5755


Channel No.:151



Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11 n(HT40)




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11 n(HT40)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT40)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT40)


Full Spectrum




Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11 n(HT40)

Carrier frequency (MHz): 5785
Channel No.:157




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11 ac(HT20)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT20)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT20)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT20)

Full Spectrum




Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT20)

Carrier frequency (MHz): 5755


Channel No.:151



Frequency Range: 30MHz -1GHz

Detector: QP mode

Test Mode: 802.11 ac(HT40)




Frequency Range: 1GHz -6GHz

Detector: Av mode and PK mode

Modulation type: 802.11 ac(HT40)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT40)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT40)

Full Spectrum




Comment


Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT40)

Carrier frequency (MHz): 5775

Channel No.:155




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11 ac(HT80)



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT80)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT80)


Full Spectrum



Comment

Frequency Range: 18GHz -26.5GHz
Detector: Av mode and PK mode
Modulation type: 802.11 ac(HT80)

Full Spectrum



Comment

Frequency Range: 26.5GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11ac(HT80)


AC Power line Conducted Emission

A "reference path loss" Corr.(dB) is established and the $L_{\text{cable}} + \text{ATT} + \text{VDF}$ is the attenuation of "reference path loss", and including the cable loss, the attenuation of the attenuator, the voltage division factor of AMN.

The measurement results are obtained as described below:

$$P_{\text{result}} = P_{\text{mea}} + \text{Corr. (dB)}$$

Sample calculation: $(24.06 \text{ dB}\mu\text{V}) = (-5.64 \text{ dB}\mu\text{V}) + (29.7 \text{ dB})$, the corresponding frequency is 0.525257MHz.



L+N Line

MEASUREMENT RESULT:

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)	Pmea QuasiPeak (dBμV)	Pmea Average (dBμV)
0.525257	---	24.06	46.00	21.94	N	29.7	---	-5.64
0.567900	32.90	---	56.00	23.10	L1	29.7	3.2	---
1.139314	---	24.52	46.00	21.48	L1	29.7	---	-5.18
1.224600	33.63	---	56.00	22.37	L1	29.7	3.93	---
1.616914	33.18	---	56.00	22.82	L1	29.7	3.48	---
1.881300	---	24.81	46.00	21.19	L1	29.7	---	-4.89
2.670193	---	26.29	46.00	19.71	L1	29.8	---	-3.51
3.241607	34.76	---	56.00	21.24	L1	29.8	4.96	---
4.793807	---	27.08	46.00	18.92	L1	29.8	---	-2.72
4.857771	35.28	---	56.00	20.72	L1	29.8	5.48	---
25.381779	37.37	---	60.00	22.63	L1	29.9	7.47	---
25.381779	---	28.02	50.00	21.98	L1	29.9	---	-1.88

---End of the test report---