




Tx. Spurious NVNT n20 5240MHz Ant1 Emission




Tx. Spurious NVNT n20 5260MHz Ant1 Emission




Tx. Spurious NVNT n20 5280MHz Ant1 Emission




Tx. Spurious NVNT n20 5320MHz Ant1 Emission




Tx. Spurious NVNT n40 5190MHz Ant1 Emission




Tx. Spurious NVNT n40 5230MHz Ant1 Emission




Tx. Spurious NVNT n40 5270MHz Ant1 Emission




Tx. Spurious NVNT n40 5310MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac20 5260MHz Ant1 Emission




Tx. Spurious NVNT ac20 5280MHz Ant1 Emission




Tx. Spurious NVNT ac20 5320MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac40 5270MHz Ant1 Emission




Tx. Spurious NVNT ac40 5310MHz Ant1 Emission



Tx. Spurious NVNT ac80 5210MHz Ant1 Emission



Tx. Spurious NVNT ac80 5290MHz Ant1 Emission



9.Restrict Band

Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
802.11a	5180	Ant1	4500	-43.95	2.01	53.29	Peak	68.2	Pass
802.11a	5180	Ant1	4500	-52.09	2.01	45.15	Average	54	Pass
802.11a	5180	Ant1	5149.6	-32.61	2.01	64.63	Peak	68.2	Pass
802.11a	5180	Ant1	5149.6	-46.43	2.01	50.81	Average	54	Pass
802.11a	5180	Ant1	5150	-34.15	2.01	63.09	Peak	68.2	Pass
802.11a	5180	Ant1	5150	-45.84	2.01	51.4	Average	54	Pass
802.11a	5240	Ant1	5350	-43.24	2.01	54	Peak	68.2	Pass
802.11a	5240	Ant1	5350	-51.28	2.01	45.96	Average	54	Pass
802.11a	5240	Ant1	5388.72	-39.19	2.01	58.05	Peak	68.2	Pass
802.11a	5240	Ant1	5448	-49.46	2.01	47.78	Average	54	Pass
802.11a	5240	Ant1	5460	-42.12	2.01	55.12	Peak	68.2	Pass
802.11a	5240	Ant1	5460	-51.12	2.01	46.12	Average	54	Pass
802.11a	5260	Ant1	4500	-42.48	2.01	54.76	Peak	68.2	Pass
802.11a	5260	Ant1	4500	-52.28	2.01	44.96	Average	54	Pass
802.11a	5260	Ant1	4988.28	-38.98	2.01	58.26	Peak	68.2	Pass
802.11a	5260	Ant1	5027.28	-49.84	2.01	47.4	Average	54	Pass
802.11a	5260	Ant1	5150	-42.38	2.01	54.86	Peak	68.2	Pass
802.11a	5260	Ant1	5150	-51.31	2.01	45.93	Average	54	Pass
802.11a	5320	Ant1	5350	-37.23	2.01	60.01	Peak	68.2	Pass
802.11a	5320	Ant1	5350	-48.51	2.01	48.73	Average	54	Pass
802.11a	5320	Ant1	5350	-37.23	2.01	60.01	Peak	68.2	Pass
802.11a	5320	Ant1	5350	-48.51	2.01	48.73	Average	54	Pass
802.11a	5320	Ant1	5460	-43.25	2.01	53.99	Peak	68.2	Pass
802.11a	5320	Ant1	5460	-51.41	2.01	45.83	Average	54	Pass
802.11n20	5180	Ant1	4500	-41.41	2.01	55.83	Peak	68.2	Pass
802.11n20	5180	Ant1	4500	-52.18	2.01	45.06	Average	54	Pass
802.11n20	5180	Ant1	5149.6	-30.7	2.01	66.54	Peak	68.2	Pass
802.11n20	5180	Ant1	5149.6	-45.7	2.01	51.54	Average	54	Pass
802.11n20	5180	Ant1	5150	-34.4	2.01	62.84	Peak	68.2	Pass
802.11n20	5180	Ant1	5150	-45.01	2.01	52.23	Average	54	Pass
802.11n20	5240	Ant1	5350	-43.69	2.01	53.55	Peak	68.2	Pass
802.11n20	5240	Ant1	5350	-51.61	2.01	45.63	Average	54	Pass
802.11n20	5240	Ant1	5456.4	-39.35	2.01	57.89	Peak	68.2	Pass
802.11n20	5240	Ant1	5447.28	-49.48	2.01	47.76	Average	54	Pass
802.11n20	5240	Ant1	5460	-41.36	2.01	55.88	Peak	68.2	Pass
802.11n20	5240	Ant1	5460	-51.05	2.01	46.19	Average	54	Pass
802.11n20	5260	Ant1	4500	-42.2	2.01	55.04	Peak	68.2	Pass
802.11n20	5260	Ant1	4500	-52.28	2.01	44.96	Average	54	Pass
802.11n20	5260	Ant1	4837.74	-39.03	2.01	58.21	Peak	68.2	Pass



802.11n20	5260	Ant1	5026.5	-49.73	2.01	47.51	Average	54	Pass
802.11n20	5260	Ant1	5150	-42.52	2.01	54.72	Peak	68.2	Pass
802.11n20	5260	Ant1	5150	-51.45	2.01	45.79	Average	54	Pass
802.11n20	5320	Ant1	5350	-33.87	2.01	63.37	Peak	68.2	Pass
802.11n20	5320	Ant1	5350	-47.39	2.01	49.85	Average	54	Pass
802.11n20	5320	Ant1	5350.6	-32.8	2.01	64.44	Peak	68.2	Pass
802.11n20	5320	Ant1	5350.2	-47.32	2.01	49.92	Average	54	Pass
802.11n20	5320	Ant1	5460	-43.79	2.01	53.45	Peak	68.2	Pass
802.11n20	5320	Ant1	5460	-51.3	2.01	45.94	Average	54	Pass
802.11n40	5190	Ant1	4500	-41.44	2.01	55.8	Peak	68.2	Pass
802.11n40	5190	Ant1	4500	-51.89	2.01	45.35	Average	54	Pass
802.11n40	5190	Ant1	5145.32	-30.9	2.01	66.34	Peak	68.2	Pass
802.11n40	5190	Ant1	5149.7	-45.21	2.01	52.03	Average	54	Pass
802.11n40	5190	Ant1	5150	-33.29	2.01	63.95	Peak	68.2	Pass
802.11n40	5190	Ant1	5150	-45.13	2.01	52.11	Average	54	Pass
802.11n40	5230	Ant1	5350	-42.69	2.01	54.55	Peak	68.2	Pass
802.11n40	5230	Ant1	5350	-51.07	2.01	46.17	Average	54	Pass
802.11n40	5230	Ant1	5447.04	-39.64	2.01	57.6	Peak	68.2	Pass
802.11n40	5230	Ant1	5448.12	-49.26	2.01	47.98	Average	54	Pass
802.11n40	5230	Ant1	5460	-41.91	2.01	55.33	Peak	68.2	Pass
802.11n40	5230	Ant1	5460	-50.71	2.01	46.53	Average	54	Pass
802.11n40	5270	Ant1	4500	-41.49	2.01	55.75	Peak	68.2	Pass
802.11n40	5270	Ant1	4500	-51.93	2.01	45.31	Average	54	Pass
802.11n40	5270	Ant1	4931.73	-38.98	2.01	58.26	Peak	68.2	Pass
802.11n40	5270	Ant1	4961.7	-49.21	2.01	48.03	Average	54	Pass
802.11n40	5270	Ant1	5150	-42.02	2.01	55.22	Peak	68.2	Pass
802.11n40	5270	Ant1	5150	-51.4	2.01	45.84	Average	54	Pass
802.11n40	5310	Ant1	5350	-36.29	2.01	60.95	Peak	68.2	Pass
802.11n40	5310	Ant1	5350	-44.87	2.01	52.37	Average	54	Pass
802.11n40	5310	Ant1	5352.2	-34.36	2.01	62.88	Peak	68.2	Pass
802.11n40	5310	Ant1	5350.6	-44.6	2.01	52.64	Average	54	Pass
802.11n40	5310	Ant1	5460	-41.56	2.01	55.68	Peak	68.2	Pass
802.11n40	5310	Ant1	5460	-51.04	2.01	46.2	Average	54	Pass
802.11ac20	5180	Ant1	4500	-43.3	2.01	53.94	Peak	68.2	Pass
802.11ac20	5180	Ant1	4500	-52.18	2.01	45.06	Average	54	Pass
802.11ac20	5180	Ant1	5145.4	-34.88	2.01	62.36	Peak	68.2	Pass
802.11ac20	5180	Ant1	5149.6	-47.74	2.01	49.5	Average	54	Pass
802.11ac20	5180	Ant1	5150	-34.18	2.01	63.06	Peak	68.2	Pass
802.11ac20	5180	Ant1	5150	-47.22	2.01	50.02	Average	54	Pass
802.11ac20	5240	Ant1	5350	-40.17	2.01	57.07	Peak	68.2	Pass
802.11ac20	5240	Ant1	5350	-51.39	2.01	45.85	Average	54	Pass
802.11ac20	5240	Ant1	5447.04	-38.9	2.01	58.34	Peak	68.2	Pass
802.11ac20	5240	Ant1	5446.8	-49.6	2.01	47.64	Average	54	Pass
802.11ac20	5240	Ant1	5460	-42.23	2.01	55.01	Peak	68.2	Pass




802.11ac20	5240	Ant1	5460	-50.85	2.01	46.39	Average	54	Pass
802.11ac20	5260	Ant1	4500	-42.55	2.01	54.69	Peak	68.2	Pass
802.11ac20	5260	Ant1	4500	-52.39	2.01	44.85	Average	54	Pass
802.11ac20	5260	Ant1	4978.14	-39.44	2.01	57.8	Peak	68.2	Pass
802.11ac20	5260	Ant1	5029.62	-49.79	2.01	47.45	Average	54	Pass
802.11ac20	5260	Ant1	5150	-42.9	2.01	54.34	Peak	68.2	Pass
802.11ac20	5260	Ant1	5150	-51.46	2.01	45.78	Average	54	Pass
802.11ac20	5320	Ant1	5350	-32.69	2.01	64.55	Peak	68.2	Pass
802.11ac20	5320	Ant1	5350	-47.36	2.01	49.88	Average	54	Pass
802.11ac20	5320	Ant1	5351.6	-32.15	2.01	65.09	Peak	68.2	Pass
802.11ac20	5320	Ant1	5350.4	-47.22	2.01	50.02	Average	54	Pass
802.11ac20	5320	Ant1	5460	-44.2	2.01	53.04	Peak	68.2	Pass
802.11ac20	5320	Ant1	5460	-51.25	2.01	45.99	Average	54	Pass
802.11ac40	5190	Ant1	4500	-42.58	2.01	54.66	Peak	68.2	Pass
802.11ac40	5190	Ant1	4500	-52.16	2.01	45.08	Average	54	Pass
802.11ac40	5190	Ant1	5146.05	-32.5	2.01	64.74	Peak	68.2	Pass
802.11ac40	5190	Ant1	5149.7	-47.37	2.01	49.87	Average	54	Pass
802.11ac40	5190	Ant1	5150	-35.32	2.01	61.92	Peak	68.2	Pass
802.11ac40	5190	Ant1	5150	-47.13	2.01	50.11	Average	54	Pass
802.11ac40	5230	Ant1	5350	-41.02	2.01	56.22	Peak	68.2	Pass
802.11ac40	5230	Ant1	5350	-51.5	2.01	45.74	Average	54	Pass
802.11ac40	5230	Ant1	5455.95	-38.95	2.01	58.29	Peak	68.2	Pass
802.11ac40	5230	Ant1	5447.31	-49.14	2.01	48.1	Average	54	Pass
802.11ac40	5230	Ant1	5460	-42.42	2.01	54.82	Peak	68.2	Pass
802.11ac40	5230	Ant1	5460	-50.81	2.01	46.43	Average	54	Pass
802.11ac40	5270	Ant1	4500	-42	2.01	55.24	Peak	68.2	Pass
802.11ac40	5270	Ant1	4500	-52.06	2.01	45.18	Average	54	Pass
802.11ac40	5270	Ant1	5095.35	-38.02	2.01	59.22	Peak	68.2	Pass
802.11ac40	5270	Ant1	5032.17	-49	2.01	48.24	Average	54	Pass
802.11ac40	5270	Ant1	5150	-41.61	2.01	55.63	Peak	68.2	Pass
802.11ac40	5270	Ant1	5150	-51.62	2.01	45.62	Average	54	Pass
802.11ac40	5310	Ant1	5350	-36.74	2.01	60.5	Peak	68.2	Pass
802.11ac40	5310	Ant1	5350	-44.7	2.01	52.54	Average	54	Pass
802.11ac40	5310	Ant1	5350.6	-34.36	2.01	62.88	Peak	68.2	Pass
802.11ac40	5310	Ant1	5351	-44.2	2.01	53.04	Average	54	Pass
802.11ac40	5310	Ant1	5460	-43.29	2.01	53.95	Peak	68.2	Pass
802.11ac40	5310	Ant1	5460	-51.27	2.01	45.97	Average	54	Pass
802.11ac80	5210	Ant1	4500	-42.63	2.01	54.61	Peak	68.2	Pass
802.11ac80	5210	Ant1	4500	-52.92	2.01	44.32	Average	54	Pass
802.11ac80	5210	Ant1	5117.78	-37.39	2.01	59.85	Peak	68.2	Pass
802.11ac80	5210	Ant1	4966.1	-50.16	2.01	47.08	Average	54	Pass
802.11ac80	5210	Ant1	5150	-38.61	2.01	58.63	Peak	68.2	Pass
802.11ac80	5210	Ant1	5150	-50.34	2.01	46.9	Average	54	Pass
802.11ac80	5290	Ant1	0	-42.3	2.01	54.94	Peak	68.2	Pass




802.11ac80	5290	Ant1	0	-51.76	2.01	45.48	Average	54	Pass
802.11ac80	5290	Ant1	4964.58	-38.48	2.01	58.76	Peak	68.2	Pass
802.11ac80	5290	Ant1	4964.58	-48.66	2.01	48.58	Average	54	Pass
802.11ac80	5290	Ant1	5150	-43	2.01	54.24	Peak	68.2	Pass
802.11ac80	5290	Ant1	5150	-50.78	2.01	46.46	Average	54	Pass

Test Graphs


Restrict Band NVNT a 5180MHz Ant1 Peak




Restrict Band NVNT a 5180MHz Ant1 Average




Restrict Band NVNT a 5240MHz Ant1 Peak




Restrict Band NVNT a 5240MHz Ant1 Average




Restrict Band NVNT a 5260MHz Ant1 Peak




Restrict Band NVNT a 5260MHz Ant1 Average




Restrict Band NVNT a 5320MHz Ant1 Peak




Restrict Band NVNT a 5320MHz Ant1 Average




Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average




Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average




Restrict Band NVNT n20 5260MHz Ant1 Peak




Restrict Band NVNT n20 5260MHz Ant1 Average




Restrict Band NVNT n20 5320MHz Ant1 Peak




Restrict Band NVNT n20 5320MHz Ant1 Average




Restrict Band NVNT n40 5190MHz Ant1 Peak




Restrict Band NVNT n40 5190MHz Ant1 Average




Restrict Band NVNT n40 5230MHz Ant1 Peak




Restrict Band NVNT n40 5230MHz Ant1 Average




Restrict Band NVNT n40 5270MHz Ant1 Peak




Restrict Band NVNT n40 5270MHz Ant1 Average




Restrict Band NVNT n40 5310MHz Ant1 Peak




Restrict Band NVNT n40 5310MHz Ant1 Average




Restrict Band NVNT ac20 5180MHz Ant1 Peak




Restrict Band NVNT ac20 5180MHz Ant1 Average




Restrict Band NVNT ac20 5240MHz Ant1 Peak




Restrict Band NVNT ac20 5240MHz Ant1 Average




Restrict Band NVNT ac20 5260MHz Ant1 Peak




Restrict Band NVNT ac20 5260MHz Ant1 Average




Restrict Band NVNT ac20 5320MHz Ant1 Peak




Restrict Band NVNT ac20 5320MHz Ant1 Average




Restrict Band NVNT ac40 5190MHz Ant1 Peak




Restrict Band NVNT ac40 5190MHz Ant1 Average




Restrict Band NVNT ac40 5230MHz Ant1 Peak




Restrict Band NVNT ac40 5230MHz Ant1 Average




Restrict Band NVNT ac40 5270MHz Ant1 Peak




Restrict Band NVNT ac40 5270MHz Ant1 Average




Restrict Band NVNT ac40 5310MHz Ant1 Peak




Restrict Band NVNT ac40 5310MHz Ant1 Average




Restrict Band NVNT ac80 5210MHz Ant1 Peak




Restrict Band NVNT ac80 5210MHz Ant1 Average



Restrict Band NVNT ac80 5290MHz Ant1 Peak



Restrict Band NVNT ac80 5290MHz Ant1 Average



-----End-----