

1. Effective (Isotropic) Radiated Power Output Data

1.1 B66_1.4MHz_EIRP

1.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	22.78	0.25	23.03	<=30	Pass
			2	22.76	0.25	23.01	<=30	Pass
			5	22.63	0.25	22.88	<=30	Pass
		3	0	22.69	0.25	22.94	<=30	Pass
			2	22.75	0.25	23.00	<=30	Pass
			3	22.72	0.25	22.97	<=30	Pass
		6	0	21.67	0.25	21.92	<=30	Pass
	1745	1	0	22.39	0.25	22.64	<=30	Pass
			2	22.52	0.25	22.77	<=30	Pass
			5	22.44	0.25	22.69	<=30	Pass
		3	0	22.46	0.25	22.71	<=30	Pass
			2	22.46	0.25	22.71	<=30	Pass
			3	22.43	0.25	22.68	<=30	Pass
		6	0	21.47	0.25	21.72	<=30	Pass
	1779.3	1	0	22.12	0.25	22.37	<=30	Pass
			2	22.22	0.25	22.47	<=30	Pass
			5	22.11	0.25	22.36	<=30	Pass
		3	0	22.18	0.25	22.43	<=30	Pass
			2	22.22	0.25	22.47	<=30	Pass
			3	22.16	0.25	22.41	<=30	Pass
		6	0	21.19	0.25	21.44	<=30	Pass
16QAM	1710.7	1	0	21.57	0.25	21.82	<=30	Pass
			2	21.74	0.25	21.99	<=30	Pass
			5	21.62	0.25	21.87	<=30	Pass
		3	0	21.79	0.25	22.04	<=30	Pass
			2	21.77	0.25	22.02	<=30	Pass
			3	21.73	0.25	21.98	<=30	Pass
		6	0	20.60	0.25	20.85	<=30	Pass
	1745	1	0	21.36	0.25	21.61	<=30	Pass
			2	21.48	0.25	21.73	<=30	Pass
			5	21.41	0.25	21.66	<=30	Pass
		3	0	21.52	0.25	21.77	<=30	Pass
			2	21.53	0.25	21.78	<=30	Pass
			3	21.49	0.25	21.74	<=30	Pass
		6	0	20.39	0.25	20.64	<=30	Pass
	1779.3	1	0	21.22	0.25	21.47	<=30	Pass
			2	21.35	0.25	21.60	<=30	Pass
			5	21.21	0.25	21.46	<=30	Pass
		3	0	21.14	0.25	21.39	<=30	Pass
			2	21.17	0.25	21.42	<=30	Pass
			3	21.16	0.25	21.41	<=30	Pass
		6	0	20.16	0.25	20.41	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.2 B66_3MHz_EIRP

1.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	22.62	0.25	22.87	<=30	Pass
			7	22.77	0.25	23.02	<=30	Pass
			14	22.62	0.25	22.87	<=30	Pass
		8	0	21.68	0.25	21.93	<=30	Pass
			4	21.66	0.25	21.91	<=30	Pass
			7	21.66	0.25	21.91	<=30	Pass
		15	0	21.65	0.25	21.90	<=30	Pass
	1745	1	0	22.43	0.25	22.68	<=30	Pass
			7	22.53	0.25	22.78	<=30	Pass
			14	22.35	0.25	22.60	<=30	Pass
		8	0	21.42	0.25	21.67	<=30	Pass
			4	21.44	0.25	21.69	<=30	Pass
			7	21.39	0.25	21.64	<=30	Pass
	15	0	21.37	0.25	21.62	<=30	Pass	
	1778.5	1	0	22.16	0.25	22.41	<=30	Pass
			7	22.30	0.25	22.55	<=30	Pass
			14	22.16	0.25	22.41	<=30	Pass
		8	0	21.13	0.25	21.38	<=30	Pass
			4	21.16	0.25	21.41	<=30	Pass
			7	21.14	0.25	21.39	<=30	Pass
		15	0	21.12	0.25	21.37	<=30	Pass
16QAM	1711.5	1	0	21.79	0.25	22.04	<=30	Pass
			7	21.94	0.25	22.19	<=30	Pass
			14	21.81	0.25	22.06	<=30	Pass
		8	0	20.64	0.25	20.89	<=30	Pass
			4	20.66	0.25	20.91	<=30	Pass
			7	20.62	0.25	20.87	<=30	Pass
		15	0	20.60	0.25	20.85	<=30	Pass
	1745	1	0	21.87	0.25	22.12	<=30	Pass
			7	21.98	0.25	22.23	<=30	Pass
			14	21.80	0.25	22.05	<=30	Pass
		8	0	20.53	0.25	20.78	<=30	Pass
			4	20.54	0.25	20.79	<=30	Pass
			7	20.50	0.25	20.75	<=30	Pass
	15	0	20.42	0.25	20.67	<=30	Pass	
	1778.5	1	0	21.15	0.25	21.40	<=30	Pass
			7	21.26	0.25	21.51	<=30	Pass
			14	21.10	0.25	21.35	<=30	Pass
		8	0	20.19	0.25	20.44	<=30	Pass
4			20.22	0.25	20.47	<=30	Pass	
7			20.20	0.25	20.45	<=30	Pass	
15		0	20.17	0.25	20.42	<=30	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

1.3 B66_5MHz_EIRP

1.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	22.57	0.25	22.82	<=30	Pass
			13	22.69	0.25	22.94	<=30	Pass
			24	22.58	0.25	22.83	<=30	Pass
		12	0	21.64	0.25	21.89	<=30	Pass
			6	21.67	0.25	21.92	<=30	Pass
			13	21.63	0.25	21.88	<=30	Pass
		25	0	21.65	0.25	21.90	<=30	Pass
	1745	1	0	22.34	0.25	22.59	<=30	Pass
			13	22.42	0.25	22.67	<=30	Pass
			24	22.29	0.25	22.54	<=30	Pass
		12	0	21.33	0.25	21.58	<=30	Pass
			6	21.38	0.25	21.63	<=30	Pass
			13	21.35	0.25	21.60	<=30	Pass
		25	0	21.36	0.25	21.61	<=30	Pass
	1777.5	1	0	22.06	0.25	22.31	<=30	Pass
			13	22.17	0.25	22.42	<=30	Pass
			24	22.05	0.25	22.30	<=30	Pass
		12	0	21.08	0.25	21.33	<=30	Pass
			6	21.14	0.25	21.39	<=30	Pass
			13	21.14	0.25	21.39	<=30	Pass
		25	0	21.14	0.25	21.39	<=30	Pass
16QAM	1712.5	1	0	21.83	0.25	22.08	<=30	Pass
			13	21.97	0.25	22.22	<=30	Pass
			24	21.84	0.25	22.09	<=30	Pass
		12	0	20.69	0.25	20.94	<=30	Pass
			6	20.75	0.25	21.00	<=30	Pass
			13	20.69	0.25	20.94	<=30	Pass
		25	0	20.60	0.25	20.85	<=30	Pass
	1745	1	0	21.14	0.25	21.39	<=30	Pass
			13	21.23	0.25	21.48	<=30	Pass
			24	21.11	0.25	21.36	<=30	Pass
		12	0	20.36	0.25	20.61	<=30	Pass
			6	20.40	0.25	20.65	<=30	Pass
			13	20.39	0.25	20.64	<=30	Pass
		25	0	20.38	0.25	20.63	<=30	Pass
	1777.5	1	0	21.15	0.25	21.40	<=30	Pass
			13	21.26	0.25	21.51	<=30	Pass
			24	21.14	0.25	21.39	<=30	Pass
		12	0	20.12	0.25	20.37	<=30	Pass
6			20.16	0.25	20.41	<=30	Pass	
13			20.11	0.25	20.36	<=30	Pass	
25		0	20.13	0.25	20.38	<=30	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

1.4 B66_10MHz_EIRP

1.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	22.69	0.25	22.94	<=30	Pass
			25	22.80	0.25	23.05	<=30	Pass
			49	22.69	0.25	22.94	<=30	Pass
		25	0	21.72	0.25	21.97	<=30	Pass
			13	21.69	0.25	21.94	<=30	Pass
			25	21.65	0.25	21.90	<=30	Pass
		50	0	21.73	0.25	21.98	<=30	Pass
	1745	1	0	22.44	0.25	22.69	<=30	Pass
			25	22.51	0.25	22.76	<=30	Pass
			49	22.33	0.25	22.58	<=30	Pass
		25	0	21.42	0.25	21.67	<=30	Pass
			13	21.43	0.25	21.68	<=30	Pass
			25	21.43	0.25	21.68	<=30	Pass
	50	0	21.44	0.25	21.69	<=30	Pass	
	1775	1	0	22.13	0.25	22.38	<=30	Pass
			25	22.26	0.25	22.51	<=30	Pass
			49	22.11	0.25	22.36	<=30	Pass
		25	0	21.18	0.25	21.43	<=30	Pass
			13	21.20	0.25	21.45	<=30	Pass
			25	21.26	0.25	21.51	<=30	Pass
		50	0	21.23	0.25	21.48	<=30	Pass
16QAM	1715	1	0	21.67	0.25	21.92	<=30	Pass
			25	21.80	0.25	22.05	<=30	Pass
			49	21.67	0.25	21.92	<=30	Pass
		25	0	20.81	0.25	21.06	<=30	Pass
			13	20.79	0.25	21.04	<=30	Pass
			25	20.75	0.25	21.00	<=30	Pass
		50	0	20.75	0.25	21.00	<=30	Pass
	1745	1	0	21.59	0.25	21.84	<=30	Pass
			25	21.63	0.25	21.88	<=30	Pass
			49	21.48	0.25	21.73	<=30	Pass
		25	0	20.43	0.25	20.68	<=30	Pass
			13	20.43	0.25	20.68	<=30	Pass
			25	20.47	0.25	20.72	<=30	Pass
	50	0	20.43	0.25	20.68	<=30	Pass	
	1775	1	0	21.71	0.25	21.96	<=30	Pass
			25	21.79	0.25	22.04	<=30	Pass
			49	21.61	0.25	21.86	<=30	Pass
		25	0	20.21	0.25	20.46	<=30	Pass
13			20.25	0.25	20.50	<=30	Pass	
25			20.30	0.25	20.55	<=30	Pass	
50		0	20.24	0.25	20.49	<=30	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

1.5 B66_15MHz_EIRP

1.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	22.59	0.25	22.84	<=30	Pass
			38	22.65	0.25	22.90	<=30	Pass
			74	22.49	0.25	22.74	<=30	Pass
		36	0	21.68	0.25	21.93	<=30	Pass
			18	21.68	0.25	21.93	<=30	Pass
			39	21.67	0.25	21.92	<=30	Pass
		75	0	21.74	0.25	21.99	<=30	Pass
	1745	1	0	22.38	0.25	22.63	<=30	Pass
			38	22.40	0.25	22.65	<=30	Pass
			74	22.23	0.25	22.48	<=30	Pass
		36	0	21.50	0.25	21.75	<=30	Pass
			18	21.48	0.25	21.73	<=30	Pass
			39	21.46	0.25	21.71	<=30	Pass
		75	0	21.50	0.25	21.75	<=30	Pass
	1772.5	1	0	22.05	0.25	22.30	<=30	Pass
			38	22.15	0.25	22.40	<=30	Pass
			74	22.05	0.25	22.30	<=30	Pass
		36	0	21.18	0.25	21.43	<=30	Pass
			18	21.18	0.25	21.43	<=30	Pass
			39	21.26	0.25	21.51	<=30	Pass
		75	0	21.26	0.25	21.51	<=30	Pass
16QAM	1717.5	1	0	21.92	0.25	22.17	<=30	Pass
			38	22.07	0.25	22.32	<=30	Pass
			74	21.89	0.25	22.14	<=30	Pass
		36	0	20.68	0.25	20.93	<=30	Pass
			18	20.70	0.25	20.95	<=30	Pass
			39	20.68	0.25	20.93	<=30	Pass
		75	0	20.68	0.25	20.93	<=30	Pass
	1745	1	0	21.54	0.25	21.79	<=30	Pass
			38	21.53	0.25	21.78	<=30	Pass
			74	21.36	0.25	21.61	<=30	Pass
		36	0	20.46	0.25	20.71	<=30	Pass
			18	20.48	0.25	20.73	<=30	Pass
			39	20.46	0.25	20.71	<=30	Pass
		75	0	20.46	0.25	20.71	<=30	Pass
	1772.5	1	0	21.64	0.25	21.89	<=30	Pass
			38	21.71	0.25	21.96	<=30	Pass
			74	21.57	0.25	21.82	<=30	Pass
		36	0	20.24	0.25	20.49	<=30	Pass
18			20.25	0.25	20.50	<=30	Pass	
39			20.29	0.25	20.54	<=30	Pass	
75		0	20.24	0.25	20.49	<=30	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

1.6 B66_20MHz_EIRP

1.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	22.41	0.25	22.66	<=30	Pass
			50	22.77	0.25	23.02	<=30	Pass
			99	22.34	0.25	22.59	<=30	Pass
		50	0	21.74	0.25	21.99	<=30	Pass
			25	21.64	0.25	21.89	<=30	Pass
			50	21.61	0.25	21.86	<=30	Pass
		100	0	21.67	0.25	21.92	<=30	Pass
	1745	1	0	22.24	0.25	22.49	<=30	Pass
			50	22.53	0.25	22.78	<=30	Pass
			99	22.04	0.25	22.29	<=30	Pass
		50	0	21.40	0.25	21.65	<=30	Pass
			25	21.43	0.25	21.68	<=30	Pass
			50	21.34	0.25	21.59	<=30	Pass
		100	0	21.39	0.25	21.64	<=30	Pass
	1770	1	0	21.91	0.25	22.16	<=30	Pass
			50	22.27	0.25	22.52	<=30	Pass
			99	21.84	0.25	22.09	<=30	Pass
		50	0	21.22	0.25	21.47	<=30	Pass
			25	21.20	0.25	21.45	<=30	Pass
			50	21.17	0.25	21.42	<=30	Pass
		100	0	21.19	0.25	21.44	<=30	Pass
16QAM	1720	1	0	21.62	0.25	21.87	<=30	Pass
			50	21.98	0.25	22.23	<=30	Pass
			99	21.52	0.25	21.77	<=30	Pass
		50	0	20.75	0.25	21.00	<=30	Pass
			25	20.69	0.25	20.94	<=30	Pass
			50	20.65	0.25	20.90	<=30	Pass
		100	0	20.69	0.25	20.94	<=30	Pass
	1745	1	0	21.51	0.25	21.76	<=30	Pass
			50	21.74	0.25	21.99	<=30	Pass
			99	21.34	0.25	21.59	<=30	Pass
		50	0	20.39	0.25	20.64	<=30	Pass
			25	20.44	0.25	20.69	<=30	Pass
			50	20.33	0.25	20.58	<=30	Pass
		100	0	20.37	0.25	20.62	<=30	Pass
	1770	1	0	21.44	0.25	21.69	<=30	Pass
			50	21.76	0.25	22.01	<=30	Pass
			99	21.38	0.25	21.63	<=30	Pass
		50	0	20.20	0.25	20.45	<=30	Pass
25			20.19	0.25	20.44	<=30	Pass	
50			20.19	0.25	20.44	<=30	Pass	
100		0	20.18	0.25	20.43	<=30	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

2. Frequency Stability

2.1 B66_1.4MHz

2.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1710.7	6	0	20	3.27	11.430	0.0067	-2.5 to 2.5	Pass
					3.85	-20.814	-0.0122	-2.5 to 2.5	Pass
					4.43	-15.306	-0.0089	-2.5 to 2.5	Pass
				-30	3.85	-13.490	-0.0079	-2.5 to 2.5	Pass
				-20	3.85	-13.518	-0.0079	-2.5 to 2.5	Pass
				-10	3.85	20.685	0.0121	-2.5 to 2.5	Pass
				0	3.85	-11.187	-0.0065	-2.5 to 2.5	Pass
				10	3.85	-9.456	-0.0055	-2.5 to 2.5	Pass
				30	3.85	-6.566	-0.0038	-2.5 to 2.5	Pass
				40	3.85	-16.065	-0.0094	-2.5 to 2.5	Pass
				50	3.85	-14.663	-0.0086	-2.5 to 2.5	Pass
	1745	6	0	20	3.27	-4.678	-0.0027	-2.5 to 2.5	Pass
					3.85	-8.268	-0.0047	-2.5 to 2.5	Pass
					4.43	-8.669	-0.0050	-2.5 to 2.5	Pass
				-30	3.85	-17.781	-0.0102	-2.5 to 2.5	Pass
				-20	3.85	-7.124	-0.0041	-2.5 to 2.5	Pass
				-10	3.85	-5.794	-0.0033	-2.5 to 2.5	Pass
				0	3.85	-5.479	-0.0031	-2.5 to 2.5	Pass
				10	3.85	-8.826	-0.0051	-2.5 to 2.5	Pass
				30	3.85	-13.275	-0.0076	-2.5 to 2.5	Pass
				40	3.85	-9.542	-0.0055	-2.5 to 2.5	Pass
				50	3.85	-6.967	-0.0040	-2.5 to 2.5	Pass
	1779.3	6	0	20	3.27	-8.726	-0.0049	-2.5 to 2.5	Pass
					3.85	-1.116	-0.0006	-2.5 to 2.5	Pass
					4.43	-13.919	-0.0078	-2.5 to 2.5	Pass
				-30	3.85	-9.656	-0.0054	-2.5 to 2.5	Pass
				-20	3.85	-14.520	-0.0082	-2.5 to 2.5	Pass
				-10	3.85	-11.630	-0.0065	-2.5 to 2.5	Pass
				0	3.85	-11.187	-0.0063	-2.5 to 2.5	Pass
				10	3.85	1.760	0.0010	-2.5 to 2.5	Pass
				30	3.85	-16.294	-0.0092	-2.5 to 2.5	Pass
				40	3.85	-11.859	-0.0067	-2.5 to 2.5	Pass
				50	3.85	0.787	0.0004	-2.5 to 2.5	Pass
16QAM	1710.7	6	0	20	3.27	-12.116	-0.0071	-2.5 to 2.5	Pass
					3.85	-16.737	-0.0098	-2.5 to 2.5	Pass
					4.43	-11.458	-0.0067	-2.5 to 2.5	Pass
				-30	3.85	-16.952	-0.0099	-2.5 to 2.5	Pass
				-20	3.85	-17.853	-0.0104	-2.5 to 2.5	Pass
				-10	3.85	-7.796	-0.0046	-2.5 to 2.5	Pass
				0	3.85	-19.455	-0.0114	-2.5 to 2.5	Pass
				10	3.85	120.721	0.0706	-2.5 to 2.5	Pass
				30	3.85	24.590	0.0144	-2.5 to 2.5	Pass
				40	3.85	-3.519	-0.0021	-2.5 to 2.5	Pass
				50	3.85	-5.164	-0.0030	-2.5 to 2.5	Pass
	1745	6	0	20	3.27	97.675	0.0560	-2.5 to 2.5	Pass
					3.85	7.482	0.0043	-2.5 to 2.5	Pass

					4.43	-5.407	-0.0031	-2.5 to 2.5	Pass
				-30	3.85	-9.413	-0.0054	-2.5 to 2.5	Pass
				-20	3.85	-7.668	-0.0044	-2.5 to 2.5	Pass
				-10	3.85	-0.300	-0.0002	-2.5 to 2.5	Pass
				0	3.85	0.057	0.0000	-2.5 to 2.5	Pass
				10	3.85	13.604	0.0078	-2.5 to 2.5	Pass
				30	3.85	-2.689	-0.0015	-2.5 to 2.5	Pass
				40	3.85	-5.078	-0.0029	-2.5 to 2.5	Pass
				50	3.85	-8.454	-0.0048	-2.5 to 2.5	Pass
	1779.3	6	0	20	3.27	14.076	0.0079	-2.5 to 2.5	Pass
					3.85	-0.815	-0.0005	-2.5 to 2.5	Pass
					4.43	-19.798	-0.0111	-2.5 to 2.5	Pass
				-30	3.85	-9.470	-0.0053	-2.5 to 2.5	Pass
				-20	3.85	-6.094	-0.0034	-2.5 to 2.5	Pass
				-10	3.85	-8.397	-0.0047	-2.5 to 2.5	Pass
				0	3.85	-10.185	-0.0057	-2.5 to 2.5	Pass
				10	3.85	1.717	0.0010	-2.5 to 2.5	Pass
				30	3.85	-7.882	-0.0044	-2.5 to 2.5	Pass
				40	3.85	-4.649	-0.0026	-2.5 to 2.5	Pass
				50	3.85	-6.423	-0.0036	-2.5 to 2.5	Pass

2.2 B66_3MHz

2.2.1 Test Result

Band: 66 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1711.5	15	0	20	3.27	-12.302	-0.0072	-2.5 to 2.5	Pass
					3.85	-11.945	-0.0070	-2.5 to 2.5	Pass
					4.43	-8.354	-0.0049	-2.5 to 2.5	Pass
				-30	3.85	-9.112	-0.0053	-2.5 to 2.5	Pass
				-20	3.85	-8.354	-0.0049	-2.5 to 2.5	Pass
				-10	3.85	1.030	0.0006	-2.5 to 2.5	Pass
				0	3.85	3.676	0.0021	-2.5 to 2.5	Pass
				10	3.85	1.616	0.0009	-2.5 to 2.5	Pass
				30	3.85	4.177	0.0024	-2.5 to 2.5	Pass
				40	3.85	-2.761	-0.0016	-2.5 to 2.5	Pass
				50	3.85	-9.327	-0.0054	-2.5 to 2.5	Pass
	1745	15	0	20	3.27	-9.041	-0.0052	-2.5 to 2.5	Pass
					3.85	-16.208	-0.0093	-2.5 to 2.5	Pass
					4.43	-8.097	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	-6.022	-0.0035	-2.5 to 2.5	Pass
				-20	3.85	2.317	0.0013	-2.5 to 2.5	Pass
				-10	3.85	-2.317	-0.0013	-2.5 to 2.5	Pass
				0	3.85	-12.460	-0.0071	-2.5 to 2.5	Pass
				10	3.85	-4.063	-0.0023	-2.5 to 2.5	Pass
				30	3.85	-6.509	-0.0037	-2.5 to 2.5	Pass
				40	3.85	-2.375	-0.0014	-2.5 to 2.5	Pass
				50	3.85	-11.358	-0.0065	-2.5 to 2.5	Pass
	1778.5	15	0	20	3.27	3.419	0.0019	-2.5 to 2.5	Pass
					3.85	-7.038	-0.0040	-2.5 to 2.5	Pass
					4.43	-5.064	-0.0028	-2.5 to 2.5	Pass
				-30	3.85	-23.117	-0.0130	-2.5 to 2.5	Pass
				-20	3.85	-32.601	-0.0183	-2.5 to 2.5	Pass

16QAM	1711.5	15	0	-10	3.85	-34.919	-0.0196	-2.5 to 2.5	Pass
				0	3.85	101.538	0.0571	-2.5 to 2.5	Pass
				10	3.85	5.178	0.0029	-2.5 to 2.5	Pass
				30	3.85	-13.962	-0.0079	-2.5 to 2.5	Pass
				40	3.85	-14.620	-0.0082	-2.5 to 2.5	Pass
				50	3.85	-22.516	-0.0127	-2.5 to 2.5	Pass
	1745	15	0	20	3.27	-9.542	-0.0056	-2.5 to 2.5	Pass
					3.85	-7.725	-0.0045	-2.5 to 2.5	Pass
					4.43	-10.157	-0.0059	-2.5 to 2.5	Pass
				-30	3.85	-8.254	-0.0048	-2.5 to 2.5	Pass
				-20	3.85	-10.700	-0.0063	-2.5 to 2.5	Pass
				-10	3.85	-5.636	-0.0033	-2.5 to 2.5	Pass
				0	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				10	3.85	2.131	0.0012	-2.5 to 2.5	Pass
				30	3.85	1.945	0.0011	-2.5 to 2.5	Pass
				40	3.85	1.974	0.0012	-2.5 to 2.5	Pass
				50	3.85	-3.090	-0.0018	-2.5 to 2.5	Pass
				20	3.27	-10.185	-0.0058	-2.5 to 2.5	Pass
					3.85	3.362	0.0019	-2.5 to 2.5	Pass
					4.43	1.030	0.0006	-2.5 to 2.5	Pass
				-30	3.85	-6.351	-0.0036	-2.5 to 2.5	Pass
				-20	3.85	-3.834	-0.0022	-2.5 to 2.5	Pass
	1778.5	15	0	-10	3.85	-5.379	-0.0031	-2.5 to 2.5	Pass
				0	3.85	-16.007	-0.0092	-2.5 to 2.5	Pass
				10	3.85	-4.363	-0.0025	-2.5 to 2.5	Pass
				30	3.85	13.561	0.0078	-2.5 to 2.5	Pass
				40	3.85	1.960	0.0011	-2.5 to 2.5	Pass
				50	3.85	-15.750	-0.0090	-2.5 to 2.5	Pass
				20	3.27	-26.565	-0.0149	-2.5 to 2.5	Pass
					3.85	-35.949	-0.0202	-2.5 to 2.5	Pass
					4.43	-38.109	-0.0214	-2.5 to 2.5	Pass
				-30	3.85	65.131	0.0366	-2.5 to 2.5	Pass
				-20	3.85	-5.007	-0.0028	-2.5 to 2.5	Pass
				-10	3.85	-26.093	-0.0147	-2.5 to 2.5	Pass
				0	3.85	-28.081	-0.0158	-2.5 to 2.5	Pass
				10	3.85	-24.033	-0.0135	-2.5 to 2.5	Pass
				30	3.85	-23.475	-0.0132	-2.5 to 2.5	Pass
				40	3.85	-34.161	-0.0192	-2.5 to 2.5	Pass
				50	3.85	-35.105	-0.0197	-2.5 to 2.5	Pass

2.3 B66_5MHz

2.3.1 Test Result

Band: 66 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1712.5	25	0	20	3.27	-7.238	-0.0042	-2.5 to 2.5	Pass
					3.85	-11.058	-0.0065	-2.5 to 2.5	Pass
					4.43	-8.011	-0.0047	-2.5 to 2.5	Pass
				-30	3.85	-4.277	-0.0025	-2.5 to 2.5	Pass
				-20	3.85	-1.259	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	1.001	0.0006	-2.5 to 2.5	Pass
				0	3.85	-10.943	-0.0064	-2.5 to 2.5	Pass
				10	3.85	0.129	0.0001	-2.5 to 2.5	Pass

	1745	25	0	30	3.85	-5.879	-0.0034	-2.5 to 2.5	Pass
				40	3.85	-2.017	-0.0012	-2.5 to 2.5	Pass
				50	3.85	-1.559	-0.0009	-2.5 to 2.5	Pass
				20	3.27	-0.715	-0.0004	-2.5 to 2.5	Pass
					3.85	-0.029	0.0000	-2.5 to 2.5	Pass
					4.43	-1.631	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	0.515	0.0003	-2.5 to 2.5	Pass
				-20	3.85	-7.038	-0.0040	-2.5 to 2.5	Pass
				-10	3.85	2.074	0.0012	-2.5 to 2.5	Pass
	1777.5	25	0	0	3.85	2.117	0.0012	-2.5 to 2.5	Pass
				10	3.85	-3.691	-0.0021	-2.5 to 2.5	Pass
				30	3.85	-5.193	-0.0030	-2.5 to 2.5	Pass
				40	3.85	1.402	0.0008	-2.5 to 2.5	Pass
				50	3.85	-11.873	-0.0068	-2.5 to 2.5	Pass
				20	3.27	-1.073	-0.0006	-2.5 to 2.5	Pass
					3.85	-5.579	-0.0031	-2.5 to 2.5	Pass
					4.43	-3.233	-0.0018	-2.5 to 2.5	Pass
				-30	3.85	-6.237	-0.0035	-2.5 to 2.5	Pass
				-20	3.85	-7.854	-0.0044	-2.5 to 2.5	Pass
				-10	3.85	-16.494	-0.0093	-2.5 to 2.5	Pass
				0	3.85	-13.447	-0.0076	-2.5 to 2.5	Pass
				10	3.85	-3.619	-0.0020	-2.5 to 2.5	Pass
				30	3.85	-9.356	-0.0053	-2.5 to 2.5	Pass
				40	3.85	-14.620	-0.0082	-2.5 to 2.5	Pass
				50	3.85	3.734	0.0021	-2.5 to 2.5	Pass
16QAM	1712.5	25	0	20	3.27	-1.545	-0.0009	-2.5 to 2.5	Pass
					3.85	-2.489	-0.0015	-2.5 to 2.5	Pass
					4.43	0.458	0.0003	-2.5 to 2.5	Pass
				-30	3.85	-5.779	-0.0034	-2.5 to 2.5	Pass
				-20	3.85	-0.200	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-5.021	-0.0029	-2.5 to 2.5	Pass
				0	3.85	-2.375	-0.0014	-2.5 to 2.5	Pass
				10	3.85	-2.317	-0.0014	-2.5 to 2.5	Pass
				30	3.85	-3.033	-0.0018	-2.5 to 2.5	Pass
	1745	25	0	40	3.85	-1.130	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.157	-0.0001	-2.5 to 2.5	Pass
				20	3.27	-5.736	-0.0033	-2.5 to 2.5	Pass
					3.85	-2.718	-0.0016	-2.5 to 2.5	Pass
					4.43	-1.101	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-7.410	-0.0042	-2.5 to 2.5	Pass
				-20	3.85	-13.990	-0.0080	-2.5 to 2.5	Pass
				-10	3.85	-7.796	-0.0045	-2.5 to 2.5	Pass
				0	3.85	-8.783	-0.0050	-2.5 to 2.5	Pass
				10	3.85	-1.473	-0.0008	-2.5 to 2.5	Pass
				30	3.85	0.086	0.0000	-2.5 to 2.5	Pass
				40	3.85	-10.028	-0.0057	-2.5 to 2.5	Pass
				50	3.85	-8.612	-0.0049	-2.5 to 2.5	Pass
	1777.5	25	0	20	3.27	-2.432	-0.0014	-2.5 to 2.5	Pass
					3.85	-4.406	-0.0025	-2.5 to 2.5	Pass
					4.43	-5.207	-0.0029	-2.5 to 2.5	Pass
				-30	3.85	-0.458	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-6.223	-0.0035	-2.5 to 2.5	Pass
				-10	3.85	5.851	0.0033	-2.5 to 2.5	Pass
				0	3.85	-1.373	-0.0008	-2.5 to 2.5	Pass
				10	3.85	-9.656	-0.0054	-2.5 to 2.5	Pass
				30	3.85	-4.492	-0.0025	-2.5 to 2.5	Pass
				40	3.85	-4.077	-0.0023	-2.5 to 2.5	Pass

				50	3.85	-14.577	-0.0082	-2.5 to 2.5	Pass
--	--	--	--	----	------	---------	---------	-------------	------

2.4 B66_10MHz

2.4.1 Test Result

Band: 66 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1715	50	0	20	3.27	-12.846	-0.0075	-2.5 to 2.5	Pass
					3.85	-6.366	-0.0037	-2.5 to 2.5	Pass
					4.43	-8.655	-0.0050	-2.5 to 2.5	Pass
				-30	3.85	-3.004	-0.0018	-2.5 to 2.5	Pass
				-20	3.85	-6.852	-0.0040	-2.5 to 2.5	Pass
				-10	3.85	-7.954	-0.0046	-2.5 to 2.5	Pass
				0	3.85	-4.978	-0.0029	-2.5 to 2.5	Pass
				10	3.85	-7.281	-0.0042	-2.5 to 2.5	Pass
				30	3.85	-4.778	-0.0028	-2.5 to 2.5	Pass
				40	3.85	-10.557	-0.0062	-2.5 to 2.5	Pass
				50	3.85	-4.492	-0.0026	-2.5 to 2.5	Pass
	1745	50	0	20	3.27	-4.721	-0.0027	-2.5 to 2.5	Pass
					3.85	-5.708	-0.0033	-2.5 to 2.5	Pass
					4.43	-3.905	-0.0022	-2.5 to 2.5	Pass
				-30	3.85	-7.811	-0.0045	-2.5 to 2.5	Pass
				-20	3.85	-0.329	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	-3.691	-0.0021	-2.5 to 2.5	Pass
				0	3.85	0.873	0.0005	-2.5 to 2.5	Pass
				10	3.85	-1.731	-0.0010	-2.5 to 2.5	Pass
				30	3.85	-0.272	-0.0002	-2.5 to 2.5	Pass
				40	3.85	-6.623	-0.0038	-2.5 to 2.5	Pass
				50	3.85	-5.522	-0.0032	-2.5 to 2.5	Pass
	1775	50	0	20	3.27	-7.010	-0.0039	-2.5 to 2.5	Pass
					3.85	-5.279	-0.0030	-2.5 to 2.5	Pass
					4.43	-3.605	-0.0020	-2.5 to 2.5	Pass
				-30	3.85	-6.080	-0.0034	-2.5 to 2.5	Pass
				-20	3.85	-1.416	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	-3.705	-0.0021	-2.5 to 2.5	Pass
				0	3.85	-4.134	-0.0023	-2.5 to 2.5	Pass
				10	3.85	-8.426	-0.0047	-2.5 to 2.5	Pass
				30	3.85	-6.280	-0.0035	-2.5 to 2.5	Pass
				40	3.85	-5.436	-0.0031	-2.5 to 2.5	Pass
				50	3.85	-1.588	-0.0009	-2.5 to 2.5	Pass
16QAM	1715	50	0	20	3.27	-7.439	-0.0043	-2.5 to 2.5	Pass
					3.85	-5.779	-0.0034	-2.5 to 2.5	Pass
					4.43	-9.627	-0.0056	-2.5 to 2.5	Pass
				-30	3.85	-7.939	-0.0046	-2.5 to 2.5	Pass
				-20	3.85	-4.835	-0.0028	-2.5 to 2.5	Pass
				-10	3.85	-8.569	-0.0050	-2.5 to 2.5	Pass
				0	3.85	-6.952	-0.0041	-2.5 to 2.5	Pass
				10	3.85	-5.050	-0.0029	-2.5 to 2.5	Pass
				30	3.85	-1.459	-0.0009	-2.5 to 2.5	Pass
				40	3.85	-4.020	-0.0023	-2.5 to 2.5	Pass
				50	3.85	-8.869	-0.0052	-2.5 to 2.5	Pass
	1745	50	0	20	3.27	-2.489	-0.0014	-2.5 to 2.5	Pass
					3.85	-4.377	-0.0025	-2.5 to 2.5	Pass

					4.43	0.401	0.0002	-2.5 to 2.5	Pass
				-30	3.85	-2.232	-0.0013	-2.5 to 2.5	Pass
				-20	3.85	-2.947	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	-1.144	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-3.648	-0.0021	-2.5 to 2.5	Pass
				10	3.85	-1.316	-0.0008	-2.5 to 2.5	Pass
				30	3.85	0.401	0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.257	-0.0001	-2.5 to 2.5	Pass
				50	3.85	-8.554	-0.0049	-2.5 to 2.5	Pass
	1775	50	0	20	3.27	-4.449	-0.0025	-2.5 to 2.5	Pass
					3.85	-7.582	-0.0043	-2.5 to 2.5	Pass
					4.43	-5.064	-0.0029	-2.5 to 2.5	Pass
				-30	3.85	0.973	0.0005	-2.5 to 2.5	Pass
				-20	3.85	-8.268	-0.0047	-2.5 to 2.5	Pass
				-10	3.85	-7.224	-0.0041	-2.5 to 2.5	Pass
				0	3.85	-0.887	-0.0005	-2.5 to 2.5	Pass
				10	3.85	1.402	0.0008	-2.5 to 2.5	Pass
				30	3.85	-6.666	-0.0038	-2.5 to 2.5	Pass
				40	3.85	-1.674	-0.0009	-2.5 to 2.5	Pass
				50	3.85	-4.420	-0.0025	-2.5 to 2.5	Pass

2.5 B66_15MHz

2.5.1 Test Result

Band: 66 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1717.5	75	0	20	3.27	-8.268	-0.0048	-2.5 to 2.5	Pass
					3.85	-6.766	-0.0039	-2.5 to 2.5	Pass
					4.43	-3.018	-0.0018	-2.5 to 2.5	Pass
				-30	3.85	-10.843	-0.0063	-2.5 to 2.5	Pass
				-20	3.85	-4.263	-0.0025	-2.5 to 2.5	Pass
				-10	3.85	-7.710	-0.0045	-2.5 to 2.5	Pass
				0	3.85	-6.065	-0.0035	-2.5 to 2.5	Pass
				10	3.85	-8.268	-0.0048	-2.5 to 2.5	Pass
				30	3.85	-2.875	-0.0017	-2.5 to 2.5	Pass
				40	3.85	-7.424	-0.0043	-2.5 to 2.5	Pass
				50	3.85	-10.786	-0.0063	-2.5 to 2.5	Pass
	1745	75	0	20	3.27	-9.313	-0.0053	-2.5 to 2.5	Pass
					3.85	-7.267	-0.0042	-2.5 to 2.5	Pass
					4.43	-4.935	-0.0028	-2.5 to 2.5	Pass
				-30	3.85	-5.493	-0.0031	-2.5 to 2.5	Pass
				-20	3.85	-7.339	-0.0042	-2.5 to 2.5	Pass
				-10	3.85	-2.160	-0.0012	-2.5 to 2.5	Pass
				0	3.85	-9.685	-0.0056	-2.5 to 2.5	Pass
				10	3.85	-8.597	-0.0049	-2.5 to 2.5	Pass
				30	3.85	-10.457	-0.0060	-2.5 to 2.5	Pass
				40	3.85	-8.097	-0.0046	-2.5 to 2.5	Pass
				50	3.85	-12.603	-0.0072	-2.5 to 2.5	Pass
	1772.5	75	0	20	3.27	-2.747	-0.0015	-2.5 to 2.5	Pass
					3.85	-2.174	-0.0012	-2.5 to 2.5	Pass
					4.43	-1.688	-0.0010	-2.5 to 2.5	Pass
				-30	3.85	-4.606	-0.0026	-2.5 to 2.5	Pass
				-20	3.85	-9.398	-0.0053	-2.5 to 2.5	Pass

16QAM	1717.5	75	0	-10	3.85	-7.081	-0.0040	-2.5 to 2.5	Pass
				0	3.85	-4.091	-0.0023	-2.5 to 2.5	Pass
				10	3.85	-5.622	-0.0032	-2.5 to 2.5	Pass
				30	3.85	-0.544	-0.0003	-2.5 to 2.5	Pass
				40	3.85	-5.965	-0.0034	-2.5 to 2.5	Pass
				50	3.85	-5.007	-0.0028	-2.5 to 2.5	Pass
	1745	75	0	20	3.27	-11.301	-0.0066	-2.5 to 2.5	Pass
					3.85	-3.433	-0.0020	-2.5 to 2.5	Pass
					4.43	-7.396	-0.0043	-2.5 to 2.5	Pass
				-30	3.85	-10.500	-0.0061	-2.5 to 2.5	Pass
				-20	3.85	-5.393	-0.0031	-2.5 to 2.5	Pass
				-10	3.85	-6.781	-0.0039	-2.5 to 2.5	Pass
				0	3.85	-7.596	-0.0044	-2.5 to 2.5	Pass
				10	3.85	-8.984	-0.0052	-2.5 to 2.5	Pass
				30	3.85	-7.310	-0.0043	-2.5 to 2.5	Pass
				40	3.85	-7.253	-0.0042	-2.5 to 2.5	Pass
				50	3.85	-9.184	-0.0053	-2.5 to 2.5	Pass
				20	3.27	-8.855	-0.0051	-2.5 to 2.5	Pass
					3.85	-5.507	-0.0032	-2.5 to 2.5	Pass
					4.43	-4.764	-0.0027	-2.5 to 2.5	Pass
				-30	3.85	-1.574	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-3.319	-0.0019	-2.5 to 2.5	Pass
	1772.5	75	0	-10	3.85	-8.683	-0.0050	-2.5 to 2.5	Pass
				0	3.85	-6.380	-0.0037	-2.5 to 2.5	Pass
				10	3.85	-4.520	-0.0026	-2.5 to 2.5	Pass
				30	3.85	-5.064	-0.0029	-2.5 to 2.5	Pass
				40	3.85	-8.268	-0.0047	-2.5 to 2.5	Pass
				50	3.85	-2.704	-0.0015	-2.5 to 2.5	Pass
				20	3.27	-7.353	-0.0041	-2.5 to 2.5	Pass
					3.85	-3.991	-0.0023	-2.5 to 2.5	Pass
					4.43	-4.148	-0.0023	-2.5 to 2.5	Pass
				-30	3.85	-3.977	-0.0022	-2.5 to 2.5	Pass
				-20	3.85	-3.963	-0.0022	-2.5 to 2.5	Pass
				-10	3.85	-4.950	-0.0028	-2.5 to 2.5	Pass
				0	3.85	-3.405	-0.0019	-2.5 to 2.5	Pass
				10	3.85	-1.402	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-6.394	-0.0036	-2.5 to 2.5	Pass
				40	3.85	-5.107	-0.0029	-2.5 to 2.5	Pass
				50	3.85	-3.991	-0.0023	-2.5 to 2.5	Pass

2.6 B66_20MHz

2.6.1 Test Result

Band: 66 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1720	100	0	20	3.27	-7.153	-0.0042	-2.5 to 2.5	Pass
					3.85	-3.147	-0.0018	-2.5 to 2.5	Pass
					4.43	-1.159	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	1.931	0.0011	-2.5 to 2.5	Pass
				-20	3.85	-0.787	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-1.402	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-7.324	-0.0043	-2.5 to 2.5	Pass
				10	3.85	-2.604	-0.0015	-2.5 to 2.5	Pass

	1745	100	0	30	3.85	-1.945	-0.0011	-2.5 to 2.5	Pass
				40	3.85	0.129	0.0001	-2.5 to 2.5	Pass
				50	3.85	-3.090	-0.0018	-2.5 to 2.5	Pass
				20	3.27	-2.732	-0.0016	-2.5 to 2.5	Pass
					3.85	-3.777	-0.0022	-2.5 to 2.5	Pass
					4.43	-6.266	-0.0036	-2.5 to 2.5	Pass
				-30	3.85	-8.097	-0.0046	-2.5 to 2.5	Pass
				-20	3.85	-4.220	-0.0024	-2.5 to 2.5	Pass
				-10	3.85	-4.406	-0.0025	-2.5 to 2.5	Pass
	1770	100	0	0	3.85	-4.606	-0.0026	-2.5 to 2.5	Pass
				10	3.85	-4.535	-0.0026	-2.5 to 2.5	Pass
				30	3.85	-2.232	-0.0013	-2.5 to 2.5	Pass
				40	3.85	-2.389	-0.0014	-2.5 to 2.5	Pass
				50	3.85	-0.815	-0.0005	-2.5 to 2.5	Pass
				20	3.27	-0.644	-0.0004	-2.5 to 2.5	Pass
					3.85	0.014	0.0000	-2.5 to 2.5	Pass
					4.43	-1.788	-0.0010	-2.5 to 2.5	Pass
				-30	3.85	-7.725	-0.0044	-2.5 to 2.5	Pass
				-20	3.85	-2.789	-0.0016	-2.5 to 2.5	Pass
				-10	3.85	-1.359	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-5.536	-0.0031	-2.5 to 2.5	Pass
				10	3.85	-4.177	-0.0024	-2.5 to 2.5	Pass
				30	3.85	-5.207	-0.0029	-2.5 to 2.5	Pass
				40	3.85	1.459	0.0008	-2.5 to 2.5	Pass
				50	3.85	-2.332	-0.0013	-2.5 to 2.5	Pass
16QAM	1720	100	0	20	3.27	-4.592	-0.0027	-2.5 to 2.5	Pass
					3.85	-3.633	-0.0021	-2.5 to 2.5	Pass
					4.43	-6.595	-0.0038	-2.5 to 2.5	Pass
				-30	3.85	-4.721	-0.0027	-2.5 to 2.5	Pass
				-20	3.85	-6.552	-0.0038	-2.5 to 2.5	Pass
				-10	3.85	-8.311	-0.0048	-2.5 to 2.5	Pass
				0	3.85	-3.076	-0.0018	-2.5 to 2.5	Pass
				10	3.85	-1.073	-0.0006	-2.5 to 2.5	Pass
				30	3.85	-4.163	-0.0024	-2.5 to 2.5	Pass
	1745	100	0	40	3.85	-3.734	-0.0022	-2.5 to 2.5	Pass
				50	3.85	-5.593	-0.0033	-2.5 to 2.5	Pass
				20	3.27	-7.868	-0.0045	-2.5 to 2.5	Pass
					3.85	-1.173	-0.0007	-2.5 to 2.5	Pass
					4.43	-4.578	-0.0026	-2.5 to 2.5	Pass
				-30	3.85	-1.631	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-3.190	-0.0018	-2.5 to 2.5	Pass
				-10	3.85	-0.730	-0.0004	-2.5 to 2.5	Pass
				0	3.85	-3.862	-0.0022	-2.5 to 2.5	Pass
				10	3.85	-3.848	-0.0022	-2.5 to 2.5	Pass
				30	3.85	-2.604	-0.0015	-2.5 to 2.5	Pass
				40	3.85	-0.887	-0.0005	-2.5 to 2.5	Pass
				50	3.85	-2.418	-0.0014	-2.5 to 2.5	Pass
	1770	100	0	20	3.27	-1.588	-0.0009	-2.5 to 2.5	Pass
					3.85	-3.405	-0.0019	-2.5 to 2.5	Pass
					4.43	-0.229	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-2.389	-0.0013	-2.5 to 2.5	Pass
				-20	3.85	-5.493	-0.0031	-2.5 to 2.5	Pass
				-10	3.85	-2.060	-0.0012	-2.5 to 2.5	Pass
				0	3.85	-1.602	-0.0009	-2.5 to 2.5	Pass
				10	3.85	-9.127	-0.0052	-2.5 to 2.5	Pass
				30	3.85	-2.375	-0.0013	-2.5 to 2.5	Pass
				40	3.85	-4.363	-0.0025	-2.5 to 2.5	Pass

				50	3.85	-3.119	-0.0018	-2.5 to 2.5	Pass
--	--	--	--	----	------	--------	---------	-------------	------


3. Modulation Characteristics

3.1 B66_1.4MHz

3.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	6	0	Refer To Test Graph		Pass
16QAM	1745	6	0	Refer To Test Graph		Pass

3.1.2 Test Graph




3.2 B66_3MHz

3.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	15	0	Refer To Test Graph		Pass
16QAM	1745	15	0	Refer To Test Graph		Pass

3.2.2 Test Graph




3.3 B66_5MHz

3.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	25	0	Refer To Test Graph		Pass
16QAM	1745	25	0	Refer To Test Graph		Pass

3.3.2 Test Graph




3.4 B66_10MHz

3.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	50	0	Refer To Test Graph		Pass
16QAM	1745	50	0	Refer To Test Graph		Pass

3.4.2 Test Graph




3.5 B66_15MHz

3.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	75	0	Refer To Test Graph		Pass
16QAM	1745	75	0	Refer To Test Graph		Pass

3.5.2 Test Graph




3.6 B66_20MHz

3.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	100	0	Refer To Test Graph		Pass
16QAM	1745	100	0	Refer To Test Graph		Pass

3.6.2 Test Graph




4. 99% & 26dB Bandwidth


4.1 Band66_OBW

4.1.1 Test Result


Band: 66 / NTV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	1710.7	6	0	1.113	Pass
		1745	6	0	1.112	Pass
		1779.3	6	0	1.114	Pass
	16QAM	1710.7	6	0	1.104	Pass
		1745	6	0	1.112	Pass
		1779.3	6	0	1.112	Pass
3	QPSK	1711.5	15	0	2.729	Pass
		1745	15	0	2.730	Pass
		1778.5	15	0	2.729	Pass
	16QAM	1711.5	15	0	2.715	Pass
		1745	15	0	2.719	Pass
		1778.5	15	0	2.721	Pass
5	QPSK	1712.5	25	0	4.569	Pass
		1745	25	0	4.582	Pass
		1777.5	25	0	4.566	Pass
	16QAM	1712.5	25	0	4.572	Pass
		1745	25	0	4.612	Pass
		1777.5	25	0	4.601	Pass
10	QPSK	1715	50	0	9.086	Pass
		1745	50	0	9.066	Pass
		1775	50	0	9.109	Pass
	16QAM	1715	50	0	9.076	Pass
		1745	50	0	9.073	Pass
		1775	50	0	9.074	Pass
15	QPSK	1717.5	75	0	13.623	Pass
		1745	75	0	13.604	Pass
		1772.5	75	0	13.660	Pass
	16QAM	1717.5	75	0	13.661	Pass
		1745	75	0	13.585	Pass
		1772.5	75	0	13.634	Pass
20	QPSK	1720	100	0	18.159	Pass
		1745	100	0	18.082	Pass
		1770	100	0	18.182	Pass
	16QAM	1720	100	0	18.142	Pass
		1745	100	0	18.134	Pass
		1770	100	0	18.147	Pass

4.1.2 Test Graph








Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV









Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV





Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV











Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV






Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




















Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




4.2 Band66_XDB


4.2.1 Test Result

Band: 66 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	1710.7	6	0	1.332	Pass
		1745	6	0	1.332	Pass
		1779.3	6	0	1.318	Pass
	16QAM	1710.7	6	0	1.300	Pass
		1745	6	0	1.320	Pass
		1779.3	6	0	1.332	Pass
3	QPSK	1711.5	15	0	2.989	Pass
		1745	15	0	3.004	Pass
		1778.5	15	0	2.993	Pass
	16QAM	1711.5	15	0	2.995	Pass
		1745	15	0	2.991	Pass
		1778.5	15	0	3.016	Pass
5	QPSK	1712.5	25	0	5.196	Pass
		1745	25	0	5.864	Pass
		1777.5	25	0	5.232	Pass
	16QAM	1712.5	25	0	5.314	Pass
		1745	25	0	5.303	Pass
		1777.5	25	0	5.249	Pass
10	QPSK	1715	50	0	10.264	Pass
		1745	50	0	10.310	Pass
		1775	50	0	10.400	Pass
	16QAM	1715	50	0	10.237	Pass
		1745	50	0	10.307	Pass
		1775	50	0	10.231	Pass
15	QPSK	1717.5	75	0	15.310	Pass
		1745	75	0	15.465	Pass
		1772.5	75	0	15.381	Pass
	16QAM	1717.5	75	0	15.317	Pass
		1745	75	0	15.327	Pass
		1772.5	75	0	15.341	Pass
20	QPSK	1720	100	0	20.105	Pass
		1745	100	0	20.223	Pass
		1770	100	0	20.040	Pass
	16QAM	1720	100	0	20.155	Pass
		1745	100	0	20.081	Pass
		1770	100	0	20.188	Pass


4.2.2 Test Graph




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV







Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV






Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV






Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV














Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV






Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




5. Peak-Average Ratio

5.1 B66_1.4MHz


5.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	6	0	4.67	<=13	Pass
	1745	6	0	4.61	<=13	Pass
	1779.3	6	0	4.80	<=13	Pass
16QAM	1710.7	6	0	5.51	<=13	Pass
	1745	6	0	5.45	<=13	Pass
	1779.3	6	0	5.68	<=13	Pass


5.1.2 Test Graph




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV



Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV



Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




5.2 B66_3MHz


5.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	15	0	4.90	<=13	Pass
	1745	15	0	4.72	<=13	Pass
	1778.5	15	0	5.02	<=13	Pass
16QAM	1711.5	15	0	5.78	<=13	Pass
	1745	15	0	5.62	<=13	Pass
	1778.5	15	0	5.87	<=13	Pass


5.2.2 Test Graph




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV



Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV



Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV



5.3 B66_5MHz

5.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	25	0	5.20	<=13	Pass
	1745	25	0	5.09	<=13	Pass
	1777.5	25	0	5.33	<=13	Pass
16QAM	1712.5	25	0	5.97	<=13	Pass
	1745	25	0	5.82	<=13	Pass
	1777.5	25	0	6.06	<=13	Pass

5.3.2 Test Graph

