











Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.492
NVNT	a	5200	Ant1	16.564
NVNT	a	5240	Ant1	16.483
NVNT	a	5180	Ant2	18.922
NVNT	a	5200	Ant2	18.85
NVNT	a	5240	Ant2	18.853
NVNT	n20	5180	Ant1	17.794
NVNT	n20	5200	Ant1	17.626
NVNT	n20	5240	Ant1	17.62
NVNT	n20	5180	Ant2	17.761
NVNT	n20	5200	Ant2	17.704
NVNT	n20	5240	Ant2	17.701
NVNT	n40	5190	Ant1	36.134
NVNT	n40	5230	Ant1	36.008
NVNT	n40	5190	Ant2	36.122
NVNT	n40	5230	Ant2	36.002
NVNT	ac20	5180	Ant1	17.758
NVNT	ac20	5200	Ant1	17.59
NVNT	ac20	5240	Ant1	17.656
NVNT	ac20	5180	Ant2	17.704
NVNT	ac20	5200	Ant2	17.617
NVNT	ac20	5240	Ant2	17.647
NVNT	ac40	5190	Ant1	36.128
NVNT	ac40	5230	Ant1	36.014
NVNT	ac40	5190	Ant2	36.128
NVNT	ac40	5230	Ant2	35.996
NVNT	ac80	5210	Ant1	74.957
NVNT	ac80	5210	Ant2	74.909
NVNT	ax20	5180	Ant1	19.003
NVNT	ax20	5200	Ant1	18.847
NVNT	ax20	5240	Ant1	18.865
NVNT	ax20	5180	Ant2	18.898
NVNT	ax20	5200	Ant2	18.865
NVNT	ax20	5240	Ant2	18.832
NVNT	ax40	5190	Ant1	37.574
NVNT	ax40	5230	Ant1	37.424
NVNT	ax40	5190	Ant2	37.538
NVNT	ax40	5230	Ant2	37.424
NVNT	ax80	5210	Ant1	76.552
NVNT	ax80	5210	Ant2	76.492


Test Graphs


OBW NVNT a 5180MHz Ant1





OBW NVNT a 5200MHz Ant1

























































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-2.45	0.07	-2.38	11	Pass
NVNT	a	5200	Ant1	-1.7	0.07	-1.63	11	Pass
NVNT	a	5240	Ant1	-1.49	0.07	-1.42	11	Pass
NVNT	a	5180	Ant2	-2.2	0.04	-2.16	11	Pass
NVNT	a	5200	Ant2	-1.77	0.04	-1.73	11	Pass
NVNT	a	5240	Ant2	-1.91	0.04	-1.87	11	Pass
NVNT	n20	5180	Ant1	-2.25	0.04	-2.21	11	Pass
NVNT	n20	5200	Ant1	-1.58	0.04	-1.54	11	Pass
NVNT	n20	5240	Ant1	-1.73	0.04	-1.69	11	Pass
NVNT	n20	5180	Ant2	-1.87	0.04	-1.83	11	Pass
NVNT	n20	5200	Ant2	-1.35	0.04	-1.31	11	Pass
NVNT	n20	5240	Ant2	-1.22	0.04	-1.18	11	Pass
NVNT	n40	5190	Ant1	-4.66	0.04	-4.62	11	Pass
NVNT	n40	5230	Ant1	-3.83	0.04	-3.79	11	Pass
NVNT	n40	5190	Ant2	-4.2	0.04	-4.16	11	Pass
NVNT	n40	5230	Ant2	-4.23	0.04	-4.19	11	Pass
NVNT	ac20	5180	Ant1	-2.16	0.04	-2.12	11	Pass
NVNT	ac20	5200	Ant1	-1.55	0.04	-1.51	11	Pass
NVNT	ac20	5240	Ant1	-0.77	0.04	-0.73	11	Pass
NVNT	ac20	5180	Ant2	-1.51	0.04	-1.47	11	Pass
NVNT	ac20	5200	Ant2	-1.35	0.04	-1.31	11	Pass
NVNT	ac20	5240	Ant2	-1.32	0.04	-1.28	11	Pass
NVNT	ac40	5190	Ant1	-4.81	0.04	-4.77	11	Pass
NVNT	ac40	5230	Ant1	-4.48	0.04	-4.44	11	Pass
NVNT	ac40	5190	Ant2	-4.38	0.04	-4.34	11	Pass
NVNT	ac40	5230	Ant2	-4.18	0.04	-4.14	11	Pass
NVNT	ac80	5210	Ant1	-7.16	0.04	-7.12	11	Pass
NVNT	ac80	5210	Ant2	-7.07	0.04	-7.03	11	Pass
NVNT	ax20	5180	Ant1	-2.57	0.04	-2.53	11	Pass
NVNT	ax20	5200	Ant1	-1.91	0.04	-1.87	11	Pass
NVNT	ax20	5240	Ant1	-2	0.04	-1.96	11	Pass
NVNT	ax20	5180	Ant2	-2.31	0.03	-2.28	11	Pass
NVNT	ax20	5200	Ant2	-1.74	0.04	-1.7	11	Pass
NVNT	ax20	5240	Ant2	-1.78	0.04	-1.74	11	Pass
NVNT	ax40	5190	Ant1	-4.26	0.04	-4.22	11	Pass
NVNT	ax40	5230	Ant1	-5.18	0.04	-5.14	11	Pass
NVNT	ax40	5190	Ant2	-4.99	0.04	-4.95	11	Pass
NVNT	ax40	5230	Ant2	-4.53	0.04	-4.49	11	Pass
NVNT	ax80	5210	Ant1	-7.55	0.04	-7.51	11	Pass
NVNT	ax80	5210	Ant2	-7.66	0.04	-7.62	11	Pass

Test Graphs

PSD NVNT a 5180MHz Ant1



PSD NVNT a 5200MHz Ant1

